2025 CATALOGUE 26



- General Laboratory Chemicals & Solvents
- Bioreagents, Biochemicals & Speciality Fine Chemicals
- Animal Cell Culture
- Nanopowders & Carbon Nanotubes (CNTs)
- Dehydrated Culture Media Products
- BioLit® DNA & Protein Tools and Kits
- Laboratory Accessories
- Bio-Indenta®



www.srlchem.com

endless **Process** of science...












Quality Policy

We, at Sisco Research Laboratories Pvt. Ltd., shall always strive to provide the best quality Laboratory Reagents and Biochemicals, Microbiological Culture Media, Supplements & Kits, and BioLit[™] range of protein and DNA tools required for teaching, research, analysis and manufacture of high quality products for better quality of life.

We shall always maintain and upgrade our products and services to meet the highest International Quality Standards.

It is our constant endeavor to achieve maximum customer satisfaction by implementing an efficient customer relationship management system to meet the requirements and expectations of our valued customers.

To achieve our goals, we have instituted a quality management system conforming to ISO 9001:2015, ISO 17025:2017, CE Certification for our Microbiology range of products and an FDA Approval for select range of





Dear Scientists, Researchers and Valued Partners

It is my privilege to present our latest product catalogue — a curated portfolio of **over 10,000 laboratory chemicals, biochemicals, culture media, and molecular biology tools,** with a continued focus on precision, innovation, and the evolving demands of science.

As we commemorate **50 years since our founding in 1974**, we reaffirm our core **Vision**:

'To be the gold standard and preferred choice in every scientific laboratory.'

In an era shaped by global volatility and rapid scientific advancement, the need for dependable partners in research has never been greater. The global laboratory chemicals market is expected to reach USD 5.37 billion by 2030, while the microbiology sector is projected to surpass USD 11 billion by 2028. SRL is proud to grow alongside this momentum — expanding our global footprint and earning recognition from scientists worldwide for our reliability, quality, and breadth of offerings.

Scientific progress is often built on persistence — as shown in the recent development of **metal-organic frameworks** (MOFs), a breakthrough in chemical materials science. Once viewed as fragile curiosities, MOFs are now solving critical challenges in **gas storage**, **drug delivery**, **and carbon capture**, thanks to years of careful refinement. These modern milestones remind us: even the most ambitious goals are within reach when innovation is matched with dedication.

May this catalogue serve as more than a reference — may it be your toolkit for discovery, a companion to your research, and a symbol of our commitment to your work.

With warm regards and enduring gratitude,

S. K. Agarwal

Chairman 12th May 2025



Quality Control

Quality control facilities in our manufacturing plants

- Anaerobic Culture Jars
- Analytical Balances
- Antibiotic Zone Reader
- Atomic Absorption Spectrophotometer (AAS)
- Autoclaves
- Bacteriological Incubator
- B.O.D. Incubator
- Calorimeter
- Conductivity Meters
- Colony Counter
- Cyclomixer
- Electrophoresis Equipments
- FTIR Spectrophotometer
- Gas Chromatograph (w/Head space)
- Gel-Strength Indicator
- High Speed Centrifuges
- HPLC İnstrument
- Hot Air Ovens
- IR Spectrophotometer
- Karl-Fischer Apparatus
- Kjedhal's Apparatus
- Lab Furnace
- Laminar Air Flow Bench
- Melting Point Apparatus
- Micro-Ovens
- Microscopes
- pH Meters
- Polarograph
- Potentiometric Titrator
- Refractive Index Apparatus
- Rotary Flask Shaker
- TLC Equipments
- Transilluminator
- Turbidometer
- UV Cabinet
- UV Spectrophotometers
- Viscometer
- other support instruments

It is the precise instrumental, chemical, biochemical and microbiological analysis which enables **SRL** to guarantee that its products shall always meet the highest international standards.











Part A 15 General Laboratory Chemicals & Solvents Part B 75 Bioreagents, Biochemicals & Speciality Fine Chemicals 151 Part B1 **Animal Cell Culture** Part C Nanopowders & Carbon Nanotubes (CNTs) 157 (Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders) Part D Dehydrated Culture Media Product Listing • Media Supplements
• ChroMed[™] • Media Kits Part E BioLit® • DNA & Protein Tools Part L **Laboratory Accessories**

Bio-Indenta™

Global searching station for Unlisted Compounds

International Business

You will find the **SRL** brand in 6 different regions around the world and in more than 100 countries. Our main motive has always been to provide our products to customers in different corners of the world, wherever there is an industry or an institution that is working on improving the quality of our lives through research, innovation, quality control and manufacturing. Having more than 40 authorized agents and distributors and more than 100 trade partners, SRL is always on the lookout to make brighter and long lasting partnerships with companies that have a similar goal in mind, i.e. to be the best in their business. Before we appoint trade partners, we make it a point to conduct systematic checks to ensure that our partners are in a position to offer better sales support and postsales services to their valued customers who choose an SRL product. We welcome new partnerships for growth and prosperity.

Our global reach

Europe & Eurasia

- Austria
- Azerbaijan
- Belaium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- France
- Germany
- Greece
- Hungary
- Ireland
- Italy
- Malta
- Moldova
- Netherlands
- Norway
- Poland
- Portugal
- Russia
- Spain
- Sweden
- Switzerland
- Turkey
- Turkmenistan
- United Kingdom
- Uzbekistan

Africa

- Benin
- Botswana
- Chad
- Cameroon
- Diibouti
- Ethiopia
- Ghana
- Kenya
- Madagascar
- Malawi
- Mali
- Mauritius
- Mozambique
- Namibia
- Nigeria
- Rwanda
- Seychelles
- South Africa
- Tanzania
- Uganda
- Zambia
- Zimbabwe

Middle East

East Asia &

Pacific

Australia

Brunei

• Burma

• China

Japan

Laos

• Fiii

Cambodia

Indonesia

Malaysia

Mongolia

New Zealand

Philippines

Singapore

Thailand

Vietnam

South Korea

- Bahrain
- Egypt
- Jordan
- Kuwait
- Lebanon
- Morocco
- Oman
- Qatar
- Saudi Arabia
- Tunisia
- United Arab **Emirates**

Central Asia

- Bangladesh
- Bhutan
- Kazakhstan
- Maldives
- Nepal
- Srilanka
- Tajikstan


North & South America

- Argentina
- Brazil
- Canada
- Chile
- Costa Rica
- Ecuador
- Guatemala
- Jamaica
- Mexico
- Peru
- Trinidad & Tobago
- Venezuela
- United States of America






overseas customers can reach us at export@srlchem.com




Label Explanation




for Laboratory & Research Chemicals



for Dehydrated Culture Media, Ingredients, Supplements & Kits











Consistently we follow in all aspects of our products and services continues even more comprehensively on our website. Some of the most revolutionary information we offer,

1. Interactive Product Pages

- Technical product specifications & print-ready Product Data sheets
 - (containing technical & application for each product)
- LIVE Stock Checks
 - Check the stocks of your desired product packing in real time at each of our
 - Manufacturing Sites
 - Distribution Depots
- Avail prices in more than 17 Global Currencies
- Access to H.S. Codes & MSDS of all products

2. Quick Links for viewing and downloads

- Product search by keywords, CAS, application, grade
- Certificate of Analysis (COA)
- Material Safety Data Sheet (MSDS)
- Latest Catalog Download
- Technical Product Brochures
- Picture gallery for product packaging

3. Online Transactions

- Get quotations
- Place Orders
- Ask us a Technical Query
- Apply for a position with us

4. Locate your nearest SRL Stockists & Distributor

- Indian Stockist network provided City-wise & State-wise
- Global Distributors provided country-wise

5. Multi-Lingual Display

Read content in more than 80 Global languages of your preference

6. News and Information

- Follow our developments and road shows
- Path-breaking research developments in the Bioscience industry
- Latest SRL product offerings and highlights

7. Regulatory Certifications, now available online.

Click and Download our

- ISO 9001-2015 Quality Management Certificate
- FDA (Food & Drug Association) Certificate
- CE (European Conformity) Certificate
- GMP (Good Manufacturing Practices) Certificate

www.srlchem.com

is ideal for researchers, scientists and customers who are always looking for new molecules, product information and availabilities at the click of a button!



No part of this book may be reproduced by any mechanical, photographic or electronic process or in the form of a phonographic audio/audio visual recording, nor may it be stored in a retrieval system, transmitted or otherwise copied for public or private use, without written permission from the publisher.

Trademarks owned by Sisco Research Laboratories

Registered Trademarks

SRL® **ChroMed**® **ExiPlus® FluroBronze®** Bio-Indenta® **BioLit**® SafeDve[™] Serabeads[®] Seralite[®] $\mathbf{PrimeDx}^{\mathsf{TM}}$ Seralose[®]

"All trademarks mentioned in the catalogue other than those mentioned here, are not property/owned by Sisco Research Laboratories Pvt. Ltd. (SRL)"

Grades of Purity

SRL products adhere to highest grades of quality. However, we understand that our multiple grades may tend to overlap and disorient users. The explanations below give an approximate representation of the **SRL** grades and most closely suited applications of our products.

AAS Products for Atomic Absorption Spectrocopy specially suited for AAS instrumentation.

Complying with the specifications of American Chemical Society (ACS) reference manuals/ANALAR **ACS/AR/Reagent Grade**

specifications, for critical laboratory analysis and quality production applications.

Dried/Specially Dried Containing highly reduced water content for 'anhydrous' reactions, synthesis and assay studies. **Cell Culture** Low endotoxin products specially suited for cell culture DNA, RNA, Genetics applications.

Electronic Grade Very low ionic impurities and suited for electronics and high-end applications.

ExiPlus™ Complying with the compendial specifications of USP (United States Pharmacopoeia) or BP (British

Pharmacopoeia) or Ph.Eur (European Pharmacopoeia) or all. For production, quality control and

laboratory applications.

Purified grade suited for general laboratory or synthesis. **Extrapure**

GC-HS For Gas Chromatography assay. Suited for use in GC instrumentation with Head Space.

High Purity/Ultrapure Having very high levels of assay/purity (typically 3N (99.9%), 4N (99.99%), 5N (99.999%) or more) as

compared to similar products in their class/category. Specially synthesized and purified for critical

applications with low elemental impurities.

HPCL/UV For High Pressure Liquid Chromatography or Ultra Violet Spectroscopy. Suited for use in HPLC or UV

instrumentation.

Microbiology/Bacteriology For microbiological application and bacteriological studies.

Microscopy Typically dyes, stains and indicators (powders and solutions) used for microscopy and histological

Molecular Biology For molecular biology, cell culture, tissue culture, genetics, and all such applications, tested 'nondetected' for DNAse. RNAse and Protease.

NMR Spectroscopy Solvents for NMR studies suited to most advanced NMR instrumentation.

OAS Organic Analytical Standard for reference studies.

PrimeDx™ Refers to high-quality reagents optimized for precision and reliability in diagnostic applications.

Pure/Technical/Practical/Grade General, commercial grade for synthesis and routine applications.

OAS/CHR/Reference Organic Analytical Standard/Chromatographically Harmonized Reagent to be used as in reference

Standard Grade studies as an analytically pure standard.

Scintillation Ideal for scintillation studies.

Tissue Culture Ideal for plant tissue culture application & studied.

For Pharmaceutical Grade Labelled Products

ΙP Indian Pharmacopoeia. **BP** British Pharmacopoeia.

USP-NF United States Pharmacopoeia & The National Formulary.

For Dehydrated Culture Media

Harmonized Dehydrated media prepared as mentioned in ICH Guidelines. **Bacteriology** For microbiological application and bacteriological studies. BactoBio/Bacto For microbiological preparation and cell culture media.

(I/P) Dehydrated media prepared as mentioned in IP (Indian Pharmacopoeia).

(U/P) Dehydrated media prepared as mentioned in USP (United States Pharmacopoeia). (B/S) Dehydrated media prepared as mentioned in BIS (Bureau Of Indian Standards).

Dehydrated media prepared as mentioned in ISO (International Standards Organization) Guidelines. **(l)**



Production Capabilities

We invite you to tour and audit our plant and discuss any queries with our technical team

Our Bulk Manufacturing facilities follow cutting edge bio-techniques for producing many of our specialized products in bulk volumes. Multi-purpose process vessels and unit operations ensure consistent high quality batch-after-batch in a timely manner.

Our production facilities include -

- SS & Glass-lined Reactors with distillation columns
- All Glass Reactors
- SS Centrifuges
- SS Nutsche Filters
- SS Sparkler Filters
- SS Pulverizers, Sifters and Blenders
- Vacuum Tray Dryers
- SS Rotocone Vacuum Dryers, etc.

To support these unit operations, our utilities include -

- Chilled Brine Plant
- · Cooling Water and Chilled Water Plant
- Boiler and Oil Heating System
- High Pressure Vacuum System
- Micron-filter Air Purification System
- DM Water Plant, Nitrogen Plant, Scrubbers, etc.





Contact info@srlchem.com for more info.

Keeping strong the Riquality promise.

Bulk Manufacturing & Custom Synthesis (BMCS) Business

Developing bulk specialty chemicals and customized new molecules in compliance with your in-house specifications supported by complete tech-packs.

Today, **SRL** is not only known for its high quality laboratory chemicals, but it is also been recognized as an important supplier of various fine chemicals as raw materials. Our company is manufacturing reagents and powders in bulk scale to meet the critical requirements of several industries that we serve. As a supplier of key technologies, we want to grow along with our customers in the pharmaceutical and biopharmaceutical industries. This expansion of capacity and modernization is our response to the growing global demand for and high requirements placed on quality and product safety for final pharmaceutical and biopharmaceutical formulations. SRL has an extensive product range and supports its customers in all phases of the drug manufacturing process, from research, quality control and commercial production, through to providing service in concrete safety and regulatory issues.

SRL's Bulk Manufacturing and Custom Synthesis (BMCS) business has broadened its production at our Taloja MIDC site to include existing and new bulk fine chemicals which are being manufactured at commercial scales. Production of the raw materials have been on since 2011 at this site and complements the existing offering of highly regulated active and non-active pharmaceutical ingredients manufactured here. Most of the products manufactured at the Taloja MIDC bulk plant facility meet and exceed IP, BP, USP & Ph. Eur regulation; follow Current Good Manufacturing Practices (cGMPs) for biopharmaceutical production; and comply with International Consortium for Innovation and Quality in Pharmaceutical Development.

Target Audience:

- Active Pharmaceutical Ingredients (API) (Human & Veterinary)
- Antibodies
- Biosimilars
- Biocides, Insecticides & Crop Sciences
- Bio-Fermentation (Upstream & Downstream)
- Blood Plasma
- Diagnostic Kit
- Excipients & Intermediates (Organic & Inorganic)
- Formulations (New & Generic)
- Home Care & Sanitation
- Hormones
- Injectables
- Neutraceuticals
- Peptides
- Personal Care Products
- Protein Purification
- Vaccines (Human & Veterinary)

Reaction Capabilities:

- Acid Chloride Preparations
- Aldol & Crossed Aldol Reaction
- Assymetric Reduction
- Bromination

- Caroxylation
- Cryogenic Reaction
- Cyclization
- Cyclo Addition
 (4 + 2, 4 + 3) Reaction
- Dehydration
- Esterification
- Formylation
- Friedel Craft
- Grignard Reaction
- Heck Reaction
- Hydrochloride preparation
- lodination
- Ion exchange Reactions
- Jones Oxidation
- Lithiation Chemistry
- Mignonac Reaction
- Mitosonobu Esterification
- Nitration
- Nitrosation
- Oximination
- Pachmann Condensation
- Perkin Reaction
- Sandmeyer Reaction
- Sonogashira Coupling
- Sulfonation
- Suzuki Coupling
- Swern Oxidation
- Williamson's Ether Synthesis
- Writing-Homer Reaction





* Document support:

- Aflatoxin free statement
- Allergen free certificate
- Brief description of manufacturing locations, capabilities
- Certificate of analysis (COA) / Method of analysis (MOA)
- Company Organogram
- Dioxan free certificate
- GC, HPLC, NMR graphs
- Gluten free certificate
- Kosher & Halal certificate
- Latex free statement
- List of equipment and instrumentation
- Material safety data sheet (MSDS)
- Melamine free certificate
- Metal catalyst statement
- Microbial contamination certificate
- Quality management certificate (QMS)
- Residual solvent & impurity profiling
- Route of synthesis (ROS) / Process flow chart
- Stability data
- TSE/BSE Declaration
- Vendor Questionnaire (VQ)

We offer:

The BMCS division at the MIDC Taloja facility include difficult-to-source materials available from research to commercial-scale volumes. The program takes advantage of **SRL**'s purification, re-crystallization and distillation competencies to manufacture a short list of catalog products in the commercial product segment.

You will find our ExiPlus grade of products that are complying to the compendia specifications of Indian Pharmacopoeia (IP), British Pharmacopoeia (BP), United States Pharmacopoeia (USP), National Formulatory (NF) and European Pharmacopoeia (Ph. Eur). We are well versed in providing these products for production requirements. Alternately, our highly researched ACS and AR grades are anyway much better and stringent in their impurity limits and are also being used as raw materials in various industries. We also are highly skilled in providing additional value through quality documentation packages, readily-available inventory and multiple batches to support customer qualification activities

Tech-packs:

SRL not only provides the raw materials through its BMCS program, but we also cater to the strict documentation requirements which our customers ask. Since the last decade, India has become a hub for the regulated as well as the non-regulated pharmaceutical markets, and to serve them we offer complete vendor questionnaire documents with all the technical, commercial and ethical information that we can provide.

Post Sales Support:

We at **SRL** take special care to value our customers with utmost seriousness post-sales. Customers requiring additional services of more document support, pre-shipment sampling for repeat orders, production planning for scale-up and addressing non-conformity issues are some of the areas which we address. In times of product rejections due to storage or any other issues, we provide a complete CAPA (Corrective And Preventive Action) analysis document and such documents are recorded for future product improvements.

Today we provide a helping hand to the world's top 100 pharmaceutical companies to file successful ANDA (Abbreviated New Drug Application) filings in both regulated and non-regulated markets. We are ready to partner with you, so do get in touch with us on marketing@srlchem.com



[❖] Document support provided depends on individual product and its chemistry. Not all documents are available for all BMCS products.



(Products confirming to the reagent specifications of USP, BP & Ph. EUR)

Exiplus range of products has been carefully designed to meet the requirements of scientists working in the manufacture of drugs, active pharmaceutical ingredients, bio-pharmaceutical & neutraceutical products in semi-bulk or bulk scale. ExiPlus products are the safest and most reliable products to meet the needs of students, researchers working in quality control, research and development laboratories in premier institutions all over the world.

Offering more than 300 ExiPlus World-class reagents and biochemicals, that are manufactured in compliance with the reagent specifications of various pharmacopeia such as United States Pharmacopeia (USP), British Pharmacopeia (BP), European Pharmacopeia (Ph.Eur).

Take the ExiPlus advantage, why loose a good chance:

- ExiPlus for use as an excipient
- ExiPlus for use as an active pharmaceutical ingredient
- ExiPlus for use in biopharmaceutical production
- ExiPlus for use in neutraceutical production
- ExiPlus for use in critical research and development

The quality of our raw materials and our extensive documentation support enable you to do your work quickly and cost-effectively. With ExiPlus SRL provides its customers with a high level of safety in QC, R&D and production activities. We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request.



ACS Grade Reagents

(Products confirming to the reagent specifications set by the American Chemical Society Committee)

Our ACS grade of reagents and chemicals are manufactured and tested to meet the specifications set by the American Chemical Society (ACS) Committee on Analytical Reagents. The specifications listed in this catalog are based on the ACS Reagent Chemicals Tenth Edition.

SRL offers more than 200 reagents and chemicals complying with ACS grade reagent specifications of very high quality for use in laboratory for both quality control in academics and industries. They are superior grade reagents that are contaminant-free that are being preferred world-wide because of the stringent specifications set by the American Chemical Society (ACS) committee. Many customers of SRL want to purchase an ACS grade product instead of an AR grade product, however both grades of products are considered to be superior for routine analytical testing applications.

Some common Application of ACS grade products:

- ACS reagents for industrial cleaning purposes
- ACS reagents for routine quality control
- ACS reagents for chemical process development
- ACS reagents for commercial scale-up of manufacture
- ACS reagents for analytical applications wherein UV absorption is not critical
- ACS reagents for the metal & steel industry

We provide you with all necessary technical documents such as Product Data Sheets, CoA, MoA and other documentary support can be made available upon request. We provide many products in various pack sizes and also at affordable prices so that students and scientists can benefit from the ultrapure purity of the ACS grade reagent manufactured, tested and packed for the most stress-free and reliable experience.

Come and try our ACS grade, because it's worth it!

Part A - General Laboratory Chemicals & Solvents

Acetic Acid-d4 for NMR spectroscopy, Acetonitrile (ACN) for LC-MS & HPLC Acetonitrile (ACN) Ultra Gradient for HPLC, UHPLC

Acetonitrile-d3 for NMR spectroscopy L-Alanine PrimeDx

Ammonium Sulphate Monobasic

4-Aminoantipyrine (Ampyrone) PrimeDx

Ammonium Molybdate Tetrahydrate PrimeDx

Ammonium Sulphamate ACS

L-Arginine (free base) PrimeDx

L-Aspartic Acid PrimeDx

L-Aspartic Acid Potassium Salt

Dibasic Calcium Phosphate Dihydrate, ExiPlus

Carnoy's Solution (Fixative)

Cinnamaldehyde

Cvclohexane-d12 for NMR spectroscopy

N,N-Dimethylacetamide-d9 (DMA-d9) for NMR spectroscopy

N,N-Dimethylformamide-d7 (DMF-d7)

for NMR spectroscopy Dimethyl Sulphoxide-d6 (DMSO-d6)

for NMR spectroscopy

EDTA Disodium Salt Dihydrate PrimeDx

Formic Acid-d for NMR spectroscopy

L-Glutamic Acid Monosodium Salt Monohydrate (MSG) PrimeDx

n-Heptane Dried

Hexadecane (Cetane)

8-Hydroxyquinoline (8-Quinolinol) PrimeDx

Ichthammol ExiPlus, Multi-Compendial

Isopropanol (IPA)-d8 for NMR spectroscopy

Magnesium Hydroxide

Magnesium Hydroxide ExiPlus, Multi-Compendial

Magnesium Oxide Heavy ACS

Magnesium Oxide Heavy Exiplus, Multi-Compendial

Magnesium Oxide Light ACS, 95% Magnesium Oxide Light Exiplus,

Multi-Compendial

Mercuric Thiocyanate PrimeDx

N-Methyl-2-Pyrrolidone (NMP) Dried

Naphthol Green B (C.I. 10020)

Nitromethane

Periodic Acid ACS

Phenolphthalein Indicator

Picric Acid moistened PrimeDx

PEG (1000, 3350, 4000, 6000, 8000 9000, 20000)

Polysorbate 20 (Tween 20) PrimeDx

Polysorbate 80 (Tween 80) PrimeDx

Potassium Nitrite ACS

Potassium Phosphate Dibasic Trihydrate

R.B.C. Diluting Fluid (Hayem's Solution)

SeraPreserve 10X Tissue Fixative Concentrate (Formalin Free)

SeraPreserve 25X Tissue Fixative Concentrate (Formalin Free)

SeraPreserve 50X Tissue Fixative Concentrate (Formalin Free)

Sodium Azide PrimeDx

Sodium Ethoxide

Sodium Nitrite ACS

Sodium Sulphate Anhydrous PrimeDx%

5-Sulphosalicylic Acid Dihydrate ACS Tetrabutylammonium Hydroxide 1M in

Methanol solution 1,1,2,2-Tetrachloroethane-d2 (TCE-d2) for NMR spectroscopy

1,1,2,2-Tetrachloroethane-d2 (TCE-d2)

for NMR spectroscopy D-Trehalose Dihydrate ExiPlus Multi-Compendial

Tris Buffer PrimeDx

Tris Hydrochloride (Tris HCI) PrimeDx

Triton X-100 PrimeDx

Winkler's Solution 1

Part B - Bioreagents, Biochemicals & Specialty Fine Chemicals

Acarbose ExiPlus, Multi-Compendial 8-Anilino-1-Napthalenesulfonic Acid

Hemimagnesium Salt Hydrate

Arabinogalactan ex. Larch Wood Atropine Sulfate Monohydrate

BAPTA AM

BAPTA Free Acid

6-Benzyladenine (6-BAP) for tissue culture

1,8-Bis(dimethylamino) Naphthalene Bovine Immunoglobulin G (Bovine

IgG) Reagent Grade,

Brucine Anhydrous Reagent Grade

Casein acc. to Hammarsten, PrimeDx Ceftriaxone Disodium Salt

Hemiheptahydrate (CFTZ) ExiPlus,

Multi-Compendial Cerium Metal Ultrapure Chloranilic Acid

Chloramphenicol (CFP) ExiPlus, Multi-Compendial

p-Chlorophenol PrimeDx

4-Chlororesorcinol

Cholesterol Oxidase ex. Microorganism

L-Citrulline ExiPlus, Multi-Compendial Conalbumin (Ovotransferrin) ex.

Chicken Egg White

p-Dimethylaminocinnamaldehyde (DMACA) Solution

2,4-Dimethylbenzoic Acid

1,5-Diphenylcarbazide ACS

Dodecyltrimethylammonium Bromide (DOTAB) PrimeDx

Dodecyltrimethylammonium Chloride (DOTAC) PrimeDx

Ethyl Methyl Carbonate (EMC) Ferrozine Monosodium PrimeDx

Fibrinogen ex. Bovine Plasma

5-Fluorouracil (5-FU) Exiplus, Multi-Compendial

D-Galactose ExiPlus, Multi-Compendial

L-Gamma-Glutamyl-3-Carboxy-4-Nitroanilide (Glupa)

Glucosamine Hydrochloride Exiplus, Multi-Compendial

D-Glucose-6-Phosphate Disodium Salt Dihydrate PrimeDx

L-Glutamine ExiPlus, Multi-Compendial

Glutardialdehyde 25% Aq. Solution Glutardialdehyde 50% Aq. Solution p-Hydroxybenzoic Acid Sodium Salt 4-Hydroxydiphenylamine Lanthanum Metal Ultrapure Lithium Acetate Dihydrate PrimeDx, 2-Mercaptopyridine 2-Methyl-4-Isothiazolin-3-One (MIT) Molybdenum Hexacarbonyl MOPS Buffer PrimeDx Moxalactam Sodium Salt (LTX) Neodymium Metal Ultrapure B-Nicotinamide Adenine Dinucleotide (Oxidized) (B-NAD, DPN) PrimeDx **B-Nicotinamide Adenine Dinucleotide** Disodium Salt (Reduced) PrimeDx **B-Nicotinamide Mononucleotide** Disodium Salt (Reduced)

o-Nitrobenzoic acid 2,4-Dinitrophenol (2,4-DNP) moistened p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) PrimeDx p-Nitrophenylphosphate Ditris Salt crystalline (PNPP-d) PrimeDx 2,4-Dinitrotoluene L-Norleucine N-Octylamine Palladium(II) Trifluoroacetate Phosphoenolpyruvate Monocyclohexylammonium Salt (PEP MCHA Salt) PrimeDx Phosphoenolpyruvate Tricyclohexylammonium Salt (PEP TCHA Salt) PrimeDx

PIPES Buffer PrimeDx

Potassium Stannate Pyrroloquinoline Quinone (PQQ) Pyrrologuinoline Quinone Disodium Salt (PQQ Disodium) Sodium Dichloroisocyanurate Dihydrate Sodium 2-Ethylhexyl Sulfate 40% aq. Solution Sucrose Octasulphate Potassium Salt Thiamine Hydrochloride ExiPlus, Multi-Compendial Tiotropium Bromide Monohydrate (TioBr) Trypsin Inhibitor (Ovomucoid) ex. Chicken Egg White **TSTU** Vitamin B12a (B12 Analog) ExiPlus, Multi-Compendial

Yttrium Metal Ultrapure

Part B1 - Animal Cell Culture

ChlorideNicotinamide Riboside

Chloramphenicol cell culture

Nicotinamide Riboside

Malate

Part D - Dehydrated Culture Media

ASLA Enrichment Supplement
Brilliant Green Agar w/ 1.2% Agar
Campylobacter Supplement-I
(Blaser-Wang)
Campylobacter Supplement-II
(Skirrow)
ChroMed Candida Agar Base
ChroMed Listeria Ottaviani -Agosti
Agar Base (ISO basis)

ChroMed VRE Agar Base
Chromogenic Listeria Lipase-C
Supplement (ISO basis)
Cholera Medium Base
Cholera Medium Base BioVeg
Cystine Tellurite Agar Base
Ottaviani-Agosti Selective
Supplement (ISO basis)

O.1% Peptone Salt Solution
Dehydrated
SDS Agar Base (ISO basis)
Tellurite Blood Agar Base
TPEY Agar Base
Tryptose Sulfite Cycloserine Agar
(TSC Agar) (ISO basis)
Water Plate Count Agar (ISO basis)

Part E - BioLit (DNA & Protein Tools)

One Step RT-qPCR Master Mix (2X) Cas9 Nuclease (5mg/ml) Cas9 Nickase (50pmol) DNA Quick Extraction Reagent DNA Methylation Reagent RIPA Protein Extraction Reagent Uracil DNA Glycosylase (5KU/ml) Quick Restriction Digestion Kit



Part A

General Laboratory Chemicals & Solvents

Sodium Lauryl Sulphate

A highly versatile product for Drug Dissolution Testing, Quality Control, Research and Electrophoresis applications.

For Drug Dissolution Testing Studies

Sodium Lauryl Sulphate (Sodium Dodecyl Sulphate, SLS, SDS) is a strong component of the media used for Dissolution Testing in In Vitro methods for water-soluble and slightly-water-soluble drugs. It's importance as a simulated gastric/intestinal media ingredient makes it's quality a critical factor in the accuracy of results.

Principally used as a QC Test, Dissolution Testing, SDS of AR & High Purity grades are the most prevalent reagents in use due to constant production improvements, testing and stability studies. SRL is one of the first developers of the High Purity SLS (99.5%) which is fast-becoming the industry standard across the Pharma QC Testing, with many scientists now adopting the newer improved grade as a Protocol standard.

Our Premier Product, Sodium Lauryl Sulphate High Purity (99.5%) (35825) can,

- Eliminate further purification by the customer by foaming & other processes, demonstrate exceptionally lower lauryl alcohol (LA) impurities
- Improve testing accuracy and confirm lot-to-lot bioequivalence
- Ensure consistent and reliable results in In Vitro Testing and Intrinsic Dissolution Rate (IDR) studies
- Secure accurate Dissolution profiles (suitable to fast-release and slow-release drugs)
- Assist in detection of relevant product changes so as to ensure the quality and consistent performance of final products

For SDS Polyacrylamide Gel Electrophoresis (SDS-PAGE) Studies

Primarily used in the denaturing of proteins, Sodium Lauryl Sulphate of high purity and molecular biology grades play a critical role in PAGE electrophoresis techniques as well as SDS Gradient Gel Electrophoresis to,

- Unfold normally buried polypeptide chains while retaining their normal (native) structure
- Bind to difficult regions (hydrophobic regions) within the protein chains
- Induce a predominant negative charge for the subsequent electrophoresis
- Ensure a electrophoretic separation for a large number (and types) of proteins

Types of Sodium Lauryl Sulphate we offer:

Product code	Product Name	Assay	Pack Size
54468	Sodium Lauryl Sulphate extrapure AR, ACS	(C12) min. 99% (GC)	100g, 250g, 500g, 1kg
99671	Sodium Lauryl Sulphate for HPLC	(C12) min. 99% (GC)	10g, 25g, 100g, 1kg
32096	Sodium Lauryl Sulphate for molecular biology	(C12) min. 99.5% (GC)	25g, 100g, 500g
35825	Sodium Lauryl Sulphate High Purity	(C12) min. 99.5% (GC)	25g, 100g, 500g
85369	Sodium Lauryl Sulphate (10%) solution	10%	100ml
87545	Sodium Lauryl Sulphate (20%) solution	20%	250ml
34378	Sodium Lauryl Sulphate BP	min. 85%	1kg
93117	Sodium Lauryl Sulphate IP	min. 85%	1kg
14374	Sodium Lauryl Sulphate pure	min. 85% (dry basis)	500g, 5kg

Larger pack sizes 1kg, 5kg, 25kg available on request

Code	Name	Packing	Price	Code	Name	Packing	Price
95237 [60-35-5]	Acetamide pure, 98%	500 Gms	850	55245 [67-64-1]	Acetone VLSI Semiconductor Grade, 99.5%	1000 ml 2500 ml	12000 26000
81658	Acetanilide extrapure, 99%	500 Gms	950	27498	i) Acetone for molecular biology,	500 ml	550
[103-84-4] 68175	Acetanilide ExiPlus,	500 Gms	1350	[67-64-1]	99.8%	2500 ml	2200
[103-84-4]	Multi-Compendial, 99%	333 43	1000	12972	Acetone-d6 for NMR spectroscopy,	10 ml	14000
	meets compendial specs of USP			[666-52-4]	99.5 Atom %D	25 ml	35000
18439 [64-19-7]	Acetic Acid 1N Aq. Solution	1000 ml	610	75185 [666-52-4]	Acetone-d6 (with 1% TMS) for NMR spectroscopy, 99.5 Atom %D	10 ml	15500
72690 [64-19-7]	Acetic Acid 2.5M Aq. Solution	1000 ml	650	49967	Acetonitrile (ACN) extrapure, 99%	500 ml	800
90868	Acetic Acid Glacial extrapure,	500 ml	240	[75-05-8]		2500 ml	3200
[64-19-7]	99.5%	2500 ml	1100			25 Ltr	28900
		25 Ltr	9000	84578	Acetonitrile (ACN) ACS, 99.5%	500 ml	800
85801	Acetic Acid Glacial ACS, 99.9%	500 ml	260	[75-05-8]		2500 ml	3300
[64-19-7]	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2500 ml	1250	82745	Acetonitrile (ACN) ACS, ExiPlus,	500 ml	900
93602	Acetic Acid Glacial ACS, ExiPlus,	500 ml		[75-05-8]	Multi-Compendial, 99.5%	2500 ml	3500
[64-19-7]	Multi-Compendial, 99.9%	2500 ml	290		meets compendial specs of USP, BP,		
	mosts compandial appear of LICE PR	2500 1111	1350		Ph.Eur		
	meets compendial specs of USP, BP, Ph.Eur			90135	Acetonitrile (ACN) GC-HS, 99.9%	250 ml	800
73215	Acetic Acid Dried, 99.9%, water	500 ml	380	[75-05-8]		500 ml	1100
[64-19-7]	0.05%	1000 ml	740			1000 ml	2100
32532	Acetic Acid for HPLC, 99.9%	500 ml	520	58209	Acetonitrile (ACN) for HPLC & UV	500 ml	1000
[64-19-7]	Acetto Acid for the Ec, 55.5%	1000 ml	980	[75-05-8]	Spectroscopy, 99.9%	2500 ml	4000
		2500 ml	2100			2.5 Ltr	5800
50700	Acetic Acid Glacial for molecular	100 ml				(Wide-Mou	
59788 [64-19-7]	biology, 99.9%	500 ml	520			th) 4 Ltr	8400
			1600			(Wide-Mou	0.00
15868 [1186-52-3]	Acetic Acid-d4 for NMR spectroscopy, 99.5 Atom %D (Acetic-d3 Acid-d,Tetradeuteroacetic	5 ml	14000			th)	
[24899 [75-05-8]	Acetonitrile (ACN) Gradient grade for HPLC, 99.9%	1000 ml	2100
	Acid)			[/3-03-0]	101 111 20, 33.370	2500 ml	4500
	Acetone pure, 99%	500 ml	270			2.5 Ltr (Wide-Mou	6900
[67-64-1]		2500 ml	1100			th)	
		25 Ltr	10000			4 Ltr	10500
	Acetone extrapure, 99%	500 ml	285			(Wide-Mou th)	
[67-64-1]		2500 ml	1150	34396	Acetonitrile (ACN) for LC-MS &	1 Ltr	12000
		25 Ltr	10800	[75-05-8]	HPLC, 99.9%	(Wide-Mou	12000
	Acetone ACS, 99.5%	500 ml	310			th)	
[67-64-1]		2500 ml	1250			2.5 Ltr (Wide-Mou	24000
27648 Ü	Acetone ACS, ExiPlus,	500 ml	340			th)	
[67-64-1]	Multi-Compendial, 99.5%	2500 ml	1350			4 Ltr	37000
	meets compendial specs of USP, BP					(Wide-Mou th)	
	Acetone Dried, 99%, water 0.005%	500 ml	380	81506	Acetonitrile (ACN) Ultra Gradient	1 Ltr	9000
[67-64-1]		2500 ml	1500	[75-05-8]	for HPLC, UHPLC, 99.9%	(Wide-Mou	2300
89140 (i	Acetone GC-HS, 99.9%	250 ml	450			th)	00000
[67-64-1]		500 ml	700			2.5 Ltr (Wide-Mou	20000
		1000 ml	1050			th)	
11340 Ū	Acetone for HPLC & UV	500 ml	500			4 Ltr	31000
[67-64-1]	Spectroscopy, 99.9%	1000 ml	800			(Wide-Mou th)	
[0]						'/	
[0]		2500 ml	1550	62006	Acetonitrile (ACN) for molecular	250 ml	800
	Acetone electronic grade, 99.9%	2500 ml	1550 850	62006 [75-05-8]	Acetonitrile (ACN) for molecular biology, 99.9%	250 ml 500 ml	800 1200

Code	Name	Packing	Price	Code	Name	Packing	Price
62076 [75-05-8]	Acetonitrile (ACN) for DNA synthesis, 99.9%	1000 ml	2400	41666 [107-13-1]	Acrylonitrile (Stabilized) pure, 99%	500 ml	700
26483	Acetonitrile-d3 for NMR	2500 ml 10 Gms	5600 18000	60064	Adipic Acid pure, 99%	2500 ml 500 Gms	700
[2206-26-0]	spectroscopy, 99.8 Atom %D			[124-04-9]			
	(Methyl-d3 Cyanide, Trideuteroacetonitrile)			38573 [124-04-9]	Adipic Acid ExiPlus, Multi-Compendial, 99%	500 Gms	800
35845 [2206-26-0]	Acetonitrile-d3 for NMR spectroscopy, 99.8 Atom %D	10 ml	16000		meets compendial specs of USP, BP, Ph.Eur		
	(Methyl-d3 Cyanide, Trideuteroacetonitrile)			19661	Agar powder regular grade for	100 Gms	1030
67418	Aceto Orcein, 1% in Dil Acetic Acid	100 ml	500	[9002-18-0]	bacteriology	250 Gms	2220
15873	Acetophenone extrapure, 99%	500 ml	800			500 Gms 1 Kg	4260 8400
[98-86-2]	Acetophenone extrapure, 35%	2500 ml	3200			5 Kg	40830
22506	Acetophenone extrapure AR, 99.5%	500 ml	900	85473	Agar powder for tissue culture	100 Gms	1400
[98-86-2]	•	2500 ml	3800	[9002-18-0]		250 Gms	2450
96169	Acetylacetone pure, 99%	500 ml	1000			500 Gms	4670
[123-54-6]		2500 ml	4200			5 Kg	44330
24212	Acetylacetone extrapure, 99.5%	250 ml	700	24970	Agar powder Bacto grade	100 Gms	1640
[123-54-6]		1000 ml	1900	[9002-18-0]		500 Gms	6540
39522	Acid Fuchsin	25 Gms	700	26741	Ajowan Seed Oil extrapure	100 ml	1290
[3244-88-0]	(C.I. No. 42685, Acid Violet 19, Fuchsin S, Fuchsin Acid, Rubine S)	100 Gms	2300	[8001-99-8]	(Ajwain Oil)	500 ml	5330
	o, ruorisin Acid, ridbine oj	500 Gms	11400	48863	ß-Alanine extrapure CHR, 99%	25 Gms	300
50190	Acid Fuchsin Calcium Salt (Acid	25 Gms	3800	[107-95-9]		100 Gms	1010
[123334-10-1]	Rubin), 60% (C.I. No. 42685) (Acid Magenta, Rubin	100 Gms	13900			1 Kg	8630
	S)			71178 [56-41-7]	L-Alanine extrapure CHR, 99%	100 Gms 500 Gms	540
	Acrylamide extrapure, 99%	500 Gms	500	[]		1 Kg	1800 3300
[79-06-1]		5 Kg	3700			5 Kg	14500
0		25 Kg	15800	71777	L-Alanine for tissue culture, 99%	100 Gms	650
1 5657 [79-06-1]	Acrylamide 3x cryst. extrapure AR, 99.9%	100 Gms	800	[56-41-7]		500 Gms	2200
[]		500 Gms 1 Kg	2400 4000	50683	L-Alanine ExiPlus,	100 Gms	740
		5 Kg	13700	[56-41-7]	Multi-Compendial, 99%	500 Gms	2400
61346	Acrylamide 3x cryst. for molecular	100 Gms	900			5 Kg	17500
[79-06-1]	biology, 99.9%	500 Gms	3200		meets compendial specs of USP, BP		
		1 Kg	4800	54479	L-Alanine PrimeDx, 99%	1 Kg	5000
29787	Acrylamide 40% Aq. Solution for	250 ml	3200	[56-41-7]		5 Kg	22000
[79-06-1]	molecular biology	500 ml	5700	87279	Alberts Stain A Solution	125 ml	160
24263	Acrylamide / Bis-acrylamide Premix	30 Gms	1200			500 ml	410
	Powder, Ratio 19:1	200 Gms	6300	35652	Alberts Stain B Solution	125 ml	160
10762	Acrylamide / Bis-acrylamide Premix	30 Gms	1200		All word opp opp	500 ml	410
	Powder, Ratio 29:1	200 Gms	6300	17996 [63393-96-4]	Aliquat 336, 88% (Tricaprylylmethylammonium chloride)	250 ml	1300
74379	Acrylamide / Bis-acrylamide Premix	30 Gms	1200		,	1000 ml 2500 ml	5500 13000
-	Powder, Ratio 37.5:1	200 Gms	6300				120000
67394	30% Acrylamide / Bis-acrylamide Mix Solution (Ratio 29:1)	100 ml	1200	43805	Allantoin ExiPlus, 98.5%	100 Gms	500
0		500 ml	4500	[97-59-6]	(5-Ureidohydantoin, Glyoxylic Acid	500 Gms	2000
92035	40% Acrylamide / Bis-acrylamide Mix Solution (Ratio: 37.5:1)	100 ml	1200		Diureide)	5 Kg	18500
00.575		500 ml	4500	99564	•	10 Gms	370
CD/IED	Acrylic Acid (Stabilized) pure, 99%	500 ml	900	[2244-11-3]	98%	25 Gms	810
60452 [79-10-7]		2500 ml	4000		(2,4,5,6-Tetraoxypyrimidine,	20 01113	010

Code	Name	Packing	Price	Code	Name	Packing	Pric
19093	Allyl Alcohol extrapure, 99%	500 ml	700	58095	Aluminium Nitride (AIN) pure, 98%,	5 Gms	3000
[107-18-6]		2500 ml	3000	[24304-00-5]	~635 mesh	50 Gms	4080
69098 Ū	Allylamine pure, 99%	25 ml	600			250 Gms	19200
[107-11-9]	(2-Propen-1-Ylamine,	100 ml	1000	66289	Aluminium Oxide Activated (Acidic)	500 Gms	540
	3-Amino-1-Propene)	250 ml	2000	[1344-28-1]	(Alumina)	5 Kg	5150
) D. II					25 Kg	24720
45953 (1 [124-02-7]	Diallylamine extrapure, 99%	100 ml 500 ml	1200	71461	Aluminium Oxide Activated (Acidic)	500 Gms	560
			4400	[1344-28-1]	(Alumina) ExiPlus,		
73056	Allyl Bromide pure, 98% (3-Bromo-1-Propene)	250 ml	2500	[Multi-Compendial	5 Kg	5460
[106-95-6]	(3-віотіо-т-гторепе)	500 ml	4800		meets compendial specs of USP, BP		
92459 Ü	• •	500 ml	400	34321	Aluminium Oxide Activated (Basic)	500 Gms	430
[107-05-1]	(3-Chloro-1-Propene)	2500 ml	1500	[1344-28-1]	(Alumina)	5 Kg	4010
45262	Almond Oil pure	500 ml	6810			25 Kg	18920
[8007-69-0]				61492	Aluminium Oxide Activated (Basic)	500 Gms	460
54568	Aluminium Acetate Basic Hydrate	100 Gms	1180	[1344-28-1]	(Alumina) ExiPlus,	5 Kg	4150
[142-03-0]	(Aluminium Subacetate) extrapure, 98%	500 Gms	2880		Multi-Compendial	· ·	
	(Aluminum Hydroxide Acetate Hydrate)				meets compendial specs of BP, Ph.Eur		
64132	Aluminium Ammonium Sulphate	500 Gms	260	39882	Aluminium Oxide activated (Neutral) (Alumina)	500 Gms	450
[7784-26-1]	Dodecahydrate pure, 99%	333 45	200	[1344-28-1]	(Neutral) (Alumina)	5 Kg	4230
	(Ammonium Alum, Alum Ammonia,					25 Kg	20170
	Ammonium Aluminium Sulphate)			62690	Aluminium Oxide G (Neutral)	500 Gms	600
83147 [7784-26-1]	Aluminium Ammonium Sulphate Dodecahydrate extrapure AR,	500 Gms	370	[1344-28-1]	(Alumina G)	5 Kg	5670
[7764-20-1]	99.5%			34641	Aluminium Potassium Sulphate	500 Gms	240
	(Ammonium Alum, Alum Ammonia,			[7784-24-9]	Dodecahydrate extrapure, 99%	2.5 Kg	1020
	Ammonium Aluminium Sulphate)				(Potash Alum, Potassium Aluminium	· ·	
61315	Aluminium Ammonium Sulphate	500 Gms	400	40000	Sulphate)	500.0	
[7784-26-1]	Dodecahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	3900	42889 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate ACS, 99.5%	500 Gms	280
	Ammonium Alum, Alum Ammonia,			[//04-24-9]	(Potash Alum, Potassium Aluminium	2.5 Kg	1320
	Ammonium Aluminium Sulphate)				Sulphate)		
	meets compendial specs of USP			42550	Aluminium Potassium Sulphate	500 Gms	325
47689	Ammonium Sulphate Monobasic	500 Gms	1200	[7784-24-9]	Dodecahydrate ACS, ExiPlus,	2.5 Kg	1600
[7803-63-6]	extrapure, 98%				Multi-Compendial, 99.5% (Potash Alum, Potassium Aluminium		
	(Ammonium Bisulphate, Ammonium Hydrogen Sulphate, Monoammonium				Sulphate)		
	Sulfate)				meets compendial specs of USP, BP		
93606	Aluminium AAS Standard Solution	100 ml	1800	53016	Aluminium Sulphate	500 Gms	220
	in 1N HCI (Traceable to NIST)	250 ml	2900	[7784-31-8]	Octadecahydrate extrapure, 98%		
90015	Aluminium Chloride Hexahydrate	500 Gms	580	11820	Aluminon extrapure	10 Gms	420
[7784-13-6]	pure, 97%	5 Kg	5500	[569-58-4]	(Aurintricarboxylic Acid Ammonium Salt, ATA, Ammonium	25 Gms	960
	Alemainium Oblanida Harrabandurata				Aurintricarboxylate)		
23700 [7784-13-6]	Aluminium Chloride Hexahydrate extrapure AR, 99%	500 Gms	650	55745	Amaranth (Acid Red 27) (C.I.	25 Gms	180
[7704 10 0]		5 Kg	6200	[915-67-3]	16185), 85-95%	100 Gms	630
35543	Aluminium Hydroxide Gel extrapure	500 Gms	450			1 Kg	5500
[21645-51-2]	AR, ExiPlus, Multi-Compendial	5 Kg	4200	57432	4-Aminoantipyrine (Ampyrone)	25 Gms	1190
	meets compendial specs of IP			57432 [83-07-8]	extrapure AR, 99%		
12283	Aluminium Isopropoxide (powder)	500 Gms	850	1	(4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyra	100 Gms	4300
[555-31-7]	extrapure, 98%	5 Kg	8200		zolin-5-One)	250 Gms	10500
	(AIP, Aluminum Isopropylate, Aluminum Triisopropoxide, 2-Propanol			69657	4-Aminoantipyrine (Ampyrone)	1 Kg	48000
	Aluminium Salt)			[83-07-8]	PrimeDx, 99%	5 Kg	225000
57395	Aluminium Metal powder, 99%, -325	500 Gms	850	82623	6-Aminocaproic Acid extrapure,	25 Gms	1190
[7429-90-5]	mesh			[60-32-2]	99%	100 Gms	3780
92309	Aluminium Nitrate Nonahydrate	500 Gms	380		(6-Aminohexanoic Acid)	500 Gms	18360
[7784-27-2]	extrapure, 98%	5 Kg	3200	85996	Aminocaproic Acid IP	1 Kg	
19302	Aluminium Nitrate Nonahydrate	500 Gms	800	85996 [60-32-2]	(6-Aminohexanoic Acid,	_	32000
	ACS, 98.5%	555 51116	500	,	6-Aminocaproic Acid IP)	5 Kg	150000

Code	Name	Packing	Price	Code	Name	Packing	Price
99093	Aminocaproic Acid BP, 98.5-101%	1 Kg	32000	96452	Ammonium Chloride ACS, ExiPlus,	500 Gms	340
[60-32-2]	(6-Aminohexanoic Acid, 6-Aminocaproic Acid BP)	5 Kg	150000	[12125-02-9]	Multi-Compendial, 99.5% meets compendial specs of USP, BP		
50445	Aminocaproic Acid USP, 98.5-101%	1 Kg	36000	16992	Ammonium Chloride for molecular	500 Gms	660
[60-32-2]	(6-Aminohexanoic Acid, 6-Aminocaproic Acid USP)	5 Kg	160000	[12125-02-9]	biology, 99.5%		
78719	Ammonia Solution extrapure AR,	500 ml	210	35309 [12125-02-9]	Ammonium Chloride for tissue culture, 99.5%	500 Gms	320
[1336-21-6]	25%	2500 ml	640		·	5 Kg	3000
	(Ammonium Hydroxide 25%)	25 Ltr	6000	11505 [3458-72-8]	Ammonium Citrate Tribasic (Triammonium Hydrogen Citrate)	500 Gms	750
14388	Ammonia Solution extrapure AR,	500 ml	250	[0.00.72.0]	extrapure AR, 98.5%	5 Kg	7000
[1336-21-6]	30% (Ammonium Hydroxide 30%)	2500 ml	710	35442	Ammonium Ferric Citrate pure,	500 Gms	600
	(Ammonium riyaroxide 30%)	25 Ltr	6500	[1185-57-5]	16.5-22.5% (Ammonium Iron (III) Citrate)	5 Kg	5750
44683	Ammonium Acetate extrapure AR,	500 Gms	310	63571	Ammonium Ferric Sulphate	500 Gms	310
[631-61-8]	98%	5 Kg	2900	[7783-83-7]	Dodecahydrate extrapure, 98% (Ammonium Iron (III) Sulphate	5 Kg	2900
62778	Ammonium Acetate ACS, ExiPlus,	500 Gms	340		Dodecahydrate, Ferric Alum)	25 Kg	13000
[631-61-8]	Multi-Compendial, 98%	5 Kg	3100	29168	Ammonium Ferric Sulphate	500 Gms	370
	meets compendial specs of USP, BP,			[7783-83-7]	Dodecahydrate extrapure AR, ACS, 99%	5 Kg	3200
70044	Ph.Eur	500 Gms	700		(Ammonium Iron (III) Sulphate	25 Kg	14500
78844 [631-61-8]	Ammonium Acetate for HPLC, 99%	500 GIIIS	700		Dodecahydrate, Ferric Alum)		
37829	Ammonium Acetate for molecular	100 Gms	310	89944 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate extrapure, 98%	500 Gms	220
[631-61-8]	biology, 98%	500 Gms	870	[7763-65-9]	(Diammonium Iron (II) Sulphate	1 Kg	390
26757	Ammonium Bicarbonate extrapure	500 Gms	280		Hexahydrate)	5 Kg	1700
[1066-33-7]	AR (Ammonium Hydrogen Carbonate), 99%	5 Kg	2700		Assessment Francis Outstands	25 Kg	7000
38586	Ammonium Dichromate pure, 98%	500 Gms	880	61732 [7783-85-9]	Ammonium Ferrous Sulphate Hexahydrate ACS, 99%	500 Gms	300
[7789-09-5]	(Ammonium Bichromate)	5 Kg	8500	. ,	(Diammonium Iron (II) Sulphate	5 Kg 25 Kg	2200 8000
67077	Ammonium Dichromate extrapure	500 Gms	960	4400	Hexahydrate)		
[7789-09-5]	AR, ACS, 99.5%	5 Kg	9250	11605 [13826-83-0]	Ammonium Fluoroborate pure, 98% (Ammonium fluoroborate, Ammonium	100 Gms 500 Gms	500
	(Ammonium Bichromate)				tetrafluoroborate)	5 Kg	1400 12000
13664 [1341-49-7]	Ammonium Bifluoride pure, 98%	500 Gms	800	49813	Ammonium Fluoride pure, 98%	500 Gms	950
	American Dispersate Cityrate	5 Kg	7200	[12125-01-8]	Ammoniam riadinad pare, 66%	000 GI113	950
95407 [31886-41-6]	Ammonium Bismuth Citrate extrapure AR, 43-46% Bi	100 Gms 500 Gms	700 3400	38431	Ammonium Fluoride ACS, 98%	500 Gms	1100
46012	Ammonium Bromide pure, 99%	500 Gms		[12125-01-8]	Ammonium Formato nuro 000/	500 Gms	0.45
46813 [12124-97-9]	Animonium Bronnice pure, 99%	500 Gills 5 Kg	1100 10500	25142 [540-69-2]	Ammonium Formate pure, 98% (Formic Acid Ammonium Salt)	500 Gms 5 Kg	345 3000
40553	Ammonium Ceric Nitrate extrapure	100 Gms	900	07050	Ammonium Formato outronuro AD	500 Gms	
[16774-21-3]	·	250 Gms	2000	27858 [540-69-2]	Ammonium Formate extrapure AR, 98%	500 Gills 5 Kg	370 3200
	(Ammonium Cerium (IV) Nitrate, Ceric	200 0,1110	2000		(Formic Acid Ammonium Salt)		
42077	Ammonium Nitrate) Ammonium Ceric Nitrate extrapure	100 Gms	1200	50504 [540-69-2]	Ammonium Formate extrapure AR, ExiPlus, Multi-Compendial, 98%	500 Gms	410
[16774-21-3]	AR, ACS, ExiPlus,	250 Gms	2500	[540-09-2]	(Formic Acid Ammonium Salt)	5 Kg	3500
	Multi-Compendial, 99%		2000		meets compendial specs of BP, Ph.Eur		
	(Ammonium Cerium (IV) Nitrate, Ceric Ammonium Nitrate)			14969	Ammonium Hexafluorophosphate	5 Gms	1900
	meets compendial specs of BP			[16941-11-0]	extrapure, 95% (Ammonium Hexafluorophosphate V,	25 Gms	6300
42725	Ammonium Ceric Nitrate 0.05N	500 ml	300		Ammonium Phosphorus Hexafluoride)	100 Gms	15600
[16774-21-3] 23757	Solution Ammonium Ceric Sulphate	100 Gms	1000	51775	Ammonium Iodide extrapure, 99%	50 Gms	2400
[10378-47-9]	Dihydrate ACS, 94%	500 Gms	1200 3800	[12027-06-4]		100 Gms	4400
	(Ammonium Cerium (IV) Sulphate		5550			250 Gms	10100
25103	Dihydrate) Ammonium Chloride ACS, 99.5%	500 Gms	290	23185 [7803-55-6]	Ammonium Metavanadate extrapure, 98%	100 Gms	900
[12125-02-9]		5 Kg	2700		•	500 Gms	3300
		25 Kg	12980	15068 [7803-55-6]	Ammonium Metavanadate extrapure AR, 99%	100 Gms	1050
		<u> </u>		[. 500 00 0]		500 Gms	3500

Part A - General Laboratory Chemicals & Solvents

Code	Name	Packing	Price	Code	Name	Packing	Price
94314	Ammonium Metavanadate	100 Gms	1160	65984	Ammonium Phosphate Dibasic	500 Gms	590
[7803-55-6]	extrapure AR, ACS, ExiPlus,	500 Gms	3700	[7783-28-0]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 98%	5 Kg	5700
	Multi-Compendial, 99% meets compendial specs of USP				(Diammonium Hydrogen		
69429	Ammonium Molybdate	100 Gms	1600		Orthophosphate)		
[12054-85-2]	Tetrahydrate pure, 98%	250 Gms	3950		meets compendial specs of USP, Ph.Eur		
	(Ammonium Heptamolybdate)	500 Gms	7000	61563 [7722-76-1]	Ammonium Phosphate Monobasic extrapure AR, 99%	500 Gms	500
10299	Ammonium Molybdate	100 Gms	1800	[1122-10-1]	(Ammonium Dihydrogen	5 Kg	4850
[12054-85-2]	-	250 Gms	4300		Orthophosphate)		
	(Ammonium Heptamolybdate)	500 Gms	7500	58611	Ammonium Phosphate Monobasic	500 Gms	570
82615	Ammonium Molybdate	100 Gms	1900	[7722-76-1]	extrapure AR, ACS, ExiPlus, Multi-Compendial , 99%	5 Kg	5500
[12054-85-2]	Tetrahydrate extrapure AR, ACS,	250 Gms	4400		(Ammonium Dihydrogen		
	ExiPlus, Multi-Compendial, 99%	500 Gms	8000		Orthophosphate)		
	(Ammonium Heptamolybdate) meets compendial specs of USP, BP,			04070	meets compendial specs of USP	500 C	1000
	Ph.Eur			24678 [7722-76-1]	Ammonium Phosphate Monobasic for HPLC, 99%	500 Gms	1200
92887	Ammonium Molybdate	1 Kg	9000		Ammonium Pyrrolidine	10 Gms	2600
[12054-85-2]	Tetrahydrate PrimeDx, 99% (Ammonium Heptamolybdate)	25 Kg	42000	[5108-96-3]	Dithiocarbamate (APDC) extrapure, 98.5%	25 Gms	5700
32910	Ammonium Dimolybdate extrapure,	100 Gms	1700		(1-Pyrrolidinecarbodithioic Acid		
[27546-07-2]	99%, 56.5% Mo	250 Gms	3700		Ammonium Salt, Ammonium pyrrolidinecarbodithioate, PDC)		
85044	Ammonium Nickel Sulphate	500 Gms	1600	86689	Ammonium Sulphamate ACS, 98%	100 Gms	300
[7785-20-8]	Hexahydrate pure, 98%			[7773-06-0]	Ammonium culphamate Acc, 50%	500 Gms	1200
	(Diammonium Nickel (II) Sulphate Hexahydrate)			C0440	Ammonium Sulphomoto Illivonuvo		
55517	Ammonium Nickel Sulphate	500 Gms	2400	62419 [7773-06-0]	Ammonium Sulphamate Ultrapure, 99.5%	100 Gms 500 Gms	2000
[7785-20-8]	Hexahydrate extrapure AR, 98%	000 00	2400				6600
	(di-Ammonium nickel (II) sulphate			50012 [7773-06-0]	Ammonium Sulphamate Ultrapure, ExiPlus, Multi-Compendial, 99.5%	100 Gms	2500
05004	hexahydrate)	500 C		[7773-00-0]		500 Gms	7500
85084 [6009-70-7]	Ammonium Oxalate Monohydrate extrapure, 98%	500 Gms	350		meets compendial specs of USP, BP, Ph.Eur		
72913	Ammonium Oxalate Monohydrate	500 Gms	380	88064	Ammonium Sulphate ACS, 99.5%	500 Gms	250
[6009-70-7]	extrapure AR, 99%			[7783-20-2]	(Ammonium Sulfate)	5 Kg	1950
53621	Ammonium Oxalate Monohydrate extrapure AR, ACS, ExiPlus,	500 Gms	440			25 Kg	9500
[6009-70-7]	Multi-Compendial, 99%			88004	Ammonium Sulphate for tissue	500 Gms	280
	meets compendial specs of USP, BP,			[7783-20-2]	culture, 99.5%	5 Kg	2100
	Ph.Eur			00000	Ammonium Sulphate ACS, ExiPlus,	500 Gms	
82381	• • • • • • • • • • • • • • • • • • • •	500 Gms	380	26339 [7783-20-2]	Multi-Compendial, 99.5%	500 Gills 5 Kg	300
[7727-54-0]	pure, 98% (Ammonium Peroxodisulphate)	5 Kg	3470		(Ammonium Sulfate)	5 Kg	2200
84569	, ,	500 Gms	420		meets compendial specs of USP,BP		
[7727-54-0]	extrapure AR, 99%	5 Kg	3570	82126	Ammonium Sulphate for molecular	500 Gms	1200
0	(Ammonium Peroxodisulphate)			[7783-20-2]	biology, 99.5% (Ammonium Sulfate)	5 Kg	10000
29534 [7727-54-0]	Ammonium Persulphate (APS) extrapure AR, ACS, ExiPlus,	500 Gms	450	95876	Ammonium Tartrate Dibasic pure,	500 Gms	2400
[7727-54-0]	Multi-Compendial, 99%	5 Kg	4350	[3164-29-2]	99%		
	(Ammonium Peroxodisulphate)			56357	Ammonium Tartrate Dibasic	250 Gms	1700
•	meets compendial specs of BP, Ph.Eur			[3164-29-2]	extrapure AR, 99%	500 Gms	3000
28575	Ammonium Persulphate (APS) for	25 Gms	220	81016	Ammonium Thiocyanate ACS, 99%	500 Gms	600
[7727-54-0]	electrophoresis, 99% (Ammonium Peroxodisulphate)	100 Gms	680	[1762-95-4]			
65553	Ammonium Persulphate (APS) for	25 Gms	240	70158 [1762-95-4]	Ammonium Thiocyanate ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	680
[7727-54-0]	molecular biology, 99%	100 Gms	600	[1702-30-4]	meets compendial specs of USP, BP,		
	(Ammonium peroxodisulphate)	500 Gms	1950		Ph.Eur		
30468	Ammonium Phosphate Dibasic	500 Gms	520	67550	Isoamyl Acetate pure, 98%	500 ml	700
[7783-28-0]	extrapure ACS, 98%	5 Kg	5000	[123-92-2]		2500 ml	3400
	(Diammonium Hydrogen						

Code	Name	Packing	Price	Code	Name	Packing	Price
28605	n-Amyl Alcohol (1-Pentanol) pure,	500 ml	850	82829	Antimony Trisulfide pure, 98%	100 Gms	1500
[71-41-0]	98%	2500 ml	3800	[1345-04-6]		500 Gms	6600
31906	n-Amyl Alcohol (1-Pentanol) ACS,	500 ml	1100	24766	Arachis Oil	250 ml	950
[71-41-0]	98%	2500 ml	4300	[68425-36-5]	(Peanut Oil)	500 ml	1500
83344	Aniline Blue (water soluble) (Methyl	25 Gms	700	66637	L-Arginine (free base) extrapure	100 Gms	600
[28983-56-4]	Blue) (Acid Blue 93)	100 Gms	2430	[74-79-3]	CHR, 99%	1 Kg	5000
22285	Aniline ACS, 99.5%	500 ml	560			5 Kg	23500
[62-53-3]		2500 ml	2560	16178	L-Arginine for tissue culture, 99%	100 Gms	720
46774	Aniline Hydrochloride pure, 99%	250 Gms	710	[74-79-3]		1 Kg	5330
[142-04-1]		500 Gms	1260	17863	L-Arginine (free base) ExiPlus,	25 Gms	300
69980 🗸	Aniline Sulphate pure, 98%	250 Gms	780	[74-79-3]	Multi-Compendial, 99%	100 Gms	880
[542-16-5]	(Aminobenzene, Phenylamine,	500 Gms	1450			1 Kg	6000
	Benzenamine)					5 Kg	27500
36381 [104-94-9]	p-Anisidine pure, 98% (4-Aminoanisole, 4-Methoxyaniline)	100 Gms	250		meets compendial specs of BP		
[104-94-9]	(4 Annibarisole, 4 Methoxyaniine)	500 Gms	900	40495 [74-79-3]	L-Arginine (free base) PrimeDx, 99%	1 Kg	6500
41010 [120-12-7]	Anthracene extrapure, 99%	25 Gms	400	[/4-/9-0]		5 Kg	30000
[120-12-7]		100 Gms	1200	55453 [1119-34-2]	L-Arginine Hydrochloride extrapure CHR, 99%	100 Gms	600
		500 Gms	4000	[1119-34-2]	51111, 55%	1 Kg	4800
61273 [120-12-7]	Anthracene (High Purity) scintillation grade, 99.7%	25 Gms	1550			5 Kg	21000
[120-12-7]	(Anthracene extrapure scintillation	100 Gms	5800	23006 [50-81-7]	L-Ascorbic Acid extrapure AR, 99.7%	100 Gms	300
	grade)	250 Gms	14210	[00 01 7]	(Vitamin C)	500 Gms	800
78531	Anthraquinone pure, 98% (9,10-Anthraquinone, Anthradione)	25 Gms	340			5 Kg	6800
[84-65-1]	(3, 10-Antinaquinone, Antinadione)	500 Gms	1000	40704 [50-81-7]	L-Ascorbic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial,	100 Gms	300
97400	Antimony AAS Standard Solution in 2N HCI (Traceable to NIST)	100 ml	2720	[00 01 7]	99.7%	500 Gms	900
	ZN FICE (Traceable to NIST)	250 ml	4420		(Vitamin C)	5 Kg	8000
66105	Antimony Metal Lumps, 98%	100 Gms	2200	44440	meets compendial specs of BP	05.0	
[7440-36-0]		500 Gms	9800	14116 [50-81-7]	L-Ascorbic Acid for molecular biology, 99.7%	25 Gms 100 Gms	300
12042	Antimony Metal Powder extrapure,	100 Gms	2600		(Vitamin C)	500 Gms	600 1100
[7440-36-0]	99%, -200 mesh	250 Gms	6000	32488	L-Ascorbic Acid for tissue culture,	100 Gms	
67577	Antimony Metal Ingots ultrapure,	10 Gms	1400	[50-81-7]	99.7%	500 Gms	600 1500
[7440-36-0]	99.999%	25 Gms	3000		(Vitamin C)	000 01110	1300
47448	Antimony Potassium Tartrate	250 Gms	2500	12535	L-Ascorbic Acid Calcium Salt	100 Gms	900
[28300-74-5]	Hemihydrate pure, 98%	500 Gms	4800	[5743-28-2]	Dihydrate extrapure, 99% (Calcium-L-Ascorbate Dihydrate)	500 Gms	3500
83896	Antimony Potassium Tartrate	100 Gms	1150	65265	L-Ascorbic Acid Sodium Salt	100 Gms	380
[28300-74-5]	Hemihydrate extrapure AR, 99.5%	500 Gms	6700	[134-03-2]	extrapure, 99%	500 Gms	1850
60274	Antimony Trichloride pure, 98%	100 Gms	2500		(Sodium-L-Ascorbate, Vitamin C Sodium Salt)		
[10025-91-9]		500 Gms	11500	64848	DL-Aspartic Acid extrapure CHR,	100 Gms	560
63365	Antimony Trichloride extrapure AR,	100 Gms	2800	[617-45-8]	99%	500 Gms	2600
[10025-91-9]	99%	500 Gms	12000			1 Kg	4500
97628	Antimony Trichloride extrapure AR,	100 Gms	3000	84025	L-Aspartic Acid extrapure CHR,	100 Gms	400
[10025-91-9]	ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	12500	[56-84-8]	99%	500 Gms	1200
	meets compendial specs of USP, BP,					1 Kg	2100
	Ph.Eur					5 Kg	9500
37157	Antimony Trioxide extrapure, 99%	100 Gms	1800	81245	L-Aspartic Acid ExiPlus,	100 Gms	460
[1309-64-4]		500 Gms	8000	[56-84-8]	Multi-Compendial, 99%	1 Kg	2500
98063	Antimony Trioxide extrapure AR,	100 Gms	2000		meets compendial specs of BP		
[1309-64-4]	99%	500 Gms	8600	86229	L-Aspartic Acid PrimeDx, 99%	1 Kg	2300
				[56-84-8]		5 Kg	11000

Code	Name				Packing	Price
61560	L-Aspartic Acid	d Potassium	Salt		100 Gms	1800
[1115-63-5]	extrapure, 98%		m Calt		500 Gms	6000
	(L-Asparaginic A Potassium L-As Aspartate)		,		5 Kg	25000
78087	Auramine O				25 Gms	170
[2465-27-2]	(C.I. No. 41000,	Basic Yellow	2)		100 Gms	440
					500 Gms	1620
41574	Azocarmine G	(C.I. 50085)	for		5 Gms	600
[25641-18-3]	histology (Acid Red 101, I	Rosinduline)			25 Gms	1700
16411	Barbituric Acid		99%		100 Gms	800
[67-52-7]	(2,4,6-Trihydrox Malonylurea)	ypyrimidine,			500 Gms	3000
21154	Barbituric Acid	l extrapure A	NR, 99%		25 Gms	340
[67-52-7]	(2,4,6-Trihydrox Malonylurea)	ypyrimidine,			100 Gms	1350
10013	Barium Acetat	e extrapure,	98%		500 Gms	600
[543-80-6]					5 Kg	5500
16985	Barium Acetat	e ACS, 99%			500 Gms	650
[543-80-6]					5 Kg	5750
45569 [543-80-6]	Barium Acetate ExiPlus, Multi-	-			500 Gms	750
	meets compe			.Eur		
56009	Barium AAS S				100 ml	1800
	0.5N HNO3 (Tr	aceable to N	IIST)		250 ml	2900
32005 [7791-28-8]	Barium Bromio extrapure, 98%				500 Gms	1600
35145	Barium Carboi	nate pure, 98	3.5%		500 Gms	790
[513-77-9]					5 Kg	7620
58434 [513-77-9]	Barium Carboi	nate ACS, 99	1%		500 Gms	950
66323 [513-77-9]	Barium Carboi Multi-Compen	-	tiPlus,		500 Gms	1110
[515-77-9]	meets compe	•	of BP, Ph	.Eur		
78118	Barium Chloric	de Dihydrate	pure,		500 Gms	320
[10326-27-9]	99%				5 Kg	2730
68554	Barium Chloric	de Dihydrate	ACS,		500 Gms	400
[10326-27-9]	99%				5 Kg	3780
92996	Barium Chloric	de Dihydrate	ACS,		500 Gms	450
[10326-27-9]	Exiplus, Multi-	Compendial,	99%		5 Kg	4100
	meets compe Ph.Eur	ndial specs	of USP, B	BP,		
49669	Barium Chrom	ate extrapur	e, 98%		500 Gms	750
[10294-40-3] 86732	Barium Fluoric	le pure, 97%			500 Gms	900
[7787-32-8]	Daving Hed	ido Ostabari	lvata		E00 0	222
85499 [12230-71-6]	Barium Hydrox pure, 98%	uue Ocianyo	nate		500 Gms 5 Kg	300 2800
43469 [12230-71-6]	Barium Hydrox extrapure AR,	-	Irate		500 Gms	430
84482 [12230-71-6]	Barium Hydrox extrapure AR, Multi-Compen- meets compe Ph.Eur	ACS, ExiPlus dial, 98%	3,	BP,	500 Gms	580

Code	Name	Packing	Pric
10290 [10022-31-8]	Barium Nitrate extrapure, 98%	500 Gms 5 Kg	600 5600
88030	Barium Nitrate ACS, 99%	500 Gms	850
[10022-31-8] 80355	Barium Sulphate extrapure, 97%	500 Gms	270
[7727-43-7]	Sariam Sarphate Sarapare, 6776	5 Kg	2400
90115	Barium Sulphate extrapure AR, 98%	500 Gms	410
[7727-43-7]		5 Kg	3900
40251 [7727-43-7]	Barium Sulphate extrapure AR, ExiPlus, Multi-Compendial, 98%	500 Gms 5 Kg	480 4500
	meets compendial specs of Ph.Eur	- 1.9	1000
24031 [8012-89-3]	Bees Wax pure	500 Gms	800
82949	Benedict`s Reagent Quantitative	500 ml	380
		2500 ml	1750
35003	Benedict`s Reagent Qualitative	500 ml	280
		2500 ml	750
92118 [1302-78-9]	Bentonite pure (Aluminium Silicate Hydrate)	500 Gms	220
. ,	. , ,	5 Kg	2080
37278 [100-52-7]	Benzaldehyde pure, 99%	500 ml	500
[]		2500 ml 25 Ltr	2200 18000
34087	Benzaldehyde extrapure AR, 99%	500 ml	620
[100-52-7]	benzalaenyae extrapare Art, 55%	2500 ml	2500
82149	Benzaldehyde extrapure AR,	500 ml	750
[100-52-7]	ExiPlus, Multi-Compendial, 99%	2500 ml	2800
	meets compendial specs of BP, Ph.Eur	5001	400
43648 [68391-01-5]	Benzalkonium Chloride (BKC), 50% soln in water	500 ml 5 Ltr	420 3200
87688	Benzamide pure, 98%	100 Gms	300
[55-21-0]		500 Gms	1200
99515	Benzene extrapure (Sulphur free),	500 ml	210
[71-43-2]	99%	2500 ml	850
		25 Ltr	8200
16410	Benzene ACS, 99.5%	500 ml	250
[71-43-2]		2500 ml	1020
58857	Benzene ACS, ExiPlus,	500 ml	280
[71-43-2]	Multi-Compendial, 99.5%	2500 ml	1180
	meets compendial specs of USP, BP, Ph.Eur		
95582	Benzene GC-HS, 99.9%	500 ml	500
[71-43-2]		1000 ml	950
36823	Benzene for HPLC & UV	500 ml	380
[71-43-2]	Spectroscopy, 99.8%	1000 ml	700
69981 [71-43-2]	Benzene Dried, 99.7%, water 0.005%	1000 ml	770
31332	Benzene-d6 for NMR spectroscopy, 99.5 Atom %D	10 ml	12000
[1076-43-3]	33.3 AUIII 70D	25 ml	28000

Code	Name	Packing	Price	Code	Name	Packing	Price
27094	Benzethonium Chloride extrapure,	25 Gms	800	24008	Bismuth Metal Granular ultrapure,	10 Gms	950
[121-54-0]	98% (Hyamine 1622,	100 Gms	2400	[7440-69-9]	99.99%	50 Gms	3000
	(Diisobutylphenoxyethoxyethyl)dimethyl	250 Gms	5000			250 Gms	5500
	benzylammonium Chloride, Phemerol			72217	Bismuth Metal Powder extrapure,	100 Gms	1600
	Chloride)			[7440-69-9]	99%, -325 mesh	500 Gms	6000
36805 [65-85-0]	Benzoic Acid pure, 99%	500 Gms	440	29444	Bismuth AAS Standard Solution in	100 ml	1800
[05-05-0]		5 Kg	3500		0.5N HNO3 (Traceable to NIST)	250 ml	2900
64239	Benzoic Acid ACS, 99.5%	500 Gms	720	72918	Bismuth (III) Nitrate Pentahydrate	100 Gms	530
[65-85-0]		5 Kg	6800	[10035-06-0]		500 Gms	2300
10105	Benzoic Acid ACS, ExiPlus,	500 Gms	1400		(Bismuth Trinitrate Pentahydrate)		
[65-85-0]	Multi-Compendial, 99.5%	5 Kg	12000	19737	Bismuth (III) Nitrate Pentahydrate	100 Gms	650
	meets compendial specs of BP			[10035-06-0]	extrapure AR, 98.5% (Bismuth Trinitrate Pentahydrate)	500 Gms	2900
56626	Benzoic Anhydride pure, 98%	100 Gms	1800	84869	Bismuth (III) Nitrate Pentahydrate	100 Gms	720
[93-97-0]		500 Gms	6300	[10035-06-0]		500 Gms	3200
56518	Benzoin extrapure, 99%	100 Gms	500		Multi-Compendial, 98.5%		0200
[119-53-9]		250 Gms	770		(Bismuth Trinitrate Pentahydrate) meets compendial specs of BP, Ph.Eur		
51448	Benzophenone extrapure, 99%	500 Gms	600	89049	Bismuth (III) Oxide extrapure, 99%	100 Gms	800
[119-61-9]	(Diphenylketone)	5 Kg	5800	[1304-76-3]	(Dibismuth Trioxide)	500 Gms	
	Paramakan ana FaiDha						3800
42810 [119-61-9]	Benzophenone ExiPlus, Multi-Compendial, 99%	500 Gms	700	32915 [1304-85-4]	Bismuth (III) Nitrate Basic extrapure AR, 79% Bi2O3	100 Gms	1050
[]	(Diphenylketone)			[1304-03-4]	(Bismuth (III) Subnitrate, Bismuth (III)	500 Gms	4200
	meets compendial specs of USP, BP,				Oxynitrate)		
	Ph.Eur			18473	Bismuth (III) Sulphate pure, 90%	100 Gms	750
98101	Benzotriazole pure, 97%	250 Gms	600	[7787-68-0]	(Bismuth Trisulphate)	500 Gms	3200
[95-14-7]		1 Kg	2200	17798	Biuret extrapure AR, 97%	25 Gms	1150
92300	Benzyl Alcohol extrapure, 99%	500 ml	500	[108-19-0]	(Allophanic Acid Amide,	100 Gms	4100
[100-51-6]		1000 ml	900		Carbamoylurea)		
		2500 ml	2000	18952 [10043-35-3]	Boric Acid extrapure, 99.5%	500 Gms	370
		25 Ltr	19000	[10040-05-0]		5 Kg	3470
97005	Benzyl Alcohol ACS, 99%	500 ml	620	80266	Boric Acid ACS, 99.5%	500 Gms	530
[100-51-6]		1000 ml	1050	[10043-35-3]		5 Kg	4650
		2500 ml	2200	61871	Boric Acid ACS, ExiPlus,	500 Gms	580
84758 🛆	Benzyl Alcohol ExiPlus,	500 ml	1040	[10043-35-3]	Multi-Compendial, 99.5%	5 Kg	5250
[100-51-6]	Multi-Compendial, 99%, aldehyde	2500 ml	4000		meets compendial specs of USP, BP & Ph		
	500ppm	2000 1111	4000		Eur		
	meets compendial specs of BP,USP,			22311	Boric Acid for molecular biology,	250 Gms	620
	Ph.Eur			[10043-35-3]	99.5%	500 Gms	1030
84199 [120-51-4]	Benzyl Benzoate pure, 99%	500 ml	700			1 Kg	1920
[120-31-4]		2500 ml	3200	64765	Boron AAS Standard Solution in	100 ml	1800
28482	Benzyl Chloride extrapure, 99%	500 ml	470		H2O (Traceable to NIST)	250 ml	2900
[100-44-7]		2500 ml	1890	52519	Boron Trifluoride Diethyl Etherate	250 ml	1100
41322	Bismuth (III) Carbonate Basic pure,	100 Gms	1130	[109-63-7]	pure, 45-50% BF3	500 ml	1800
[5892-10-4]	80% (Riamuth Subserbanets)	500 Gms	4000		(Boron Trifluoride Ethyl Etherate)	2500 ml	8500
E14E1	(Bismuth Subcarbonate) Bismuth (III) Chloride extrapure,	100 Gms	2400	25529	Boron Trioxide Anhydrous (Boric	100 Gms	
51451 [7787-60-2]	98%	100 Gms 500 Gms	3400	[1303-86-2]	Anhydride) extrapure AR, 98.5%	250 Gms	1800 3500
	(Bismuth Trichloride)	300 GIIIS	16000		(di-Boron Trioxide, Boric Oxide)	250 Gills 1 Kg	12000
82797	Bismuth (III) Gallate Basic ExiPlus,	100 Gms	1400		Parasa Talasalda Anhard		
[99-26-3]	Multi-Compendial, 52-57% (Riemuth Subgallate, Gallic Acid	500 Gms	6000	24167 [1303-86-2]	Boron Trioxide Anhydrous Granular (Boric Anhydride) extrapure, 97%,	100 Gms	1550
	(Bismuth Subgallate, Gallic Acid Bismuth Basic Salt)			[1000-00-2]	-60 mesh	250 Gms	2800
	meets compendial specs of USP				(di-Boron Trioxide, Boric Oxide)	500 Gms	5200
80053	Bismuth Metal Lumps, 99.5%	100 Gms	800	82076	Bouins Picro Formal Fixing	100 ml	240
[7440-69-9]		500 Gms	3500		Solution (Bouins Fluid & Reagent)	500 ml	620

Code	Name	Packing	Price	Code	Name	Packing	Prid
98188	Brilliant Blue FCF (Erioglaucine	25 Gms	500	42888	Bromopyrogallol Red extrapure AR	1 Gms	820
[3844-45-9]	Disodium Salt)	100 Gms	1800	[16574-43-9]	(Dibromopyrogallolsulfonphthaleine)	5 Gms	3200
	(C.I. No. 42090, Acid Blue 9, Alphazurine FG)	500 Gms	6000			10 Gms	6130
9617	Brilliant Green	25 Gms	240	48214	Bromothymol Blue	5 Gms	350
[633-03-4]	(CI No. 42040)	100 Gms	700	[76-59-5]		25 Gms	1150
		1 Kg	5990			100 Gms	4100
	Brij-30® (Polyethylene Glycol					500 Gms	19000
93883 [9002-92-0]	Dodecyl Ether, Brij-L4)	500 ml	1250	72752	Bromothymol Blue ACS, ExiPlus,	5 Gms	400
		1000 ml	2300	[76-59-5]	Multi-Compendial	25 Gms	
9429	Brij-35® (Main Component)	250 Gms	750		•	100 Gms	125
9002-92-0]	(Polyoxyethylene Lauryl Ether, Brij-L23)	500 Gms	1300		mosts compandial appear of BD. Dh. Eur	100 GITIS	440
	,	5 Kg	12000		meets compendial specs of BP, Ph.Eur	400 1	
7698	Brij-35® (30% Aq. solution)	100 ml	610	44798 [76-59-5]	Bromothymol Blue 0.04% Aq. Solution	100 ml	16
9002-92-0]	(Polyoxyethylene Lauryl Ether,	500 ml	970	[70-55-5]		500 ml	47
	Brij-L23)	500 0	1000	45899	Buffer solution pH 4	500 ml	39
3808 	Brij-58® (Polyethylene Glycol Cetyl Ether, Cetomacrogol 1000,	500 Gms	1200		Doffer and the cold 7		
	C16H20)	5 Kg	10750	97409	Buffer solution pH 7	500 ml	39
4062	Bromocresol Green (BCG)	5 Gms	760	52031	Buffer solution pH 9.2	500 ml	39
[76-60-8]	extrapure AR	25 Gms	3000	02001			00
		100 Gms	10000	74887	Butane Sulphonic Acid Sodium Salt	25 Gms	130
		500 Gms	45000	[2386-54-1]	Anhydrous for HPLC, 99%	100 Gms	460
2512	Bromocresol Green (BCG) ACS,	5 Gms	820			250 Gms	1130
[76-60-8]	ExiPlus, Multi-Compendial	25 Gms	3300	99919	Butane Sulphonic Acid Sodium Salt	25 Gms	130
me		100 Gms	11000	[2386-54-1]	Monohydrate for HPLC, 99%	100 Gms	460
		500 Gms	48000			250 Gms	1130
	meets compendial specs of BP, Ph.Eur	000 01110	40000	00440	District Assets to make 2007		
1456		5 Gms	700	28118 [123-86-4]	Butyl Acetate pure, 99%	500 ml	35
1456 32625-32-5]	Bromocresol Green Sodium Salt (water soluble) ACS (3',3",5',5-Tetrabromo-m-Cresolsulfonp	25 Gms	700	[125 55 1]		2500 ml	140
		25 GITIS	2940			25 Ltr	1300
	hthalein Sodium Salt)			80870	Butyl Acetate ACS, 99.5%	500 ml	45
7375	Bromocresol Purple	5 Gms	300	[123-86-4]		2500 ml	170
[115-40-2]		25 Gms	1020	30389	Butyl Acetate ACS, ExiPlus,	500 ml	52
4836	Bromocresol Purple Sodium Salt	5 Gms	300	[123-86-4]	Multi-Compendial, 99.5%	2500 ml	195
62625-30-3]		25 Gms	750		meets compendial specs of BP, Ph.Eur		
	(5,5-Dibromo-o-Cresolsulfonphthalein Sodium Salt)			78487	Butyl Acetate GC-HS, 99.9%	250 ml	70
5551	Bromocresol Purple ACS, ExiPlus,	5 Gms	390	[123-86-4]		500 ml	125
[115-40-2]	Multi-Compendial	25 Gms	1150			1000 ml	220
	meets compendial specs of BP, Ph.Eur	20 01110	1150	47364	n-Butyl Acrylate pure, 99%	500 ml	55
7644	Bromoform extrapure, 98%	250 ml	7000	[141-32-2]	ii Baty. Actylate parc, cox	2500 ml	250
7644 [75-25-2]	(Tribromomethane)	230 1111	7000		And Budd Analysis (TDAn) and analysis		
4669	Bromoform Specially Purified	250 ml	7500	90527 [540-88-5]	tert-Butyl Acetate (TBAc) extrapure, 99%	500 ml	120
[75-25-2]	extrapure, 99%			[0.0000]		2500 ml	495
	(Tribromomethane)			19147	n-Butyl Alcohol (1-butanol,	500 ml	22
1458	Bromophenol Blue extrapure AR	5 Gms	220	[71-36-3]	n-butanol) pure, 99%	2500 ml	110
[115-39-9]		25 Gms	810			25 Ltr	900
		100 Gms	2400	72768	n-Butyl Alcohol (1-Butanol,	500 ml	28
		500 Gms	11000	[71-36-3]	n-Butanol) ACS, 99.5%	2500 ml	130
3676	Bromophenol Blue ACS, ExiPlus,	5 Gms	280	15612	n-Butyl Alcohol (1-Butanol,	500 ml	33
[115-39-9]	Multi-Compendial	25 Gms	980	[71-36-3]	n-Butanol) ACS, ExiPlus,	2500 ml	155
		100 Gms	2600		Multi-Compendial, 99.5%		,00
n					meets compendial specs of BP, Ph.Eur		
	meets compendial specs of BP, Ph.Eur			83903	n-Butyl Alcohol (1-butanol,	250 ml	40

Code	Name	Packing	Price	Code	Name	Packing	Price
43706	n-Butyl Alcohol (1-butanol,	500 ml	500	79927	tert-Butyl Methyl Ether pure, 98%	500 ml	340
[71-36-3]	n-butanol) for HPLC & UV Spectroscopy, 99.9%	1000 ml	950	[1634-04-4]		2500 ml 25 Ltr	1400 12000
95725	sec-Butyl Alcohol extrapure, 99%	500 ml	450	10465	tout Dutyl Mathyl Ethan ACC 009/		
[78-92-2]	(2-Butanol, sec-Butanol)	2500 ml	1750	19465 [1634-04-4]	tert-Butyl Methyl Ether ACS, 99%	500 ml 2500 ml	400
		25 Ltr	16350				1700
58308	sec-Butyl Alcohol extrapure AR,	500 ml	500	65701 [1634-04-4]	tert-Butyl Methyl Ether ExiPlus, Multi-Compendial, 99.5%	500 ml	480
[78-92-2]	99.5% (2-Butanol, sec-Butanol)	2500 ml	1970	[100101.1]	• ,	2500 ml	2050
99336	Sec-Butyl Alcohol extrapure AR,	500 ml	550	91087	meets compendial specs of BP,Ph. Eur tert-Butyl Methyl Ether for HPLC,	1000 ml	1050
[78-92-2]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	2180	[1634-04-4]	99.5%	2500 ml	1050 2400
	(2-Butanol, sec-Butanol)				But Burgian to automorphism 800/		
01005	meets compendial specs of BP, Ph.Eur tert-Butyl Alcohol extrapure, 99%	500 ml	000	63952 [590-01-2]	Butyl Propionate extrapure, 99% (Propionic Acid Butyl Ester)	500 ml	1500
21835 [75-65-0]	(2-Methyl-2-Propanol Trimethyl	2500 ml	290 1210			2500 ml	7200
	Carbinol)	2500 IIII 25 Ltr	11000	81503 [107-92-6]	n-Butyric Acid extrapure, C4-99% (GC)	500 ml	530
	And British Alexandral ACO 2007			[107-92-0]	(40)	2500 ml	2150
70816 [75-65-0]	tert-Butyl Alcohol ACS, 99% (2-Methyl-2-Propanol Trimethyl	500 ml	330	55964	n-Butyric Acid extrapure AR,	250 ml	320
[73-03-0]	Carbinol)	2500 ml	1320	[107-92-6]	C4-99.5% (GC)	1000 ml	990
41609	Tert-Butyl Alcohol ExiPlus,	500 ml	380	82749	Cadmium Acetate Dihydrate pure,	100 Gms	450
[75-65-0]	Multi-Compendial, 99%	2500 ml	1540	[5743-04-4]	98%	500 Gms	1700
	(2-Methyl-2-Propanol Trimethyl Carbinol)			84627	Cadmium Acetate Dihydrate	100 Gms	530
	meets compendial specs of BP,Ph. Eur			[5743-04-4]	extrapure AR, 99%	500 Gms	1980
90248	tert-Butyl Alcohol for HPLC, 99.7%	250 ml	610	98469	Cadmium AAS Standard Solution in	100 ml	1800
[75-65-0]		1000 ml	1210	00.00	0.5N HNO3 (Traceable to NIST)	250 ml	2900
76035	n-Butylamine pure, 99%	500 ml	450	25442	Codmium Corbonato puro 97%	100 Gms	
[109-73-9]	n Datylaninio pare, ee //	2500 ml	2000	[513-78-0]	Cadmium Carbonate pure, 97%	500 Gms	600
	n Butulamina autuanuna AD 000/						2400
54997 [109-73-9]	n-Butylamine extrapure AR, 99%	500 ml	580	15411 [10108-64-2]	Cadmium Chloride Dried Anhydrous pure, 97%	100 Gms	1800
		2500 ml	2500	[10100-04-2]	Annyarous pare, or 70	500 Gms	7500
12302 [75-64-9]	tert-Butylamine pure, 99%	500 ml	600	99643	Cadmium Chloride Dried	100 Gms	2200
[75-04-9]		2500 ml	2700	[10108-64-2]	Anhydrous ACS, 99%	500 Gms	8800
		25 Ltr	25000	48076	Cadmium Chloride Monohydrate	100 Gms	510
55005	tert-Butylamine extrapure AR,	500 ml	700	[35658-65-2]	extrapure, 99%	500 Gms	2280
[75-64-9]	99.5%	2500 ml	3200	87355	Cadmium Iodide pure, 99%	25 Gms	1500
60004	,,,	100 Gms	850	[7790-80-9]		100 Gms	5200
[25013-16-5]	ExiPlus, Multi-Compendial, 98% (2-tert-Butyl-4-Methoxyphenol)	500 Gms	2620			500 Gms	24800
	meets compendial specs of USP, BP			48392	Cadmium Metal Rods, 99%	100 Gms	550
32227	n-Butyl Chloride (1-Chlorobutane)	500 ml	800	[7440-43-9]			
[109-69-3]	extrapure, 99%	2500 ml	3900	85545	Cadmium Metal Powder extrapure,	25 Gms	1200
95594	n-Butyl Chloride (1-Chlorobutane)	500 ml	2800	[7440-43-9]	99.5%, -200 mesh	100 Gms	4000
[109-69-3]	for HPLC & UV Spectroscopy,	2500 ml	5200	70434	Cadmium Nitrate Tetrahydrate	500 Gms	1300
	99.5%	2000 1111	5200	[10022-68-1]	ACS, 99%		
38033	Butylated Hydroxytoluene (BHT)	500 Gms	930	29996	Cadmium Oxide pure, 99%	100 Gms	430
[128-37-0]	pure, 99% (2,6-di-tert-Butyl-p-Cresol)	5 Kg	8940	[1306-19-0]		250 Gms	900
82010	Butylated Hydroxytoluene (BHT)	500 Gms	1010			500 Gms	1400
[128-37-0]	ExiPlus, Multi-Compendial, 99%	5 Kg	9810	39818	Cadmium Oxide extrapure AR,	100 Gms	600
	(2,6-di-tert-Butyl-p-Cresol)		2010	[1306-19-0]	99.7%	250 Gms	1100
	meets compendial specs of BP			15806	Cadmium Sulphate 8/3Hydrate	100 Gms	400
32701 [1948-33-0]	tert-Butyl Hydroquinone (TBHQ) extrapure AR, 98%	250 Gms	1370	[7790-84-3]	pure, 98%	500 Gms	1500
[1940-03-0]	CALISPUIC ALL, 50/0	2.5 Kg	13080	43019	Cadmium Sulphate 8/3Hydrate	100 Gms	500
				[7790-84-3]	ACS, 98%		

Code	Name	Packing	Price	Code	Name	Packing	Pric
98002 [1306-23-6]	Cadmium Sulphide Orange extrapure, 99%	100 Gms 500 Gms	500 1600	56949 [10035-04-8]	Calcium Chloride Dihydrate for tissue culture, 99.5%	500 Gms 5 Kg	460 4200
	Onderland Ontobleta Oncorne				Ostober Oblantia Francisco		
22905 [1306-23-6]	Cadmium Sulphide Orange ultrapure, 99.995%	5 Gms 25 Gms	4000 9000	84336 [10043-52-4]	Calcium Chloride Fused pure, 90-95%	500 Gms 5 Kg	210 1500
19267	Caffeine anhydrous pure, 98%	100 Gms	780	77838	Calcium Citrate Tribasic	500 Gms	400
[58-08-2]		250 Gms	1500	[5785-44-4]	Tetrahydrate pure, 98%		
		500 Gms	2500	97388 [5785-44-4]	Calcium Citrate Tribasic Tetrahydrate ExiPlus,	500 Gms	500
		5 Kg	23000	[5765-44-4]	Multi-Compendial, 98%		
47633	Caffeine Anhydrous ExiPlus,	100 Gms	900		meets compendial specs of USP		
[58-08-2]	Multi-Compendial, 98.5%	250 Gms	1600	57055	Calcium Fluoride extrapure, 97%	100 Gms	310
		2.5 Kg	12500	[7789-75-5]	(Fluorite, Fluorospar)	500 Gms	1140
	meets compendial specs of BP, Ph.Eur, USP			52434 [544-17-2]	Calcium Formate pure, 98% (Formic Acid Calcium Salt)	500 Gms	570
44509	Calamine pure, 98%	500 Gms	650	85610	Calcium Hydroxide extrapure AR,	500 Gms	53
[8011-96-9]		1 Kg	1230	[1305-62-0]	96%	5 Kg	415
28162	Calamine ExiPlus,	500 Gms	910	74471	Calcium Hydroxide extrapure AR,	500 Gms	750
[8011-96-9]	Multi-Compendial, 98%			[1305-62-0]	ACS, ExiPlus, Multi-Compendial,	5 Kg	556
	meets compendial specs of BP, USP				96% meets compendial specs of USP, BP,		
70214 [5743-26-0]	Calcium Acetate Monohydrate ACS, 99%	500 Gms	1200		Ph.Eur		
21606	Calcium Acetate Monohydrate	500 Gms	1300	31549	Calcium Iodate Anhydrous	100 Gms	280
[5743-26-0]	ACS, ExiPlus, Multi-Compendial, 99%			[7789-80-2]	(Lautarite) pure, 98%	250 Gms	570
	meets compendial specs of USP			96342	Calcium Metal Granular extrapure,	100 Gms	35
58056	Calcium Acetate Hydrate extrapure	500 Gms	420	[7440-70-2]	98%, 10-20 mesh	500 Gms	120
[114460-21-8]	AR, 99%	5 Kg	4000			5 Kg	800
60934	Calcium Acetate Hydrate ultrapure,	5 Gms	5000	94212 [10102-68-8]	Calcium Iodide Tetrahydrate pure, 98%	10 Gms 25 Gms	360 480
[114460-21-8] 96493	99.9965% Calcium Alginate ex. Brown Algae	100 Gms	350		Coloium Iodido Hudroto muro 009/		
[9005-35-0]	pure, 15% moisture	500 Gms	1300	56571 [71626-98-7]	Calcium Iodide Hydrate pure, 98%	25 Gms 100 Gms	380
	(Alginic Acid Calcium Salt)	5 Kg	11000				980
2000	Calcium AAS Standard Solution in			79225 [13477-34-4]	Calcium Nitrate Tetrahydrate extrapure AR, ACS, 99%	500 Gms	33
36920	0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	1800			5 Kg	240
	Oalaine Oak anata antonoma 2007		2900	16807 [1305-78-8]	Calcium Oxide Powder pure, 95%	500 Gms	26
67162 [471-34-1]	Calcium Carbonate extrapure, 98%	500 Gms	200	[1003-70-0]		5 Kg	178
[]		5 Kg	1460	51007	Calcium Phosphate Monobasic	500 Gms	53
		25 Kg	7000	[10031-30-8]	Monohydrate extrapure, 95% (Calcium Tetrahydrogen	5 Kg	473
87293 [471-34-1]	Calcium Carbonate extrapure AR, 99.5%	500 Gms	250		Diorthophosphate Monohydrate)		
[471-04-1]	55.576	5 Kg	1690	93239	Calcium Phosphate Dibasic	500 Gms	37
		25 Kg	7020	[7757-93-9]	Anhydrous extrapure, 98% (Calcium Hydrogen Phosphate	5 Kg	263
37683	Calcium Carbonate extrapure AR,	500 Gms	500		Anhydrous, di-Calcium Phosphate		
[471-34-1]	ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	3930		Anhydrous)		
	meets compendial specs of USP, BP			77793	Calcium Phosphate Dibasic	500 Gms	45
70650	Calcium Chloride Dihydrate ACS,	500 Gms	360	[7789-77-7]	Dihydrate extrapure, 98% (Calcium Hydrogen Phosphate	5 Kg	420
[10035-04-8]	99%	5 Kg	2800		Dihydrate, di-Calcium Phosphate		
		25 Kg	12500		Dihydrate)		
31944	Calcium Chloride Dihydrate ACS,	500 Gms	560	57744	Dibasic Calcium Phosphate	500 Gms	69
[10035-04-8]	ExiPlus, Multi-Compendial, 99%	5 Kg	4400	[7789-77-7]	Dihydrate, ExiPlus, Multi-Compendial, 98%	5 Kg	630
r	meets compendial specs of USP, BP.&				meets compendial specs of BP,USP		
	Eur.Ph			34878	Calcium Phosphate Tribasic (TCP)	500 Gms	560
97080	Calcium Chloride Dihydrate for	100 Gms	310	[7758-87-4]	pure, 90%	5 Kg	5200
[10035-04-8]	molecular biology, 99.5%	500 Gms	1420		(Tricalcium Phosphate)		

Code	Name	Packing	Price	Code	Name	Packing	Price
59781 [4075-81-4]	Calcium Propionate pure, 97%	500 Gms	520	59938 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium MV), Medium	500 Gms 5 Kg	800 7500
94044	Calcium Sulphate Dihydrate pure,	500 Gms	330		Viscosity 400-800 CPS	3 Ng	7500
[10101-41-4]	98%	5 Kg	2940		(Carmellose Sodium)		
69095	Calcium Sulphate Dihydrate	500 Gms	470	35298 [9004-32-4]	Carboxymethyl Cellulose Sodium Salt (CMC Sodium HV), High	500 Gms	980
[10101-41-4]		5 Kg	4310	[9004-32-4]	Viscosity 1100-1900 CPS	5 Kg	9200
64912	Camphor pure, 95%	100 Gms			(Carmellose Sodium)		
64813 [76-22-2]	Campilor pure, 95%	500 Gms	560	97048	Carmine	5 Gms	550
			2730	[1390-65-4]	(C.I. No. 75470)	25 Gms	1300
23764 [334-48-5]	Capric Acid (n-Decanoic Acid) pure, C10-99%	250 ml	700			100 Gms	3500
[334-46-5]	(n-Capric Acid, n-Decoic Acid)	500 ml	1300	66993 🛆	Carnoy`s Solution (Fixative)	100 ml	370
		2500 ml	6000		(Carnoy`s Fluid (Fixative), Carnoy Fluid	500 ml	1700
51840		250 ml	1820		(Fixative))		
[110-42-9]	Decanoate) extrapure, 99% (Methyl Caprate)	1000 ml	5830	32385 [11114-20-8]	Carrageenan (Kappa) Refined ex. Eucheuma Cottonii	25 Gms	1300
89028	Caproic Acid extrapure, C6-99%	100 ml	300	[11114-20-0]	(k-Carrageenan, Irish Moss)	100 Gms	2600
[142-62-1]	(n-Hexanoic Acid)	500 ml	950			500 Gms	8100
		2500 ml	4000	16145	Castor Oil	500 ml	680
	Committee A circle waves CO COOK (COOK			[8001-79-4]		2500 ml	3200
88889 [124-07-2]	Caprylic Acid pure, C8-99% (GC)	500 ml	1300	26080	Catechol (Pyrocatechol) extrapure,	100 Gms	450
[12.07.2]		2500 ml	5500	[120-80-9]	99%	500 Gms	900
15343	Carbinol pure, 99%	500 ml	250	31018	Cedarwood Oil Natural for	30 ml	730
[67-56-1]		2500 ml	670	[8000-27-9]	microscopy	125 ml	1980
		25 Ltr	5750		(Immersion Oil)	500 ml	3950
82911	Carbinol extrapure AR, 99.8%	500 ml	270	60705	Celestine Blue B, 98%-102%	5 Gms	4300
[67-56-1]		1000 ml	520	[1562-90-9]	(Mordant Blue 14, C.I. 51050)	25 Gms	20500
		2500 ml	730		Calita F4F, aira 00 40 miayamatay		
85902	Carbinol GC-HS, 99.9%	500 ml	730	82523 [91053-39-3]	Celite 545, size 20-40 micrometer	500 Gms	450
[67-56-1]		1000 ml	1400	[0.000.00.0]		1 Kg	800
63713	Carbinol for HPLC & UV	500 ml	370			5 Kg	3700
[67-56-1]	Spectroscopy, 99.8%	1000 ml	500		Ceramide ex. Chicken Egg 99%	5 Mg	5600
		2500 ml	970	[477243-06-4]	(C16 Ceramide, N-(Hexadecanoyl) -Sphing-4-Enine),	25 Mg	28000
69000	Carbinal alastronia grada 99 8%	2500 ml			n-Hexadecanoyl-d-Erythro-Sphingosin		
68990 [67-56-1]	Carbinol electronic grade, 99.8%	2500 1111	1190		е		
12903	Carbinol Dried extrapure AR, 99.8%	500 ml	360	23505	Ceric Oxide extrapure AR, 99.9%	100 Gms	1240
[67-56-1]		1000 ml	500	[1306-38-3]	(Cerium (IV) Oxide)	500 Gms	4400
34883	Carbinol for molecular biology,	500 ml	910	92425	Ceric Sulphate Tetrahydrate	25 Gms	550
[67-56-1]	99.5%	1000 ml	1640	[10294-42-5]	extrapure AR, 80%	100 Gms	1300
		2500 ml	3510		(Ceric (IV) Sulfate Tetrahydrate, Cerium Disulfate Tetrahydrate)	500 Gms	4200
	Oorhol Errobolis			10731	Ceric Sulphate Tetrahydrate	25 Gms	7800
39058 [4197-24-4]	Carbol Fuchsin	25 Gms	380	[10294-42-5]	specially purified, 98%	100 Gms	24000
[100 Gms	1200		(Ceric (IV) Sulfate Tetrahydrate, Cerium		
		500 Gms	5400	04444	Disulfate Tetrahydrate)	500 ml	
93049	Carbopol 934 (Carboxy Vinyl	500 Gms	1250	61414 [13590-82-4]	Ceric Sulphate 0.1N Solution	500 ml	620
[9003-01-4]	Polymer 934) extrapure	1 Kg	2400	66676	Cerous Chloride Heptahydrate	25 Gms	690
		5 Kg	11000	[18618-55-8]	extrapure AR, 99%	100 Gms	1700
51159	Carbopol 940 (Carboxy Vinyl	500 Gms	1250		(Cerium (III) Chloride Heptahydrate)	500 Gms	6000
[9003-01-4]	Polymer 940) extrapure	1 Kg	2400	E7200	Cerous Nitrate Hexahydrate		
		5 Kg	11000	57320 [10294-41-4]	extrapure AR, 99.9%	100 Gms 500 Gms	1020
93797	Carboxymethyl Cellulose Sodium	500 Gms	750		(Cerium (III) Nitrate Hexahydrate,	500 GIIIS	4000
[9004-32-4]	Salt (CMC Sodium LV), Low Viscosity 250-350CPS (Carmellose Sodium)	5 Kg	6500		Cerium Trinitrate Hexahydrate)		

Code	Name	Packing	Price	Code	Name	Packing	Pric
81586	Cetrimide extrapure AR	100 Gms	640	14423	Chloroform GC-HS, 99.9%	250 ml	550
[1119-97-7]	(Tetradecyltrimethyl ammonium	500 Gms	1800	[67-66-3]		500 ml	900
	bromide), 99% (Tetradecyltrimethyl Ammonium	5 Kg	17000			1000 ml	1500
	Bromide)			51126	Chloroform Dried, 99.5%, water	500 ml	500
33001	Cetostearyl Alcohol pure	500 Gms	820	[67-66-3]	0.005%	1000 ml	970
[8005-44-5]		5 Kg	8000			2500 ml	2180
40629	Cetyl Alcohol pure, 98%	500 Gms	650	90603	Chloroform-d (CDCl3) (w/o TMS,	100 ml	
[36653-82-4]	•	5 Kg	5800	[865-49-6]	Stab w/ Ag) for NMR spectroscopy,	100 1111	10200
	Observed Astincted (000) autonomo			[]	99.8 Atom %D		
83438 [7440-44-0]	Charcoal Activated (280) extrapure AR, ACS, ExiPlus,	100 Gms	240	20996	Chloroform-d (CDCI3) (with 1%	100 ml	10900
[Multi-Compendial	500 Gms	510	[865-49-6]	TMS, Stab w/ Ag) for NMR		
	(Activated Carbon)	5 Kg	4360		spectroscopy, 99.8 Atom %D	1001	
	meets compendial specs of USP, BP &			57034 [865-49-6]	Chloroform-d (CDCl3) (with 0.03% TMS, Stab w/ Ag) for NMR	100 ml	10500
	Ph.Eur			[000 40 0]	spectroscopy,99.8 Atom %D		
48088	Charcoal Activated (950) Granular extrapure	500 Gms	550	22288	Chloroform-d (CDCI3) (w/o TMS,	100 Gms	8700
[7440-44-0]	(Activated Carbon)	5 Kg	4910	[865-49-6]	Stab w/ Ag) for NMR spectroscopy,		
64905	Chloramine-T Trihydrate extrapure	100 Gms	450		99.8 Atom %D		
[7080-50-4]	AR, 98%	250 Gms	900	98718	Chloroform-d (CDCl3) (with 0.03% TMS, Stab w/ Ag) for NMR	100 Gms	9200
	(N-Chloro-p-Toluenesulphonamide	500 Gms	1750	[865-49-6]	spectroscopy,99.8 Atom %D		
	Sodium Salt)	2.5 Kg	8000	72017		100 Gms	9700
00044	o-Chloroaniline extrapure, 99%			[865-49-6]	TMS, Stab w/ Ag) for NMR		
29611 [95-51-2]	(2-Chloroaniline)	500 ml	710		spectroscopy, 99.8 Atom %D		
	· ,	2500 ml	3400	39657	3-Chloroperoxybenzoic Acid	25 Gms	425
89370	Chlorobenzene (MCB) extrapure,	500 ml	300	[937-14-4]	(mCPBA) pure, 55-75%	100 Gms	1300
[108-90-7]	99% (Monochlorobenzene)	2500 ml	1300			500 Gms	6250
	(25 Ltr	12000	59271	N-Chlorosuccinimide extrapure,	250 Gms	650
46364	Chlorobenzene (MCB) ACS, 99.5%	500 ml	400	[128-09-6]	98%	1 Kg	2500
[108-90-7]	(Monochlorobenzene)	2500 ml	1500	47048	Chromeazurol S (Chromazurol S)	10 Gms	1100
10124	Chlorobenzene (MCB) ExiPlus,	500 ml	500	[1667-99-8]	(Mordant Blue 29)	25 Gms	2000
[108-90-7]	Multi-Compendial, 99.5%	2500 ml	1800	86183	Chromium AAS Standard Solution	100 ml	
	(Monochlorobenzene)			00103	in 0.5N HNO3 (Traceable to NIST)	250 ml	1800
	meets compendial specs of BP						2900
35680 [3114-55-4]	Chlorobenzene-d5 for NMR spectroscopy, 99 Atom %D	1 ml	8000	72232 [10060-12-5]	Chromium (III) Chloride Hexahydrate extrapure AR, 98%	500 Gms	700
[5114-55-4]	specificacity, 33 Atom 705	5 ml	24000	[10000-12-5]	(Chromic Chloride, Chromium	5 Kg	6500
33023	p-Chloro-m-Cresol (PCMC) pure,	250 Gms	1090		Trichloride)		
[59-50-7]	98%	500 Gms	1820	74767	Chromium (III) Nitrate Nonahydrate	500 Gms	1200
80908	4-Chloro-3,5-Dimethylphenol	100 Gms	880	[7789-02-8]	pure, 96%	5 Kg	11000
[88-04-0]	(PCMX) extrapure, 99%	500 Gms	3060	04005	(Chromic Nitrate Nonahydrate)	500 C	000
	(4-Chloro-3,5-Xylenol, Chloroxylenol, p-Chloro-m-Xylenol)			21295 [39380-78-4]	Chromium (III) Sulphate Basic extrapure, 22.5% Cr	500 Gms	380
96712	Chloroform extrapure, 99%	500 ml	300	[,	(Chromosal B, Basic Chromic	2.5 Kg	1750
[67-66-3]		2500 ml	980		Sulphate)		
-		2500 IIII 25 Ltr	7500	57555	Chromium Powder, 99% -100 mesh	100 Gms	900
•44	Obleveteurs ACC 22 22/			[7440-47-3]		500 Gms	3500
84155 [67-66-3]	Chloroform ACS, 99.8%	500 ml	340	21817	Chromium (VI) Oxide (Chromium	500 Gms	850
[5. 55-0]		2500 ml	1100	[1333-82-0]	Trioxide) pure, 99%	1 Kg	1600
32022	Chloroform ExiPlus,	500 ml	400		(Chromic Acid, Chromic Anhydride)	500.0	
[67-66-3]	Multi-Compendial, 99.8%	2500 ml	1200	61365 [1333-82-0]	Chromium (VI) Oxide (Chromium Trioxide) ACS, ExiPlus,	500 Gms	900
	meets compendial specs of BP, Ph.Eur			[1000-02-0]	Multi-Compendial , 99%	1 Kg	1750
96764	Chloroform for molecular biology,	100 ml	450		(Chromic Acid, Chromic Anhydride)		
[67-66-3]	99.8%	500 ml	1800		meets compendial specs of USP, Ph.Eur		
30792	Chloroform for HPLC & UV	500 ml	450	36505	Chrysoidine R	25 Gms	210
[67-66-3]	Spectroscopy, 99.8%	1000 ml	650	[4438-16-8]	(Basic Orange 1, Methylchrysoidine)	100 Gms	590
			550		(C.I. No. 11320)		

Code	Name	Packing	Price	Code	Name	Packing	Price
31126 [532-82-1]	Chrysoidine Y (4-Phenylazo-m-Phenylenediamine Monohydrochloride, Basic Orange 2, Chrysoidine G)(C.I. No. 11270)	25 Gms 100 Gms	210 590	88282 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	1400 6100
55990 (i	Cinnamaldehyde pure, 98% (Cinnamic Aldehyde, Cinnamal)	500 ml	1000 5500		meets compendial specs of USP, BP, Ph.Eur		
29955 [140-10-3]	Cinnamic Acid extrapure, 99%	250 Gms	870	14386 [7440-48-4]	Cobalt Metal Powder, 99.5%, -325mesh	100 Gms 250 Gms	3100 6600
23277	Cinnamic Acid extrapure AR,	1 Kg 250 Gms	3150 1400	14941 [10026-22-9]	Cobalt (II) Nitrate Hexahydrate extrapure, 97%	100 Gms 500 Gms	900
[140-10-3]	ExiPlus, Multi-Compendial, 99% meets compendial specs of BP, Ph.Eur	1 Kg	3500	85942	(Cobaltous Nitrate Hexahydrate) Cobalt (II) Nitrate Hexahydrate	100 Gms	1100
78213 [77-92-9]	Citric Acid Anhydrous extrapure, 99%	500 Gms 5 Kg	260 1700	[10026-22-9]	extrapure AR, ACS, 99% (Cobaltous Nitrate Hexahydrate)	250 Gms 500 Gms	2500 4100
36890	Citric Acid Anhydrous for tissue	25 Kg 500 Gms	7500 320	21722 [1308-06-1]	Cobalt (II,III) Oxide pure, 99% (Tricobalt Tetraoxide)	100 Gms 250 Gms	2800 4000
[77-92-9]	culture, 99%	5 Kg	2100			500 Gms	7000
1 6842 [77-92-9]	Citric Acid Anhydrous extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	290 1900	25710 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate pure, 98% (Cobaltous Sulphate Heptahydrate)	100 Gms 500 Gms	800 3300
	meets compendial specs of BP, Ph.Eur, USP			42752 [10026-24-1]	Cobalt (II) Sulphate Heptahydrate extrapure AR, 99%	100 Gms 250 Gms	900 2100
49897 [5949-29-1]	Citric Acid Monohydrate extrapure, 99.5%	500 Gms 5 Kg	240 1600	00070	(Cobaltous Sulphate Heptahydrate)	500 Gms	4100
43667	Citric Acid Monohydrate ACS,	25 Kg 500 Gms	7000	36672 57380	Copper AAS Standard Solution in	500 ml	2020
[5949-29-1]	99.7%	5 Kg	1750	57300	1N HNO3 (Traceable to NIST)	250 ml	2900
53884	Citric Acid Monohydrate ACS,	25 Kg 500 Gms	300	72033 [7440-50-8]	Copper Metal powder extrapure, 99.5%, -200 mesh	500 Gms	2400
[5949-29-1]	ExiPlus, Multi-Compendial, 99.7% meets compendial specs of BP, Ph.Eur,	5 Kg	2000	42577 [7440-50-8]	Copper Metal Turnings, 99.5%, 40-100 mesh	100 Gms 500 Gms	600 2200
49393	USP Cobalt (II) Acetate Tetrahydrate	100 Gms	1100	28007 [95-48-7]	o-Cresol pure, 98%	500 ml 2500 ml	700 2800
[6147-53-1]	extrapure AR, 99% (Cobaltous Acetate Tetrahydrate)	250 Gms 500 Gms	2400 4000	77744 [108-39-4]	m-Cresol pure, 98% (3-Methylphenol)	500 ml 2500 ml	1600 7000
75141 [6147-53-1]	Cobalt (II) Acetate Tetrahydrate extrapure AR, ACS, ExiPlus,	100 Gms 250 Gms	1200 2700	48620 [108-39-4]	m-Cresol extrapure AR, 99% (3-Methylphenol)	500 ml	2000
	Multi-Compendial, 99% (Cobaltous Acetate Tetrahydrate) meets compendial specs of BP	500 Gms	4600	63997 [106-44-5]	p-Cresol pure, 98.5%	500 ml 2500 ml	1100 4900
66112	Cobalt AAS Standard Solution in 0.5N HCI (Traceable to NIST)	100 ml 250 ml	2400 4100	89599 [1733-12-6]	Cresol Red	5 Gms 25 Gms	300 700
37917	Cobalt (II) Carbonate Basic pure,	100 Gms	1600			100 Gms	2500
[12602-23-2]	45-50% Co (Cobaltous Carbonate)	250 Gms 500 Gms	3600 6600	21442 [10510-54-0]	Cresyl Violet Acetate, 70%	1 Gms 5 Gms	800 3300
99412 [7791-13-1]	Cobalt (II) Chloride Hexahydrate pure, 99% (Cobaltous Chloride Hexahydrate)	100 Gms 500 Gms	1200 5600	28376 [548-62-9]	Crystal Violet (Gentian Violet) (Methyl Violet 10B, C.I. No. 42555)	25 Gms 100 Gms	800 2800
36018 [7791-13-1]	Cobalt (II) Chloride Hexahydrate extrapure AR, 99%	100 Gms 500 Gms	1300 5900	17610 [548-62-9]	Crystal Violet (Gentian Violet) ACS, ExiPlus, Multi-Compendial	500 Gms 25 Gms	900
	(Cobaltous Chloride Hexahydrate)			[346-62-9]	(Methyl Violet 10B, C.I. No. 42555)	100 Gms 500 Gms	3200 15000
					meets compendial specs of BP, Ph.Eur		

Code	Name	Packing	Price	Code	Name	Packing	Prid
94666 ✓ [17455-13-9]	18-Crown-6-Ether pure, 98%	25 Gms 100 Gms 500 Gms	900 2800 12100	71244 [7758-99-8]	Cupric Sulphate Pentahydrate ACS, ExiPlus, Multi-Compendial, 99.5% (Copper (II) Sulphate Pentahydrate) meets compendial specs of BP, USP &	500 Gms 5 Kg	800 7600
74472 [8014-13-9]	Cumin Seed Oil extrapure, aldehyde 28%	100 ml 500 ml	1800 6600	90445	Ph.Eur Cupric Sulphate 0.1M Solution	1000 ml	530
07404	Cunvia Acetata Manahudusta nuva	100 Gms		90445 [7758-99-8]	Cupile Sulphate 0.1M Solution	1000 1111	53
87431 [6046-93-1]	Cupric Acetate Monohydrate pure, 98% (Copper (II) Acetate Monohydrate)	500 Gms	400 1800	29497 [7787-70-4]	Cuprous Bromide pure, 98.5% (Copper (I) Bromide)	100 Gms 500 Gms	80 360
67912	Cupric Acetate Monohydrate ACS,	250 Gms	1600	26375	Cuprous Chloride pure, 97%	500 Gms	
[6046-93-1]	98% (Copper (II) Acetate Monohydrate)			[7758-89-6]	(Copper (I) Chloride , Copper Monochloride)	5 Kg	135 1250
57060 [6046-93-1]	Cupric Acetate Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99% (Copper (II) Acetate Monohydrate)	250 Gms	2100	21136 [7758-89-6]	Cuprous Chloride ACS, 97% (Copper (I) Chloride, Copper Monochloride)	250 Gms	140
	meets compendial specs of BP, Ph.Eur			93095 [7681-65-4]	Cuprous Iodide extrapure AR, 99% (Copper (I) Iodide)	25 Gms 100 Gms	90
11204 [7789-45-9]	Cupric Bromide pure, 99% (Copper (II) Bromide)	100 Gms	1600			500 Gms	300 1420
[7769-45-9]	(Gopper (II) Brothide)	500 Gms	6500	83086	Cuprous Oxide pure, 86% Cu	100 Gms	
13945 [12069-69-1]	Cupric Carbonate Basic pure, 95% (Copper (II) Carbonate Basic, Copper	500 Gms 5 Kg	1800 15900	[1317-39-1]	(Copper (I) Oxide)	500 Gms	66 252
00045	(II) Hydroxide Carbonate) Cupric Chloride pure, 98%	500 C		97461	Curcumin (Turmeric Yellow)	5 Gms	35
92315 [7447-39-4]	(Copper (II) Chloride)	500 Gms 1 Kg	1100 2100	[458-37-7]		25 Gms	98
20707	Cupric Chloride Dihydrate ACS,	500 Gms				100 Gms	32
39797 [10125-13-0]	ExiPlus, Multi-Compendial, 99%	1 Kg	980 1950	20259	Cyclohexane extrapure, 99%	500 ml	2
	(Copper (II) Chloride Dihydrate) meets compendial specs of USP	TNg	1930	[110-82-7]		2500 ml 25 Ltr	98 920
92272	Cupric Chloride 0.3M Solution	500 ml	700	46616	Cyclohexane ACS, 99.5%	500 ml	30
[10125-13-0]		1000 ml	1250	[110-82-7]		2500 ml	108
87367	Cupric Nitrate Trihydrate extrapure,	250 Gms	550	23292	Cyclohexane GC-HS, 99.9%	250 ml	50
[10031-43-3]	98% (Copper (II) Nitrate Trihydrate)	500 Gms	980	[110-82-7]		1000 ml	90
46704	Cupric Nitrate Trihydrate ACS,	500 Gms	1150	46300	Cyclohexane for HPLC & UV	500 ml	4
	99.5%			[110-82-7]	Spectroscopy, 99.9%	1000 ml	70
	(Copper (II) Nitrate Trihydrate)	100.0				2500 ml	150
51120 [1317-38-0]	Cupric Oxide pure, 79% Cu (Copper (II) Oxide)	100 Gms 500 Gms	420 1700	92604	Cyclohexane Dried, 99.5%, water	500 ml	40
		5 Kg	16000	[110-82-7]	0.005%	1000 ml	7
35119	Cupric Sulphate Anhydrous	100 Gms	550	34781	Cyclohexane ACS, ExiPlus,	500 ml	34
[7758-98-7]	extrapure, 99%	500 Gms	2100	[110-82-7]	Multi-Compendial, 99.5%	2500 ml	11
01100	(Copper (II) Sulphate Anhydrous)				meets compendial specs of USP, BP, Ph.Eur		
61103 [7758-98-7]	Cupric Sulphate Anhydrous extrapure AR, 99%	100 Gms 500 Gms	700 2300	76191	Cyclohexane-d12 for NMR	5 ml	170
	(Copper (II) Sulphate Anhydrous)			[1735-17-7]	spectroscopy, 99.5 Atom %D		
58352 [7758-98-7]	Cupric Sulphate Anhydrous ExiPlus, Multi-Compendial, 99%	100 Gms	1200		(Dodecadeuterocyclohexane)	5001	
[1130-90-1]	(Copper (II) Sulphate Anhydrous)	500 Gms	2600	31726 [108-94-1]	Cyclohexanone extrapure, 99%	500 ml	35
	meets compendial specs of USP,Eu Ph				Cyclobovonono ACS 2007	2500 ml	160
38869 [7758 00 8]	Cupric Sulphate Pentahydrate pure, 99%	500 Gms	700	89635 [108-94-1]	Cyclohexanone ACS, 99%	500 ml 2500 ml	200
[7758-99-8]	(Copper (II) Sulphate Pentahydrate)	5 Kg	6500		Cyclobevylamina pura 99%		200
61298	Cupric Sulphate Pentahydrate ACS,	500 Gms	760	12183 [108-91-8]	Cyclohexylamine pure, 99% (Aminocyclohexane)	500 ml 2500 ml	40 180
[7758-99-8]	99.5% (Copper (II) Sulphate Pentahydrate)	5 Kg	7300			500 ml	
	(Soppor (ii) Calphato i Chariyarato)			45658 [108-91-8]	Cyclohexylamine extrapure AR, 99.5%	2500 ml	43 210

Code	Name	Packing	Price	Code	Name	Packing	Price
85606	Cypriol Oil extrapure, 99%	100 ml	8000	16191	Dextrose Monohydrate extrapure	500 Gms	270
[91771-62-9]	(Cyperus Root Oil (Cyperus Scariosus), Nagarmotha Oil)			[14431-43-7]	AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	2490
95322	L-Cysteine extrapure CHR, 99%	25 Gms	410		(D-Glucose Monohydrate)	25 Kg	10890
[52-90-4]	,	100 Gms	1360		meets compendial specs of USP, BP		
		500 Gms	5800	40799	Diammonium Hydrogen Citrate	500 Gms	750
		5 Kg	54000	[3012-65-5]	Anhydrous (Ammonium Citrate Dibasic) ACS, 98%	m Citrate 25 Kg 34560	34560
25961	L-Cysteine for tissue culture, 99%	25 Gms	600	81434	Dibutyl Phthalate pure, 98%	500 ml	500
[52-90-4]		100 Gms	1400	[84-74-2]		2500 ml	2000
		500 Gms	6500	12088	Dichloroacetic Acid pure, 99%	100 ml	2360
69029	L-Cysteine Hydrochloride	100 Gms	950	[79-43-6]		500 ml	8500
[7048-04-6]	Monohydrate ExiPlus,	500 Gms	3570			2500 ml	40000
	Multi-Compendial, 99%	1 Kg	6250	52153	1,2-Dichlorobenzene pure, 99%	500 ml	400
		5 Kg	30000	[95-50-1]	(o-Dichlorobenzene)	1000 ml	750
	meets compendial specs of USP					2500 ml	1750
35751	L-Cystine extrapure CHR, 99%	25 Gms	450	61012	1,2-Dichlorobenzene extrapure AR,	250 ml	320
[56-89-3]		100 Gms	1100	[95-50-1]	99%	2500 ml	2000
		1 Kg	8500	79510	(o-Dichlorobenzene) 1,2-Dichloroethane extrapure, 99%	500 ml	000
		5 Kg	40000	[107-06-2]	(Ethylene Dichloride)	2500 ml	300 900
83172	L-Cystine for tissue culture, 99%	25 Gms	520	COFCC	1.2 Dishleyeethans ACS 90%	500 ml	
[56-89-3]		100 Gms	1190	69566 [107-06-2]	1,2-Dichloroethane ACS, 99% (Ethylene Dichloride)	2500 ml	330
		500 Gms	5340		4 0 Dishlamashama familiDLO 0 LIV		1020
38779	L-Cystine ExiPlus, Multi-Compendial, 99%	250 Gms	3000	87988 [107-06-2]	,2-Dichloroethane for HPLC & UV pectroscopy, 99.9%	500 ml	620
[56-89-3]	wulu-compendial, 99%	1 Kg	10200		(Ethylene Dichloride)	1000 ml	1100
	Meets compendial specs of USP,BP & Ph.Eur	5 Kg	48000	63462 [107-06-2]	1,2-Dichloroethane Dried, 99.5%, water 0.005% (Ethylene Dichloride)	1000 ml	950
10323	Cytosine ExiPlus,	25 Gms	700	79126	2,7-Dichlorofluorescein (DCF)	5 Gms	600
[71-30-7]	Multi-Compendial, 99%	100 Gms	2500	[76-54-0]	extrapure AR, ACS, 90%	25 Gms	2500
	masta compandial conso of DD. Db Fur	500 Gms	8000	56825 (1) [75-09-2]	Dichloromethane (MDC) pure, 99% (Methylene Chloride, DCM)	500 ml	240
56096	meets compendial specs of BP, Ph.Eur Decane Sulphonic Acid Sodium	25 Gms	1000	. ,		2500 mi 25 Ltr	900 6500
[13419-61-9]	Salt Anhydrous for HPLC, 99%	100 Gms	1300 4600		Nichten and ARROVAGO		
		250 Gms	11300	24532 (i) [75-09-2]	Dichloromethane (MDC) ACS, 99.5%	500 ml 2500 ml	270
71801	Decane Sulphonic Acid Sodium	25 Gms		. ,	(Methylene Chloride)	25 Ltr	1020 7200
[13419-61-9]	·	100 Gms	1300 4600	45000 (Diable remathers (DOM) Fuilling		
		250 Gms	11300	45368 (i. [75-09-2]	Dichloromethane (DCM) ExiPlus, Multi-Compendial, 99%	500 ml 2500 ml	300
93995	Devardas Alloy (45% Al, 50% Cu,	100 Gms	590	. ,	(Methylene Chloride)	2500 1111	1150
[8049-11-4]	5% Zn) extrapure	500 Gms	2360		meets compendial specs of USP, BP, Ph.		
27162	Devardas Alloy (45% Al, 50% Cu,	100 Gms		20400 (i	Eur Dichloromethane (MDC) GC-HS,	050!	400
37163 [8049-11-4]	5% Zn) extrapure AR, ACS	250 Gms	790 1690	29103 (i [75-09-2]	99.9%	250 ml 500 ml	430 700
61500	Devtrin (White) practical	500 Gms			(Methylene Chloride)	1000 ml	1100
61500 [9004-53-9]	Dextrin (White) practical	500 Gms 5 Kg	300 2800	58628 (i) Dichloromethane (MDC) for HPLC	500 ml	
		25 Kg	9000	[75-09-2]	& UV Spectroscopy, 99.9%	1000 ml	410 600
42738	Dextrose extrapure	500 Gms				2500 ml	1300
[50-99-7]	(D-Glucose)	500 Gills 5 Kg	250 2000	43551 (i	Dichloromethane (DCM) Dried,	500 ml	
-		25 Kg	8800	[75-09-2]	99.5%, water 0.005%	1000 ml	340 680
51758	Dextrose ACS	500 Gms			(Methylene Chloride)	1000 1111	
51/58 [50-99-7]	(D-Glucose)	500 Gms 5 Kg	310 2850		Dichloromethane (MDC) for	250 ml	470
-		25 Kg	12370	[75-09-2]	molecular biology, 99.9% (Methylene Chloride)	500 ml	800
			12070		(woutylette Officiae)		

Code	Name	Packing	Price	Code	Name	Packing	Pric
93075	Dichloromethane-d2 (MDC-d2) for	10 ml	21000	44284	Diethylene Glycol Dimethyl Ether	500 ml	900
[1665-00-5]	NMR spectroscopy, 99.5 Atom %D			[111-96-6]	(Diglyme, DEGDME) pure, 99%	2500 ml	4000
	(Methylene Chloride)	4.0	010		(2-Methoxy Ethyl Ether)	25 Ltr	38000
55287 [620-45-1]	2,6-Dichlorophenol Indophenol Sodium Salt extrapure AR, 98%	1 Gms	310	20882	Diethylene Glycol Monoethyl Ether	500 ml	440
[020 10 1]	,	5 Gms	1200	[111-90-0]	(DGMEE) pure, 98%	2500 ml	1900
		25 Gms	4910		(Carbitol, Ethyldiglycol)		
35551	2,6-Dichlorophenol Indophenol	1 Gms	330	53422	Diethyl Ketone (3-Pentanone)	500 ml	1200
[620-45-1]	Sodium Salt ExiPlus, Multi-Compendial, 98%	5 Gms	1340	[96-22-0]	extrapure, 99%	500 ml	
		25 Gms	5240	98389 [105-53-3]	Diethyl Malonate extrapure, 99%	500 ml	520
	meets compendial specs of BP & Ph.Eur			[100 00 0]		2500 ml	2400
31499	2,4-Dichlorophenoxyacetic Acid	25 Gms	680	39378	Diethyl Malonate Reagent Grade,	500 ml	600
[94-75-7]	(2,4-D) for tissue culture, 98%	100 Gms	1250	[105-53-3]	99.5%	2500 ml	280
		500 Gms	5060	61252	Diethyl Oxalate pure, 99%	500 ml	60
77833	Dicyandiamide pure, 98%	500 Gms	750	[95-92-1]		2500 ml	270
[461-58-5]	(1-Cyanoguanidine, Dicyanodiamide)			75995	N,N-Diethyl-p-Phenylenediamine	25 Gms	2200
61335 Ū	Dicyclopentadiene extrapure	100 ml	240	[6283-63-2]	Sulphate Salt (DEPPDA Sulphate)	100 Gms	840
[77-73-6]	(Stabilized with BHT), 93%	500 ml	900		extrapure, 98%		040
		2500 ml	3800		(4-Amino-N,N-Diethylaniline Sulfate Salt)		
71164	Diethanolamine pure, 98%	500 ml	350	16150	Diethyl Phthalate pure, 99%	500 ml	36
[111-42-2]	• . ,	2500 ml	1400	[84-66-2]	Dietry Fittialate pure, 33%	2500 ml	
47001	Diothonolomino ACS EviPlus	500 ml					170
[111-42-2]	Diethanolamine ACS, ExiPlus, Multi-Compendial, 98.5%	2500 ml	450	78652	Diethyl Sulphate extrapure, 99%	500 ml	40
. ,	•	2500 1111	1800	[64-67-5]		2500 ml	180
	meets compendial specs of BP, Ph.Eur, USP			15979 🛆	Diiodomethane extrapure	25 Gms	250
		400		[75-11-6]	(Stabilized with copper wire), 98%	100 Gms	540
59161	5M Diethanolamine Substrate Buffer(5M DEA w/ 2.5mM MgCl2)	100 ml	2250		(Methylene iodide) For Separation of minerals	250 Gms	1200
	for phosphatase			77205	Diisopropylamine pure, 98%	500 ml	90
31255	Diethylamine pure, 99%	500 ml	350	[108-18-9]		2500 ml	420
[109-89-7]		2500 ml	1500			25 Ltr	4000
		25 Ltr	13500	24465 Ū	Dijeonrononolomina (DIDOA)		
64912	Diethylamine ACS, 99%	500 ml	380	[110-97-4]	Diisopropanolamine (DIPOA) extrapure AR, 98%	500 Gms	80
[109-89-7]		2500 ml	1800	[(Bis(2-hydroxypropyl)amine,1,1'-lminod	1 Kg	1380
	Distinction for UDLO 99 50				i-2-propanol, Iminodipropanol)		
28298 [109-89-7]	Diethylamine for HPLC, 99.5%	1000 ml	1600	67519	Diisopropylether pure, 98%	500 ml	420
77141	2-Diethylaminoethanol (DEAE)	500 ml	580	[108-20-3]		2500 ml	1800
[100-37-8]	extrapure, 99%	2500 ml	2800			25 Ltr	1650
				63282	Diisopropylether ACS, 99%	500 ml	46
59351 [91-66-7]	N,N-Diethylaniline pure, 98%	500 ml	800	[108-20-3]		2500 ml	210
[81-00-7]		2500 ml	3700	89299	Diisopropylether Dried, 99%, water	500 ml	80
44369	N,N-Diethylaniline extrapure AR,	500 ml	1000	[108-20-3]	0.0025%	1000 ml	150
[91-66-7]	99%	2500 ml	4600				
36303	Diethyl Carbonate extrapure, 99%	500 ml	500	91837 [7087-68-5]	N,N-Diisopropylethylamine (DIPEA) extrapure, 98%	100 ml	35
[105-58-8]		2500 ml	2300	[7007-00-3]	(Ethylene Diisopropylamine,	250 ml	80
83040	Diethylene Glycol (Digol) pure, 98%	500 ml	260		N,N-Ethyldiisopropylamine, DIEA)	1000 ml	306
[111-46-6]	, =, (goi) paio, 00/0	2500 ml	900	61125	1,2-Dimethoxyethane (Monoglyme,	500 ml	72
		25 Ltr	8200	[110-71-4]	EGDME) extrapure, 99%	2500 ml	335
	Plathydaya Ohya 1721 N				(Ethylene Glycol Dimethyl Ether)	25 Ltr	3200
68811 [111-46-6]	Diethylene Glycol (Digol) extrapure AR, 99%	500 ml	320	94378	1,2-Dimethoxyethane (Monoglyme,	500 ml	82
[111-40-0]	, /	2500 ml	1000	[110-71-4]	EGDME) extrapure AR , 99.5%	2500 ml	370
93616	Diethylene Glycol Diethyl Ether	100 ml	750		(Ethylene Glycol Dimethyl Ether)		
[112-36-7]	(Ethyl Diglyme, DEGDEE) pure, 99%	500 ml	3200	80675	N,N-Dimethylacetamide (DMA)	500 ml	40
				[127-19-5]	extrapure, 99%	2500 ml	1650
	(2-Ethoxy Ethyl Ether)	±шоху ⊏шуг ⊑шег)					

Code	Name	Packing	Price	Code	Name	Packing	Pric
60991	N,N-Dimethylacetamide (DMA)	500 ml	490	52794	N,N-Dimethylformamide	100 ml	560
[127-19-5]	extrapure AR, 99.5%	2500 ml	1900	[4637-24-5]	Dimethylacetal extrapure, 95%	500 ml	2500
79220	N,N-Dimethylacetamide (DMA)	500 ml	550		(1,1-Dimethoxy-N,N-Dimethylmethylam ine)		
[127-19-5]	extrapure AR, ExiPlus,	2500 ml	2100	81890	Dimethylglyoxime extrapure AR,	100 Gms	580
	Multi-Compendial, 99.5%		2100	[95-45-4]	99%	500 Gms	2500
	meets compendial specs of USP, BP				(2,3-Butanedione Dioxime)	ooo amo	2300
70926 [127-19-5]		250 ml	500	19711	Dimethylglyoxime extrapure AR,	100 Gms	700
[127-19-5]	45-115, 55.5%	500 ml	850	[95-45-4]	ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	2800
		1000 ml	1500		(2,3-Butanedione Dioxime)		
98189	N,N-Dimethylacetamide (DMA) for	500 ml	700		meets compendial specs of BP, Ph.Eur		
[127-19-5]	HPLC, 99.8%	1000 ml	1200	92574	Dimethylglyoxime Disodium Salt	250 Gms	1060
73469		5 ml	70000	[75006-64-3]			
116057-81-9]	(DMA-d9) for NMR spectroscopy, 99 Atom %D			33158 [80-73-9]	1,3-Dimethyl-2-Imidazolidinone (DMI) pure, 99%	100 ml	1190
10652	Dimethylamine 40% Aq. Solution	500 ml	260	[60-73-9]	(Divil) pure, 99 %	500 ml	5030
[124-40-3]	Differnylamine 40% Aq. Solution	2500 ml				2500 ml	24670
	n Dimetholomin-b		1000	35161	1,3-Dimethyl-2-Imidazolidinone	100 ml	1390
1 4003 [100-10-7]	p-Dimethylaminobenzaldehyde (DMAB) extrapure AR, 99%	100 Gms	1590	[80-73-9]	(DMI) GC-HS, 99.9%	500 ml	5300
[100-10-/]	(Ehrlichs reagent)	1 Kg	14830	60496	1,3-Dimethyl-2-Imidazolidinone	100 ml	1580
77086	p-Dimethylaminobenzaldehyde	100 Gms	1750	[80-73-9]	(DMI) ExiPlus, Multi-Compendial,	500 ml	5450
[100-10-7]	(DMAB) extrapure AR, ACS,	1 Kg	15810		99% meets compendial specs of BP, Ph.Eur		
	ExiPlus, Multi-Compendial, 99%	_		40404	Dimethyl Sulphoxide (DMSO)	500 ml	4050
	(Ehrlichs reagent) meets compendial specs of USP, BP,			43404 [67-68-5]	extrapure, 99%	2500 ml	1050
Ph.Eur					• /		4800
2566	N,N-Dimethylaniline pure, 98%	500 ml	530			25 Ltr	45000
[121-69-7]		2500 ml	2500	28580 [67-68-5]	Dimethyl Sulphoxide (DMSO) ACS, 99.9%	500 ml	1150
20264	N-Dimethylaniline extrapure AR, 500 ml 580	33.3 /6	2500 ml	5000			
	99.5%	2500 ml	2700			25 Ltr	47000
	N.N. Disserbed Commenced (DME)	66444 Dimethyl Sulphoxide (DMSO) ACS,	500 ml	1300			
1 6616 [68-12-2]	N,N-Dimethylformamide (DMF) extrapure, 99%	500 ml	280	[67-68-5]	ExiPlus, Multi-Compendial, 99.9%	2500 ml	5400
[00 12 2]		2500 ml	1050		meets compendial specs of Ph.Eur, USP		
		25 Ltr	9500	12767		250 ml	950
21974	N,N-Dimethylformamide (DMF)	500 ml	320	[67-68-5]	GC-HS, 99.9%	500 ml	1800
[68-12-2]	ACS, 99.8%	2500 ml	1200			1000 ml	3200
79121	N,N-Dimethylformamide (DMF)	500 ml	350	30239	Dimethyl Sulphoxide (DMSO) for	500 ml	1700
[68-12-2]	ExiPlus, Multi-Compendial, 99.8%	2500 ml	1350	[67-68-5]	HPLC & UV Spectroscopy, 99.8%	1000 ml	3000
	meets compendial specs of BP,Ph Eur					2.5 Ltr	9000
50591	N,N-Dimethylformamide (DMF) for	500 ml	440			(Wide-Mou	
[68-12-2]	HPLC & UV Spectroscopy, 99.9%	1000 ml	750		Dimesthad Calleberride (DMCC) III Cl	th)	
		2.5 Ltr	4200	71545 [67-68-5]	Dimethyl Sulphoxide (DMSO) ULSI Semiconductor Grade, 99.9%	1000 ml	9000
		(Wide-Mou		[07-00-0]		2500 ml	18000
1616F	N,N-Dimethylformamide (DMF)	th)	250	66120	Dimethyl Sulphoxide (DMSO)	500 ml	1860
16165 [68-12-2]	GC-HS, 99.9%	250 ml 500 ml	350 550	[67-68-5]	Dried, 99.5%, water 0.005% Dimethyl Sulphoxide (DMSO) for	100	650
	-		550	24075 [67-68-5]	molecular biology, 99.8%	100 ml	650
		1000 ml	980	[-: 30 0]	37 ,	250 ml	1300
9 3186 [68-12-2]	N,N-Dimethylformamide (DMF) Dried 99.5% water 0.005%	500 ml	500			500 ml	2300
[68-12-2]	Dried, 99.5%, water 0.005%	1000 ml	900	47809	Dimethyl Sulphoxide-d6 (DMSO-d6)	10 Gms	6300
24017	N,N-Dimethylformamide (DMF) for	100 ml	450	[2206-27-1]	for NMR spectroscopy, 99.8 Atom %D	25 Gms	12000
[68-12-2]	molecular biology, 99.9%	500 ml	850		(Methyl Sulfoxide-d6;		
14238	N,N-Dimethylformamide-d7	1 ml	16000		Hexadeuterodimethyl Sulfoxide)		
[4472-41-7]	(DMF-d7) for NMR spectroscopy,	5 ml	60000				
	99.5 Atom %D (Heptadeutero-N,N-Dimethylformamid						
	(i iepiaueutero-in,in-Dimetriyilofffiaffild						

Code	Name	Packing	Price	Code	Name	Packing	Price
69545 [2206-27-1]	Dimethyl Sulphoxide-d6 (with 0.03% TMS) (DMSO-d6 w/ 0.03% TMS) for NMR spectroscopy, 99.8 Atom %D (Methyl Sulfoxide-d6; Hexadeuterodimethyl Sulfoxide)	10 Gms 25 Gms	6700 13200	94777 [108-65-6]	Propylene Glycol Monomethyl Ether 2-Acetate (MPA) extrapure, 98% (1-Methoxy-2-Propyl Acetate, PGMEA, 2-Acetoxy-1-Methoxypropane 1,2-Propanediol 1-Monomethyl Ether 2-	500 ml 2500 ml	1200 5800
36007 [2206-27-1]	Dimethyl Sulphoxide-d6 (DMSO-d6) for NMR spectroscopy, 99.8 Atom %D (Methyl Sulfoxide-d6,	10 ml 25 ml	7000 13000	43478 [34590-94-8]	Dipropylene Glycol Monomethyl Ether (Mixture of Isomers) extrapure, 99% (DPM, Dowanol)	500 ml 2500 ml	450 2000
40000	Hexadeuterodimethyl Sulfoxide)	500 Gms	500	88738	Disodium Tartrate Dihydrate	500 Gms	800
42009 [96-31-1]	N,N-Dimethylurea (1,3-Dimethylurea) extrapure, 99%	500 Giris 5 Kg	500 4500	[6106-24-7]	extrapure, 99%	5 Kg	7600
		25 Kg	20000	16261	Disodium Tartrate Dihydrate	250 Gms	600
43981	Dioctyl Phthalate pure, 98%	500 ml	460	[6106-24-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	1000
[117-81-7]	Bloody i milatate pare, 30%	2500 ml	2000		meets compendial specs of USP, BP,		
56353	Dioctyl Sodium Sulfosuccinate	500 Gms	1900		Ph.Eur		
[577-11-7]	(DOSS) ExiPlus, Multi-Compendial, 98%	5 Kg	18000	12852 [6106-24-7]	Disodium Tartrate Dihydrate Calibration Standard (For Karl Fischer Titration), 99.5%	100 Gms 250 Gms	5790 11000
	(Aerosol OT, Ducusate Sodium)			88283 🗸	Dodecane extrapure, 99%	100 ml	1300
43324	meets compendial specs of USP, BP 1,4-Dioxane pure, 99%	500 ml	420	[112-40-3]	(n-Dodecane)	500 ml	5500
[123-91-1]	1,4 Dioxane pare, 00%	2500 ml	1800	25821	Dodecane Sulphonic Acid Sodium	5 Gms	900
		25 Ltr	17000	[2386-53-0]	Salt Anhydrous for HPLC, 99%	25 Gms	2200
88797	1,4-Dioxane ACS, 99%	500 ml	500		(Sodium 1-Dodecanesulfonate)	100 Gms	7500
[123-91-1]	1,4-blokalie A00, 33 //	2500 ml	2000	56085	1-Dodecanol (Dodecyl Alcohol,	500 ml	670
05536	1,4-Dioxane ExiPlus,	500 ml		[112-53-8]	Lauryl Alcohol) pure, 98%	2500 ml	3060
95536 [123-91-1]	Multi-Compendial, 99%	2500 ml	600 2400	93498 [112-53-8]	1-Dodecanol (Dodecyl Alcohol, Lauryl Alcohol) ACS, ExiPlus,	500 ml	830
29469 [123-91-1]	meets compendial specs of BP, Ph.Eur 1,4-Dioxane Dried, 99.5%, water 0.005%	500 ml	630		Multi-Compendial, 98% (Lauryl Alcohol) meets compendial specs of USP, BP		
79218	1,4-Dioxane GC-HS, 99.9%	250 ml	610	88147	DPX Mountant for histology	250 ml	380
[123-91-1]		1000 ml	2190	00147	2. A mountain for motorogy	500 ml	720
43294	1,4-Dioxane for HPLC & UV	500 ml	1100			1000 ml	1240
[123-91-1]	Spectroscopy, 99.9%	1000 ml	1680	85675	Dragendorff`s Reagent	125 ml	1700
82736	1,3-Dioxolane extrapure AR, 99%	500 ml	700				1700
[646-06-0]	.	2500 ml	3000	71867	Emulsifying Wax pure	500 Gms	450
98342	Diphenylamine extrapure AR, 99%	100 Gms	260	[67762-27-0]		5 Kg	4200
[122-39-4]		500 Gms	800	56605	Eosin Blue (C.I. No. 45400), 85%	25 Gms	800
41149	Diphenylamine extrapure AR, ACS,	100 Gms	320	[548-24-3]		100 Gms	2950
[122-39-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	900	29391	Eosin Yellow (water soluble)	25 Gms	300
	meets compendial specs of USP, BP,			[17372-87-1]		100 Gms	860
	Ph.Eur					500 Gms	4190
62567	1,5-Diphenylcarbazone (mixture	5 Gms	550	22115	Epichlorohydrin pure, 98%	500 ml	450
[538-62-5]	with Diphenylcarbazide) extrapure AR, ACS	25 Gms	2420	[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	2000
	(Phenylazoformic	100 Gms	8770			25 Ltr	18000
	Acid-2-Phenylhydrazide)			73317	Epichlorohydrin extrapure AR, 99%	500 ml	520
75522	2,5-Diphenyloxazole scintillation	25 Gms	1700	[106-89-8]	(1-Chloro-2,3-Epoxypropane)	2500 ml	2300
[92-71-7]	grade (PPO), 99%	100 Gms	6200	40876	Eriochrome Black T extrapure AR	25 Gms	350
		500 Gms	26000	[1787-61-7]	· · · · · · · · · · · · · · · · · · ·	100 Gms	1040
						500 Gms	4000

Code	Name	Packing	Price	Code	Name	Packing	Price
76512	Eriochrome Cyanine R	10 Gms	650	65428	Ethylene Diamine pure, 99%	500 ml	360
[3564-18-9]		25 Gms	1450	[107-15-3]	(1,2-Diaminoethane)	2500 ml	1550
		100 Gms	5200			25 Ltr	14000
69059	Erythrosin B, 90%	25 Gms	900	70790	Ethylene Diamine extrapure AR,	500 ml	420
[16423-68-0]		100 Gms	3380	[107-15-3]	99.5%	2500 ml	1700
73961	Eschka`s Mixture extrapure AR,	250 Gms	6070		(1,2-Diaminoethane)	500.0	
[8007-09-8]	38%	1 Kg	23040	40648 [60-00-4]	EDTA Free Acid extrapure, 99% (Ethylenediaminetetraacetic Acid Free	500 Gms	550
40942	Ethanolamine (MEA,	500 ml	350	[00 00 4]	Acid)	5 Kg	5000
[141-43-5]	Monoethanolamine,	2500 ml	1600	18240	EDTA Free Acid extrapure AR,	100 Gms	250
	2-Aminoethanol) extrapure, 99%	2000 1111	1000	[60-00-4]	99.4%	500 Gms	580
57100	Ethanolamine (MEA,	500 ml	400		(Ethylenediaminetetraacetic Acid Free Acid)	5 Kg	5400
[141-43-5]	Monoethanolamine, 2-Aminoethanol) extrapure AR, 99%	2500 ml	1800	73816	EDTA Free Acid extrapure AR, ACS,	500 Gms	650
74683	Ethanolamine	500 ml	480	[60-00-4]	ExiPlus, Multi-Compendial, 99.4%	5 Kg	5800
[141-43-5]	(MEA,Monoethanolamine,2-Aminoe	2500 ml	2100		(Ethylenediaminetetraacetic Acid Free	- 1.9	0000
	thanol) extrapure AR,ACS, ExiPlus,	2000 1111	2100		Acid)		
	Multi-Compendial, 99%			44470	meets compendial specs of BP, USP ,Ph. EDTA Dipotassium Salt pure, 98%	100 Gms	000
	meets compendial specs of BP, USP			44478 [25102-12-9]	(Ethylenediaminetetraacetic Acid	500 Gms	220
17220 [1239-45-8]	Ethidium Bromide extrapure, 95% (Homidium Bromide)	1 Gms	620	. ,	Dipotassium Salt)		580
[1200 40 0]	(i e i i i i i i i i i i i i i i i i i	5 Gms	2690			5 Kg	5400
93079	Ethidium Bromide for molecular	1 Gms	670	62196 [25102-12-9]	EDTA Dipotassium Salt extrapure AR, 99%	100 Gms	245
[1239-45-8]	biology, 95% (Homidium Bromide)	5 Gms	2940	[25102-12-9]	(Ethylenediaminetetraacetic Acid	500 Gms	650
16201	Ethidium Bromide Solution	10 ml	800		Dipotassium Salt)	5 Kg	5800
	(10mg/ml)	50 ml	2000	12070	EDTA Disodium Salt Dihydrate	500 Gms	520
89362	Ethyl Acetate pure, 99%	500 ml	280	[6381-92-6]	pure, 98% (Ethylenediaminetetraacetic Acid	5 Kg	4500
[141-78-6]	Linyi Acetate pure, 35%	2500 ml	280 1250		Disodium Salt Dihydrate)	25 Kg	20000
		25 Ltr	11000	40088	EDTA Disodium Salt Dihydrate	100 Gms	245
	511 14 1 1 100 co 50			[6381-92-6]	extrapure AR, 99.5%	500 Gms	560
66183 [141-78-6]	Ethyl Acetate ACS, 99.5%	500 ml	340		(Ethylenediaminetetraacetic Acid	5 Kg	5300
[141700]		2500 ml	1400	50027	Disodium Salt Dihydrate) EDTA Disodium Salt Dihydrate	100 Gms	070
62952	Ethyl Acetate ExiPlus,	500 ml	380	[6381-92-6]	extrapure AR, ACS, ExiPlus,	500 Gms	270
[141-78-6]	Multi-Compendial, 98%	2500 ml	1600		Multi-Compendial, 99.5%	5 Kg	620
	meets compendial specs of USP, BP,				(Ethylenediaminetetraacetic Acid	5 Kg	5800
	Ph.Eur				Disodium Salt Dihydrate) meets compendial specs of USP		
72598	Ethyl Acetate Dried, 99.5%, water	500 ml	400	43272	EDTA Disodium Salt Dihydrate for	100 Gms	220
[141-78-6]	0.005%	1000 ml	770	[6381-92-6]	molecular biology, 99.5%	500 Gms	330 1150
73106	Ethyl Acetate GC-HS, 99.9%	500 ml	520		(Ethylenediaminetetraacetic Acid	1 Kg	2100
[141-78-6]		1000 ml	900		Disodium Salt Dihydrate)	5 Kg	9800
26614	Ethyl Acetate for HPLC & UV	500 ml	440	0.4700	EDTA Disadium Salt Dibudusta		
[141-78-6]	Spectroscopy, 99.9%	1000 ml	650	64762 [6381-92-6]	EDTA Disodium Salt Dihydrate PrimeDx, 98%	1 Kg	1400
		2500 ml	1500	[000.02.0]		5 Kg	5800
22636	Ethyl Acetoacetate pure, 99%	500 ml	450			25 Kg	26000
[141-97-9]		2500 ml	2100	35108	EDTA Disodium Salt Dihydrate for tissue culture, 99.5%	100 Gms	310
33123	Ethylamine Solution 70% in water	500 ml	500	[6381-92-6]	(Ethylenediaminetetraacetic Acid	500 Gms	1100
[75-04-7]	pure	2500 ml	2200		Disodium Salt Dihydrate)		
•	Ethyl Promide cytronyce 2007			96540	EDTA Disodium Salt 0.1M Solution	500 ml	370
37810 ① [74-96-4]	Ethyl Bromide extrapure, 99%	250 ml	1150	[6381-92-6]		1000 ml	670
		500 ml	2200	48960	EDTA Disodium Salt 0.01M Solution	500 ml	350
87095	Ethyl Cellosolve pure, 99%	500 ml	380	[6381-92-6]		1000 ml	640
[110 00 5]	(Ethylene Glycol Monoathyl Ethor)						
[110-80-5]	(Ethylene Glycol Monoethyl Ether)	2500 ml	1500	35888	EDTA Disodium Salt 0.5M Solution	500 ml	500
[110-80-5] 30166 [1678-91-7]	(Ethylene Glycol Monoethyl Ether) Ethylcyclohexane extrapure, 99%	2500 ml	1500 420	35888 [6381-92-6]	EDTA Disodium Salt 0.5M Solution	500 ml	500 950

Code	Name	Packing	Price	Code	Name	Packing	Pri
73557	EDTA Disodium Salt 0.05M Solution	500 ml	250	36979 Ū	Ethyl Formate pure, 98%	500 ml	50
[6381-92-6]		1000 ml	450	[109-94-4]		2500 ml	220
59389	EDTA Ferric Monosodium Salt	500 Gms	600			25 Ltr	2000
[15708-41-5]	extrapure, 12-14% Fe			50371	Ethyl Violet (C.I. No. 42600) for	25 Gms	88
	(Ethylenediaminetetraacetic Acid Ferric Monosodium Salt)			[2390-59-2]	microscopy		
41000	EDTA Magnesium Disodium	100 Gms	300	89474	Fehling`s solution A	500 ml	40
[14402-88-1]	Complex (EDTA Mg) pure	500 Gms	700	12603	Fehling`s solution B	500 ml	60
	(Ethylenediaminetetraacetic Acid Magnesium Disodium Complex)			12003	. oming coolanon b	300 1111	00
15078	EDTA Tetrasodium Salt Dihydrate	100 Gms	300	25106	Ferric Ammonium Oxalate	100 Gms	90
[10378-23-1]	extrapure, 98%	500 Gms	700	[13268-42-3]		500 Gms	300
	(Ethylenediaminetetraacetic Acid	555 55	700		(Ammonium Iron Oxalate Trihydrate, Ammonium Iron (III) Oxalate Trihydrate)		
70000	Tetrasodium Salt Dihydrate)	100 0		72287	Ferric Chloride Anhydrous pure,	500 Gms	28
78036 [10378-23-1]	EDTA Tetrasodium Salt Dihydrate extrapure AR, 99%	100 Gms	400	[7705-08-0]	98%	5 Kg	233
[(Ethylenediaminetetraacetic Acid	500 Gms	1600		(Iron (III) Chloride)	25 Kg	875
	Tetrasodium Salt Dihydrate)			66492	Ferric Chloride Anhydrous ExiPlus,	500 Gms	41
45247	EDTA Tetrasodium Salt Dihydrate	100 Gms	600	[7705-08-0]	Multi-Compendial, 98%	5 Kg	350
[10378-23-1]	for molecular biology, 99.5% (Ethylenediaminetetraacetic Acid	500 Gms	2300		(Iron (III) Chloride)	- 1.9	000
	Tetrasodium Salt Dihydrate)				Meets compendial specs of BP		
24377	EDTA Tetrasodium Salt	100 Gms	400	18831 [3522-50-7]	Ferric Citrate Trihydrate pure, 18-20% Fe	500 Gms	98
[13235-36-4]	Tetrahydrate extrapure, 99% (Ethylenediaminetetraacetic Acid	500 Gms	900	[0022-00-7]	(Iron (III) Citrate Trihydrate)		
	Tetrasodium Salt Tetrahydrate)			92273	Ferric Citrate Trihydrate for tissue	500 Gms	103
19950	EDTA Trisodium Salt Hydrate	100 Gms	600	[3522-50-7]	culture, 18-20% Fe		
85715-60-2]	extrapure, 95%	500 Gms	1900	70055	(Iron (III) Citrate Trihydrate)	500 C	0.0
	(Ethylenediaminetetraacetic Acid Trisodium Hydrate)	5 Kg	17900	72655 [10025-77-1]	Ferric Chloride Hexahydrate ACS, 97%	500 Gms	68
47471	Ethylene Glycol (MEG,	500 ml	300		(Iron (III) chloride Hexahydrate)	5 Kg	630
[107-21-1]	Monoethylene Glycol) pure, 98%	2500 ml	1100	87144	Ferric Nitrate Nonahydrate ACS,	500 Gms	50
	(Ethanediol)	25 Ltr	9000	[7782-61-8]	98% (Iron (III) Nitrate Nonahydrate)		
95361	Ethylene Glycol (MEG,	500 ml	300	28454 🗸	Ferric Phosphate pure, 97%	500 Gms	110
[107-21-1]	Monoethylene Glycol) extrapure	2500 ml	1200	[10045-86-0]			
	AR, 99%		1200	69325	Ferric Oxide Red extrapure, 95%	500 Gms	44
27466	Ethylene Glycol Monophenylether	500 ml	500	[1309-37-1]	(Iron (III) Oxide Red)		
[122-99-6]	pure, 99% (Phenyl cellosolve, 2-Phenoxyethanol)	2500 ml	2500	39102	Ferric Sulphate Hydrate pure, 19-21% Fe	500 Gms	28
82832	Propyl Cellosolve (Ethylene Glycol	500 ml	1200	[15244-10-7]	(Iron (III) Sulphate Hydrate)	5 Kg	270
[2807-30-9]	Monopropyl Ether) extrapure, 99%	2500 ml	4800	14621	Ferric Sulphate Hydrate extrapure	500 Gms	32
	(2-Propoxyethanol, Propyl glycol)			[15244-10-7]		5 Kg	300
25049 ✓ [60-29-7]	Ethyl Ether pure, 98% (Diethyl ether)	500 ml	440		(Iron (III) Sulphate Hydrate)	500.0	
[00-29-7]	(Bletty) etter)	2500 ml	1760	74871 [15244-10-7]	Ferric Sulphate Hydrate for tissue culture, 19-21% Fe	500 Gms	42
		25 Ltr	14900		(Iron (III) Sulphate Hydrate)	5 Kg	400
64665	Ethyl Ether ACS, 98% (Diethyl ether)	500 ml	500	57888	Ferroin solution AR	100 ml	94
[60-29-7]	(Dietriyi etrier)	2500 ml	2050	[14634-91-4]			
83416 Y	Ethyl Ether ExiPlus,	500 ml	550	37323 [14634-91-4]	Ferroin Solution AR, ExiPlus, Multi-Compendial	100 ml	97
[60-29-7]	Multi-Compendial, 98% (Diethyl ether)	2500 ml	2120	[14004-31-4]	meets compendial specs of BP, Ph.Eur		
	meets compendial specs of BP,USP,EP			82984	Ferrous Chloride Tetrahydrate	500 Gms	55
33131 🗸	Ethyl Ether Dried, 99.5%, water	500 ml	540	[13478-10-9]	extrapure, 98%	5 Kg	500
[60-29-7]	0.005%	1000 ml	1030		(Iron (II) Chloride Tetrahydrate)		
	(Diethyl Ether)	2500 ml	2250	94185 [1317-37-9]	Ferrous Sulphide Fused Sticks, 23-27% S	1 Kg	80
68329 v	Ethyl Ether for HPLC & UV	500 ml	2300	[1017-07-9]	(Iron(II) Sulfide, Ferrous Sulfide)	5 Kg	388
[60-29-7]	Spectroscopy, 99.9%	1000 ml	4120	93668	Ferrous Sulphate Heptahydrate for	500 Gms	41
37796 ✓	Ethyl Ether GC-HS, 99.9%	500 ml		[7782-63-0]	tissue culture, 99.5%		
J1130	Luiyi Luici Go-110, 33.3/6	500 1111	2310		(Iron (II) Sulphate Heptahydrate)		

Code	Name	Packing	Price	Code	Name	Packing	Price
31929	Ferrous Sulphate Heptahydrate	500 Gms	230	83740	Gelatin Powder ex. Porcine (Type	500 Gms	1500
[7782-63-0]	pure, 98% (Iron (II) Sulphate Heptahydrate)	5 Kg	1400	[9000-70-8]	B), 120g Bloom	5 Kg	13000
	(i.e., (ii) Calpinate rispitatiya.ate)	25 Kg	6000	95110	Gibberellic Acid (GA3), 90%	1 Gms	200
97868	Ferrous Sulphate Heptahydrate	500 Gms	290	[77-06-5]		10 Gms	1500
[7782-63-0]	extrapure ACS, 99%	5 Kg	2620			100 Gms	11600
F0070	(Iron (II) Sulphate Heptahydrate) Formamide pure, 98.5%	500I	440	24367	Gibberellic Acid (GA4+7), 90%	1 Gms	900
53072 [75-12-7]	(Methanamide)	500 ml	440	[468-44-0,		5 Gms	2900
[]	,	2500 ml	2100	510-75-8]		25 Gms	12100
		25 Ltr	19000	94857	Gibberellic Acid (GA3) for tissue	1 Gms	200
71714	Formamide ACS, 99.5%	500 ml	580	[77-06-5]	culture, 90%	10 Gms	1700
[75-12-7]	(Methanamide)	2500 ml	2500			100 Gms	
74841	Formamide ExiPlus,	500 ml	650				12500
[75-12-7]	Multi-Compendial, 99.5%	2500 ml	2800	45881 [51811-82-6]	Giemsa Stain	25 Gms	600
	meets compendial specs of BP, Ph.Eur			[51611-62-0]		100 Gms	2290
30349	Formamide for molecular biology,	500 ml	850			500 Gms	11000
[75-12-7]	99.5%	1000 ml	1400	72402		100 ml	310
	(Methanamide)				(Giemsa Azur-Eosin-Methylene Blue	250 ml	610
83256	Formamide for UV Spectroscopy, 99%	500 ml	1200		Solution)	500 ml	1100
[75-12-7]	(Methanamide)	1000 ml	2100	20149	L-Glutamic Acid extrapure CHR,	250 Gms	650
62673	Formic Acid extrapure AR, 98%	500 ml	500	[56-86-0]	99%	1 Kg	2100
[64-18-6]						5 Kg	9000
21547 🛆	Formic Acid-d for NMR	5 ml	26000	50277	L-Glutamic Acid for tissue culture,	100 Gms	450
[925-94-0]	spectroscopy, 98 Atom%D, 95%w			[56-86-0]	99%	500 Gms	
	in D2O (Formic-d Acid-d, Perdeuterioformic						1500
	Acid)			18376	L-Glutamic Acid ExiPlus, Multi-Compendial, 99%	100 Gms	380
42868	D-Fructose extrapure	500 Gms	550	[56-86-0]	Muiti-Compendial, 99%	250 Gms	750
[57-48-7]	(D Fructose, D (-) Fructose)	5 Kg	5200			1 Kg	2800
		25 Kg	25000		meets compendial specs of BP		
68823	D-Fructose for tissue culture	500 Gms	950	23229	L-Glutamic Acid Monosodium Salt	500 Gms	470
[57-48-7]	(D Fructose, D (-) Fructose)	300 ams	930	[6106-04-3]	Monohydrate (MSG) extrapure, 99%	5 Kg	4360
86364	Fumaric Acid pure, 99%	500 Gms	400		(Monosodium Glutamate, Monosodium	25 Kg	19620
[110-17-8]		5 Kg	3800		L-Glutamate)		
		25 Kg	15000	69382	L-Glutamic Acid Monosodium Salt	5 Kg	6000
79503	Fumaric Acid extrapure AR, 99%	500 Gms	600	[6106-04-3]	Monohydrate (MSG) PrimeDx, 99%	25 Kg	25000
[110-17-8]	Tulliano Acia extrapare Art, 55%	5 Kg		42595	Glycerol (Glycerine) Anhydrous	500 ml	330
			5700	[56-81-5]	pure, 99%	2500 ml	1380
97328 [110-17-8]	Fumaric Acid extrapure AR, ExiPlus, Multi-Compendial, 99%	500 Gms	800			25 Ltr	12500
[110-17-6]	Exirus, Muni-compendial, 99%	5 Kg	7500	77453	Glycerol (Glycerine) Anhydrous	500 ml	370
	meets compendial specs of BP, Ph.Eur			[56-81-5]	ACS, 99.5%	2500 ml	
14277	Fuchsin Basic	25 Gms	280		·		1500
[632-99-5]	(Basic Fuchsin) (C.I. No. 42510)	100 Gms	770	59991 [56-81-5]	Glycerol (Glycerine) Anhydrous ACS, ExiPlus, Multi-Compendial,	500 ml	420
		500 Gms	3400	[50-61-5]	99.5%	2500 ml	1690
62967	Fusion Mixture extrapure	500 Gms	430		meets compendial specs of USP, BP.& Ph Eur.		
24016	Fusion Mixture extrapure AR	500 Gms	540	62417 [56-81-5]	Glycerol (Glycerine) for molecular biology, 99.5%	100 ml	380
13142	Gallic Acid pure, 98%	100 Gms	850			500 ml	1320
[5995-86-8]	(3,4,5-Trihydroxy Benzoic Acid)	500 Gms	3000	85916	Glycerol Tributyrate (Tributyrin)	100 ml	1200
42306	Gallic Acid ACS, ExiPlus,	100 Gms	1100	[60-01-5]	pure, 97%	500 ml	5000
[5995-86-8]	Multi-Compendial, 98%	500 Gms	3400	25853	Glycine pure, 99%	500 Gms	610
	(3,4,5-Trihydroxy Benzoic Acid)	cco ama	0700	[56-40-6]		5 Kg	5780
	meets compendial specs of BP						

Code	Name	Packing	Price	Code	Name	Packing	Price
66327	Glycine ACS, 99.5%	500 Gms	690	26870	Graphite Synthetic (Type 3) pure,	500 Gms	450
[56-40-6]		5 Kg	6510	[7782-42-5]	96% C, 325mesh	2.5 Kg	1800
		25 Kg	30450	86601	Guanidine Carbonate extrapure,	100 Gms	420
64072	Glycine for molecular biology,	100 Gms	260	[593-85-1]	99%	500 Gms	1250
[56-40-6]	99.5%	500 Gms	1160			5 Kg	11000
		1 Kg	2100	54542	Guanidine Hydrochloride (GHC)	100 Gms	440
		5 Kg	8610	[50-01-1]	pure, 99%	500 Gms	1420
72938	Glycine for tissue culture, 99.5%	500 Gms	840			1 Kg	2730
[56-40-6]		5 Kg	7770			5 Kg	13080
52574	Glycine for electrophoresis, 99.5%	100 Gms	1470	45539	Guanidine Hydrochloride (GHC) for	100 Gms	700
[56-40-6]		500 Gms	6300	[50-01-1]	molecular biology, 99.5%	500 Gms	2800
69422	Glycine ACS, ExiPlus,	500 Gms	760			1 Kg	4600
[56-40-6]	Multi-Compendial, 99.5%	5 Kg	7140			5 Kg	22000
	meets compendial specs of BP,USP & Ph	J	7110	80272	Guanidine Thiocyanate (GTC) for	100 Gms	800
	Eur			[593-84-0]	molecular biology, 99%	500 Gms	3200
40682	Glycine IP	1 Kg	1260			1 Kg	5400
[56-40-6]		5 Kg	5250			5 Kg	26000
		25 Kg	23630	68413	Guanidine Hydrochloride (GHC)	250 Gms	1500
74072	Glycine BP	1 Kg	1260	[50-01-1]	ExiPlus, Multi-Compendial, 99%	1 Kg	4300
[56-40-6]		5 Kg	5250			5 Kg	20000
		25 Kg	23630		Meets compendial specs of BP, USP	· ·	
37449	Glycine USP	1 Kg	1470	20222	Guar Gum extrapure	500 Gms	420
[56-40-6]		5 Kg	6570	[9000-30-0]		5 Kg	3500
		25 Kg	31500	90970	Acacia (Gum Acacia) extrapure	500 Gms	560
38063	Glycolic Acid extrapure, 70% soln	500 ml	1000	[9000-01-5]	(Gum Arabic)	5 Kg	4830
[79-14-1]	in water	2500 ml	4520			25 Kg	23580
27194	Gold AAS Standard Solution in	100 ml	7600	90938	Acacia (Gum Acacia) (enzyme free)	500 Gms	850
21134	0.5N HCI (Traceable to NIST)	250 ml	14300	[9000-01-5]	extrapure AR (Gum Arabic)	555 55	000
59611	•	500 Mg	14600	39758	Hematoxylin solution (Delafield`s)	125 ml	490
[16961-25-4]	(Tetrachloroauric Acid) ultrapure, 99.99%, ~49% Au	1 Gms	25100		for microscopy		
40000	·		112000	78631	Hematoxylin solution (Ehrlich) for microscopy	125 ml	490
12023 [16961-25-4]	Gold Chloride Trihydrate (Tetrachloroauric Acid) pure, ~49%	500 Mg	11900	40362	Hematoxylin solution (Harris) for	125 ml	650
	Au	1 Gms 5 Gms	22400		microscopy		
81173	Gold Chloride Sodium, 49% Au	1 Gms	98000 19600	48441	Hematoxylin solution (Mayer`s) for microscopy	100 ml	270
[13874-02-7]	(Sodium tetrachloroaurate(III)	5 Gms	86800	19241	n-Heptane extrapure, 99%	500 ml	360
84763	dihydrate) Gold Chloride Solution 30% in HCl,	E ml	00000	[142-82-5]		2500 ml	1500
84763 [16903-35-8]	•	5 ml	32200			25 Ltr	14000
		10 ml	56000	94979	n-Heptane extrapure AR, 99%	500 ml	430
93281 \(\triangle \)	Gold Potassium Chloride (Potassium Tetrachloroaurate (III))	500 Mg	10500	[142-82-5]		1000 ml	860
[10002 0 1 0]	extrapure, 99.99%	1 Gms	20000			2500 ml	1800
	(Gold Potassium Chloride)					25 Ltr	17000
10436	Gram`s Iodine, 33% I	5 Gms	500	96979	n-Heptane extrapure AR, ExiPlus,	500 ml	460
		25 Gms	1200	[142-82-5]	Multi-Compendial, 99%	2500 ml	2100
		100 Gms	4500		meets compendial specs of USP, BP,		
		500 Gms	21200		Ph.Eur		
59538 [7782-42-5]	Graphite Synthetic (Type 1) pure, 98% C, 50mesh	500 Gms	350	90731 [142-82-5]	n-Heptane for HPLC & UV Spectroscopy, 99.5%	500 ml	600
[1102-42-5]	·	2.5 Kg	1500	[142-02-3]		1000 ml	1100
19123	Graphite Synthetic (Type 2) pure, 97% C, 100mesh	500 Gms	400	99295 [142-82-5]	n-Heptane Dried, 99%, water 0.005%	500 ml	580
[7782-42-5]							

Code	Name	Packing	Price	Code	Name	Packing	Price
94373	Heptane Sulphonic Acid Sodium Salt Anhydrous for HPLC, 99%	25 Gms	1300	29114	n-Hexane Dried, 99%, water 0.005%	500 ml	1050
[22767-50-6]	Salt Allifydrous for FFEC, 99%	100 Gms	4600	[110-54-3]		1000 ml	2000
		250 Gms	11300	49346	Hexane Sulphonic Acid Sodium	25 Gms	1300
55272	Heptane Sulphonic Acid Sodium	25 Gms	1300	[2832-45-3]	Salt Anhydrous for HPLC, 99%	100 Gms	4600
207300-90-1]	Salt Monohydrate for HPLC, 99%	100 Gms	4600			250 Gms	11300
		250 Gms	11300	78597	Hexane Sulphonic Acid Sodium	25 Gms	1300
55120	1-Heptanol extrapure, 98%	500 ml	1400	[207300-91-2]	Salt Monohydrate for HPLC, 99%	100 Gms	4600
[111-70-6]	(n-Heptanol, n-Heptyl Alcohol)	2500 ml	6500			250 Gms	11300
60805	Hexachloroethane pure, 99%	500 Gms	650	70389	Hexylene Glycol pure, 99%	500 ml	600
[67-72-1]		5 Kg	6000	[107-41-5]		2500 ml	2600
36027	Hexachloroplatinic Acid	250 Mg	2800			25 Ltr	24000
[18497-13-7]	Hexahydrate (Platinum Chloride	1 Gms	6400	38885	D-Histidine extrapure, 99%	5 Gms	3030
	Hexahydrate) ACS, 38-40% Pt	5 Gms		[351-50-8]	D-manume extrapure, 33/8	25 Gms	
	(Platinic Chloride Hexahydrate)		28600				8000
			132000	94495	L-Histidine (base) extrapure CHR, 99%	25 Gms	800
	1-Hexadecene (Cetene) extrapure,	250 ml	2850	[71-00-1]	33 %	100 Gms	2800
[629-73-2]	95%	500 ml	4500			500 Gms	13000
63539 (i	Hexadecane (Cetane) extrapure,	100 ml	1850			1 Kg	24500
[544-76-3]	98%	500 ml	6000			5 Kg	116000
	(n-Hexadecane)			42437	L-Histidine ExiPlus,	25 Gms	1000
B1451 [100-97-0]	Hexamine pure, 99% (Hexamethylenetetramine, HMTA)	500 Gms	300	[71-00-1]	Multi-Compendial, 99%	100 Gms	3390
[100-37-0]	(Hoxamonyonetonamine, Hiviry)	5 Kg	2600			1 Kg	26000
		25 Kg	11000		meets compendial specs of USP, BP,		
92391	Hexamine extrapure AR, 99.5%	500 Gms	350		Ph.Eur		
[100-97-0]		5 Kg	3000	28061	L-Histidine Hydrochloride	25 Gms	710
91454	n-Hexane pure, 95%	500 ml	500	[5934-29-2]	Monohydrate extrapure CHR, 99%	100 Gms	2200
[110-54-3]		2500 ml	2300			500 Gms	8000
		25 Ltr	19000			1 Kg	14200
65764	n-Hexane for HPLC, 95%	500 ml	620			5 Kg	68000
[110-54-3]		1000 ml	1200	51565	DL-Histidine extrapure, 99%	5 Gms	2000
		2500 ml	2800	[4998-57-6]	• • •	25 Gms	8000
77045	n-Hexane pure, 99%	500 ml	600			100 Gms	30000
[110-54-3]	in-liexane pare, 55%	2500 ml		40500	Halmium (III) Ovide ultrenure	5 Gms	
			2600	40599 [12055-62-8]	Holmium (III) Oxide ultrapure, 99.9%		2000
		25 Ltr	24000	[.2000 02 0]		10 Gms	3500
12534	n-Hexane extrapure AR, 99%	500 ml	680			25 Gms	7500
[110-54-3]		2500 ml	2800	59764	Humic Acid Potassium Salt	500 Gms	380
27226	n-Hexane extrapure AR, ACS,	500 ml	740	[68514-28-3]	(Potassium Humate) pure, 70% Humic, 15% Fulvic	5 Kg	3500
[110-54-3]	ExiPlus, Multi-Compendial, 99%	2500 ml	3000	53931	Hydrazine Hydrate extrapure, 80%	500 ml	700
	meets compendial specs of USP, BP,			[7803-57-8]	(Hydrazinium Hydroxide)	2500 ml	2800
	Ph.Eur					25 Ltr	25000
33823	n-Hexane for HPLC, 99%	500 ml	800	00040	Hydrazine Sulphate extrapure, 99%		
[110-54-3]		1000 ml	1500	99313 [10034-93-2]	rryurazine Surphate extrapure, 99%	100 Gms	440
		2500 ml	3500			500 Gms	1950
		2.5 Ltr	6400	33243	Hydrazine Sulphate extrapure AR,	100 Gms	550
		(Wide-Mou		[10034-93-2]	J. 576	500 Gms	2300
		th) 4 Ltr	9000	78110	Hydrazine Sulphate extrapure AR,	100 Gms	710
		(Wide-Mou	5000	[10034-93-2]	ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms	2610
40501	n Havana CC US 20.00/	th)			meets compendial specs of USP, BP,		
40501	n-Hexane GC-HS, 99.9%	250 ml	820		Ph.Eur		
[110-54-3]		1000 ml	2700	21435	Hydrobromic Acid pure, 48-49% in	500 ml	950
				[10035-10-6]	water	2500 ml	4400

Code	Name	Packing	Price	Code	Name	Packing	Price
30106 [10035-10-6]	Hydrobromic Acid, 31-34% in Glacial Acetic Acid	500 ml 2500 ml	1050 5200	23264 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure AR, ACS, 99.5%	100 Gms 500 Gms	980 4000
99790	Hydrochloric Acid 0.1N Aq.	500 ml	170	46528	8-Hydroxyquinoline (8-Quinolinol)	25 Gms	13000
[7647-01-0]	Solution	1000 ml	310	[148-24-3]	PrimeDx, 99.5%	100 Gms	48000
62889	Hydrochloric Acid 1N Aq. Solution	500 ml	320	26356	Hypophosphorous Acid pure,	500 ml	1200
[7647-01-0]		1000 ml	580	[6303-21-5]	30-32% in water		
30988	Hydrochloric Acid 0.5N Aq.	500 ml	190	92379	(Phosphinic Acid) Hypophosphorous Acid extrapure	500 ml	1400
[7647-01-0]	Solution	1000 ml	350	[6303-21-5]	AR, 50% in water	333	1400
87039	Hydrochloric Acid 2N Aq. Solution	500 ml	350	04550	(Phosphinic Acid)	500 C	
[7647-01-0]		1000 ml	660	64556 [8029-68-3]	Ichthammol pure, 50%	500 Gms 1 Kg	5000 9000
80096	Hydrochloric Acid 3N Aq. Solution	500 ml	380	87537	Ichthammol ExiPlus,	500 Gms	
[7647-01-0]		1000 ml	700	[8029-68-3]	Multi-Compendial, 50%	1 Kg	7800 15000
65955	Hydrochloric Acid 4N Aq. Solution	500 ml	410		(Ammonium Ichthosulfonate,	1119	13000
[7647-01-0]		1000 ml	770		Sulfonated Bitumen, Ictiol, Ichthyol, Bituminol)		
72775	Hydrochloric Acid 4M Solution in	1000 ml	1470		Meets compendial specs of USP, BP,		
[7647-01-0]	Dioxane	2500 ml	3640		Ph.Eur		
34472	Hydrochloric Acid 5N Aq. Solution	500 ml	450	65712	Imidazole pure, 99%	100 Gms	400
[7647-01-0]		1000 ml	810	[288-32-4]		500 Gms	1100
17560	Hydrochloric Acid 6N Aq. Solution	500 ml	470			5 Kg	9500
[7647-01-0]		1000 ml	860			25 Kg	42000
79661	Hydrochloric Acid 0.05N Aq.	500 ml	210	32822 [288-32-4]	Imidazole extrapure AR, 99%	100 Gms 500 Gms	1000
[7647-01-0]	Solution	1000 ml	380	. ,		500 Gills 5 Kg	3600 32700
40918	Hydrochloric Acid 0.01M Aq.	500 ml	210			=	146000
[7647-01-0]	Solution	1000 ml	380	78496	Imidazole extrapure AR, ACS,	100 Gms	1100
56059	Hydroxylamine Hydrochloride pure,	100 Gms	220	[288-32-4]	ExiPlus, Multi-Compendial, 99%	500 Gms	3600
[5470-11-1]	98%	500 Gms	650		meets compendial specs of USP, BP,		0000
		5 Kg	6000		Ph.Eur		
66164 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, 99%	100 Gms	270	61510	Imidazole for molecular biology,	25 Gms	900
[5470-11-1]	extrapare Art, 55%	500 Gms	800	[288-32-4]	99.5%	100 Gms	2800
		5 Kg	7000			500 Gms	12000
65508 [5470-11-1]	Hydroxylamine Hydrochloride extrapure AR, ACS, ExiPlus,	100 Gms	300	10722	Imidazole for tissue culture, 99.5%	100 Gms	800
[00]	Multi-Compendial, 99%	500 Gms 5 Kg	900	[288-32-4]	Immersion Oil Synthetic for	30 ml	200
	meets compendial specs of BP, Ph.Eur,	3 Ng	8000	73017 [8000-27-9]	microscopy	125 ml	320 730
	USP				(Cedarwood Oil Synthetic, Immersion	500 ml	2000
47748	Hydroxylamine 50% Soln. in Water	50 ml	2000		Oil Thickened)	5 Ltr	18500
[7803-49-8]		100 ml	3200	63214	Indium AAS Standard Solution in	100 ml	1800
		500 ml	11000		1N HCI (Traceable to NIST)	250 ml	2900
13877	Hydroxylamine Sulphate pure, 99%	100 Gms	210	88318	Indole-3-Acetic Acid (IAA) pure,	5 Gms	430
[10039-54-0]		500 Gms	550	[87-51-4]	98%	25 Gms	1390
83032	Hydroxylamine Sulphate extrapure	100 Gms	240			100 Gms	4900
[10039-54-0]	AR, ACS, 99%	500 Gms	650	96788	Indole-3-Acetic Acid (IAA) for	5 Gms	500
	4-(2-Hydroxyethyl)morpholine	100 ml	390	[87-51-4]	tissue culture, 98%	25 Gms	2000
[622-40-2]	(4-HEM) extrapure, 99% (2-Morpholinoethanol,	500 ml	1420			100 Gms	6000
	4-Morpholineethanol)			18676	Indole-3-Acetonitrile pure, 98%	5 Gms	1700
91113	8-Hydroxyquinoline (8-Quinolinol)	100 Gms	900	[771-51-7]		25 Gms	6300
91113 [148-24-3]	8-Hydroxyquinoline (8-Quinolinol) extrapure, 99.5%	100 Gms 500 Gms	900 3500			25 Gms	

Code	Name	Packing) Price	Code	Name	Packing	Price
40407	Indole-3-Butyric Acid (IBA) pure,	5 Gms	400	90354	Isatin extrapure AR, 99%	25 Gms	900
[133-32-4]	98%	25 Gms	1200	[91-56-5]	(2,3-Indolinedione)	100 Gms	3000
		100 Gms	4200	57020	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	340
60289	Indole-3-Butyric Acid (IBA) for	5 Gms	500	[123-51-3]	pure, 98.5%	2500 ml	1600
[133-32-4]	tissue culture, 98%	25 Gms	1500			25 Ltr	14500
		100 Gms	5200	69931	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	380
35095	Indole-3-Carboxylic Acid pure, 99%	5 Gms	1260	[123-51-3]	ACS, 98.5%	2500 ml	1750
[771-50-6]		25 Gms	5030	88719	Isoamyl Alcohol (Isopentyl Alcohol)	500 ml	440
67892	Iodine Monochloride extrapure,	25 Gms	1200	[123-51-3]	ExiPlus, Multi-Compendial , 99%	2500 ml	2000
	98%	100 Gms	3600		meets compendial specs of BP,Ph. Eur		2000
		250 Gms	8400	69412	Isobutanol pure, 99%	500 ml	360
00000	Inding Managhlavida Calutian (1M	250 ml		[78-83-1]	ioosatanoi paro, oo /o	2500 ml	1460
66098 [7790-99-0]	Iodine Monochloride Solution (1M in Acetic Acid) (Wij`s Solution)	500 ml	2100			25 Ltr	12320
. ,	extrapure	500 1111	3900		Landard and and and and and and and and and an		
	(Chloroiodide Solution)			98646 [78-83-1]	Isobutanol extrapure AR, 99.5%	500 ml	450
40415	Iodine Pentoxide (Iodopentoxide)	25 Gms	1800	[70-00-1]		2500 ml	1760
[12029-98-0]	extrapure AR, 99%	100 Gms	5900	34159	Isobutanol GC-HS, 99.9%	250 ml	560
52539	Iodine Resublimed AR, 99.8%	100 Gms	4000	[78-83-1]		500 ml	1010
[7553-56-2]		500 Gms	18000			1000 ml	1770
37524	Iodine Resublimed AR, ACS,	100 Gms	4500	52497	Isobutyl Acetate extrapure, 98%	500 ml	550
[7553-56-2]	ExiPlus, Multi-Compendial, 99.8%	500 Gms	19000	[110-19-0]	(Acetic Acid Isobutyl Ester)	2500 ml	2500
	meets compendial specs of USP, BP,					25 Ltr	24000
	Ph.Eur			41867	Isobutyraldehyde extrapure, 99%	500 ml	440
68017	Iodine 0.01N Solution	500 ml	550	[78-84-2]	(2-Methylpropionaldehyde)	2500 ml	1950
[7553-56-2]		1000 ml	1030	53502	Isooctane extrapure, 99%	500 ml	870
59802	Iodine 1N Solution	100 ml	5000	[540-84-1]	1300ctane extrapure, 3376	2500 ml	4120
[7553-56-2]	Touris III Columbia	500 ml	20000			25 Ltr	37060
	Ladina O. d.N. Oakutlan						
12445 [7553-56-2]	Iodine 0.1N Solution	500 ml	2500	57075 [540-84-1]	Isooctane extrapure AR, 99.5%	500 ml	1080
84644	Iodine Trichloride extrapure, 97%	25 Gms	3500	[540-04-1]		2500 ml	4720
[865-44-1]		25 55	0000			25 Ltr	40880
36388	lodoform pure, 99%	25 Gms	1800	81399	Isooctane extrapure AR, ACS,	500 ml	1130
[75-47-8]		100 Gms	6100	[540-84-1]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	5090
		250 Gms	14600		meets compendial specs of BP		
58593	lodophor, 1.60% l	1000 ml	1400	68930	Isooctane for HPLC & UV	500 ml	1370
		5 Ltr	6200	[540-84-1]	Spectroscopy, 99.5%	1000 ml	2420
70031	N-lodosuccinimide extrapure, 99%	5 Gms				2500 ml	5300
70031 5 [516-12-1]	(1-lodo-2,5-Pyrrolidinedione)	25 Gms	500	67959	Isooctane Fuel Grade for HPLC &	500 ml	2100
		100 Gms	1500	[540-84-1]	UV Spectroscopy, 99.9%	2500 ml	8800
			5600		(2,2,4 -Trimethylpentane)		
22157 [7439-88-5]	Iridium Metal Powder extrapure, 99.9%	100 Mg	7500	15485 [540-84-1]	Isooctane GC-HS, 99.9% (2,2,4 -Trimethylpentane)	500 ml	3800
[1409-00-0]	55.5%	500 Mg	34000	98605	Isooctane Dried, 99.5%, water	1000 ml	2060
		1 Gms	65000	[540-84-1]	0.005%		2000
50716	Iridium Trichloride Hydrate	250 Mg	9500		(2,2,4 -Trimethylpentane)		
[14996-61-3]	extrapure, 99%	1 Gms	40000	67800	Isopropanol (IPA) pure, 99%	500 ml	280
		5 Gms	180000	[67-63-0]	(Isopropyl alcohol, 2-Propanol)	2500 ml	1300
84425	Iron AAS Standard Solution in 0.5N	100 ml	1800			25 Ltr	12000
	HNO3 (Traceable to NIST)	250 ml	2900	62986	Isopropanol (IPA) ACS, 99.5%	500 ml	300
64857	Iron Metal Powder (Electrolytic),	500 Gms	710	[67-63-0]	(Isopropyl alcohol, 2-Propanol)	2500 ml	1450
	99.5%, mesh ~200	1 Kg	1100				
[7439-89-6]	•	i itu					

Code	Name	Packing	Price	Code	Name	Packing	Price
11768 [67-63-0]	Isopropanol (IPA) ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml 2500 ml	330 1600	34469	Karl Fischer Reagent (Pyridine free, Single Solution)	500 ml 2 x250 ml	3240 3240
	(Isopropyl alcohol, 2-Propanol) meets compendial specs of USP,BP,Ph.Eur			62878 [79-33-4]	L-Lactic Acid for tissue culture, 88%	100 ml	600
38445	Isopropanol (IPA) for molecular	100 ml	250		(L-(+)-Lactic Acid)		
[67-63-0]	biology, 99.8%	500 ml	700	93762 [79-33-4]	L-Lactic Acid pure, 88% (L-(+)-Lactic Acid)	500 ml	660
	(Isopropyl alcohol, 2-Propanol)	1000 ml	1350			2500 ml	2800
10140	Isopropanol (IPA) GC-HS, 99.9%	250 ml	320	41242 [79-33-4]	L-Lactic Acid extrapure AR, 88% (L-(+)-Lactic Acid)	500 ml	700
[67-63-0]	(Isopropyl alcohol, 2-Propanol)	500 ml	580	[79-33-4]	(L-(+)-Lactic Acid)	2500 ml	3000
		1000 ml	1100	21206	L-Lactic Acid extrapure AR, ACS,	500 ml	750
16666	Isopropanol (IPA) Dried, 99.5%,	500 ml	650	[79-33-4]	ExiPlus, Multi-Compendial, 88% (L-(+)-Lactic Acid)	2500 ml	3300
[67-63-0]	water 0.005%	1000 ml	1200		meets compendial specs of BP, Ph.Eur		
	(Isopropyl alcohol, 2-Propanol)	1000 1111	1200	54492	L-Lactic Acid 0.1N Solution	500 ml	250
44036	Isopropanol (IPA) for HPLC & UV	500 ml	480	[79-33-4]		1000 ml	470
[67-63-0]	Spectroscopy, 99.8% (Isopropyl alcohol, 2-Propanol)	1000 ml	850	41158	L-Lactic Acid 1N Solution	500 ml	420
	(toopropy) attoriot, 2 i ropation	2.5 Ltr (Wide-Mou	3250	[79-33-4]		1000 ml	780
		th) 2500 ml	1800	97513	Lacto Fuchsin Staining Solution	100 ml	440
		4 Ltr (Wide-Mou	5000	92598	Lactophenol Cotton Blue Solution	500 ml	300
48906	Isopropanol (IPA) electronic grade,	th) 2500 ml	2400	20863	Lactophenol Mountant Solution	500 ml	330
[67-63-0]	99.8%			25957	Lactose Monohydrate ACS	500 Gms	650
62616	(Isopropyl alcohol, 2-Propanol) Isopropanol (IPA) VLSI	1000 ml	9500	[10039-26-6, 64044-51-5]		5 Kg	6100
[67-63-0]	Semiconductor Grade, 99.8% (Isopropyl alcohol, 2-Propanol)	2500 ml	20000	33525 [10039-26-6,	Lactose Monohydrate for tissue culture	500 Gms 5 Kg	700 6330
88773	Isopropanol (IPA)-d8 for NMR	5 ml	23000	64044-51-5]		J Ng	0000
[22739-76-0]	spectroscopy, 99.5 Atom %D (Isopropanol-d8, Octadeuteroisopropanol,			67091 [10039-26-6, 64044-51-5]	Lactose Monohydrate ACS, ExiPlus, Multi-Compendial	500 Gms 5 Kg	750 6700
	2-Propanol-d8)				meets compendial specs of USP, BP & Ph		
13627	Isopropenyl Acetate extrapure, 99%	100 ml	800		Eur		
[108-22-5]		500 ml	3300	19459	Lanthanum AAS Standard Solution	100 ml	2100
35858	Isopropylamine (MIPA) extrapure,	500 ml	430		in 2N HNO3 (Traceable to NIST)	250 ml	3200
[75-31-0]	99% (Monoisopropylamine)	2500 ml	1800	70514	Lauric Acid pure, C12-99%	500 Gms	450
73716	Isopropyl Myristate pure, 90%	500 ml	750	[143-07-7]	(Dodecanoic Acid)	5 Kg	4200
[110-27-0]	, , , , , , , , , , , , , , , , , , ,	2500 ml	3600	90346	Lead Subacetate extrapure, Pb	500 Gms	930
20000	Isopropyl Myristate ExiPlus,			[1335-32-6]	content 33%	2.5 Kg	4530
32009 [110-27-0]	Multi-Compendial, 90%	500 ml 2500 ml	850 3900		(Lead (II) Acetate Basic, Lead Hydroxide Acetate, Horne's Compound)	5 Kg	8720
	meets compendial specs of USP, Ph.Eur			72518	Lead (II) Acetate Trihydrate pure,	500 Gms	580
42822	Isopropyl Myristate extrapure AR	500 ml	1300	[6080-56-4]	99%	5 Kg	5400
[110-27-0]	(0.2um filtered), 98%	2500 ml	6000		(Plumbous Acetate Trihydrate, Lead	3	0.00
36494	Jack Bean Meal ex. Urease	100 Gms	270	00500	Diacetate) Lead AAS Standard Solution in	100 ml	1000
[9002-13-5]	extrapure (Crude Urease)	500 Gms	1220	69586 [10099-74-8]	0.5N HNO3 (Traceable to NIST)	100 ml 250 ml	1800 2900
20489	Janus Green B (JG-B), 65%	5 Gms	760	69789	Lead (II) Chloride Anhydrous	500 Gms	700
[2869-83-2]	(Diazin Green, Union Green B)	25 Gms	3040	[7758-95-4]	extrapure, 98%		
86543	Jenners Stain (Eosin-methylene	25 Gms	630	87373	Lead Dioxide (Lead Peroxide)	100 Gms	490
[62851-42-7]	blue)	100 Gms	2390	[1309-60-0]	extrapure, 95%	500 Gms	2000
	Kaolin Light extrapure	500 Gms	200	60843	Lead (II) Fluoride pure, 98%	500 Gms	1200

Code	Name	Packing	Price	Code	Name	Packing	Price
64972 [10099-74-8]	Lead (II) Nitrate extrapure, 99% (Plumbous Nitrate, Lead Dinitrate)	500 Gms 5 Kg	600 5500	20003 [7447-41-8]	Lithium Chloride 1M Solution in Ethanol	250 ml	1500
68030	Lead (II) Nitrate ACS, 99%	500 Gms	750	81034	Lithium Fluoride pure, 98.5%	25 Gms	800
[10099-74-8]	(Plumbous nitrate, lead dinitrate)	5 Kg	7200	[7789-24-4]		100 Gms	2600
50014	Lood (II) Ovido (Lood Manavido	500 Gms				500 Gms	11100
50314 [1317-36-8]	Lead (II) Oxide (Lead Monoxide, Litharge) pure, 99%		600	44318	Lithium Hydroxide Anhydrous	25 Gms	1000
. ,		1 Kg 5 Kg	1100	[1310-65-2]	extrapure, 98%	100 Gms	2500
		25 Kg	5000			500 Gms	9500
			23000	52019	Lithium Hydroxide Monohydrate	100 Gms	900
60795 [7446-14-2]	Lead (II) Sulphate extrapure, 98% (Anglesite)	500 Gms	800	[1310-66-3]	pure, 99%	500 Gms	3500
18279	Lead (II) Oxide (Lead Monoxide,	100 Gms	450			5 Kg	32000
[1317-36-8]	Litharge) extrapure AR, ACS, 99%	250 Gms	950	48204	Lithium Hydroxide Monohydrate	100 Gms	1200
C004F	Leishman Staining Solution	250 ml		[1310-66-3]	ACS, 99%	500 Gms	4000
68015	Leisiman Staining Solution	250 1111	300			5 Kg	38000
82184	Leishman Stain	25 Gms	660	89966	Lithium Hydroxide Monohydrate	100 Gms	
[12627-53-1]		100 Gms	2200	[1310-66-3]	ACS, ExiPlus, Multi-Compendial,	500 Gms	1400 4800
		500 Gms	9800		99%	500 Gills	4800
63007	L-Leucine extrapure CHR, 99%	100 Gms	650		meets compendial specs of USP,		
[61-90-5]		500 Gms	3000	82712	Lithium Nitrate (High Purity)	100 Gms	2800
		1 Kg	5500	[7790-69-4]	extrapure AR, 99.5%	500 Gms	13100
		5 Kg	25000	17864	Lithium Nitrate (High Purity)	100 Gms	3100
F0470	L Louisine ovtranure EviDhie			[7790-69-4]	extrapure AR, ExiPlus,	500 Gms	14400
59178 [61-90-5]	L-Leucine extrapure, ExiPlus, Multi-Compendial, 99%	500 Gms	3800		Multi-Compendial, 99.5% meets compendial specs of USP		
. ,	• ,	1 Kg 5 Kg	7000	88181	Lithium Sulphate Monohydrate	100 Gms	1300
	masta compandial energy of ED 9 LICD	5 Kg	31000	[10102-25-7]		250 Gms	2300
75000	meets compendial specs of EP & USP	500 ml				500 Gms	4000
75333 [1305-62-0]	Lime Water Saturated Solution	500 ml	280	39478	Lithium Sulphate Monohydrate	100 Gms	1500
75105	Lithium AAS Standard Solution in	100 ml	1800	[10102-25-7]		250 Gms	2800
	0.5N HNO3 (Traceable to NIST)	250 ml	2900		99%	500 Gms	4800
31665	Lithium Bromide Anhydrous	100 Gms	800		meets compendial specs of USP, BP,		
[7550-35-8]	extrapure, 99%	500 Gms	3000		Ph.Eur		
33662	Lithium Bromide Anhydrous	5 Gms	5760	11373	Lithium Tetraborate extrapure AR,	25 Gms	1300
[7550-35-8]	ultrapure, 99.999% , -10mesh	25 Gms	19200	[12007-60-2]	98% (di-Lithium Tetraborate)	100 Gms	4500
73154	Lithium Carbonate pure, 98%	100 Gms	1400		(di-Littildili Tettaborate)	500 Gms	20000
[554-13-2]	• •	250 Gms	2700	78724	Lugols Iodine 1% Solution (Conc)	125 ml	500
		500 Gms	5000		(Iodine-Potassium iodide Solution)	500 ml	1500
		5 Kg	36000	42603	Lugols Iodine 5% Solution (Conc)	125 ml	1800
19558	Lithium Carbonate extrapure AR,	100 Gms	1600			500 ml	5400
[554-13-2]	99%	250 Gms	3200	72349	D-Lysine Monohydrochloride	5 Gms	3400
		1 Kg	6000	[7274-88-6]	extrapure, 99%	25 Gms	13000
74004	Lithium Carbonata avtranura AD			30163	L-Lysine (free base) Anhydrous		
74884 [554-13-2]	Lithium Carbonate extrapure AR, ACS, ExiPlus, Multi-Compendial,	250 Gms	3600	30163 J [56-87-1]	extrapure, 98%	10 Gms	1360
1	99%			1	• *	25 Gms	3200
	meets compendial specs of BP, Ph.Eur					100 Gms	9000
39692	Lithium Chloride Anhydrous pure,	100 Gms	1000			500 Gms	35000
[7447-41-8]	99%	250 Gms	2200	22527 [56-87-1]	L-Lysine (free base) Anhydrous for tissue culture, 98%	10 Gms	1590
		500 Gms	4000	[50-07-1]	115545 Guitai E, 5076	25 Gms	3500
76359	Lithium Chloride Anhydrous ACS,	100 Gms	1300		L-Lysine (free base) Anhydrous	10 Gms	1600
	99%	050 0	2600	[56-87-1]	ExiPlus, Multi-Compendial, 98%	100 Gms	10500
[7447-41-8]	55 /6	250 Gms	2000				

Code	Name	Packing	Price	Code	Name	Packing	Price
85187	L-Lysine Monohydrate extrapure,	25 Gms	1970	23772	Magnesium Chloride 1M Solution	500 ml	220
[39665-12-8]	99%	100 Gms	7030	[7791-18-6]		1000 ml	420
		500 Gms	32000	58742	Magnesium Citrate Nonahydrate	500 Gms	700
	L-Lysine Monohydrate ExiPlus,	25 Gms	2110	[153531-96-5]			
[39665-12-8]	Multi-Compendial, 99%	100 Gms	7790	25349 [7783-40-6]	Magnesium Fluoride Hydrate pure, 80%	500 Gms	810
		500 Gms	34000	93838	Magnesium Hydroxide extrapure,	500 Gms	350
	meets compendial specs of USP			[1309-42-8]	95%	5 Kg	3250
45976		25 Gms	5500	16626	Magnesium Hydroxide extrapure,	500 Gms	550
[39665-12-8] 89361	molecular biology, 99% L-Lysine Monohydrochloride	100 Gms	250	[1309-42-8]	ExiPlus, Multi-Compendial, 95%	5 Kg	5250
[657-27-2]	extrapure CHR, 99%	500 Gms	1070	45149	Magnesium Metal coarse powder,	100 Gms	350
		5 Kg	9000	[7439-95-4]	99.8%, -36 mesh	500 Gms	1200
77872	L-Lysine Monohydrochloride	100 Gms	380	10004	Magnasium Matal Dibban autronura		
[657-27-2]	ExiPlus, Multi-Compendial, 99%	500 Gms	1310	19684 [7439-95-4]	Magnesium Metal Ribbon extrapure AR, 99.5%	25 Gms	340
		5 Kg	11000	94410	Magnesium Metal Turnings, 99.8%	250 Gms	925
	meets compendial specs of USP, BP,	o ng	11000	[7439-95-4]		500 Gms	1450
	Ph.Eur					2.5 Kg	7100
35443	Magnesium Acetate Tetrahydrate	500 Gms	740	77697	Magnesium Nitrate Hexahydrate	500 Gms	420
[16674-78-5]	extrapure, 98%	5 Kg	6380	[13446-18-9]	ACS, 98%		
53888	Magnesium Acetate Tetrahydrate	500 Gms	880	50014	Magnesium Sulphate Dried	500 Gms	520
[16674-78-5]		5 Kg	7700	[7487-88-9]	extrapure AR, 62-70% MgSO4, 99%	2.5 Kg	2400
64328	Magnesium Acetate Tetrahydrate	500 Gms	990	64187	Magnesium Sulphate Dried	500 Gms	560
[16674-78-5]		ooo amo	990	[7487-88-9]	extrapure AR, ExiPlus,	2.5 Kg	2600
	Multi-Compendial, 99%				Multi-Compendial, 62-70% MgSO4, 99%		
	meets compendial specs of USP, BP, Ph.Eur				meets compendial specs of USP, BP, Ph.Eur		
50488	Magnesium Acetate Tetrahydrate	100 Gms	440	85611	Magnesium Sulphate Heptahydrate	500 Gms	260
[16674-78-5]	for molecular biology, 99%	500 Gms	1320	[10034-99-8]	extrapure AR, 99%	1 Kg	470
52917	Magnesium AAS Standard Solution	100 ml	1800			5 Kg	2300
	in 0.5N HNO3 (Traceable to NIST)	250 ml	2900	26129	Magnesium Sulphate Heptahydrate	500 Gms	280
28935 [13446-53-2]	Magnesium Bromide Hexahydrate pure, 98%	500 Gms	2100	[10034-99-8]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	2500
63818	Magnesium Carbonate Basic Light,	500 Gms	430		meets compendial specs of USP, BP		
[39409-82-0]	40-45% MgO (Magnesium Carbonate Light)	5 Kg	4100	74440	Magnesium Sulphate Heptahydrate	500 Gms	900
31196	Magnesium Calbonate Light) Magnesium Chloride Anhydrous	100 Gms	840	[10034-99-8]	for molecular biology, 99.5%	1 Kg	1600
[7786-30-3]	extrapure, 98%	500 Gms	1320	83890	Magnesium Sulphate Heptahydrate	500 Gms	450
		5 Kg	8940	[10034-99-8]	for tissue culture, 99.5%	5 Kg	4300
39750	Magnesium Chloride Anhydrous for	100 Gms		90046	Magnesium Sulphate 0.1M Solution	500 ml	270
[7786-30-3]	tissue culture, 98%	500 Gms	1220 2920	[10034-99-8]		1000 ml	490
60206	Magnesium Chloride Hexahydrate			10301	Magnesium Sulphate 0.5M Solution	500 ml	290
69396 [7791-18-6]	ACS, 99%	500 Gms 5 Kg	270	[10034-99-8]		1000 ml	530
	·		2090	29811	Magnesium Sulphate 1M Solution	500 ml	310
54269 [7791-18-6]	Magnesium Chloride Hexahydrate ExiPlus, Multi-Compendial, 99%	500 Gms	320	[10034-99-8]		1000 ml	560
	, , ,	5 Kg	2420	78222	Magnesium Stearate ExiPlus,	500 Gms	450
91417	meets compendial specs of USP, BP Magnesium Chloride Hexahydrate	250 Gms	700	[557-04-0]	Multi-Compendial	1 Kg	750
[7791-18-6]	for molecular biology, 99.5%	500 Gms	720 990		(Stearic Acid Magnesium Salt) meets compendial specs of USP, BP,		
		5 Kg	8800		Ph.Eur		
16203	Magnesium Chloride Hexahydrate	500 Gms		69428	Magnesium Oxide Heavy ACS, 95%	500 Gms	1050
[7791-18-6]	for tissue culture, 99.5%	500 Gills 5 Kg	800 7150	[1309-48-4]		5 Kg	9250
	Magnasium Chlorida 0 5M Caladan						
28577 [7791-18-6]	Magnesium Chloride 0.5M Solution	500 ml	200				
[7791-18-6]		1000 ml	390				

Code	Name	Packing	Price	Code	Name	Packing	Price
57499 [1309-48-4]	Magnesium Oxide Heavy Exiplus, Multi-Compendial, 98%	500 Gms 5 Kg	1150 10500	45757 [598-62-9]	Manganese (II) Carbonate pure, Mn content 42-46%	500 Gms	520
	meets compendial specs of USP, BP&				(Manganous Carbonate)		
	Ph.Eur			75113 [13446-34-9]	Manganese (II) Chloride Tetrahydrate extrapure, 97%	500 Gms	590
85850	Magnesium Oxide Heavy extrapure,	500 Gms	850		(Manganous Chloride Tetrahydrate)	5 Kg	5400
[1309-48-4]	98%	5 Kg	8000	12551	Manganese (II) Chloride	500 Gms	720
90234	Magnesium Oxide Light ACS, 95%	500 Gms	1450	[13446-34-9]	Tetrahydrate extrapure ACS, 98% (Manganous Chloride Tetrahydrate)	5 Kg	6600
[1309-48-4]		5 Kg	13500	73970	Manganese Metal Powder pure,	250 Gms	600
78382	Magnesium Oxide Light Exiplus,	500 Gms	1560	[7439-96-5]	99%, ~325 mesh	200 00	
[1309-48-4]	Multi-Compendial, 98%	5 Kg	14250	58011	Manganese (II) Sulphate	500 Gms	300
	meets compendial specs of BP, USP meets compendial specs of USP ,BP&			[10034-96-5]	Monohydrate pure, 98% (Manganous Sulphate Monohydrate)	5 Kg	2800
	Ph.Eur			12386	Manganese (II) Sulphate	500 Gms	700
15547	Magnesium Oxide Light extrapure,	500 Gms	1380	[10034-96-5]	• ', '	5 Kg	6400
[1309-48-4]	98%	5 Kg	12650		(Manganous Sulphate Monohydrate)		0400
64741	Malachite Green Oxalate	100 Gms	530	78822	Manganese (II) Sulphate	500 Gms	840
[2437-29-8]		500 Gms	2200	[10034-96-5]	Monohydrate extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	7550
97890	Maleic Acid extrapure AR, 99.5%	100 Gms	230		(Manganous Sulphate Monohydrate)		
[110-16-7]		500 Gms	550		meets compendial specs of USP, BP,		
		2.5 Kg	2400		Ph.Eur		
68589	Maleic Acid extrapure AR, ExiPlus,	100 Gms	250	38593 [1313-13-9]	Manganese (IV) Oxide pure, 80% (Manganese Dioxide)	500 Gms	400
[110-16-7]	Multi-Compendial, 99.5%	500 Gms	680	[1010 10 0]	(manganese zhonae)	5 Kg	3500
	meets compendial specs of USP, BP IP,EP	ooo amo	000	24248	D-Mannitol extrapure, 98.5%	500 Gms	940
17289	Maleic Hydrazide extrapure, 98%	100 Gms	1050	[69-65-8]		1 Kg	1800
[123-33-1]	(1,2-Dihydro-3,6-pyridazinedione,	1 Kg	9000			5 Kg	8700
	3,6-Dihydroxypyridazine, Maleic Acid	1 119	3000			25 Kg	42500
	Hydrazide, 3,6-Pyridazinediol	500 0		79887	D-Mannitol ACS, 99%	250 Gms	520
24226 [6915-15-7]	DL-Malic Acid pure, 99%	500 Gms	520	[69-65-8]		500 Gms	1020
		5 Kg	4800			5 Kg	9100
73638 ✓ [9050-36-6]	Maltodextrin ExiPlus, Multi-Compendial, 20% De	500 Gms	310	21304	D-Mannitol ACS, ExiPlus,	500 Gms	1160
[0000 00 0]		5 Kg	2500	[69-65-8]	Multi-Compendial, 99%	5 Kg	10920
	masta compandial appear of BD	25 Kg	11000		meets compendial specs of BP,USP and		
00007	meets compendial specs of BP Maltodextrin for tissue culture.	500 Gms	000		EP	500 0	
90827 У [9050-36-6]	,	500 Gills 5 Kg	220 2000	23495 [108-78-1]	Melamine extrapure, 98% (2,4,6-Triamino-1,3,5-Triazine	500 Gms	900
	D Maltaga Manahudusta fau				Monomer, sym-Triaminotriazine)		
59338 [6363-53-7]	D-Maltose Monohydrate for bacteriology and biochemistry,	100 Gms	270	0.0.0	Menthol Synthetic pure	100 Gms	950
30 .]	92%	500 Gms	1080 10500	[2216-51-5]		250 Gms	2000
		5 Kg				1 Kg	7500
42844 [6363-53-7]	D-Maltose Monohydrate for tissue culture, 92%	100 Gms	330	69892	2-Mercaptoethanol pure, 99%	100 ml	400
[0000 00 1]		500 Gms	1350	[60-24-2]		500 ml	1400
		5 Kg	12500	83759	2-Mercaptoethanol for molecular	100 ml	700
17451 [6363-53-7]	D-Maltose Monohydrate ExiPlus, Multi-Compendial, 92%	500 Gms	1300	[60-24-2]	biology, 99%	250 ml	1300
[0000-00-7]	•	5 Kg	12000			500 ml	1800
	Meets compendial specs of USP	500.0		79306	Mercuric Acetate pure, 98%	25 Gms	2150
97526 [6156-78-1]	Manganese (II) Acetate Tetrahydrate pure, 97%	500 Gms	430	[1600-27-7]	(Mercury (II) Acetate)	100 Gms	8250
[0100-10-1]	(Manganous Acetate Tetrahydrate)					250 Gms	20000
78017	Manganese (II) Acetate	500 Gms	500	80243	Mercuric Acetate ACS, ExiPlus,	25 Gms	2350
[6156-78-1]	Tetrahydrate extrapure AR, 99%			[1600-27-7]	Multi-Compendial, 98%	100 Gms	8800
0//96	(Manganous Acetate Tetrahydrate) Manganese AAS Standard Solution	100 ml	1800		(Mercury (II) Acetate)	250 Gms	21500
94486	in 0.5N HCI (Traceable to NIST)	250 ml	1800		meets compendial specs of Ph.Eur		
		230 IIII	2900				

Code	Name	Packing	Price	Code	Name	Packing	Prid
58263	Mercuric Bromide extrapure AR,	25 Gms	2700	43302	Mercuric Sulphate ACS, ExiPlus,	25 Gms	3500
[7789-47-1]	ACS, 99%	100 Gms	9700	[7783-35-9]	Multi-Compendial, 99%	100 Gms	13000
	(Mercury (II) Bromide)	250 Gms	23000		(Mercury (II) Sulphate)	250 Gms	29000
25699	Mercuric Chloride extrapure, 98%	25 Gms	2100		meets compendial specs of USP, Ph.Eur		
[7487-94-7]	(Mercury (II) Chloride)	100 Gms	7600	48274	Mercuric Thiocyanate extrapure,	25 Gms	2500
		250 Gms	18200	[592-85-8]	98%	100 Gms	880
		500 Gms	35000		(Mercury (II) Thiocyanate)	250 Gms	2100
9828	Mercuric Chloride extrapure AR,	25 Gms	2300	93119	Mercuric Thiocyanate extrapure	25 Gms	270
7487-94-7]	ACS, ExiPlus, Multi-Compendial,	100 Gms	8100	[592-85-8]	AR, ExiPlus, Multi-Compendial,	100 Gms	910
	98%	250 Gms	19500		98% (Marauny (III) Thiogyapata)	250 Gms	2300
	(Mercury (II) Chloride)	500 Gms	37000		(Mercury (II) Thiocyanate) meets compendial specs of Ph.Eur		
	meets compendial specs of USP	000 00	07000	79301	Mercuric Thiocyanate PrimeDx,	500 Gms	4800
8926	Mercuric Iodide Red pure, 99%	25 Gms	3200	[592-85-8]	98%	1 Kg	9000
[7774-29-0]	(Mercury (II) lodide)	100 Gms	12000		Manager Oblanta was 800/		
		250 Gms	26000	47184	Mercurous Chloride pure, 98% (Mercury (I) Chloride, Calomel)	25 Gms	2000
				[10112 01 1]	(moreary (i) emenae, earerner)	100 Gms	720
7774-29-0]	Mercuric Iodide Red extrapure AR, 99%	25 Gms	3400			250 Gms	1750
7774-29-0]	(Mercury (II) Iodide)	100 Gms	13000			500 Gms	3300
		250 Gms	28000	37921	Mercurous Chloride extrapure AR,	25 Gms	220
3383	Mercuric Iodide Red extrapure AR,	25 Gms	3700	[10112-91-1]	ACS, 99.5% (Mercury (I) Chloride, Calomel)	100 Gms	770
7774-29-0]	ACS, ExiPlus, Multi-Compendial, 99%	100 Gms	14000		(Wereary (i) Grilonae, Galornei)	250 Gms	1850
	(Mercury (II) Iodide)	250 Gms	30000			500 Gms	3500
	meets compendial specs of USP, Ph.Eur			36004	Mercurous Nitrate Dihydrate	25 Gms	270
8434	Mercuric Nitrate Monohydrate	25 Gms	2800	[14836-60-3]	extrapure, 97%	100 Gms	1000
7783-34-8]	extrapure, 98%	100 Gms	10500		(Mercury (I) Nitrate Dihydrate)	250 Gms	2350
	(Mercury (II) Nitrate Monohydrate)	250 Gms	24000	44682	Mercurous Nitrate Dihydrate	25 Gms	3000
89168	Mercuric Nitrate Monohydrate ACS,	25 Gms	3200	[14836-60-3]	extrapure AR, ACS, 98%	100 Gms	1100
7783-34-8]	98.5%	100 Gms	11500		(Mercury (I) Nitrate Dihydrate)	250 Gms	2550
	(Mercury (II) Nitrate Monohydrate)	250 Gms	26000	04000	Maraum AAS Standard Solution in	100 ml	
20047	Mercuric Oxide Red extrapure, 99%	25 Gms		84229	Mercury AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	250 ml	490
52847 21908-53-2]			3400		· ,		7200
		100 Gms	12200	83568 [10124-48-8]	Mercury (II) Amidochloride extrapure, 98%	25 Gms	340
		250 Gms	27000	[10124-46-6]	(Ammoniated Mercury)	100 Gms	1200
0178	Mercuric Oxide Red ACS, ExiPlus,	25 Gms	3600		`	500 Gms	4700
21908-53-2]	Multi-Compendial, 99% (Mercury (II) Oxide)	100 Gms	12900		Mesitylene extrapure, 98%	500 ml	1100
		250 Gms	31100	[108-67-8]	(1,3,5-Trimethyl Benzene)	1000 ml	1900
	meets compendial specs of Ph.Eur					2500 ml	4200
6666	Mercuric Oxide Yellow extrapure,	25 Gms	3000	53383 🗸	Mercury Metal extrapure, 99%	250 Gms	3800
21908-53-2]	99% (Mercury (II) Oxide)	100 Gms	10800	[7439-97-6]		500 Gms	7000
	(Weredry (II) Exide)	250 Gms	25700	86556	Methacrylic Acid extrapure, 99%	500 ml	700
		500 Gms	50000	[79-41-4]	,, ,, ,, ,, ,, ,, ,, ,, ,,, ,, ,,	2500 ml	3000
37053	Mercuric Oxide Yellow extrapure	25 Gms	3300		Mathemanuluhania Asid (MCA)		
21908-53-2]		100 Gms	11800	87726 [75-75-2]	Methanesulphonic Acid (MSA) pure, 99%	500 ml	77
	(Mercury (II) Oxide)	250 Gms	28400	[.0.02]	F,	2500 ml	330
		500 Gms	52700			25 Ltr	3100
2543	Mercuric Sulphate pure, 99%	25 Gms	2900	46989	Methanesulphonyl Chloride (MSCI)	500 ml	70
7783-35-9]	(Mercury (II) Sulphate)	100 Gms	11000	[124-63-0]	pure, 98%	2500 ml	300
		250 Gms	25000			25 Ltr	2700
		500 Gms	48000	46644	Methanesulphonyl Chloride (MSCI)	500 ml	75
	Mayannia Culphate ACC 000'			[124-63-0]	extrapure, 99%	2500 ml	310
2 0846 7783-35-9]	Mercuric Sulphate ACS, 99% (Mercury (II) Sulphate)	25 Gms	3100			25 Ltr	2900
1100-00-8	(Morodry (II) Odipriato)	100 Gms	12000				

Code	Name	Packing	Price	Code	Name	Packing	Price
59029	Methanol pure, 99%	500 ml	250	67320	N,N-Methylene Bisacrylamide 3x	25 Gms	580
[67-56-1]		2500 ml	670	[110-26-9]	cryst. for molecular biology, 99.5% (Bis-Acrylamide)	100 Gms	1820
		25 Ltr	5750		(bis-Adylamide)	250 Gms	4480
65524	Methanol extrapure AR, 99.8%	500 ml	270			500 Gms	8590
[67-56-1]		1000 ml	520	58779	N,N`-Methylene Bisacrylamide 2%	25 ml	1800
		2500 ml	730	[110-26-9]	Aq. Solution for molecular biology	100 ml	5250
37152	Methanol extrapure AR, ACS,	500 ml	320	60363	Methylene Blue Trihydrate	25 Gms	440
[67-56-1]	ExiPlus, Multi-Compendial, 99.8%	1000 ml	540	[7220-79-3]		100 Gms	1640
		2500 ml	820			500 Gms	8000
	meets compendial specs of USP, BP,			97866	Methylene Blue 1% Aq. Solution	125 ml	150
	Ph.Eur					250 ml	250
87655	Methanol GC-HS, 99.9%	500 ml	700	77248 (i	Methyl lodide (lodomethane)	100 ml	6670
[67-56-1]		1000 ml	1230	[74-88-4]	extrapure, 99%	250 ml	16000
79345	Methanol for HPLC & UV	500 ml	370	64889	Methyl Isobutyl Carbinol extrapure,	500 ml	1100
[67-56-1]	Spectroscopy, 99.8%	2500 ml	970	[108-11-2]	98%	300 1111	1100
		2.5 Ltr	3250	15926	Methyl Isobutyl Ketone (MIBK)	500 ml	330
		(Wide-Mou th)		[108-10-1]	pure, 98%	2500 ml	1400
		4 Ltr	5000			25 Ltr	13000
		(Wide-Mou		61929	Methyl Isobutyl Ketone (MIBK)	500 ml	390
		th)		[108-10-1]	ACS, 98.5%	2500 ml	1700
10036 [67-56-1]	Methanol electronic grade, 99.8%	2500 ml	1190			25 Ltr	15000
62456	Methanol Dried extrapure AR, 99.8%, water 0.02%	500 ml	360	10416 [108-10-1]	Methyl Isobutyl Ketone (MIBK) for UV spectroscopy, 99.5%	500 ml	1220
[67-56-1]	99.0%, water 0.02%	1000 ml	500	13077	Methyl Isopropyl Ketone (MIPK)	250 ml	1400
		2500 ml	1100	[563-80-4]	pure, 98%	1000 ml	4800
96446	Methanol for molecular biology,	500 ml	910		(3-Methyl-2-Butanone, Isopropyl Methyl	1000 1111	4600
[67-56-1]	99.5%	1000 ml	1640		Ketone, Methyl Isopropyl Ketone)	050 1	
		2500 ml	3510	72387 [109-02-4]	4-Methyl Morpholine pure, 99% (N-Methyl Morpholine)	250 ml 500 ml	600
21944	Methanol-d4 for NMR	10 Gms	12000				1000
[811-98-3]	spectroscopy, 99.8 atom%D	50 Gms	53000	70280 [547-58-0]	Methyl Orange	25 Gms	210
19305	L-Methionine extrapure CHR, 99%	25 Gms	330	[047 00 0]		100 Gms	570
[63-68-3]		100 Gms	700			1 Kg	4800
		1 Kg	5800	51369 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure, 99.5%	500 ml	550
		5 Kg	27000	[672-50-4]	extrapare, 99.5%	2500 ml	2500
65167	Methyl Cellosolve extrapure, 99%	500 ml	380			25 Ltr	23000
[109-86-4]		2500 ml	1800	86263	N-Methyl-2-Pyrrolidone (NMP)	500 ml	650
		25 Ltr	16500	[872-50-4]	extrapure AR, 99.5%	2500 ml	2700
38200 [109-86-4]	Methyl Cellosolve ACS, 99.5%	500 ml	420	11118 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) extrapure AR, ACS, ExiPlus,	500 ml 2500 ml	750 3000
		2500 ml	2000		Multi-Compendial, 99.5%		5000
60451 [108-87-2]	Methyl Cyclohexane extrapure, 99%	500 ml	550		meets compendial specs of USP, BP		
46985	Methyl Red Sodium Salt (water	2500 ml 25 Gms	2080 300	96644 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) Dried, 99%, water 0.005%	500 ml	900
[845-10-3]	soluble) ACS, 95%	500 Gms	5100	25903	N-Methyl-2-Pyrrolidone (NMP)	250 ml	900
	(C.I. No. 13020) (Acid Red 2)			[872-50-4]	GC-HS, 99.9%	500 ml	1200
38862	N,N-Methylene Bisacrylamide	100 Gms	1040			1000 ml	2200
[110-26-9]	(bis-Acrylamide) pure, 98%	500 Gms 5 Kg	2910 22000	10331 [872-50-4]	N-Methyl-2-Pyrrolidone (NMP) for HPLC, 99.5%	1000 ml	2000
38516	N,N-Methylene Bisacrylamide	25 Gms	540	90214	N-Methyl-2-Pyrrolidone (NMP) VLSI	1000 ml	13000
[110-26-9]	(bis-Acrylamide) 3x cryst. extrapure	100 Gms	1700	[872-50-4]	Semiconductor Grade, 99.5%	2500 ml	28000
	AR, 99.5%	500 Gms	7020	89975	N-Methyl-2-Pyrrolidone (NMP) for	250 ml	760
				[872-50-4]	molecular biology, 99.5%	-	

Code	Name	Packing	Price	Code	Name	Packing	Price
44055	Methyl-4-Hydroxybenzoate (Methyl	500 Gms	1400	98466	Molybdic Acid extrapure AR, 85%	100 Gms	1900
[99-76-3]	Paraben) ExiPlus,	5 Kg	12600	[7782-91-4]		250 Gms	4600
	Multi-Compendial, 98-102% meets compendial specs of USP, BP					500 Gms	8700
60905	Methyl-4-Hydroxybenzoate Sodium	500 Gms	1300	71772	Molybdic Acid extrapure AR, ACS,	100 Gms	2200
[5026-62-0]	Salt (Methyl Paraben Sodium)	5 Kg	12100	[7782-91-4]	ExiPlus, Multi-Compendial, 85%	250 Gms	4700
	ExiPlus, Multi-Compendial,	5.1.9	12100			500 Gms	9200
	95-102% meets compendial specs of USP, BP				meets compendial specs of USP		
49449	Methyl Red extrapure AR	25 Gms	250	44630	Morpholine extrapure, 99%	500 ml	620
[493-52-7]	mentyr neu extrapure An	100 Gms	950 950	[110-91-8]		2500 ml	2910
		1 Kg	7500			25 Ltr	22070
40404	Makhad Dad ACC FuiDlas			96740	Morpholine ACS, 99%	250 ml	370
40431 [493-52-7]	Methyl Red ACS, ExiPlus, Multi-Compendial	25 Gms	460	[110-91-8]	•	500 ml	710
[]	•	100 Gms	1090	11287	Morpholine ACS, ExiPlus,	500 ml	1090
	and the second s	1 Kg	8300	[110-91-8]	Multi-Compendial, 99.5%	300 1111	1090
	meets compendial specs of BP, Ph.Eur	4001			meets compendial specs of BP, Ph.Eur		
99983 [96-47-9]	2-Methyl Tetrahydrofuran pure, 98%	100 ml	300	98293	Murexide (Ammonium Purpurate)	5 Gms	260
[00 0]		500 ml	900	[3051-09-0]	extrapure AR , 98%	25 Gms	980
		2500 ml	3600			100 Gms	3730
		25 Ltr	34000			500 Gms	16490
37689	Methyl Violet	25 Gms	300	99571	Murexide (Ammonium Purpurate)	5 Gms	310
[8004-87-3]		100 Gms	600	[3051-09-0]	extrapure AR, ACS, ExiPlus,	25 Gms	1090
90121	Metol extrapure, 99%	100 Gms	980		Multi-Compendial, 98%	100 Gms	3910
[55-55-0]	(4-Methylaminophenol Sulphate)	500 Gms	4200			500 Gms	18070
32198	Mixed Cresol pure, 85%	500 ml	750		meets compendial specs of Ph.Eur		
[1319-77-3]	(Mixture of Ortho, Meta & Para Cresol)	2500 ml	3500	13280	Naphthalene extrapure AR, ExiPlus,	500 Gms	420
98254	Molecular Sieve 3A (0.3nm)	250 Gms	550	[91-20-3]	Multi-Compendial, 99.5%	1 Kg	700
[308080-99-1]	(1.6-3mm Beads)	1 Kg	1530			5 Kg	3200
		5 Kg	6110		meets compendial specs of USP, BP,		
72866	Molecular Sieve 4A (0.4nm)	250 Gms	550		Ph.Eur		
[70955-01-0]	(1.6-3mm Beads)	1 Kg	1530	26320	Naphthalene scintillation grade,	500 Gms	550
		5 Kg	6110	[91-20-3]	99%	1 Kg	900
75690	Molecular Sieve 5A (0.5nm)	250 Gms	600	89740	Naphthalene-1-Acetic Acid (NAA)	25 Gms	210
	(1.6-3mm Beads)	1 Kg	1640	[86-87-3]	extrapure, 99%	100 Gms	640
		5 Kg	6540		(1-Naphthylacetic Acid)	500 Gms	2830
07764	Molecular Sieve 13X (2-4mm	250 Gms		75928	Naphthalene-1-Acetic Acid (NAA)	25 Gms	260
27764 [63231-69-6]	Beads)		550	[86-87-3]	for tissue culture, 99%	100 Gms	700
	,	1 Kg	1530		(1-Naphthylacetic Acid)	500 Gms	3270
		5 Kg	6110	84226	a-Naphthol pure, 99%	100 Gms	300
38717	Molybdenum AAS Standard Solution in 0.5N H2SO4 (Traceable	100 ml	1800	[90-15-3]	a map must pane, so //	500 Gms	1100
	to NIST)	250 ml	2900	00000	a Namhthal Bassant Crade 00 F9/		
31444	Molybdenum Trioxide extrapure,	100 Gms	2300	36309 [90-15-3]	a-Naphthol Reagent Grade, 99.5%	25 Gms	210
[1313-27-5]	99.5%	250 Gms	5300	. ,		100 Gms 500 Gms	520
		500 Gms	10300		- New John of English		2000
72615	Molybdenum Trioxide extrapure	100 Gms	2500	30585 [90-15-3]	a-Naphthol ExiPlus, Multi-Compendial, 99.5%	100 Gms	620
[1313-27-5]	AR, ACS, 99.5%	250 Gms	5600	[90-13-0]	•	500 Gms	2200
		500 Gms	10900		meets compendial specs of USP, BP,		
49664	Molybdic Acid pure, 85%	100 Gms	1800	70040	Ph.Eur	E00 O	
[7782-91-4]	, nano , teta paro, 00/0	250 Gms	4300	76018 [135-19-3]	b-Naphthol pure, 99%	500 Gms	500
		500 Gms	8100	74770	ß-Naphthol extrapure AR, 99%	100 Gms	320
		555 GIII6	0100	[135-19-3]	• • • • • • • • • • • • • • • • • • • •	=	320

Code	Name	Packing	Price	Code	Name	Packing	Price
19261	b-Naphthol extrapure AR, ExiPlus,	100 Gms	370	57709	Nickel (II) Nitrate Hexahydrate	500 Gms	1800
[135-19-3]	Multi-Compendial, 99%	500 Gms	1400	[13478-00-7]	pure, 98% (Nickelous Nitrate Hexahydrate)		
	meets compendial specs of USP, BP, Ph.Eur			30795	Nickel (II) Nitrate Hexahydrate	250 Gms	1200
62718 Û	Naphthol Green B (C.I. 10020)	25 Gms	250	[13478-00-7]	extrapure AR, 99%	500 Gms	2000
[19381-50-1]	(water soluble) for microscopy	100 Gms	780	33568	(Nickelous Nitrate Hexahydrate) Nickel (II) Nitrate Hexahydrate	250 Gms	1300
	(Green Acid 1, Naphthol Green B	500 Gms	3500	[13478-00-7]	extrapure AR, ACS, ExiPlus,	500 Gms	2200
77807	(W.S.) (M.S.), Acid Green 1) 1-Naphtholbenzein extrapure	5 Gms	850		Multi-Compendial, 99%		2200
[145-50-6]	(a-Naphtholbenzein,	25 Gms	3800		(Nickelous Nitrate Hexahydrate) meets compendial specs of Ph. Eur		
	p-naphtholbenzein, 4,4'-		0000	49487	Nickel (II) Oxide pure, 77% Ni	100 Gms	2100
86079	(a-Hydroxybenzylidene)di-1-naphthol) Neissers Stain A (Methylene Blue)	125 ml	200	[1313-99-1]	(Nickel Monoxide)	500 Gms	9100
00079	Neissels Stalli A (Wettiylelle Blue)	1251111	200	12125	Nickel (II) Sulphate Heptahydrate	500 Gms	1150
20379	Neissers Stain B (Crystal Violet)	125 ml	210	[10101-98-1]	pure, 98%	5 Kg	11000
	<u> </u>				(Nickelous Sulphate Heptahydrate)		
23058	Neissers Stain C (Chrysoidine)	125 ml	200	93377 [10101-98-1]	Nickel (II) Sulphate Heptahydrate extrapure AR, 99%	500 Gms	1250
36248	Neutral Red (High Purity), 85%	10 Gms	950	[10101.00.1]	(Nickelous Sulphate Heptahydrate)	5 Kg	12000
[553-24-2]	, ,,	25 Gms	2150	48105	Nickel (II) Sulphate Heptahydrate	100 Gms	780
		100 Gms	8200	[10101-98-1]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	1350
90691	Neutral Red extrapure AR, 60%	10 Gms	450		(Nickelous Sulphate Heptahydrate)		
[553-24-2]	(C.I. No. 50040)	25 Gms	820		meets compendial specs of USP, BP,		
		100 Gms	3000		Ph.Eur		
		500 Gms	12000	61397 [10101-97-0]	Nickel (II) Sulphate Hexahydrate ACS, 99%	100 Gms	900
18559	Neutral Red (High Purity) ACS,	10 Gms	1000	[10101-97-0]	(Nickelous Sulphate Heptahydrate)	500 Gms	3900
[553-24-2]	ExiPlus, Multi-Compendial, 85%	25 Gms	2300			5 Kg	37400
	meets compendial specs of BP			86097 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) pure,	100 Gms	420
73342	Nickel Aluminium Alloy powder,	100 Gms	750	[55-07-0]	99%	500 Gms	1250
[12635-27-7]	50% Ni, 50% Al	500 Gms	3000		(3-Picolinic Acid, Niacin, Vitamin B3)		
48615	Nickel AAS Standard Solution in	100 ml	1800	67066 [8005-03-6]	Nigrosin (water soluble)	100 Gms	520
	0.5N HNO3 (Traceable to NIST)	250 ml	2900	[0003-03-0]		500 Gms	2400
42591	Nickel (II) Acetate Tetrahydrate	100 Gms	800	75529 [11099-03-9]	Nigrosin (alcohol soluble)	100 Gms	530
[6018-89-9]	pure, 98%	500 Gms	3300	[11099-03-9]		500 Gms	2500
66490	(Nickelous Acetate Tetrahydrate) Nickel (II) Carbonate Basic Hydrate	500 Gms	E400	71131	Nigrosin 10% w/v Solution	100 ml	200
66489 [958638-02-3]	extrapure, 44-47% Ni	500 GIIIS	5400	36317	Nile Blue Chloride	25 Gms	1100
	(Nickelous Carbonate Hydroxide			[2381-85-3]	Time Blue emerius	100 Gms	5000
	Hydrate, Nickel Hydroxide Carbonate Hydrate)			62887	Nile Blue Sulphate	10 Gms	810
58481	Nickel (II) Carbonate Basic	500 Gms	3200	[3625-57-8]	Time Blue Guiphate	25 Gms	1640
[12607-70-4,	Tetrahydrate extrapure, 44-47% Ni	5 Kg	28900			100 Gms	6000
39430-27-8]	(Nickelous Carbonate Hydroxide Tetrahydrate, Nickel Hydroxide			47353	Nile Red	100 Mg	3000
	Carbonate Tetrahydrate)			[7385-67-3]	(Nile Blue A Oxazone)	1 Gms	16000
84421	Nickel (II) Chloride Hexahydrate	500 Gms	2300			5 Gms	30000
[7791-20-0]	<pre>pure, 98% (Nickelous Chloride Hexahydrate)</pre>	5 Kg	21500	55058	Ninhydrin ACS	10 Gms	700
27303	Nickel (II) Chloride Hexanydrate	100 Gms	600	[485-47-2]	· · · · · · · · · · · · · · · · · · ·	25 Gms	1600
[7791-20-0]	ACS, 98%	500 Gms	2400			100 Gms	6200
	(Nickelous Chloride Hexahydrate)			93940	Ninhydrin ExiPlus,	10 Gms	740
10081 [7791-20-0]	Nickel (II) Chloride Hexahydrate ExiPlus, Multi-Compendial, 98%	100 Gms	700	[485-47-2]	Multi-Compendial	25 Gms	1700
[1181-20-0]	(Nickelous Chloride Hexahydrate)	500 Gms	2700			100 Gms	6500
	meets compendial specs of BP				meets compendial specs of USP,BP &		-
75546 [7440-02-0]	Nickel Metal powder extrapure, 99.5%, ~100 mesh	100 Gms	1400		Ph.Eur		

Code	Name	Packing	Price	Code	Name	Packing	Pric
48081	Nitrilotriacetic Acid (NTA) extrapure	100 Gms	300	87572	Oleic Acid pure, 65%	500 ml	490
[139-13-9]	AR, ACS, 98% (N,N-Bis(carboxymethyl)glycine,	500 Gms	1100	[112-80-1]	(cis-9-Octadecenoic acid, Elainic acid)	2500 ml	1990
	Tris(carboxymethyl)amine)			28460	,	1 Gms	1200
15319 [88-74-4]	o-Nitroaniline extrapure, 99%	250 Gms	740	[112-80-1]	99%(GC)	5 Gms	3000
34003	m-Nitroaniline extrapure, 99%	250 Gms	1750			25 Gms	11000
[99-09-2]				55081 [112-80-1]	Oleic Acid extrapure, 98% (cis-9-Octadecenoic acid, Elainic acid)	25 ml 100 ml	3000
99409 [100-01-6]	p-Nitroaniline extrapure, 98%	250 Gms	670	87519	Oleylamine pure, 95%	250 ml	5500 390
69114	p-Nitroaniline (High Purity)	25 Gms	340	[112-90-3]	(cis-9-Octadecenylamine)	1000 ml	1450
[100-01-6]	extrapure AR, 99.5%	100 Gms	880			2500 ml	3300
55410	Nitrobenzene pure, 98%	500 ml	340	79576	Olive Oil	100 ml	500
[98-95-3]		2500 ml	1500	[8001-25-0]		250 ml	900
75010	Nitrobenzene ACS, 99%	500 ml	380			500 ml	1500
[98-95-3]		2500 ml	1700	13756	Orange G	25 Gms	260
40208	Nitrobenzene ExiPlus,	500 ml	440	[1936-15-8]		100 Gms	810
[98-95-3]	Multi-Compendial, 99%	2500 ml	1900	66366	Orcinol Anhydrous extrapure (3,5-	5 Gms	2000
	meets compendial specs of BP, Ph.Eur			[504-15-4]	dihydroxytoluene), 99%	25 Gms	4900
79007	Nitromethane pure, 97%	500 ml	750			100 Gms	12100
[75-52-5]	(Nitrocarbol, Nitroparaffin)	2500 ml	3300	49330	Orcinol Monohydrate extrapure	10 Gms	1200
		25 Ltr	30000	[6153-39-5]	(3,5- dihydroxytoluene monohydrate), 99%	25 Gms	2700
20509	Nitromethane ACS, 98%	500 ml	1060		mononyurate,, 55%	100 Gms	8400
[75-52-5]	(Nitrocarbol, Nitroparaffin)	1000 ml	1870	36916	Orcinol Monohydrate ExiPlus,	10 Gms	1400
		2500 ml	4360	[6153-39-5]	Multi-Compendial (3,5- dihydroxytoluene monohydrate),	25 Gms	3200
50337	p-Nitrophenol pure, 98%	100 Gms	290		99%	100 Gms	9000
[100-02-7]	(4-Nitrophenol)	500 Gms	950		meets compendial specs of USP, BP		
25170	p-Nitrophenol (High Purity) extrapure AR, 99.5%	25 Gms	420	36678 [7664-38-2]	Orthophosphoric Acid extrapure, 85%	500 ml	600
[100-02-7]	extrapule Art, 55.5%	100 Gms	1190	[7004-30-2]	(Phosphoric Acid)	2500 ml	2200
		500 Gms	5240			20 Ltr	15900
59687 [100-02-7]	p-Nitrophenol (High Purity) extrapure AR, ExiPlus,	25 Gms	480	50056 [7664-38-2]	Orthophosphoric Acid extrapure AR, ACS, 85%	500 ml	700
[.00 02 .]	Multi-Compendial, 99.5%	100 Gms	1310		(Phosphoric Acid)	2500 ml	2500
	meets compendial specs of BP, Ph.Eur			38048	Orthophosphoric Acid for HPLC &	250 ml	1500
49301 [100-02-7]	p-Nitrophenol for Spectrophotometry, 99.5%	5 Gms	1870	[7664-38-2]	UV Spectroscopy, 85%	500 ml	2600
[100-02-7]	(4-Nitrophenol)	25 Gms	4740			1000 ml	4700
54373	Nonane Sulphonic Acid Sodium	5 Gms	2700	83577 [20816-12-0]	Osmic Acid extrapure, 99%	1 Gms	7000
[35192-74-6]	Salt Anhydrous for HPLC, 98% (Sodium 1-Nonanesulfonate)	25 Gms	11600	40510	Oxalic Acid extrapure AR, 99.5%	500 Gms	380
67956	Octane Sulphonic Acid Sodium Salt	25 Gms	1300	[6153-56-6]	• , , ,	5 Kg	3500
[5324-84-5]	Anhydrous for HPLC, 99%	100 Gms	4600	72425	Oxalic Acid Dihydrate extrapure	500 Gms	430
		250 Gms	11300	[6153-56-6]	AR, ACS, ExiPlus,	5 Kg	4000
72554	Octane Sulphonic Acid Sodium Salt	25 Gms	1300		Multi-Compendial, 99.5% meets compendial specs of USP, BP,		
[207596-29-0]	Monohydrate for HPLC, 99%	100 Gms	4600		Ph.Eur		
		250 Gms	11300	64056	Palladium (II) Acetate (Palladium	250 Mg	3000
38732	1-Octanol (1-Octyl Alcohol) pure,	500 ml	750	[3375-31-3]	Diacetate) extrapure, 99%, 47% Pd	1 Gms	8000
[111-87-5]	99% (n-Octanol, n-Octyl Alcohol)	2500 ml	3500			5 Gms	38000
40334	1-Octanol (1-Octyl Alcohol) for	500 ml	2000			25 Gms	180000
[111-87-5]	HPLC & UV Spectroscopy, 99%	1000 ml	3800	59548	• • • • • • • • • • • • • • • • • • • •	250 Mg	2500
F0704	(n-Octanol, n-Octyl Alcohol)			[14024-61-4]	(Pd(acac)2) extrapure, 34.7% Pd (Bis(2,4-Pentanedionato) Palladium(II),	1 Gms	8000
52761 [142-31-4]	Octyl Sulphate Sodium Salt for HPLC, 99%	5 Gms	2330		Bis(Acetylacetonato) Palladium(II))	5 Gms	30000
[01 -]	(Sodium Octyl Sulphate, SOS)	25 Gms	9880				

Code	Name	Packing	Price	Code	Name	Packing	Price
69263	Palladium AAS Standard Solution	100 ml	3600	74193	Paraffin Wax White Soft pure	100 Gms	180
	in 0.5N HCI (Traceable to NIST)	250 ml	5900	[8002-74-2]	(Petroleum Jelly White)	500 Gms	440
33080	Palladium (II) Chloride pure, 99%,	250 Mg	3500	66400	Paraffin Wax w/ Ceresin Blocks,	500 Gms	800
[7647-10-1]	59-60% Pd (Palladium Dichloride)	1 Gms	8500	[8002-74-2]	58-60°C	1 Kg	1400
	(i alladiditi biciliotide)	5 Gms	40000			2 Kg	2700
		25 Gms	190000	60536	Paraffin Yellow pure	500 Gms	620
96917	Palladium (II) Chloride ACS,	250 Mg	3800	[8002-74-2]	D. Mir	400.0	
[7647-10-1]	ExiPlus, Multi-Compendial, 99%, 59-60% Pd	1 Gms	9400	45057 [9000-69-5]	Pectin pure (Poly-D-Galacturonic Acid Methyl	100 Gms 500 Gms	820
	(Palladium Dichloride)	5 Gms	46000		Ester)	1 Kg	3300 5600
	(1100.00	25 Gms	220000			5 Kg	25000
	meets compendial specs of USP, BP	0=0.14		96096 🗸	n-Pentane extrapure, 99%	500 ml	700
19694 [32916-07-7]	Palladium (II) Nitrate Dihydrate extrapure, 99%, 40% Pd	250 Mg	2300	[109-66-0]	n-remaine extrapure, 35%	2500 ml	3200
	(Palladium Dinitrate Dihydrate)	1 Gms 5 Gms	7500 34000			25 Ltr	29000
	Dalladium FOC On Ashasha			41730 🗸	n-Pentane extrapure AR, 99%	500 ml	800
92345 [7440-05-3]	Palladium 5% On Asbestos	1 Gms 10 Gms	1800	[109-66-0]	in i omano oxtrapare 241, 00%	2500 ml	3500
	B. II. II. (20) O. A. I. I.		10000	94510	n-Pentane extrapure AR, ExiPlus,	500 ml	900
57033 [7440-05-3]	Palladium 10% On Asbestos	1 Gms 10 Gms	2400	[109-66-0]	Multi-Compendial, 99%	2500 ml	3700
			18000		meets compendial specs of USP, BP,	2500 1111	3700
44002 [7440-05-3]	Palladium 5% On Activated Carbon	1 Gms	2000		Ph.Eur		
[10 Gms 50 Gms	9500	49135	n-Pentane for HPLC & UV	500 ml	1200
			38000	[109-66-0]	Spectroscopy, 99%	1000 ml	2200
45685 [7440-05-3]	Palladium 5% On Activated Carbon (50% wet)	1 Gms	1100	47040	1,2-Pentanediol pure, 98%	25 ml	1400
. ,	,	10 Gms 50 Gms	4750 19000	[5343-92-0]	(1,2-Dihydroxypentane)	250 ml	7900
50044	Dalladium 100/ On Astivated			18486	Pentane Sulphonic Acid Sodium	25 Gms	1300
52944 [7440-05-3]	Palladium 10% On Activated Carbon	1 Gms 10 Gms	2500	[22767-49-3]	Salt Anhydrous for HPLC, 99%	100 Gms	4600
. ,		50 Gms	18000 75000			250 Gms	11300
46494	Palladium 10% On Activated	1 Gms		90760	Pentane Sulphonic Acid Sodium	25 Gms	1300
[7440-05-3]	Carbon (50% wet)	10 Gms	1450 9000	[207605-40-1]	Salt Monohydrate for HPLC, 99%	100 Gms	4600
		50 Gms	37500			250 Gms	11300
40822	Palladium 10% on Calcium	1 Gms	2400	23283	Perchloric Acid ACS, for Diamond	500 ml	2200
[7440-05-3]	Carbonate	5 Gms	8000	[7601-90-3]	Industry, 70%		
32049	Palladium (II) Oxide pure, 85% Pd	250 Mg	4500	26312	Suitable fo Diamond Industry Periodic Acid extrapure, 99%	25 Gms	1100
[1314-08-5]	(Palladium Monoxide)	1 Gms	14000	[10450-60-9]	, , , , , , , , , , , , , , , , , , , ,	100 Gms	3500
91040	Palladium (II) Sulphate extrapure,					500 Gms	16000
81249 [13566-03-5]		250 Mg 1 Gms	3000 9800	11639	Periodic Acid ACS, 99%	25 Gms	1250
				[10450-60-9]	·, ·-	100 Gms	4500
18211 [8012-95-1,	Paraffin Liquid Light (Mineral Oil Light) extrapure, 25-80mPas	500 ml 2500 ml	270 1150	11778	Petroleum Ether 40-60 extrapure	500 ml	400
8042-47-5]		2500 mi 25 Ltr	1150 10500	[8032-32-4]		2500 ml	1600
70167	Paraffin Liquid Heavy (Mineral Oil			26440	Petroleum Ether 40-60 extrapure	500 ml	500
79167 [8012-95-1,	Heavy) extrapure, 110-230mPas	500 ml 2500 ml	300 1300	[8032-32-4]	AR	2500 ml	1900
8042-47-5]		25 Ltr	12500	58415	Petroleum Ether 60-80 pure	500 ml	
86715	Paraffin Wax Cubes (Type 1 -	500 Gms		58415 [8032-32-4]	. Calolouin Earler ou-ou pure	2500 ml	280 950
86/15 [8002-74-2]	56-58) extrapure	1 Kg	430 790	•		25 Ltr	9000
47994	Paraffin Wax Pellets (Type 2 -			36651	Petroleum Ether 60-80 extrapure	500 ml	300
47994 [8002-74-2]	58-60) extrapure	500 Gms 1 Kg	430 790	[8032-32-4]	AR	2500 ml	1050
					Petroleum Ether 60-80 for HPLC &		
84381 [8002-74-2]	Paraffin Wax Pellets (Type 3 - 60-62) extrapure	500 Gms 1 Kg	430 790	15340 [8032-32-4]	UV Spectroscopy	500 ml 1000 ml	640 1150
		1 1/0	/ MU				

Code	Name	Packing	Price	Code	Name	Packing	Price
15590	Petroleum Ether 80-100 pure	500 ml	420	90817	Phenol Red	25 Gms	670
[8032-32-4]		2500 ml	1690	[143-74-8]		100 Gms	2600
		25 Ltr	15500			500 Gms	11880
52226	Petroleum Ether 100-120 extrapure	500 ml	440	68313	Phenol Red ACS, ExiPlus,	25 Gms	760
[8032-32-4]		2500 ml	1600	[143-74-8]	Multi-Compendial	100 Gms	2810
69031	Phenol:Chloroform:Isoamyl	100 ml	1400			500 Gms	12960
[136112-00-0]		250 ml	3200		meets compendial specs of BP, Ph.Eur		
	molecular biology	500 ml	4300	59462	Phenol Red Sodium Salt ACS	5 Gms	250
17080	Phenol:Chloroform:Isoamyl	100 ml	2600	[34487-61-1]	(water soluble), 95% (Phenolsulfonephthalein Sodium Salt)	25 Gms	710
	Alcohol (125:24:1) pH 4.5 for	500 ml	8700		(i Herioisunoriephinaiem oodium out)	100 Gms	2680
79030	molecular biology	400 1		40919	D-Phenylalanine extrapure CHR,	5 Gms	440
79030	Phenol:Chloroform:Isoamyl Alcohol (49.5:49.5:1) pH 6.7 for	100 ml	2700	[673-06-3]	99%	25 Gms	1750
	molecular biology	500 ml	9100			100 Gms	6540
36976	Phenol:Chloroform: Isoamyl	100 ml	2800	67602	DL-Phenylalanine extrapure CHR,	25 Gms	710
	Alcohol (49.5:49.5:1) pH 8.0 for molecular biology	500 ml	9800	[150-30-1]	99%	100 Gms	2410
28104 (i	Phenol Crystalline pure, 99%	500 Gms	630	85081	L-Phenylalanine extrapure CHR,	100 Gms	500
[108-95-2]	(Hydroxybenzene, Carbolic Acid)	2.5 Kg	2870	[63-91-2]	99%	500 Gms	2200
		25 Kg	23480			1 Kg	3800
14892 (i	Phenol Crystalline extrapure AR,	500 Gms	710			5 Kg	16000
[108-95-2]	99.5%	2.5 Kg	3120	40170	L-Phenylalanine ExiPlus,	100 Gms	650
	(Hydroxybenzene, Carbolic Acid)			[63-91-2]	Multi-Compendial, 99%	500 Gms	2500
	Phenol Crystalline extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	780			1 Kg	4600
[108-95-2]	99.5%	2.5 Kg	3360		meets compendial specs of BP		
	(Hydroxybenzene, Carbolic Acid)			64975	Phenylhydrazine pure, 98%	100 ml	700
	meets compendial specs of USP, BP			[100-63-0]		500 ml	2800
17286 [108-95-2]	Phenol Crystalline for molecular biology, 99.5%	100 Gms	500			2500 ml	14200
[100-93-2]	(Hydroxybenzene, Carbolic Acid)	500 Gms	1870	31804	Phenylhydrazine extrapure AR, 99%	100 ml	1200
47484	Phenol Equilibrated with 0.1M	100 ml	1170	[100-63-0]		500 ml	5500
[108-95-2]	Citrate Buffer pH 4.5 for molecular	500 ml	4700	40555	Phenylhydrazine Hydrochloride	100 Gms	800
12692	biology w/ Stabilizer Phenol Tris Equilibrated for	60 ml	1520	[59-88-1]	pure, 99%	250 Gms	1800
[108-95-2]	molecular biology w/ Stabilizer	100 ml	2060	12109	Phenylhydrazine Hydrochloride	100 Gms	1100
	(Hydroxybenzene, Carbolic Acid)	500 ml	5400	[59-88-1]	extrapure AR, 99%	250 Gms	2600
78348	Phenol Tris Equilibrated for	100 ml		26892	Phenylhydrazine Hydrochloride	100 Gms	1400
[108-95-2]	molecular biology w/o Stabilizer	500 ml	2060 5400	[59-88-1]	extrapure AR, ExiPlus,	250 Gms	3300
00075	Dhamal Caturated out 100/ scator for				Multi-Compendial, 99% meets compendial specs of USP, BP,		
83275 [108-95-2]	Phenol Saturated w/ 10% water for molecular biology (Phenol Liquid	100 ml	980		Ph.Eur		
. ,	w/ 10% water), 90%	500 ml	3140	64732	Phenylhydrazine Hydrochloride	5 Gms	1000
90179	Phenolphthalein extrapure AR, 99%	50 Gms	430	[59-88-1]	Superior extrapure AR, 99%	100 Gms	2500
[77-09-8]		100 Gms	640	28022	Phenyltrimethyl Ammonium	100 Gms	700
		500 Gms	3060	[138-24-9]	Chloride (PTMAC) pure, 97%	500 Gms	3000
74785	Phenolphthalein extrapure AR,	100 Gms	770	82322	Phosphomolybdic Acid extrapure	25 Gms	1300
[77-09-8]	ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	3260		AR, ACS, 99%	100 Gms	4100
	meets compendial specs of BP, Ph.Eur					500 Gms	16800
22757	Phenolphthalein Indicator 0.5%	125 ml	180	78861	Phosphorous Acid Crystals	500 Gms	700
[77-09-8]	Soln in Ethanol (Phthalin;3,3-bis(4-Hydroxyphenyl)	500 ml	460	[13598-36-2]	(Phosphonic Acid) extrapure, 98% (Orthophosphorous Acid)	2.5 Kg	3000
	-2-Benzofuran-1-one) Phenolphthalein Indicator 1% Soln	105 ~1	000	72656	Phosphorus Red pure 97%	500 Gms	2500
79563	FRENOIDING AREA INDICATOR 1% 2010	125 ml	220	[7723-14-0]			

Code	Name	Packing	Price	Code	Name	Packing	Price
80653	Phosphotungstic Acid Hydrate	25 Gms	800	35207	Polyethylene Glycol 4000 Powder	500 Gms	575
[12501-23-4]	extrapure (Tungstophosphoric Acid)	100 Gms	2700	[25322-68-3]	(PEG 4000) (Carbowax 4000)	5 Kg	5400
		500 Gms	11300	67429	Polyethylene Glycol 6000 Flakes	500 Gms	550
57855 [12501-23-4]	Phosphotungstic Acid Hydrate extrapure AR	25 Gms	1000	[25322-68-3]	(PEG 6000)	5 Kg	4800
[12501-25-4]	extrapule Art	100 Gms	3400	26029	(Carbowax 6000) Polyethylene Glycol 6000 Flakes	500 Gms	650
		500 Gms	12900	[25322-68-3]	(PEG 6000) ExiPlus,	5 Kg	6100
67397 [88-99-3]	Phthalic Acid pure, 99%	500 Gms	800		Multi-Compendial (Carbowax 6000)	J	0.00
32624	Phthalic Anhydride pure, 97%	500 Gms	400		meets compendial specs of USP		
[85-44-9]		5 Kg	3000	49194 [25322-68-3]	Polyethylene Glycol 6000 Powder (PEG 6000)	500 Gms	600
93665	Phthalic Anhydride ACS, 99%	500 Gms	800	[25522-06-5]	(Carbowax 6000)	5 Kg	5500
[85-44-9]		5 Kg	6900	54866	Polyethylene Glycol 8000 Flakes	500 Gms	1750
44745 [17211-15-3]	Phytic Acid Sodium Salt Hydrate (InsP6) extrapure, 70%	5 Gms 25 Gms	3800 16700	[25322-68-3]	(PEG 8000) for molecular biology (Carbowax 8000)	5 Kg	15810
	(Inositol hexaphosphoric acid		10700	94701	Polyethylene Glycol 8000 Flakes	500 Gms	760
	dodecasodium salt, myo-Inositol hexakis(dihydrogen phosphate) dodecaso			[25322-68-3]	(PEG 8000) ExiPlus, Multi-Compendial (Carbowax 8000)	5 Kg	7130
94847	Picric Acid moistened with ∼30%	100 Gms	400	44766	Polyethylene Glycol 8000 Powder	500 Gms	920
[88-89-1]	water extrapure, 99%	500 Gms	1000	[25322-68-3]	(PEG 8000) for molecular biology (Carbowax 8000)	5 Kg	8950
47998	Picric Acid moistened with ~30%	100 Gms	500	64651	Polyethylene Glycol 9000 Flakes	500 Gms	750
[88-89-1]	water extrapure AR, 99.8%	500 Gms	1200	[25322-68-3]	(PEG 9000) (Carbowax 9000)	5 Kg	6750
45808 [88-89-1]	Picric Acid moistened with ~30% water PrimeDx, 99.8%	5 Kg	9500	46505	Polyethylene Glycol 9000 Flakes	500 Gms	950
	·	25 Kg	45000	[25322-68-3]	(PEG 9000) ExiPlus,	5 Kg	9000
16462 [52785-06-5]	Platinum (IV) Oxide Hydrate extrapure, 76-80% Pt	250 Mg 1 Gms	3800		Multi-Compendial (Carbowax 9000)		
[Platinum Dioxide Hydrate, Adam's Catalyst	i Gms	12700	22531	Polyethylene Glycol 9000 Powder	500 Gms	800
41175	Podophyllum Resin pure, 50%	25 Gms	4900	[25322-68-3]	(PEG 9000) (Carbowax 9000)	5 Kg	7250
[9000-55-9]		100 Gms	16800	39569	Polyethylene Glycol 10000 (PEG	500 Gms	2400
79133	Polyethylene Glycol 400 (PEG 400)	500 Gms	450	[25322-68-3]	10000)	5 Kg	22000
[25322-68-3]	(Carbowax 400)	5 Kg	4000		(Polyethylene oxide, Polyoxy ethylene, Carbowax 10000)		
87919	Polyethylene Glycol 400 (PEG 400)	500 Gms	550	75727	Polyethylene Glycol 20000 Flakes	100 Gms	800
[25322-68-3]	ExiPlus, Multi-Compendial	5 Kg	5000	[25322-68-3]	(PEG 20000)	500 Gms	3500
	(Carbowax 400) meets compendial specs of BP				(Carbowax 20000)	1 Kg	6000
16053	Polyethylene Glycol 1000 (PEG	500 Gms	575			5 Kg	18000
[25322-68-3]	1000)	5 Kg	5250	42248	Polyethylene Glycol 20000 Powder	500 Gms	3800
	(Poly(ethylene glycol), Polyethylene glycol 1000, Polyglycol, Polyethylene			[25322-68-3]	(PEG 20000) (Carbowax 20000)	1 Kg	6500
	oxide, Polyoxyethylene)			33817	Polyethylene Glycol 20000 Flakes	100 Gms	1200
61213	Polyethylene Glycol 3350 Flakes	500 Gms	820	[25322-68-3]	•	500 Gms	4000
[25322-68-3]	(PEG 3350) ExiPlus, Multi-Compendial	5 Kg	7600		Multi-Compendial (Carbowax 20000)	1 Kg	7000
	(Carbowax 3350)				meets compendial specs of USP, BP		
48759	Polyethylene Glycol 3350 Powder	500 Gms	720	41098	Polyphosphoric Acid extrapure,	500 ml	1590
[25322-68-3]	(PEG 3350) (Carbowax 3350)	5 Kg	6600	[8017-16-1]	83-87% P2O5	2500 ml	7420
30970	Polyethylene Glycol 4000 Flakes	500 Gms	500	28599	Polysorbate 20 (Tween 20)	500 Gms	850
[25322-68-3]	(PEG 4000) Flakes	5 Kg	4860	[9005-64-5]	extrapure	2.5 Kg	3710
	(Carbowax 4000)	25 Kg	23040			5 Kg	7000
76937	Polyethylene Glycol 4000 Flakes	500 Gms	600			25 Kg	33350
[25322-68-3]	(PEG 4000) Flakes ExiPlus, Multi-Compendial (Carbowax 4000) meets compendial specs of USP	5 Kg	5620	33712 [9005-64-5]	Polysorbate 20 (Tween 20) for tissue culture	500 Gms	1160

T I		Y Y	\square	Y Y
Code	Name	Packing	Price	Code
23610 [9005-64-5]	Polysorbate 20 (Tween 20) ExiPlus, Multi-Compendial meets compendial specs of BP	500 Gms	1040	96248 [127-08-2]
65296 [9005-64-5]	Polysorbate 20 (Tween 20) for molecular biology	100 Gms 500 Gms	1580 2550	81955 [127-08-2]
54077 [9005-64-5]	Polysorbate 20 (Tween 20) PrimeDx	1 Kg	7000	99644 [7758-01-2]
31453 [9005-66-7]	Polysorbate 40 (Tween 40) extrapure	250 Gms 5 Kg	610 9500	80823 [7758-02-3]
62539 [9005-66-7]	Polysorbate 40 (Tween 40) ExiPlus, Multi-Compendial	250 Gms 5 Kg	1090	66453 [7758-02-3]
	meets compendial specs of USP, BP, Ph.Eur	5 Kg	12500	25707 [7758-02-3]
12502	Polysorbate 60 (Tween 60)	100 Gms	480	
[9005-67-8]	extrapure	500 Gms 5 Kg	1060 8000	13873 [7758-02-3]
36878	Polysorbate 60 (Tween 60) ExiPlus,	500 Gms	1210	
[9005-67-8]	Multi-Compendial meets compendial specs of USP, BP,	5 Kg	9000	87005
28940 [9005-65-6]	Ph.Eur Polysorbate 80 (Tween 80) extrapure	500 Gms	910	93649 [7758-02-3]
[0000 00 0]		5 Kg 25 Kg	6670 30320	79982 [7758-02-3]
9 5188 [9005-65-6]	Polysorbate 80 (Tween 80) ExiPlus, Multi-Compendial	500 Gms 5 Kg	1050 7890	29988 [7758-02-3]
	meets compendial specs of BP	25 Kg	37590	24794 [298-14-6]
10606 [9005-65-6]	Polysorbate 80 (Tween 80) PrimeDx	5 Kg 25 Kg	9000 42000	
1613	Polyvinylpyrrolidone K25	100 Gms	750	57674 [298-14-6]
[9003-39-8]	(Povidone, PVP K-25)	500 Gms	2850	
41030	Polyvinylpyrrolidone K30	5 Kg 100 Gms	24000 650	87272 [584-08-7]
	(Povidone, PVP K-30)	500 Gms	2300	83342
		5 Kg 25 Kg	21000 95000	[584-08-7]
65155	Polyvinylpyrrolidone K30	100 Gms	750	
[9003-39-8]	(Povidone, PVP K-30) ExiPlus, Multi-Compendial	500 Gms	3000	38630 [7447-40-7]
	meets compendial specs of BP	5 Kg	28000	. ,
24564	Polyvinylpyrrolidone K90	100 Gms	1200	50016
[9003-39-8]	(Povidone, PVP K-90)	500 Gms	3700	[7447-40-7]
44000	Detection Acetata nura 009/	5 Kg	28500	
44333 [127-08-2]	Potassium Acetate pure, 99%	500 Gms 5 Kg	600 5500	84984 [7447-40-7]
79156 [127-08-2]	Potassium Acetate extrapure AR, 99%	500 Gms 5 Kg	680 6400	71088
40480 [127-08-2]	Potassium Acetate extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms 5 Kg	730 6900	[7447-40-7] 84390 [7789-00-6]
	meets compendial specs of USP, BP			

Code	Name	Packing	Price
96248	Potassium Acetate for molecular	100 Gms	400
[127-08-2]	biology, 99.5%	500 Gms	1200
81955	Potassium Acetate for tissue	100 Gms	300
[127-08-2]	culture, 99.5%	500 Gms	900
99644	Potassium Bromate pure, 99.5%	500 Gms	1050
[7758-01-2]		5 Kg	10200
80823	Potassium Bromide pure, 98.5%	500 Gms	1100
[7758-02-3]		5 Kg	10200
66453	Potassium Bromide extrapure AR,	500 Gms	1600
[7758-02-3]	99.5%	5 Kg	15000
25707	Potassium Bromide extrapure AR,	500 Gms	1800
[7758-02-3]	ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	17000
	meets compendial specs of USP, BP		
13873	Potassium Bromide Powder for IR	25 Gms	1200
[7758-02-3]	& FTIR spectroscopy, 99.5%	100 Gms	4270
		500 Gms	18000
87005	Potassium AAS Standard Solution in 0.5N HCI (Traceable to NIST)	100 ml	1800
	<u> </u>	250 ml	2900
93649 [7758-02-3]	Potassium Bromide 0.1M Solution	500 ml	310
	Detection Drawids 0 FM Calution	1000 ml	560
79982 [7758-02-3]	Potassium Bromide 0.5M Solution	500 ml 1000 ml	330 610
	Potassium Bromide 1M Solution		
29988 [7758-02-3]	Potassium Bromide IIII Solution	500 ml 1000 ml	360 640
24794	Potassium Bicarbonate extrapure,	500 Gms	430
[298-14-6]	99% (Potassium Hydrogen Carbonate)	500 GIIIS	430
57674	Potassium Bicarbonate ACS,	500 Gms	470
[298-14-6]	ExiPlus, Multi-Compendial, 99.7% (Potassium Hydrogen Carbonate)		
	meets compendial specs of BP ,USP		
87272	Potassium Carbonate anhydrous	500 Gms	390
[584-08-7]	extrapure, 99%	5 Kg	3400
83342	Potassium Carbonate anhydrous	500 Gms	450
[584-08-7]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	3890
	meets compendial specs of USP		
38630	Potassium Chloride ACS, 99.5%	500 Gms	310
[7447-40-7]		5 Kg	2290
		25 Kg	10690
50016	Potassium Chloride ACS, ExiPlus,	500 Gms	340
[7447-40-7]	Multi-Compendial, 99.5%	5 Kg	2620
	meets compendial specs of BP, Ph.Eur, USP		
84984	Potassium Chloride for molecular	500 Gms	900
[7447-40-7]	biology, 99.5%	1 Kg	1370
71088 [7447-40-7]	Potassium Chloride for tissue culture, 99.5%	250 Gms	770
84390	Potassium Chromate pure, 99%	500 Gms	920
[7789-00-6]		5 Kg	8400

Code	Name	Packing	Price	Code	Name	Packing	Price
93448 [7789-00-6]	Potassium Chromate extrapure AR, 99.5%	500 Gms	1000	12914 [14459-95-1]	Potassium Ferrocyanide extrapure AR, ACS, ExiPlus,	500 Gms	950
[7769-00-0]	33.376	5 Kg	9000	[14459-95-1]	Multi-Compendial, 99%	5 Kg	9000
31751 [7789-00-6]	Potassium Chromate extrapure AR,	500 Gms	1110		meets compendial specs of USP, Ph.Eur		
[7769-00-6]	ACS, ExiPlus, Multi-Compendial, 99.5%			97535 [7789-23-3]	Potassium Fluoride Anhydrous pure, 97%	500 Gms	800
	meets compendial specs of USP, BP, Ph.Eur			91489	Potassium Hexachloroplatinate (IV)	250 Mg	3500
49890	Potassium Citrate Tribasic	500 Gms	550	[16921-30-5]	pure, 40% Pt (Platinum Potassium Chloride,	1 Gms	8100
[6100-05-6]	Monohydrate extrapure AR, 99%	5 Kg	5250		Potassium Chloroplatinate)	5 Gms	34500
74176	Potassium Citrate Tribasic	500 Gms	650			25 Gms	161000
[6100-05-6]	Monohydrate extrapure AR,	5 Kg	6250	42414	Potassium Hexafluorophosphate	25 Gms	700
	ExiPlus, Multi-Compendial, 99%			[17084-13-8]	extrapure, 99%	100 Gms	1700
13250	meets compendial specs of BP Potassium Dichromate pure, 99.5%	500 Gms	050			500 Gms	6000
[7778-50-9]	Potassium Dichromate pure, 99.5%	500 Gills 5 Kg	950 8600	40180	Potassium Hexafluorotitanate pure,	100 Gms	500
	Data a livra Dialamenta AOO 00 00/			[16919-27-0]	98% (Potassium Fluotitanate, Potassium	500 Gms	1200
80233 [7778-50-9]	Potassium Dichromate ACS, 99.9%	500 Gms	1050		Titanium Fluoride, Dipotassium	5 Kg	8000
		5 Kg	9100		hexafluorotitanate, Titanium potas		
55353 [7778-50-9]	Potassium Dichromate ACS, ExiPlus, Multi-Compendial, 99.9%	500 Gms	1200	37466	Potassium Hexafluorozirconate	100 Gms	1070
[7770-30-3]	•	5 Kg	9800	[16923-95-8]	pure, 97%	500 Gms	2500
	meets compendial specs of BP			39535	Potassium Hexaiodoplatinate (IV)	250 Mg	3400
52403 [7778-77-0]	Potassium Dihydrogen Orthophosphate pure, 99%	500 Gms	520	[16905-14-9]	pure, 18-19% Pt	1 Gms	8000
. ,		5 Kg 25 Kg	4800 22000	80633	Potassium Hydrogen Phthalate	500 Gms	720
	Data a livra Dibarda a san			[877-24-7]	ACS, 99.95%		
50451 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR,	500 Gms	640	29467 [877-24-7]	Potassium Hydrogen Phthalate ExiPlus, Multi-Compendial, 99.95%	500 Gms	820
. ,	99.5%	1 Kg 5 Kg	1200	[]	meets compendial specs of BP, Ph.Eur		
		-	5300	49017	Potassium Hydrogen Phthalate for	500 Gms	980
78297 [7778-77-0]	Potassium Dihydrogen Orthophosphate extrapure AR,	500 Gms	700	[877-24-7]	HPLC & UV Spectroscopy, 99.9%		
. ,	ACS, ExiPlus, Multi-Compendial,	1 Kg 5 Kg	1350	65031	Potassium Hydrogen Sulphate (Potassium Bisulphate) pure, 99%	500 Gms	600
	99.5%	3 Ng	5700	[7646-93-7]	(Fotassium bisulphate) pure, 33%	5 Kg	5800
54358	meets compendial specs of BP Potassium Dihydrogen	250 Gms	600	10942	Potassium Hydrogen Sulphate extrapure AR, ACS, ExiPlus,	500 Gms	720
[7778-77-0]	Orthophosphate for molecular	500 Gms	1150	[7646-93-7]	Multi-Compendial, 99%		
	biology, 99.5%	5 Kg	11000		(Potassium Bisulphate)		
	(Potassium Phosphate Monobasic)				meets compendial specs of BP, Ph.Eur		
30955 [7778-77-0]	Potassium Dihydrogen Orthophosphate for HPLC & UV	500 Gms	980	76131	Potassium Hydrogen Tartrate (Potassium Bitartrate) pure, 99%	500 Gms	850
[Spectroscopy, 99.5%	5 Kg	9500	[868-14-4]	(Potassium L-Tartrate Monobasic)	5 Kg	7900
32360	Potassium Dihydrogen	500 Gms	750	84749	Potassium Hydroxide pellets	500 Gms	480
[7778-77-0]	Orthophosphate for tissue culture, 99.5%	1 Kg	1450	[1310-58-3]	extrapure, 85%	1 Kg	850
	(Potassium Phosphate Monobasic)	5 Kg	6000			5 Kg	4100
77012	Potassium Ethyl Xanthate (PEX)	100 Gms	1400			25 Kg	16000
[140-89-6]	extrapure, 98%	500 Gms	5800	78269	Potassium Hydroxide Pellets	500 Gms	520
15766	(O-Ethyl Xanthic Acid Potassium Salt) Potassium Ferricyanide extrapure,	100 Gms	450	[1310-58-3]	Reagent Grade, 85%	1 Kg	1000
15766 [13746-66-2]		500 Gms	450 1950			5 Kg	4400
•		5 Kg	18000	18543	Potassium Hydroxide Pellets	500 Gms	560
EOFFO	Potassium Ferricyanide ACS,			[1310-58-3]	ExiPlus, Multi-Compendial, 85%	5 Kg	4800
59558 [13746-66-2]	ExiPlus, Multi-Compendial, 98%	250 Gms 500 Gms	1150 2130		meets compendial specs of USP ,BP, &		
•		500 Gills 5 Kg	19840		Ph.Eur		
	meets compendial specs of USP, Ph.Eur	o ng	19040	26035	Potassium Hydroxide Powder	500 Gms	500
32294	Potassium Ferrocyanide extrapure	500 Gms	900	[1310-58-3]	extrapure, 85%, 80-100 mesh	1 Kg	950
32294 [14459-95-1]	•					5 Kg	4200
[55 00 1]		5 Kg	8500				

Code	Name	Packing	Price	Code	Name	Packing	Pri
67864	Potassium Iodate pure, 99.5%	100 Gms	2100	26500	Potassium Permanganate	500 Gms	650
[7758-05-6]		250 Gms	5000	[7722-64-7]	extrapure AR, ACS, ExiPlus,	5 Kg	5000
		500 Gms	9600		Multi-Compendial, 99.5%		
1041	Potassium Iodate extrapure AR,	100 Gms	2200		meets compendial specs of USP, BP		
7758-05-6]	99.9%	250 Gms			Potassium Persulphate extrapure, 97%	500 Gms	52
			5200	[7727-21-1]		500 C	
		500 Gms	9900	52254 [7727-21-1]	Potassium Persulphate extrapure AR, 98%	500 Gms	60
0809	Potassium Iodate extrapure AR,	100 Gms	2400	48319	Potassium Persulphate extrapure	500 Gms	66
[7758-05-6]	ACS, ExiPlus, Multi-Compendial, 99.9%	250 Gms	5600	[7727-21-1]	AR, ACS, ExiPlus,	300 Gills	00
	33.3%	500 Gms	10600		Multi-Compendial, 99%		
	meets compendial specs of USP, BP,				meets compendial specs of USP, BP,		
	Ph.Eur				Ph.Eur		
8240	Potassium Iodide pure, 99%	25 Gms	800	90654	Potassium Phosphate Dibasic	500 Gms	60
7681-11-0]		100 Gms	3100	[7758-11-4]	Anhydrous pure, 99%	5 Kg	500
		250 Gms	7200			25 Kg	2400
		500 Gms	14000	27207	Potassium Phosphate Dibasic	500 Gms	65
				27387 [7758-11-4]	Anhydrous extrapure AR, 99.5%		
7874	Potassium Iodide ACS, 99.8%	25 Gms	850			5 Kg	550
7681-11-0]		100 Gms	3250	31964	Potassium Phosphate Dibasic	500 Gms	70
		250 Gms	7500	[7758-11-4]	Anhydrous extrapure AR, ACS,	5 Kg	600
		500 Gms	14750		ExiPlus, Multi-Compendial, 99.5% meets compendial specs of USP		
7028	Potassium Iodide ExiPlus,	25 Gms	920	44005	<u> </u>	500 C	
7681-11-0]	Multi-Compendial, 99.8%	100 Gms	3400	41295 [7758-11-4]	Potassium Phosphate Dibasic Anhydrous for HPLC, 99.5%	500 Gms	120
					Potassium Phosphate Dibasic	500 Gms	6-
		250 Gms	8000	57419 [7758-11-4]	Anhydrous for tissue culture, 99%		67
	meets compendial specs of LISP_RP	500 Gms	15500	[//65 11 4]		5 Kg	570
	meets compendial specs of USP, BP			37859	Potassium Phosphate Dibasic	500 Gms	90
1677	Potassium Iodide 0.1M Solution	500 ml	400	[16788-57-1]	Trihydrate extrapure, 99%	5 Kg	850
7681-11-0]		1000 ml	600	15914	Potassium Phosphate Tribasic	500 Gms	120
4567	Potassium Iodide 1M Solution	500 ml	2100	[7778-53-2]	Anhydrous extrapure AR, ACS, 98%		
7681-11-0]		1000 ml	4100		(Tripotassium Phosphate)		
0045	Potassium Iodide 3M Solution			37423	Potassium Pyroantimonate	100 Gms	160
6645 7681-11-0]	Potassium fourde sin Solution	500 ml	6300	[12208-13-8]	extrapure, 98%	500 Gms	700
70011101		1000 ml	12100		(Potassium Hexahydroxoantimonate(V), Potassium		
3842	Potassium Metabisulphite pure,	500 Gms	500		Antimonate Trihydrate)		
4429-42-9]	95%	5 Kg	4700	94527	Potassium Pyroantimonate	100 Gms	180
9078 🛆	Potassium Nitrite ACS, 96%	100 Gms	700		extrapure AR, 99%	500 Gms	740
7758-09-0]		500 Gms	2100		(Potassium	000 0	7 40
	D D				Hexahydroxoantimonate(V), Potassium		
3413	Potassium Periodate ACS, 99.8%	100 Gms	2700		Antimonate Trihydrate)		
7790-21-8]		500 Gms	12700	50862	Potassium Pyrophosphate	500 Gms	95
6742	Potassium Periodate ExiPlus,	100 Gms	3000	[7320-34-5]	extrapure, 98% Tetra Potassium Pyrophosphate,		
7790-21-8]	Multi-Compendial, 99.8%	500 Gms	14000		Potassium diphosphate tetrabasic,		
	meets compendial specs of BP, Ph.Eur				Tetrapotassium diphosphate, Potassi		
7407	Potassium Oxalate Monohydrate	500 Gms	640	53158	Potassium Pyrosulphate	100 Gms	180
[6487-48-5]	pure, 99%	5 Kg	6000	[7790-62-7]	(Potassium Disulfate) extrapure,	500 Gms	650
					97.5%		
0707	Potassium Oxalate Monohydrate	500 Gms	740	86344	Potassium Ricinoleate extrapure	500 Gms	95
6487-48-5]	extrapure AR, ACS, 99.5%	5 Kg	7000	[7492-30-0]	(Ricinoleic Acid Potassium Salt,	5 Kg	900
6903	Potassium Permanganate	500 Gms	550	4407	Potassium Ricinolate)		
7722-64-7]	extrapure, 99%	5 Kg	4000	44277 [7778-80-5]	Potassium Sulphate extrapure, 99%	500 Gms	42
4.470	Potosoium Pormonanata			[6-00-0111]		5 Kg	340
1470 7722-64-7]	Potassium Permanganate extrapure AR, 99.5%	500 Gms	600	52182	Potassium Sulphate for tissue	500 Gms	55
, ,	Canada and Canada	5 Kg	4400	[7778-80-5]	culture, 99%		
				26253	Potassium Sulphate extrapure AR,	500 Gms	46
				[7778-80-5]	99.5%	5 Kg	420

Code	Name	Packing	Price	Code	Name	Packing	Price
73900	Potassium Sulphate extrapure AR,	500 Gms	500	53790	n-Propanol extrapure AR, ACS,	500 ml	360
[7778-80-5]	ACS, ExiPlus, Multi-Compendial, 99.5%	5 Kg	4500	[71-23-8]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	1500
	meets compendial specs of USP, BP				meets compendial specs of BP, Ph.Eur		
66691	Potassium Tellurite Anhydrous	10 Gms	1800	42328	n-Propanol GC-HS (1-propanol), 99.9%	250 ml	420
[7790-58-1]	extrapure, 98%	25 Gms	3600	[71-23-8]	33.3 %	1000 ml	1400
	(Dipotassium Tellurite, Potassium Tellurate, Potassium Tellurium Oxide)	100 Gms	14500	45909 [71-23-8]	n-Propanol for HPLC, 99.8%	1000 ml	1600
35889	Potassium Tellurite Monohydrate	10 Gms	1400	85994	n-Propanol Dried, 99.5%, 0.005%	1000 ml	1200
[123333-66-4]	extrapure, 90% (Potassium Tellurate (IV) Hydrate,	25 Gms	2600	[71-23-8]	water		.200
	Dipotassium Tellurite Monohydrate)	100 Gms	9000		(1-Propanol)	====	
16273	Potassium Tetrachloroplatinate (II)	250 Mg	3120	52111 [123-38-6]	Propionaldehyde (Propanal) pure, 97%	500 ml	390
[10025-99-7]	pure, 47% Pt (Potassium Platinum (II) Chloride)	1 Gms	9600			2500 ml	2000
	(i otassiami latinum (ii) onionae)	5 Gms	45600	12931 [79-09-4]	Propionic Acid extrapure, C3-99% (GC)	500 ml	340
34570	Potassium Tetrafluoroaluminate	500 Gms	900			2500 ml	1600
[14484-69-6]	pure, 98% (Potassium Aluminium Fluoride, PAF)	5 Kg	7200	43883 [79-09-4]	Propionic Acid extrapure AR, C3-99.5% (GC)	500 ml	380
99928	Potassium Tetrafluoroborate pure,	250 Gms	250	[/9-09-4]	· ,	2500 ml	1800
[14075-53-7]	98%	1 Kg	900	42263 [79-09-4]	Propionic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 ml	410
	(Potassium Fluoroborate, Potassium	· ·		[79-09-4]	C3-99.5% (GC)	2500 ml	2000
48218	Fluoborate, Potassium Borofluoride) Potassium Thiocyanate pure, 97%	500 Gms	780		meets compendial specs of USP, BP, Ph.Eur		
[333-20-0] 41027	Potassium Thiocyanate extrapure	500 Gms	920	52810	Propionic Anhydride extrapure,	500 ml	900
[333-20-0]	AR, 99%	000 01110	920	[123-62-6]	98%	2500 ml	4250
59115	Potassium Thiocyanate extrapure	500 Gms	1150	21587	Propionyl Chloride extrapure, 99%	100 ml	280
[333-20-0]	AR, ACS, ExiPlus, Multi-Compendial, 99%			[79-03-8]		500 ml	820
	meets compendial specs of USP, Ph.Eur			85159	Propionyl Chloride extrapure AR	500 ml	1200
69285	Potato Starch pure	500 Gms	360	[79-03-8]	(Specially purified), 99.5%		
[9005-25-8]		5 Kg	3150	28849 [107-10-8]	n-Propylamine pure, 99%	500 ml	550
95365	D-Proline extrapure CHR, 99%	5 Gms	1500	30754	Propylene Glycol (1,2-Propanediol)	500 ml	400
[344-25-2]		25 Gms	4840	[57-55-6]	pure, 99%	2500 ml	1850
35139	L-Proline extrapure CHR, 99%	25 Gms	300			25 Ltr	17000
[147-85-3]		100 Gms	750	53054	Propylene Glycol (1,2-Propanediol)	500 ml	460
		1 Kg	6500	[57-55-6]	extrapure AR, 99.5%	2500 ml	2100
		5 Kg	30000	95961	Propylene Glycol (1,2-Propanediol)	500 ml	500
56073	L-Proline for tissue culture, 99%	25 Gms	350	[57-55-6]	extrapure AR, ACS, ExiPlus,	2500 ml	2400
[147-85-3]		100 Gms	900		Multi-Compendial, 99.5% meets compendial specs of USP, BP,		
		500 Gms	3600		Ph.Eur		
96877	L-Proline ExiPlus, Multi-Compendial, 99%	100 Gms	1260	40011	Propyl Gallate extrapure, 98%	100 Gms	1090
[147-85-3]	muin-compendial, 99%	1 Kg	8000	[121-79-9]		500 Gms	4260
	masta compandial array of DD DI-	5 Kg	36420	47638	Propyl Gallate IP	1 Kg	8000
61000	meets compendial specs of BP, Ph.Eur Proline BP	4 V-		[121-79-9]		5 Kg	37500
61988 [147-85-3]	(L-Proline BP)	1 Kg 5 Kg	8000 37500			25 Kg	175000
,		_	175000	14086	Propyl Gallate BP	1 Kg	8000
69129	L-Proline USP			[121-79-9]		5 Kg	37500
68128 [147-85-3]	L-1 TORNE OUF	1 Kg 5 Kg	9200 42500			25 Kg	175000
		_	200000	16067	Propyl Gallate NF	1 Kg	9200
39236	n-Propanol pure, 99%	500 ml	300	[121-79-9]		5 Kg	42500
[71-23-8]	Spanor pare, 55/6	2500 ml	1200			25 Kg	200000
24501	n-Propanol extrapure AR, 99.5%	500 ml					
[71-23-8]	n-Fropanioi extrapure An, 55.5%		330				
,		2500 ml	1300				

Code	Name	Packing	Price	Code	Name	Packing	Pri
53898	Propyl-4-Hydroxybenzoate (Propyl	500 Gms	1340	24922	Salicylaldehyde extrapure AR,	100 ml	70
[94-13-3]	Paraben) ExiPlus,	5 Kg	11890	[90-02-8]	99.5%	500 ml	250
	Multi-Compendial, 98-102%				(2-Hydroxybenzaldehyde,		
	meets compendial specs of USP, BP				o-Hydroxybenzaldehyde)	400 1	
2950	Propyl-4-Hydroxybenzoate Sodium	500 Gms	1400	63504 [90-02-8]	Salicylaldehyde extrapure AR, ExiPlus, Multi-Compendial, 99.5%	100 ml	75
85285-69-9]	Salt (Propyl Paraben Sodium) ExiPlus, Multi-Compendial,	5 Kg	12500	[90-02-0]	(2-Hydroxybenzaldehyde,	250 ml	160
	94-102%				o-Hydroxybenzaldehyde)	500 ml	280
	meets compendial specs of USP, BP				meets compendial specs of Ph.Eur		
1808	Pyridine extrapure, 99%	250 ml	450	11453	Salicylic Acid pure, 99%	500 Gms	65
[110-86-1]		500 ml	850	[69-72-7]		5 Kg	620
		2500 ml	4000			25 Kg	3000
			4000		0 11 11 4 1 4 4 0 0 0 0 0 0 0		
1952 [110-86-1]	Pyridine Dried, 99.5%, water 0.01%	500 ml	1300	62657 [69-72-7]	Salicylic Acid ACS, 99.9%	500 Gms	85
3329	Pyridine for HPLC & UV	500 ml	1200	[00.12.1]		2.5 Kg	410
[110-86-1]	Spectroscopy, 99.5%	1000 ml		16448	Salicylic Acid ACS, ExiPlus,	500 Gms	90
,			2180	[69-72-7]	Multi-Compendial, 99.9%	5 Kg	450
5453	Pyridine (For Karl Fischer	500 ml	1050		meets compendial specs of BP, USP & EU		
110-86-1]	Titration), 99.5%	0501		27769	Selenium AAS Standard Solution in	100 ml	180
2665 [110-86-1]	Pyridine AR, ACS, ExiPlus, Multi-Compendial, 99.5%	250 ml	520		0.5N HNO3 (Traceable to NIST)	250 ml	290
[110-60-1]	Multi-Compendial, 33.3%	500 ml	970	52228	Seralite SRA-400, Strong Basic	500 Gms	85
		2500 ml	4300	52220	Anion Exchange Resin		
	meets compendial specs of USP, BP,				(equivalent to Amberlite IRA-400,	5 Kg	780
	Ph.Eur				Indion FFIP Anion Resin)		
8918	Pyridinium Chlorochromate (PCC)	25 Gms	500	14891	Seralite SRC-120, Strong Acid	500 Gms	55
26299-14-9]	extrapure, 98%	100 Gms	1350		Cation Exchange Resin	5 Kg	500
		500 Gms	5990		(equivalent to Amberlite IRC-120, Indion 225H Cation Resin)		
3584	Pyridinium Dichromate (Cornforth	25 Gms	740	00000	Seralite Resin WRC-50, Weak Acid	500 Gms	70
	Reagent, PDC) extrapure, 98%	100 Gms		89830	Cation Exchange Resin		70
		500 Gms	2020 8860		(equivalent to Amberlite IRC-50, Indion	5 Kg	650
	B # 1400				236 Resin)		
71646	Pyrogallol ACS, 99%	100 Gms	1500	15776	SeraPreserve 10X Tissue Fixative	5 Ltr	580
[87-66-1]		500 Gms	6500		Concentrate (Formalin Free)		
30205	Pyrogallol ExiPlus,	100 Gms	1650	40148	SeraPreserve 25X Tissue Fixative Concentrate (Formalin Free)	5 Ltr	876
[87-66-1]	Multi-Compendial, 99%	500 Gms	6800	04500	SeraPreserve 50X Tissue Fixative	E +-	1050
	meets compendial specs of BP			21569	Concentrate (Formalin Free)	5 Ltr	1250
7445 A	R.B.C. Diluting Fluid (Hayem`s	500 ml	400	53457	D-Serine extrapure, 99%	25 Gms	80
	Solution)		100	[312-84-5]	b comic examples, con	100 Gms	
	(RBC Diluting Reagent, Hayems			[]			300
	Reagent)					500 Gms	1000
8050	Rhodamine B	25 Gms	240	24425	DL-Serine extrapure CHR, 99%	25 Gms	60
[81-88-9]	(Tetraethylrhodamine, Violet 10)	100 Gms	870	[302-84-1]		100 Gms	200
		500 Gms	3800			500 Gms	900
20707	Rubidium (I) Chloride ultrapure,	5 Gms	3600	84131	L-Serine extrapure CHR, 99%	25 Gms	50
7791-11-9]	99.5%	25 Gms	17000	[56-45-1]	•	100 Gms	150
	Duthanium Matel Bernden 22 22					500 Gms	650
7440-18-8]	Ruthenium Metal Powder, 99.9%	1 Gms	9530	00500	I Soring for tiggue guiture 200/		
0633	Ruthenium Red Tetrahydrate	1 Gms	5760	63503 [56-45-1]	L-Serine for tissue culture, 99%	25 Gms	60
11103-72-3]	. •	5 Gms	27600	[-0.0.]		100 Gms	160
						500 Gms	720
'5268	Ruthenium (III) Trichloride Hydrate	1 Gms	4500	84494	L-Serine ExiPlus,	25 Gms	82
14898-67-0]	pure, 38-40% Ru	5 Gms	20000	[56-45-1]	Multi-Compendial, 99%	100 Gms	240
7862	Salicylaldehyde pure, 99%	100 ml	540			1 Kg	1600
[90-02-8]	(2-Hydroxybenzaldehyde,	250 ml	1100		meets compendial specs of BP	-	
	o-Hydroxybenzaldehyde)	1000 ml	4200	0F140	•	500 G	
		1000 1111	7200	85148	Silica Gel Blue (Self Indicating)	500 Gms	56

Code	Name	Packing	Price	Code	Name	Packing	Price
84210	Silica Gel Fumed 200 (Hydrophilic)	100 Gms	400	90097	Silver Carbonate pure, 99%	10 Gms	5000
[112945-52-5]	(Silicon Dioxide amorphous, Aerosil 200)	250 Gms	750	[534-16-7]		25 Gms	10000
	200)	2.5 Kg	6930			100 Gms	38700
71548	Silica Gel Orange (Self Indicating),	500 Gms	630	80647	Silver Chloride extrapure AR, 99%	10 Gms	5000
[112926-00-8]	2-5mm	5 Kg	6090	[7783-90-6]		25 Gms	10000
65856	Silica Gel 60-120 mesh	500 Gms	500			100 Gms	38700
[112926-00-8]		5 Kg	4600	14417	Silver Diethyldithiocarbamate ACS	5 Gms	2200
		25 Kg	21610	[1470-61-7]		25 Gms	8500
40449	Silica Gel 60-200 mesh	500 Gms	590			100 Gms	25200
[112926-00-8]		5 Kg	5270	43800	Silver Hexafluoroantimonate(V)	1 Gms	4800
95178	Silica Gel 100-200 mesh	500 Gms	500	[26042-64-8]	extrapure, 98%	5 Gms	21000
[112926-00-8]	omea del 100-200 mesm	5 Kg	4600	86633	Silver lodate extrapure, 99%	10 Gms	2900
		25 Kg	21610	[7783-97-3]	onver iodate extrapare, 55%	25 Gms	6300
	OW O-1 000 400					100 Gms	23400
63025 [112926-00-8]	Silica Gel 200-400 mesh	500 Gms	590		Cilver ledide cutvenure AD 000/		
[2020 00 0]		5 Kg	5500	24607 [7783-96-2]	Silver lodide extrapure AR, 99%	10 Gms	3300
		25 Kg	26290	[]		25 Gms	7700
96671	Silica Gel 230-400 mesh	500 Gms	660			100 Gms	27300
[112926-00-8]		5 Kg	6200	32422	Silver Metal powder, 99.9%, -400	10 Gms	4700
		25 Kg	29210	[7440-22-4]	mesh	25 Gms	11100
36834	Silica Gel 400-700 mesh	500 Gms	830			100 Gms	43400
[112926-00-8]		1 Kg	1540	43491	Silver Methanesulfonate (Silver	1 Gms	1500
51849	Silica Gel G for TLC, 325mesh, w/	500 Gms	570	[2386-52-9]	MSA) extrapure, 47.8%-58.4% Ag (Methanesulfonic Acid Silver Salt, Silver	5 Gms	5000
[112926-00-8]	CaSO4	5 Kg	5150		Methylsulfonate, Silver	25 Gms	16000
		25 Kg	24540		Methylsulphonate, Methanesulphonic		
52797	Silica Gel H for TLC, 325mesh, w/o	500 Gms	570	32814	Silver Nitrate extrapure, 99.5%	10 Gms	2800
[112926-00-8]		5 Kg	5150	[7761-88-8]		25 Gms	6600
		25 Kg	24540			100 Gms	25900
38062	Silica Gel GF254 for TLC, 325mesh,	500 Gms	4100			500 Gms	126000
	w/ Fluorescent Indicator w/ CaSO4	5 Kg	39900	91233	Silver Nitrate for tissue culture,	10 Gms	3400
	OW O-I HEREA 4 TI O OFF II			[7761-88-8]	99.5%	25 Gms	7900
29774 [112926-00-8]	Silica Gel HF254 for TLC, 325mesh, w/ Fluorescent Indicator w/o	500 Gms	4100	94118	Silver Nitrate ACS, 99.9%	10 Gms	3000
[2020 00 0]	CaSO4	5 Kg	39900	[7761-88-8]	•	25 Gms	6900
81618	Silicon Antifoaming Agent 30%	100 ml	370			100 Gms	27300
	(Non-ionic)	500 ml	1000			500 Gms	
		1000 ml	1790	96045	Silver Nitrate ExiPlus,	25 Gms	7300
72243	Silicone Oil 100 CPS	250 ml	900	[7761-88-8]	Multi-Compendial, 99.9%	100 Gms	28700
[63148-62-9]		1000 ml	3150			500 Gms	
		2500 ml	7140		meets compendial specs of USP, BP	ooo amo	100000
82045	Silicon Oil 330-380 CPS	250 ml	790	51535	Silver Nitrate 0.1N Solution	500 ml	4300
[63148-62-9]		1000 ml	2730	[7761-88-8]	Sitter Militate 6. 114 Columbia	1000 ml	7800
		2500 ml	6510	•		2500 ml	16600
05160	Silver Acetate pure, 98%				Cilcon Nitrate O CON Colonia		
85160 [563-63-3]	Silver Acetate pure, 30%	10 Gms 25 Gms	3700	54023 [7761-88-8]	Silver Nitrate 0.02N Solution	500 ml	1200
		25 Gms 100 Gms	8400			1000 ml	2100
			30600	47262	Silver Nitrate 0.05N Solution	500 ml	1500
32737	Silver AAS Standard Solution in 0.5N HNO3 (Traceable to NIST)	100 ml	3000	[7761-88-8]		1000 ml	2700
	o.o. Tinoo (Traceable to Mor)	250 ml	6500	49430	Silver Nitrate 1N Solution	100 ml	6700
77701	Silver Bromide extrapure, 98%	10 Gms	3700	[7761-88-8]		500 ml	38800
[7785-23-1]		25 Gms	8400				
		100 Gms	29000				

Code	Name	Packing	Price	Code	Name	Packing) Price
69668	Silver Oxide pure, 99%	10 Gms	4800	88035	Sodium Acetate Trihydrate for	250 Gms	360
[20667-12-3]		25 Gms	11100	[6131-90-4]	molecular biology, 99.5%	500 Gms	690
		100 Gms	42100	84658	Sodium Acetate Trihydrate for	500 Gms	900
76610	Silver Oxide extrapure AR, 99%	10 Gms	5300	[6131-90-4]	tissue culture, 99.5%		
[20667-12-3]		25 Gms	12400	56315 [6131-90-4]	Sodium Acetate Trihydrate for HPLC, 99.5%	500 Gms	1580
63976	Silver Phosphate extrapure, 98%	5 Gms	2400	21636	Sodium Acid Pyrophosphate	500 Gms	490
[7784-09-0]	(Silver Orthophosphate, Trisilver	25 Gms	11100	[7758-16-9]	(SAPP) extrapure, 95%	000 00	430
86887	Phosphate) Silver Phosphate extrapure AR,	5 Gms	3300		(Sodium Pyrophosphate Dibasic,		
[7784-09-0]	99%	25 Gms	11900		Disodium Diphosphate Dibasic, Disodium Dihydrogen Diphosphate)		
	(Silver Orthophosphate, Trisilver	20 01113	11900	80726	Sodium Alginate LV extrapure,	500 Gms	2630
46241	Phosphate)	F 0		[9005-38-3]	4-12cps, 30mesh	5 Kg	24680
46241 [9008-42-8]	Silver Proteinate extrapure, 8% Ag	5 Gms	2000	52775	Sodium Alginate HV extrapure,	500 Gms	3570
		25 Gms	7000	[9005-38-3]	1000cps, 100mesh	5 Kg	33600
60112 [22199-08-2]	Silver Sulfadiazine ExiPlus, Multi-Compendial, 98%	5 Gms	1500		(Alginic Acid Sodium Salt)		
[22199-06-2]	(Silver (I) Sulfadiazine, Sulfadiazine	25 Gms	4200	75063	Sodium AAS Standard Solution in 0.5N HCI (Traceable to NIST)	100 ml	1800
	Silver)	100 Gms	14200		0.5W HO! (Haceable to Wish)	250 ml	2900
	meets compendial specs of USP			84070	Sodium Azide extrapure AR, ACS,	100 Gms	550
17929 [10294-26-5]	Silver Sulphate pure, 98.5%	10 Gms	3900	[26628-22-8]	99%	500 Gms	2200
[10294-20-5]		25 Gms	8400			5 Kg	21000
		100 Gms	32200			25 Kg	100000
		500 Gms	72000	17782	Sodium Azide for molecular	100 Gms	720
59940	Silver Sulphate extrapure AR, ACS, 99%	10 Gms	4100	[26628-22-8]	biology, 99%	500 Gms	3100
[10294-26-5]	33 /6	25 Gms	8600	11077	Sodium Azide PrimeDx, 99%	5 Kg	30000
		100 Gms	33900	[26628-22-8]		25 Kg	140000
		500 Gms	75000	65171	Sodium Benzoate pure, 99%	500 Gms	470
27821	Silver Trifluoromethanesulfonate extrapure, 98%	1 Gms	1050	[532-32-1]		5 Kg	4200
[2923-28-6]	(Silver Triflate, Trifluoromethanesulfonic	5 Gms	4310	11114	Sodium Benzoate Exiplus,	500 Gms	610
	Acid Silver Salt)	25 Gms	10500	[532-32-1]	Multicompendial, 99%	5 Kg	5200
69717 [13497-94-4]	Silver Vanadate pure	5 Gms	3600		meets compendial specs of USP, BP & Ph.Eur		
38119	Soda Lime Granules with Indicator	500 Gms	600	56398	Sodium Bicarbonate extrapure,	500 Gms	240
[8006-28-8]	extrapure AR, 2-5mm, CO2 abs. capacity 27%	5 Kg	5700	[144-55-8]	99%	5 Kg	1900
31378	Sodium Acetate Anhydrous pure,	500 Gms	300			25 Kg	9000
[127-09-3]	98%	5 Kg	2730	45437	Sodium Bicarbonate ACS, 99.7%	500 Gms	280
		25 Kg	13000	[144-55-8]		5 Kg	2200
74537	Sodium Acetate Anhydrous ACS,	500 Gms	440			25 Kg	9500
[127-09-3]	99%	5 Kg	3470	89399	Sodium Bicarbonate ACS, ExiPlus,	500 Gms	310
51483	Sodium Acetate Anhydrous	500 Gms	530	[144-55-8]	Multi-Compendial, 99.7%	5 Kg	2400
[127-09-3]	ExiPlus, Multi-Compendial, 99%	300 ams	550	36328	Sodium Bicarbonate for molecular	500 Gms	
	meets compendial specs of USP, BP, Ph.Eur			[144-55-8]	biology, 99.7%		800
22342	Sodium Acetate Anhydrous for	250 Gms	550	92957 [144-55-8]	Sodium Bicarbonate for tissue culture, 99.7%	500 Gms 5 Kg	700 6000
[127-09-3]	molecular biology, 99%	500 Gms	950				
70509	Sodium Acetate Anhydrous for	500 Gms	1380	93982 [16940-66-2]	Sodium Borohydride (powder) extrapure AR, ACS, 98%	25 Gms	450
[127-09-3]	HPLC & UV Spectroscopy, 99%			[.55.5 50 2]	(Sodium Tetrahydridoborate)	100 Gms	1050
54966	Sodium Acetate Trihydrate	500 Gms	310			500 Gms	4800
[6131-90-4]	extrapure AR, 99.5%	5 Kg	2730		Ondition Brokerstill ()	5 Kg	40620
44981	Sodium Acetate Trihydrate	500 Gms	340	43471 [16940-66-2]	Sodium Borohydride (crystals) extrapure, 98%	25 Gms	500
[6131-90-4]	extrapure AR, ACS, ExiPlus,	5 Kg	3150	[.5540 552]	(Sodium Tetrahydridoborate)	100 Gms	1100
	Multi-Compendial, 99.5%					500 Gms	5200

Code	Name	Packing	Price	Code	Name	Packing	Price
32769	Sodium Bromate extrapure AR,	100 Gms	300	94968	Sodium Citrate Tribasic Dihydrate	500 Gms	450
[7789-38-0]	99%	500 Gms	1000	[6132-04-3]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%		
43327	Sodium Bromide extrapure, 99%	500 Gms	800		meets compendial specs of USP, BP,		
[7647-15-6]		5 Kg	7400		Ph.Eur		
84486	Sodium Cacodylate Trihydrate	10 Gms	3600	67331	Sodium Citrate Tribasic Dihydrate	250 Gms	550
[6131-99-3]	extrapure, 98% (Dimethyl Arsenic Acid Sodium Salt	25 Gms	8700	[6132-04-3]	for molecular biology, 99%	1 Kg	950
	Trihydrate)	100 Gms	33600	43819	Sodium Cobaltinitrite extrapure AR,	25 Gms	1000
42215	Sodium Caprylate extrapure, 99%	100 Gms	700	[13600-98-1]	ACS (Sodium Hexanitrocobaltate III)	100 Gms	2000
[1984-06-1]	(Caprylic Acid Sodium Salt)	500 Gms	2000		(codiam novamnosobanate m)	500 Gms	6900
50090	Sodium Caprylate BP, 99-101%	1 Kg	8600	12680	Sodium Cyanoborohydride pure,	5 Gms	900
[1984-06-1]		5 Kg	40900	[25895-60-7]	95% (Sodium Cyanotrihydridoborate,	25 Gms	2700
81340	Sodium Caprylate NF, 99-101%	1 Kg	8800		Sodium Borocyanohydride)	100 Gms	8400
[1984-06-1]		5 Kg	40400			500 Gms	35700
89382	Sodium Carbonate Anhydrous	500 Gms	240	94963	Sodium Dichromate Dihydrate	500 Gms	800
[497-19-8]	pure, 99.5%	5 Kg	2100	[7789-12-0]	pure, 98%	5 Kg	6700
		25 Kg	10000	54750	Sodium Dichromate Dihydrate	500 Gms	900
	Cadirum Carle anata Antondrana			[7789-12-0]	extrapure AR, 99.5%	5 Kg	7800
51938 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99%, 80-100mesh	500 Gms	330	11996	Sodium Dichromate Dihydrate	500 Gms	1000
	, ,	5 Kg	3000	[7789-12-0]	extrapure AR, ACS, ExiPlus,	5 Kg	9000
64079 [497-19-8]	Sodium Carbonate Anhydrous ACS, 99.9%	500 Gms	310		Multi-Compendial, 99.5%	- 1.5	0000
[497-19-0]	ACG, 33.376	5 Kg	2670		meets compendial specs of USP		
		25 Kg	12740	11226 [20624-25-3]	Sodium Diethyldithiocarbamate Trihydrate ACS,99 %	100 Gms	610
93857	Sodium Carbonate Anhydrous	500 Gms	350	[20024-23-3]	Timydrate Acc,55 %	500 Gms	2530
[497-19-8]	ExiPlus, Multi-Compendial, 99.9%	5 Kg	3160	22607	Sodium Diethyldithiocarbamate	100 Gms	700
	meets compendial specs of USP, BP,			[20624-25-3]	Trihydrate ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	3100
	Ph.Eur				meets compendial specs of BP		
41721 [7647-14-5]	Sodium Chloride ACS, 99.9%	500 Gms	210	49653	Sodium Dithionite extrapure, 85%	500 Gms	400
[7047-14-5]		1 Kg	400	[7775-14-6]	(Sodium Hypodisulphite, Sodium		
		5 Kg	1300		Hydrosulfite)	500.0	
		25 Kg	6010	68792 [141-52-6]	Sodium Ethoxide extrapure, 95% (Sodium Ethylate)	500 Gms	1200
76945 [7647-14-5]	Sodium Chloride ExiPlus, Multi-Compendial, 99.9%	500 Gms	220			1 Kg	2000
[7047-14-5]	Multi-Compendial, 99.9%	1 Kg	430	10961	Sodium Ferrocyanide Decahydrate extrapure AR, 99%	500 Gms	500
		5 Kg	1350	[14404-22-1]	(Sodium Hexacyanoferrate(II),	5 Kg	4200
		25 Kg	6200		Tetrasodium Hexacyanoferrate		
	meets compendial specs of USP, BP				Decahydrate)		
33205 [7647-14-5]	Sodium Chloride for molecular biology, 99.9%	500 Gms	660	57010 [7681-49-4]	Sodium Fluoride pure, 98%	500 Gms	1000
[7047-14-5]	biology, 55.5 %	1 Kg	1200	[7667 46 4]		5 Kg	8900
		5 Kg	5560	29821	Sodium Fluoride extrapure AR, 99%	500 Gms	1000
26416	Sodium Chloride for tissue culture,	500 Gms	700	[7681-49-4]		5 Kg	9500
[7647-14-5]	99.9%	1 Kg	1200	40544	Sodium Fluoride extrapure AR,	500 Gms	1100
76154 [7647-14-5]	Sodium Chloride for HPLC, 99.9%	500 Gms	480	[7681-49-4]	ACS, ExiPlus, Multi-Compendial, 99%	5 Kg	10100
21522	Sodium Citrate Dibasic	100 Gms	600	86307	meets compendial specs of USP, BP Sodium Formate pure, 98%	500 Gms	240
[6132-05-4]	Sesquihydrate extrapure, 99% (Citric Acid Disodium Salt	500 Gms	1200	[141-53-7]	Odulam i Omnato pare, 90%	500 Gills 5 Kg	2100
	Sesquihydrate, Disodium Hydrogen				Codium Enumeta autum A.D.		
	Citrate Sesquihydrate)			39728 [141-53-7]	Sodium Formate extrapure AR, ACS	500 Gms	450
83407 [6132-04-3]	Sodium Citrate Tribasic Dihydrate extrapure, 98%	500 Gms	300	84439	Sodium Formaldehyde Sulfoxylate	500 Gms	600
[0132-04-3]	(Trisodium Citrate Dihydrate)	1 Kg	550	[149-44-0]	Hydrate (Rongalite) pure, 95%		
	·	5 Kg	2400		(Monosodium Hydroxymethanesulfinate)		
85919	Sodium Citrate Tribasic Dihydrate	500 Gms	320		, а. олуттовна позиннатој		
[6132-04-3]	extrapure AR, 99%	5 Kg	2600				

Code	Name	Packing	Price	Code	Name	Packing	Price
11407	• •	500 Gms	800	77758	Sodium Iodide pure, 99%	25 Gms	720
[149-44-0]	Hydrate (Rongalite) ExiPlus, Multi-Compendial, 95%			[7681-82-5]		100 Gms	2750
	(Monosodium					250 Gms	6250
	Hydroxymethanesulfinate)					1 Kg	24000
F4700	Meets compendial specs of USP	1 1/2		21704	Sodium lodide 1M Solution	100 ml	750
54762 [16893-85-9]	Sodium Hexafluorosilicate pure, 99%	1 Kg	600			500 ml	2500
[(Sodium Fluorosilicate, Sodium	5 Kg	2600	11004	Sodium Lauryl Ether Sulphate	1000 ml	730
	Silicofluoride)			[9004-82-4]	(SLES, AES), 28-30%	5 Ltr	1950
32537	Sodium Hexametaphosphate	500 Gms	700	46821	(Sodium Laureth Sulfate) Sodium Lauryl Sulphate (SLS, SDS)	500 Gms	610
[68915-31-1]	extrapure AR, 65-70% (SHMP, Calgon, Sodium	5 Kg	6300	[151-21-3]	(Needle-shaped) extrapure, 90%	5 Kg	5370
	Polyphosphate)				(Sodium Dodecyl Sulphate)	J Ng	3370
98060	Sodium Hydrogen Sulphate	500 Gms	500	14374	Sodium Lauryl Sulphate (SDS, SLS)	500 Gms	620
[10034-88-5]				[151-21-3]	ExiPlus, Multi-Compendial, 85% (Sodium Dodecyl Sulphate)	5 Kg	5640
73082	extrapure AR, 99% Sodium Hydroxide Flakes	500 Gms	070		meets compendial specs of USP, BP,		
[1310-73-2]	extrapure, 97%	1 Kg	270		Ph.Eur		
		5 Kg	490	54468	Sodium Lauryl Sulphate (SDS, SLS)	100 Gms	1340
		25 Kg	1750	[151-21-3]	extrapure AR, ACS, 99%	250 Gms	2920
			8250		(Sodium Dodecyl Sulphate)	500 Gms	5340
96311 [1310-73-2]	Sodium Hydroxide Pellets purified, 97%	500 Gms	290			1 Kg	10310
[1310-73-2]	37.70	5 Kg	1820	99671	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	1610
		25 Kg	8670	[151-21-3]	for HPLC, 99%	100 Gms	4410
68151	Sodium Hydroxide Pellets ACS,	500 Gms	310		(Sodium Dodecyl Sulphate)	250 Gms	9100
[1310-73-2]	97%	5 Kg	2240			1 Kg	22440
		25 Kg	10500	32096	Sodium Lauryl Sulphate (SDS, SLS)	25 Gms	
13913	Sodium Hydroxide Pellets, ExiPlus,	500 Gms	330	[151-21-3]	for molecular biology, 99%	100 Gms	590 1820
[1310-73-2]	Multi-Compendial, 97%	5 Kg	2610		(Sodium Dodecyl Sulphate)	500 Gms	
	meets compendial specs of USP, BP & Ph					1 Kg	6010
	.Eur						11400
39700	Sodium Hydroxide Powder	500 Gms	310	35825 [151-21-3]	Sodium Lauryl Sulphate (SDS, SLS) High Purity, 99.5%	25 Gms	810
[1310-73-2]	extrapure, 96%, 80-100 mesh	1 Kg	560	[101-21-0]	(Sodium Dodecyl Sulphate)	100 Gms	2100
		5 Kg	2060	85369	Sodium Lauryl Sulphate (SDS, SLS)	100 ml	400
13994	Sodium Hydroxide 0.1N Solution	500 ml	160		10% Solution		
[1310-73-2]		1000 ml	280		(10% SDS Solution)	050 1	
27382	Sodium Hydroxide 0.2N Solution	500 ml	160	87547	Sodium Lauryl Sulphate (SDS, SLS) 20% Solution	250 ml	550
[1310-73-2]		1000 ml	290		(20% SDS Solution)		
69978	Sodium Hydroxide 1N Solution	500 ml		34378	Sodium Lauryl Sulphate (SDS, SLS)	1 Kg	1800
[1310-73-2]	Sociali Tryaloxide TV Solution	1000 ml	170 310	[151-21-3]	BP, 85%	5 Kg	8200
		2500 ml	750		(Sodium Dodecyl Sulphate)	25 Kg	36000
05000	Codium Hymachlarita Calutia			21705	Sodium Metabisulphite extrapure	500 Gms	300
25366 [7681-52-9]	Sodium Hypochlorite Solution, 4-7% CI	500 ml	180	[7681-57-4]		5 Kg	2850
[. 55. 52 5]	(Soda Bleach, Liquid Bleach)	1000 ml	320			25 Kg	13500
		5 Ltr	740	52693	Sodium Metabisulphite extrapure	500 Gms	330
98760	Sodium Iodate extrapure, 99%	25 Gms	1200	5 2693 [7681-57-4]	AR, ACS, ExiPlus,	500 Gills 5 Kg	3150
[7681-55-2]		100 Gms	4500		Multi-Compendial, 98%	3 Ng	3130
		500 Gms	21000		meets compendial specs of USP, BP		
71964	Sodium lodate extrapure AR, 99.5%	25 Gms	1400	51153	Sodium Metaperiodate (Sodium	100 Gms	2000
[7681-55-2]		100 Gms	4800	[7790-28-5]	Periodate) pure 99%	500 Gms	9600
		500 Gms	23000	23621	Sodium Metaperiodate (Sodium	100 Gms	2300
				[7790-28-5]	Periodate) extrapure AR, 99.5%	500 Gms	10000

Code	Name	Packing	Price	Code	Name	Packing	Price
30037	Sodium Metaperiodate (Sodium	100 Gms	2400	57554	Sodium Oxalate ACS, 99.5%	500 Gms	510
[7790-28-5]	Periodate) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	500 Gms	10200	[62-76-0]		5 Kg	4900
	meets compendial specs of USP, BP,			36984	Sodium Oxalate ExiPlus,	500 Gms	600
	Ph.Eur			[62-76-0]	Multi-Compendial, 99.5% meets compendial specs of BP, Ph.Eur		
94601	Sodium Metasilicate Pentahydrate	500 Gms	300	39815	Sodium Percarbonate 13% Active	500 Gms	350
[10213-79-3]	(Sodium Silicate Hydrated) extrapure	1 Kg	500	[15630-89-4]	Oxygen	5 Kg	3200
		5 Kg	2200		(Sodium carbonate hydrogen peroxide)		
20660	Sodium Metasilicate Nonahydrate	500 Gms	300	57548	Sodium Percarbonate 20-30%	500 Gms	380
[13517-24-3]	(Sodium Silicate Hydrated) extrapure	1 Kg	500	[15630-89-4]	Active Oxygen	5 Kg	3400
		5 Kg	2200	53388	Sodium Peroxide ACS, 93%	100 Gms	4400
41670	Sodium Methoxide Powder pure,	500 Gms	730	[1313-60-6]	(Sodium Superoxide)	250 Gms	10500
[124-41-4]	98%	400.0				500 Gms	22000
13547 [10102-40-6]	Sodium Molybdate Dihydrate pure, 98%	100 Gms	1250	97295	Sodium Persulphate pure, 98%	500 Gms	490
[.0.02 .00]		250 Gms	2500	[7775-27-1]	(Sodium Peroxodisulfate)		
		500 Gms	4800	53046 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous extrapure, 99%	500 Gms	520
18108 [10102-40-6]	Sodium Molybdate Dihydrate extrapure AR, 99%	100 Gms	1400			5 Kg	4800
[10102-40-0]	oxuaparo Ari, co/c	250 Gms	2950	66273 [7558-79-4]	Sodium Phosphate Dibasic Anhydrous ACS, 99%	500 Gms	600
		500 Gms	5200	[7330-79-4]	Amyurous 200, 5576	1 Kg	1100
70851	Sodium Molybdate Dihydrate	100 Gms	1500			5 Kg	5300
[10102-40-6]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99%	250 Gms	3200	45932	Sodium Phosphate Dibasic	500 Gms	680
	-	500 Gms	5500	[7558-79-4]	Anhydrous ACS, ExiPlus, Multi-Compendial, 99%	1 Kg	1200
	meets compendial specs of USP, BP,				• ,	5 Kg	5700
44040	Ph.Eur	500 C	450		meets compendial specs of USP		
44618 [7631-99-4]	Sodium Nitrate ACS, 99%	500 Gms	450	21669	Sodium Phosphate Dibasic Anhydrous for molecular biology,	250 Gms	830
		5 Kg	4000	[7558-79-4]	99.5%	500 Gms	1550
71910 [7632-00-0]	Sodium Nitrite ACS, 99%	500 Gms	500			5 Kg	14000
[7002-00-0]		5 Kg	4750	32080	Sodium Phosphate Dibasic	500 Gms	500
28182	Sodium Nitroprusside Dihydrate	100 Gms	1100	[10028-24-7]	Dihydrate extrapure, 99%	5 Kg	4000
[13755-38-9]	pure, 98% (Sodium Nitroferricyanide)	500 Gms	5000			25 Kg	18500
71750	Sodium Nitroprusside Dihydrate	100 Gms	1200	87258	Sodium Phosphate Dibasic	500 Gms	600
[13755-38-9]	extrapure AR, 99%	500 Gms	5200	[10028-24-7]	Dihydrate extrapure AR, 99.5%	5 Kg	4500
58403	Sodium Nitroprusside Dihydrate	100 Gms	1300			25 Kg	21500
[13755-38-9]	extrapure AR, ACS, ExiPlus,	500 Gms	5500	52234	Sodium Phosphate Dibasic	500 Gms	900
	Multi-Compendial, 99%			[10028-24-7]	Dihydrate ExiPlus, Multi-Compendial, 99.5%	5 Kg	7000
00004	meets compendial specs of BP, Ph.Eur	500 Gms	070		meets compendial specs of BP, USP & Ph		
62381 [10101-89-0]	tri-Sodium Orthophosphate Dodecahydrate pure, 98%	500 Gills 5 Kg	370		Eur		
. ,	(Sodium Phosphate Tribasic	5 Kg	3360	87027	Sodium Phosphate Dibasic	250 Gms	600
	Dodecahydrate (Trisodium Phosphate Dodecahydrate))			[10028-24-7]	Dihydrate for molecular biology,	500 Gms	1000
73670	tri-Sodium Orthophosphate	500 Gms	450		99.5%	5 Kg	8800
[10101-89-0]	Dodecahydrate ACS, 99%	5 Kg	450 4340	86858	Sodium Phosphate Dibasic	500 Gms	1200
	(Sodium Phosphate Tribasic	o ng	4340	[10028-24-7]	Dihydrate for HPLC, 99.5%		
	Dodecahydrate, Trisodium Phosphate			57085	Sodium Phosphate Dibasic	500 Gms	450
69199	Dodecahydrate) tri-Sodium Orthophosphate	500 Gms	540	[10039-32-4]	Dodecahydrate extrapure, 98.5% (Sodium Hydrogen Phosphate	5 Kg	3500
[10101-89-0]	Dodecahydrate ACS, ExiPlus,	5 Kg	4970		Dodecahydrate)		
	Multi-Compendial, 99%	0 1.9	7070	83417	Sodium Phosphate Dibasic	500 Gms	500
	(Sodium Phosphate Tribasic Dodecahydrate, Trisodium Phosphate			[10039-32-4]	Dodecahydrate extrapure AR, 99%	5 Kg	4600
	Dodecahydrate)				(Sodium Hydrogen Phosphate Dodecahydrate)		
	meets compendial specs of USP			18134	Sodium Phosphate Dibasic	100 Gms	800
	0	500 Gms	480	[7782-85-6]	Heptahydrate ACS, 98-102%		
36176 [62-76-0]	Sodium Oxalate pure, 99%	Jou ams	400	[1102-05-0]	(Disodium Hydrogen Phosphate	500 Gms	2200

Part A - General Laboratory Chemicals & Solvents

Code	Name	Packing	Price	Code	Name	Packing	Price
22249	Sodium Phosphate Monobasic	500 Gms	600	36590	Sodium Salicylate extrapure AR,	250 Gms	800
[7558-80-7]	Anhydrous extrapure AR, 99%	5 Kg	5000	[54-21-7]	99.5% (Salicylic Acid Sodium Salt,	500 Gms	1400
98336	Sodium Phosphate Monobasic	500 Gms	1125		2-Hydrobenzoic Acid Sodium Salt,		
[7558-80-7]	Anhydrous for HPLC, 99% (Sodium Dihydrogen Orthophosphate				Sodium-2-Hydrobenzoate)		
	Anhydrous)			62399 [13410-01-0]	Sodium Selenate Anhydrous extrapure AR, 99%	25 Gms	500
59443	Sodium Phosphate Monobasic	250 Gms	980	[10410 01 0]		100 Gms	1200
[7558-80-7]	Anhydrous for molecular biology, 99%	500 Gms	1400			500 Gms	5000
91826	Sodium Phosphate Monobasic	250 Gms	400	83627 [9063-38-1]	Sodium Starch Glycolate ex. Maize (SSG) ExiPlus, Multi-Compendial	500 Gms	480
[7558-80-7]	Anhydrous for tissue culture, 99%	1 Kg	1300	[0000 00 1]		5 Kg	4600
27092	Sodium Phosphate Monobasic	500 Gms	435	00010	meets compendial specs of USP Sodium Succinate Hexahydrate	100 Cma	100
[13472-35-0]	Dihydrate extrapure, 99%	5 Kg	4000	36313 [6106-21-4]	Dibasic extrapure, 99%	100 Gms 500 Gms	190 690
40597	Sodium Phosphate Monobasic	500 Gms	490		Cadium Cuasinata Hayahyıdırata		
[13472-35-0]	Dihydrate extrapure AR, 99%	5 Kg	4400	87578 [6106-21-4]	Sodium Succinate Hexahydrate Dibasic extrapure AR, 99%	100 Gms	240
79088	Sodium Phosphate Monobasic	500 Gms				500 Gms	950
[13472-35-0]	Dihydrate extrapure AR, ExiPlus,	500 Giris 5 Kg	550 4800	59977 [7757-82-6]	Sodium Sulphate Anhydrous ACS, 99%	500 Gms	230
	Multi-Compendial, 99%	3 Ng	4000	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		1 Kg	390
	meets compendial specs of USP					5 Kg 25 Kg	1700 3200
93494 [13472-35-0]	Sodium Phosphate Monobasic Dihydrate for molecular biology,	500 Gms	825		On allows Outlinhada Ambardana		
[10-172 00 0]	99%	5 Kg	7200	74725 [7757-82-6]	Sodium Sulphate Anhydrous ExiPlus, Multi-Compendial, 99%	500 Gms	280
	(Sodium Hydrogen Phosphate			. ,	mosts compandial chass of LISP PR	5 Kg	2000
61707	Dihydrate) Sodium Phosphate Monobasic	500 Gms	600		meets compendial specs of USP, BP & Ph.Eur		
[10049-21-5]	Monohydrate extrapure AR, 99%	500 Giris 5 Kg	600 5350	86566	Sodium Sulphate Anhydrous	5 Kg	2800
	(Sodium Dihydrogen Orthophosphate	3 Ng	3330	[7757-82-6]	PrimeDx, 99%	25 Kg	12500
	Monohydrate, Monosodium phosphate, Sodium dihydrogen			25365	Sodium Sulphide Flakes extrapure,	500 Gms	300
	phosphate mon			[27610-45-3]		5 Kg	2600
97768	Sodium Phosphate Monobasic	500 Gms	980	32246	Sodium Sulphite Anhydrous	500 Gms	350
[10049-21-5]	Monohydrate for HPLC, 99% (Sodium Dihydrogen Orthophosphate			[7757-83-7]	extrapure AR, 98%	5 Kg	2800
	Monohydrate, Monosodium			29814	Sodium Sulphite Anhydrous	500 Gms	400
	phosphate, Sodium dihydrogen			[7757-83-7]	extrapure AR, ACS, ExiPlus,	5 Kg	3300
78535	phosphate mon Sodium Phosphate Tribasic	500 Gms	650		Multi-Compendial, 98%	5	5555
[7601-54-9]	Anhydrous extrapure, 96%	5 Kg	5900	50500	meets compendial specs of USP, BP Sodium Tetraborate (Borax	100 Gms	050
	(Sodium Orthophosphate, Trisodium	o ng	3300	56580 [1330-43-4]	Anhydrous) extrapure AR, 99%	500 Gms	850
	Phosphate)	500.0			(Disodium Tetraborate)	2.5 Kg	1800 8300
63059 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate pure, 99%	500 Gms 5 Kg	620 6000	20024	Sadium Tetrohoreta Dagahudreta		
	On these Both and have Toutents			38631 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure,	500 Gms 5 Kg	320
18241 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, 99%	500 Gms	660		99%	3 Ng	2600
		5 Kg	6300	40.400	(Disodium Tetraborate Decahydrate)	500.0	
88662 [6381-59-5]	Sodium Potassium Tartrate Tetrahydrate extrapure AR, ACS,	500 Gms	710	19486 [1303-96-4]	Sodium Tetraborate Decahydrate (Borax Decahydrate) extrapure AR,	500 Gms	510
[0001 00 0]	ExiPlus, Multi-Compendial, 99%	5 Kg	6600	[,	99.5%	5 Kg	4250
	meets compendial specs of Ph.Eur				(Disodium Tetraborate Decahydrate)		
33650	Sodium Propionate pure, 99%	500 Gms	800	77668 [1303-96-4]	Sodium Tetraborate Decahydrate(Borax Decahydrate)	500 Gms	550
[137-40-6]		5 Kg	7100	[1000-90-4]	extrapure AR, ACS,ExiPlus,	5 Kg	5000
58568	Sodium Ricinoleate extrapure, 45%	500 Gms	340		Multi-Compendial, 99.5%		
[5323-95-5]	solids (Ricinoleic Acid Sodium Salt, Sodium	1 Kg	620		(Disodium Tetraborate Decahydrate) meets compendial specs of BP, Ph.Eur		
	Ricinolate)			29701	Sodium Tetraborate Pentahydrate	500 Gms	420
43874	Sodium Salicylate extrapure, 99%	500 Gms	800	[12179-04-3]	(Borax Pentahydrate) extrapure AR,	5 Kg	4000
[54-21-7]	(Salicylic Acid Sodium Salt,				99.5%	01.9	- 5000
	2-Hydrobenzoic Acid Sodium Salt,				(Disodium tetraborate pentahydrate)		

Code	Name	Packing	Price	Code	Name	Packing	Price
58581	Sodium Tetrafluoroborate pure,	500 Gms	880	59985	Sorbic Acid pure, 98%	500 Gms	800
[13755-29-8]	98.5% (Sodium Fluoroborate, Sodium			[110-44-1]		1 Kg	1400
	Fluoborate)					5 Kg	6500
54285	Sodium Tetraphenyl Borate	10 Gms	1100	62016	Sorbitan Monolaurate (SPAN 20®)	100 ml	2000
[143-66-8]	(Kalignost) extrapure AR, 99.5% (Sodium Tetraphenyl Boron)	25 Gms	2400	[1338-39-2]	extrapure	500 ml	6000
	(Godiam Tetrapheny Boron)	100 Gms	8700			2500 ml	28000
		1 Kg	64800	78338	Sorbitan Monooleate (SPAN 80®)	500 ml	890
30888	Sodium Tetraphenyl Borate	10 Gms	1200	[1338-43-8]	extrapure	2500 ml	4200
[143-66-8]	(Kalignost) extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	100 Gms	9100	36179	Sorbitan Monostearate (SPAN 60®)	500 Gms	750
	(Sodium Tetraphenyl Boron)	1 Kg	67000	[1338-41-6]	extrapure		
	meets compendial specs of BP, Ph.Eur			14281 [50-70-4]	D-Sorbitol Powder extrapure, 98%	500 Gms	530
94408	Sodium Thiocyanate pure, 98%	500 Gms	480	[00 70 4]		1 Kg	1040
[540-72-7]	Sadium Thiography ACS 099/	500 C				5 Kg	5000
21444 [540-72-7]	Sodium Thiocyanate ACS, 98%	500 Gms	600	33320 [50-70-4]	D-Sorbitol Powder for tissue culture, 98%	500 Gms	610
89728	Sodium Thiosulphate Anhydrous	500 Gms	520	[50-70-4]	calcule, 50%	1 Kg	1100
[7772-98-7]	extrapure, 99%	5 Kg	5000	63443	D-Sorbitol Powder ExiPlus,	500 Gms	620
52304	Sodium Thiosulphate Pentahydrate	500 Gms	220	[50-70-4]	Multi-Compendial, 97%	1 Kg	1200
[10102-17-7]	- · · · · · · · · · · · · · · · · · · ·	5 Kg	2000			5 Kg	5340
		25 Kg	9000		meets compendial specs of BP,USP &		
49479	Sodium Thiosulphate Pentahydrate	500 Gms			Ph,Eur	F00 O	
	ACS, 99.5%	5 Kg	270 2500	99103 [50-70-4]	D-Sorbitol Powder for molecular biology, 98%	500 Gms	1510
		25 Kg	12000	. ,		1 Kg	2890
62148	Sodium Thiosulphate Pentahydrate	500 Gms				5 Kg	9670
[10102-17-7]	ACS, ExiPlus, Multi-Compendial,	5 Kg	290 2750	47886 [23647-14-5]	SPADNS extrapure AR, ACS	1 Gms	500
	99.5%	o ng	2750	[====		5 Gms 25 Gms	1300
	meets compendial specs of USP, BP & Ph						4000
00707	Eur.	500 ml	100	30467 [7646-78-8]	Stannic Chloride anhydrous extrapure, 99%	100 ml	2080
33737 [7772-98-7]	Sodium Thiosulphate 0.1N Solution	500 ml 1000 ml	190 330	[, - , - , - ,	(Tin (IV) Chloride, Tin Tetrachloride)	500 ml	9270
	Codium Trimeter beauthete (CTMD)			79862		100 ml	1240
40023 [7785-84-4]	Sodium Trimetaphosphate (STMP) extrapure AR, 95%	100 Gms 500 Gms	1200	[7646-78-8]	Dichloromethane (Tin (IV) Chloride/Tin Tetrachloride in	500 ml	4500
. ,	(Trisodium Trimetaphosphate, Sodium	500 GIIIS	2800		1M MDC)		
	Cyclotriphosphate)				Stannic Chloride 1M in Heptane	100 ml	2590
85124 [7758-29-4]	Sodium Tripolyphosphate Anhydrous (STPP) extrapure,	1 Kg	620	[7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in		
[7700 20 4]	57-59% as P2O5	5 Kg	2940	98017 🗸	1M Heptane) Stannic Chloride 1M in Toluene	100 ml	2590
	(Pentasodium Tripolyphosphate, Sodium Triphosphate Pentabasic)			[7646-78-8]	(Tin (IV) Chloride/Tin Tetrachloride in 1M Toluene)	1001111	2390
81499	Sodium Tungstate Dihydrate	100 Gms	1140	91068	Stannous Chloride Dihydrate pure,	100 Gms	960
[10213-10-2]	extrapure, 98%	250 Gms	2640	[10025-69-1]		250 Gms	2350
		2.5 Kg	25300		(Tin (II) Chloride Dihydrate)	500 Gms	4470
49110	Sodium Tungstate Dihydrate	100 Gms	1200	23329	Stannous Chloride Dihydrate	100 Gms	1070
[10213-10-2]	extrapure AR, 99%	250 Gms	2940	[10025-69-1]	•	250 Gms	2460
46215	Sodium Tungstate Dihydrate	100 Gms	1310		(Tin (II) Chloride Dihydrate)	500 Gms	4690
[10213-10-2]	extrapure AR, ACS, ExiPlus,	250 Gms	3200	89673	Stannous Chloride Dihydrate	100 Gms	1150
	Multi-Compendial, 99% meets compendial specs of USP, BP,			[10025-69-1]	extrapure AR, ACS, ExiPlus,	250 Gms	2620
	Ph.Eur				Multi-Compendial, 99%	500 Gms	4800
85446	Solochrom Dark Blue (Calcon),	5 Gms	340		(Tin (II) Chloride Dihydrate) meets compendial specs of USP, Ph.Eur		
[2538-85-4]	50%	25 Gms	990	58254	Starch Corn pure	500 Gms	220
		100 Gms	2550	[9005-25-8]	• -	5 Kg	2000
				86106	Starch Hydrolysed extrapure	100 Gms	1030

Code	Name	Packing	Price	Code	Name	Packing	Prid
14418	Starch Soluble extrapure	500 Gms	1150	56799	Sucrose NF (USP) (Non-Parenteral	1 Kg	1200
[9005-84-9]		5 Kg	10800	[57-50-1]	Use)	5 Kg	5500
64698	Starch Soluble extrapure AR	500 Gms	1250			25 Kg	25000
[9005-84-9]		5 Kg	11800	57335	Sudan IV for microscopy (C.I. No.	25 Gms	300
76601	Starch Soluble extrapure AR, ACS,	500 Gms	1340	[85-83-6]	26105), 95%	100 Gms	700
[9005-84-9]	ExiPlus, Multi-Compendial	5 Kg	12800	47256	Sudan Black	10 Gms	600
	meets compendial specs of USP	· ·	.2000	[4197-25-5]		25 Gms	1200
1944	Strontium AAS Standard Solution in	100 ml	1800			100 Gms	400
710-1-1	0.5N HCI (Traceable to NIST)	250 ml	2900	24073	Sulphamic Acid pure, 99%	500 Gms	30
6724	Strontium Bromide (Strontium	5 Gms		[5329-14-6]	(Amido Sulphonic Acid)	5 Kg	249
6 731 10476-81-0]	Dibromide) extrapure, 99%	25 Gms	2000				
,	, ,		5000	42773 [5329-14-6]	Sulphamic Acid extrapure AR, 99.5%	100 Gms	40
		100 Gms	12000	[5529-14-0]	(Amido Sulphonic Acid)	500 Gms	180
7911 [1633-05-2]	Strontium Carbonate extrapure, 98%	500 Gms	650	81645 [5329-14-6]	Sulphamic Acid extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	100 Gms	50
1832	Strontium Chloride Hexahydrate	250 Gms	390	[5529-14-0]	(Amido Sulphonic Acid)	500 Gms	220
0025-70-4]	extrapure, 98%	500 Gms	760		meets compendial specs of BP, Ph.Eur		
		5 Kg	6500	89762	Sulphanilamide pure, 99%	100 Gms	80
9563	Strontium Nitrate Anhydrous	500 Gms	600	[63-74-1]	(p-Aminobenzenesulphonamide)	500 Gms	300
10042-76-9]	extrapure, 98%					5 Kg	2800
6330	Succinic Acid extrapure, 99%	500 Gms	570	65404	Sulphanilamide extrapure AR, 99%	100 Gms	90
[110-15-6]		5 Kg	5200	[63-74-1]	(p-Aminobenzenesulphonamide)	500 Gms	409
5752	Succinic Acid ACS, 99%	100 Gms	420	19689	Sulphanilamide extrapure AR,	100 Gms	
[110-15-6]		500 Gms	800	[63-74-1]	ExiPlus, Multi-Compendial, 99%	500 Gms	107
		5 Kg	7500		(p-Aminobenzenesulphonamide)	Joo Gillis	447
2321	Succinic Acid ACS, ExiPlus,	100 Gms	460		meets compendial specs of USP, BP,		
[110-15-6]	Multi-Compendial, 99.5%	500 Gms	950		Ph.Eur		
	meets compendial specs of USP, BP, &		000	15354	Sulphanilic Acid pure, 99% (p-Aminobenzenesulphonamide)	100 Gms	20
	Ph.Eur			[121-57-3]	(p-Aminoberizeriesulphonamide)	500 Gms	60
0917	Succinimide (Butanimide)	100 Gms	480	93360	Sulphanilic Acid (High Purity)	100 Gms	33
[123-56-8]	extrapure AR, 99%	500 Gms	1750	[121-57-3]	extrapure AR, 99.5%	500 Gms	110
4973	Sucrose pure	500 Gms	290	97979	Sulphanilic Acid (High Purity)	100 Gms	47
[57-50-1]		5 Kg	1860	[121-57-3]	extrapure AR, ACS, ExiPlus,	500 Gms	140
		25 Kg	8720		Multi-Compendial, 99.5% meets compendial specs of BP		
0704	Supress surframum AD ACC			44445	5-Sulphosalicylic Acid Dihydrate	250 Gms	56
0701 [57-50-1]	Sucrose extrapure AR, ACS	500 Gms	440	[5965-83-3]	extrapure, 99%	500 Gms	95
[]		1 Kg	820			5 Kg	900
		5 Kg	3930				
		25 Kg	17440	13100 [5965-83-3]	5-Sulphosalicylic Acid Dihydrate ACS, 99%	100 Gms	43
7580	Sucrose for molecular biology	500 Gms	600	[0000 00 0]	(2-Hydroxy-5-Sulfobenzoic Acid	500 Gms	130
[57-50-1]		1 Kg	1190		Dihydrate)		
		5 Kg	4520	92635	Talc Powder Fine ExiPlus,	500 Gms	17
2696	Sucrose for tissue culture	500 Gms	440	[14807-96-6]	Multi-Compendial, -325 mesh (Hydrous Magnesium Silicate, Talcum	5 Kg	131
[57-50-1]		1 Kg	770		Powder, Soapstone)		
		5 Kg	3270		meets compedial specs of BP USP &		
2958	Sucrose IP (Non-Parenteral Use)	1 Kg	770		Ph.Eur		
[57-50-1]		5 Kg	3750	92101	Tannic Acid extrapure AR, ACS,	100 Gms	121
		25 Kg	18000	[1401-55-4]	ExiPlus, Multi-Compendial	250 Gms	270
8142	Sucrose BP (Non-Parenteral Use)	1 Kg	770		(Gallotannin, Tannin)	500 Gms	510
[57-50-1]		5 Kg	3750			5 Kg	4800
-		5 Ng	3730		meets compendial specs of BP		

Code	Name	Packing	Price	Code	Name	Packing	Price
52931 [1934-21-0]	Tartrazine, 87%	100 Gms 1 Kg	380 3000	28342 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Isopropanol extrapure AR	500 ml	1900
20428	Terephthalic Acid pure, 98%	500 Gms	380	94836	Tetrabutylammonium Hydroxide 1M	100 ml	2300
[100-21-0]	Torophanano Aoia pare, ee/c	5 Kg	3500	[2052-49-5]	Aq. Solution	500 ml	10500
20669	Tetrabutylammonium Bromide	250 Gms	400	31916	Tetrabutylammonium Hydroxide 1M	100 ml	2500
[1643-19-2]	(TBAB) pure, 98%	500 Gms	750	[2052-49-5]	in Methanol solution (N,N,N-Tributyl-1-butanaminium	500 ml	12000
		1 Kg	1400		hydroxide, TBAH,		
57594	Tetrabutylammonium Bromide	25 Gms	500		Tetra-n-butylammonium hydroxide)		
[1643-19-2]	(TBAB) extrapure AR, ACS, 99%	100 Gms	1600	41728	Tetrabutylammonium Hydroxide	100 ml	1250
		500 Gms	7500	[2052-49-5]	10% Aq. Solution extrapure	500 ml	5200
54423	Tetrabutylammonium Bromide	25 Gms		15134	Tetrabutylammonium Hydroxide	100 ml	1350
[1643-19-2]	(TBAB) for HPLC, 99.5%	100 Gms	1400 5200	[2052-49-5]	10% in methanol extrapure	400 1	
07050	Tatuahutula mana mirum Dihudua man			41715 [2052-49-5]	Tetrabutylammonium Hydroxide 20% Aq. Solution extrapure	100 ml	1800
37256 [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate (TBADP) extrapure AR,	5 Gms	3300			500 ml	7000
[]	98%	25 Gms	12000	54722 [2052-49-5]	Tetrabutylammonium Hydroxide 25% Aq. Solution extrapure	100 ml	1900
	(Tetrabutylammonium Phosphate			[2052-49-5]	23% Aq. Solution extrapure	500 ml	8200
70000	Monobasic) Tetrabutylammonium Dihydrogen	5 Gms	4500	68032	Tetrabutylammonium Hydroxide	100 ml	3100
78262 [5574-97-0]	Phosphate (TBADP) for HPLC, 99%	25 Gms	4580	[2052-49-5]	40% aq solution pure	250 ml	7500
. ,	(Tetrabutylammonium phosphate	25 GIIIS	15590			500 ml	14000
	monobasic)					1000 ml	24000
84444 ✓ [5574-97-0]	Tetrabutylammonium Dihydrogen Phosphate, 0.1M in HPLC Water	100 ml	5200	30064	Tetrabutylammonium Hydroxide	100 ml	7500
[5574-97-0]	(Tetrabutylammonium Phosphate	500 ml	25000	[2052-49-5]	54-56% Aq. Solution extrapure AR	500 ml	30000
	Monobasic 0.1M in HPLC Water)			13656	Tetrabutylammonium Hydroxide	100 ml	1900
57968	, , ,	10 ml	2000	[2052-49-5]	25% in Methanol extrapure	250 ml	4300
[5574-97-0]	Phosphate, 0.5M in HPLC Water (Tetrabutylammonium Phosphate	100 ml	8000			500 ml	8200
	Monobasic 0.5M in HPLC Water)	500 ml	30000	74212	Tetrabutylammonium Hydroxide	100 ml	3100
53856	Tetrabutylammonium Dihydrogen	50 ml	7500	[2052-49-5]	40% in Methanol extrapure	250 ml	7500
[5574-97-0]	Phosphate, 1M in HPLC Water	100 ml	12000			500 ml	14000
	(Tetrabutylammonium Phosphate Monobasic 1M in HPLC Water)	500 ml	33000	40878	Tetrabutylammonium Hydroxide	500 ml	1700
50283	Tetrabutylammonium Fluoride	25 Gms	1300	[2052-49-5]	0.1N in Methanol for non-aqueous		
[87749-50-6]	Trihydrate extrapure, 98%	100 Gms	3800		titration extrapure AR		
30315	Tetrabutylammonium Fluoride	100 ml	1450	45205 [2052-49-5]	Tetrabutylammonium Hydroxide 0.1N in Methanol/Toluene extrapure	500 ml	1520
[429-41-4]	(TBAF) 1M Soln. in THF	500 ml	5000	[2002 40 0]	AR		
	(N,N,N-Tributyl-1-butanaminium		0000	44991	Tetrabutylammonium Hydroxide	100 ml	2000
01050	Fluoride)	100 Cma	600	[2052-49-5]	20% in Methanol/Toluene extrapure		
91958 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) pure, 98%	100 Gms	620	28051 [311-28-4]	Tetrabutylammonium Iodide (TBAI) extrapure AR, 99%	25 Gms	1700
	. , ,, ,	250 Gms 500 Gms	1190	[311-20-4]	extrapure Art, 33 %	100 Gms	6000
			2100	62390	Tetrabutylammonium lodide (TBAI)	25 Gms	2000
83955 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR,	25 Gms	570	[311-28-4]	extrapure AR, ExiPlus, Multi-Compendial, 99%	100 Gms	6300
[02000 2. 0]	99%	100 Gms	1640		meets compendial specs of USP, BP,		
		500 Gms	7630		Ph.Eur		
10778 [32503-27-8]	Tetrabutylammonium Hydrogen Sulphate (TBAHS) extrapure AR,	100 Gms	1970	26158	Tetra-N-Butyl Orthotitanate (TNBT)	100 ml	900
[32000-21-0]	ExiPlus, Multi-Compendial, 99%	250 Gms	4600	[5593-70-4]	extrapure, 23-24% TiO2 (Tetrabutyl Orthotitanate, Titanium(IV)	500 ml	2400
	meets compendial specs of USP, BP, Ph.Eur				n-Butoxide, Tetrabutyl Titanate, Orthotitanic Acid Tetrabuty	2500 ml	7000
88383	Tetrabutylammonium Hydrogen	25 Gms	660	69105	Tetrachloroethylene pure, 99%	500 ml	600
[32503-27-8]	Sulphate (TBAHS) for HPLC, 99.5%	100 Gms	1800	[127-18-4]	(Perchloroethylene)	2500 ml	2600
		500 Gms	8720	25058	Tetrachloroethylene extrapure AR,	500 ml	760
52162	Tetrabutylammonium Hydroxide	500 ml	1760	[127-18-4]	99.5%	2500 ml	3300
[2052-49-5]	0.1N Aq. Solution extrapure AR				(Perchloroethylene)		

Code	Name	Packing	Price	Code	Name	Packing	Price
74438 [127-18-4]	Tetrachloroethylene for UV spectroscopy, 99.5%	500 ml	850	92562 [109-99-9]	Tetrahydrofuran (THF) for molecular biology, 99.8%	250 ml	480
[127 10 4]	(Perchloroethylene)	1000 ml	1550			500 ml	860
48448	Tetrachloroethylene GC-HS, 99.9%	250 ml	700	22698 [1693-74-9]	Tetrahydrofuran-d8 (THF-d8) for NMR spectroscopy, 99.5 Atom %D	5 ml	24000
[127-18-4]		1000 ml	1900	[1000-74-0]		10 ml	42000
35793	1,1,2,2-Tetrachloroethane-d2	1 Gms	8500	11088	1,2,3,4-Tetrahydronaphthalene (Tetralin) pure, 98%	500 ml	1250
[33685-54-0]				[119-64-2]	(Tetraini) pure, 30%	2500 ml	5200
	99.5 Atom %D (1,2-Dideutero-1,1,2,2-Tetrachloroetha			91496	Tetramethylammonium Hydroxide	50 ml	810
	ne, TCE-d2)			[75-59-2]	10% Aq. Solution pure	250 ml	3100
52435	1,1,2,2-Tetrachloroethane-d2	5 ml	18000	94620	Tetramethylammonium Hydroxide	100 ml	2800
[33685-54-0]	(TCE-d2) for NMR spectroscopy, 99.5 Atom %D			[75-59-2]	25% aqueous solution pure	250 ml	5300
	(1,2-Dideutero-1,1,2,2-Tetrachloroetha					500 ml	9500
	ne, TCE-d2)			21371	Tetramethylammonium Hydroxide	100 ml	3000
70427	Tetradecylammonium Bromide	5 Gms	2700	[75-59-2]	25% in methanol pure	250 ml	5000
[14937-42-9]	(TDAB) extrapure AR, 99% (Tetrakis(decyl) Ammonium Bromide)	25 Gms	10200			500 ml	8500
	(Tetrans(decey), Arrinoniam Bromide)	100 Gms	34000	38342	Tetramethylammonium Hydroxide	1000 ml	21000
59256	Tetradecylammonium Bromide	5 Gms	3200	[75-59-2]	25% aqueous solution, VLSI	2500 ml	38500
[14937-42-9]		25 Gms	12500		Semiconductor Grade		
67902	(Tetrakis(decyl) Ammonium Bromide)	OEO Cmo	1100	42209 [75-59-2]	Tetramethylammonium Hydroxide 0.1N in isopropanol/ methanol	100 ml	1400
[71-91-0]	Tetraethylammonium Bromide (TEAB) pure, 98%	250 Gms	1100	[75-59-2]	extrapure	500 ml	3100
. ,		1 Kg	4100	56874	Tetramethylammonium Hydroxide	100 ml	1100
		5 Kg	19500	[75-59-2]	1M Aq. Solution ACS	250 ml	2600
64674 [16873-13-5]	Tetraethylammonium Hydrogen Sulphate (TEAHS) for HPLC, 99%	10 Gms	3800	29740	Tetramethylammonium Hydroxide	5 Gms	830
[10070-10-0]	Calphate (TEATIS) for the Ee, 66%	25 Gms	7800	[10424-65-4]	Pentahydrate extrapure, 98%	25 Gms	1460
		100 Gms	22000			100 Gms	4920
93314	Tetraethyl Orthosilicate (TEOS)	100 ml	900	84666	N,N,N,N-Tetramethyl	100 ml	840
[78-10-4]	extrapure, 98%, 28-28.8% SiO2 (Silicon Tetraethoxide,	500 ml	1600	[110-18-9]	Ethylenediamine (TEMED)	250 ml	1390
	Tetraethoxysilane, Tetraethyl Silicate)	2500 ml	6200		extrapure AR, 99%	500 ml	2280
21957	Tetraheptyl Ammonium Bromide	5 Gms	2370	04400	N N N N Takramathul		
[4368-51-8]	(THAB) extrapure, 99%	25 Gms	8830	84198 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED)	100 ml 500 ml	960
		100 Gms	31990		extrapure AR, ExiPlus,	300 1111	2520
46986	Tetraheptyl Ammonium Bromide	5 Gms	3400		Multi-Compendial, 99%		
[4368-51-8]	(THAB) for HPLC, 99%	25 Gms	12000		meets compendial specs of Ph.Eur	05	
		100 Gms	42000	52145 [110-18-9]	N,N,N,N-Tetramethyl Ethylenediamine (TEMED) for	25 ml	550
82863	Tetrahydrofuran (THF) (Stabilized)	500 ml	500	[]	molecular biology, 99.5%	100 ml	1110
[109-99-9]	pure, 99.5%	2500 ml	2200	80909	Tetrapropylammonium Chloride	10 Gms	4000
		25 Ltr	20000	[5810-42-4]	extrapure, 98%	50 Gms	17100
74497	Tetrahydrofuran (THF) (Stabilized)	500 ml	550	70177	Tetrasodium Pyrophosphate	500 Gms	750
[109-99-9]	extrapure AR, 99.5%	2500 ml	2500	[7722-88-5]	Anhydrous (TSPP anhy) extrapure,	5 Kg	6800
83642	Tetrahydrofuran (THF) (Stabilized)	500 ml			98% (Sodium Diphosphate Tetrabasic,		
[109-99-9]	extrapure AR, ACS, ExiPlus,	2500 ml	600 2750		Sodium Pyrophosphate Tetrabasic,		
	Multi-Compendial, 99.5%	2300 1111	2750	49473	Tetrasodium Pyrophosphate	500 Gms	1800
	meets compendial specs of USP, BP,			[13472-36-1]	Decahydrate (TSPP Decahyd)	2.5 Kg	8200
	Ph.Eur (TUE) 00 110	:			extrapure AR, 99% (Sodium Diphosphate Tetrabasic,		
32661 [109-99-9]	Tetrahydrofuran (THF) GC-HS, 99.9%	250 ml	500		Sodium Pyrophosphate Tetrabasic,		
[100-00-0]		1000 ml	1700	56135	Theophylline anhydrous pure, 99%	25 Gms	300
94842	Tetrahydrofuran (THF) for HPLC &	500 ml	880	[58-55-9]		100 Gms	900
[109-99-9]	UV Spectroscopy, 99.9%	1000 ml	1500			500 Gms	1700
		2500 ml	3400	17942	Thioacetamide extrapure AR, 99%	25 Gms	500
59167	Tetrahydrofuran (THF) Dried,	500 ml	800	[62-55-5]		100 Gms	1700
[109-99-9]	99.5%, 0.005% water						

Code	Name	Packing	Price	Code	Name	Packing	Price
48979	Thioacetamide extrapure AR, ACS,	25 Gms	580	24737	Tin Metal Granular extrapure AR,	100 Gms	1850
[62-55-5]	ExiPlus, Multi-Compendial, 99%	100 Gms	1900	[7440-31-5]	99.7%	250 Gms	4300
		500 Gms	8700			500 Gms	8200
	meets compendial specs of USP, BP,		0700	42780	Tin Metal Powder extrapure AR,	100 Gms	
	Ph.Eur			42760 [7440-31-5]	99.9%, ~325 mesh	250 Gms	1550 3600
42174	Thioanisole extrapure, 99%	25 ml	950	-	The Manager Lands and Land		
[100-68-5]	(Methyl Phenyl Sulfide	100 ml	2500	60001 △ [149-45-1]	Tiron Monohydrate extrapure, 98% (Catechol-3,5-Disulfonic Acid Disodium	5 Gms	600
	Methylthiobenzene)	500 ml	9100	[Salt Monohydrate)	25 Gms	2200
75241	2-Thiobarbituric Acid (TBA)	25 Gms	1100		Tiran is used as a model indictor of Iran	100 Gms	8000
[504-17-6]	extrapure AR, 99%	100 Gms	3800		Tiron is used as a metal indictor of Iron (Fe), and as a colorimetric reagent of Fe,		
	(4,6-Dihydroxy-2-Mercaptopyrimidine, 4,6-Dihydroxypyrimidine-2-Thiol)				Al, Ti, and other metal ions.		
75493	Thioflavin T for microscopy (C.I.	5 Gms	1500	37139	Titanium (IV) Chloride THF	5 Gms	2790
[2390-54-7]	No. 49005), 90%	25 Gms	3270	[31011-57-1]		25 Gms	10800
	(Basic Yellow 1)	25 01115	3270		(Tetrachlorobis(Tetrahydrofuran)		
35357	Thioglycolic Acid pure, 80%	500 ml	1800	55788	Titanium) Titanium Dioxide extrapure, 98%	500 Gms	540
[68-11-1]		2500 ml	8500		(Titanium (IV) Oxide)	1 Kg	1010
74118	Thioglycolic Acid ExiPlus,	500 ml	2100			5 Kg	4240
[68-11-1]	Multi-Compendial, 80%	2500 ml	9000	04400	Titanium Ethavida (ET) autranura		
	meets compendial specs of USP			91482 [3087-36-3]	Titanium Ethoxide (ET) extrapure, 33-35% TiO2	100 ml 250 ml	1600
80599	Thionin Acetate, 90%	5 Gms	2390		(Tetraethyl Titanate, Titanium (IV)	250 1111	2200
[78338-22-4]		25 Gms	9940		Ethoxide, Tetraethyl Orthotitanate)		
74681 [79-19-6]	Thiosemicarbazide pure, 98%	25 Gms	330	56993 [546-68-9]	Titanium Isopropoxide (TTIP) extrapure, 27.8-28.6% TiO2	100 ml	610
		100 Gms	1000	[540-06-9]	(Tetraisopropyl Orthotitanate, Titanium	500 ml	1180
		500 Gms	4400		(IV) Isopropoxide, Titanium	2500 ml	5510
58658	Thiosemicarbazide extrapure AR,	25 Gms	520		Tetraisopropoxide)		
[79-19-6] 88196 [62-56-6]	99%	100 Gms	1500	70472 [1829-00-1]	Titan Yellow, 65%	25 Gms	750
	Thiourea pure, 98%	500 Gms	600	[1020 00 1]		50 Gms	1400
		5 Kg	5000			250 Gms	6000
16994 [62-56-6]	Thiourea Superior extrapure AR,	100 Gms	610	47556 [108-88-3]	Toluene pure, 99%	500 ml	285
	99%	250 Gms	1200	[100-00-3]		2500 ml	1100
		500 Gms	2300			25 Ltr	9500
20491 [62-56-6]	Thiourea Superior extrapure AR, ACS, ExiPlus, Multi-Compendial,	500 Gms	2600	39984 [108-88-3]	Toluene (Sulphur free) extrapure, 99.5%	500 ml	300
		5 Kg	24000		33.376	2500 ml	1200
	99%	o ng	24000			25 Ltr	9900
	meets compendial specs of USP, Ph.Eur			85577	Toluene ACS, 99.5%	500 ml	350
27179	Thymol Blue	5 Gms	220	[108-88-3]		2500 ml	1300
[76-61-9]		25 Gms	1010			25 Ltr	10800
79617 [76-61-9]	Thymol Blue ACS, ExiPlus,	5 Gms	280	95227	Toluene ExiPlus, Multi-Compendial,	500 ml	400
	Multi-Compendial	25 Gms	1210	[108-88-3]	99.5%	2500 ml	1500
	meets compendial specs of BP, Ph.Eur				meets compendial specs of BP,Ph.Eur		
40817	Thymol Blue Solution (0.1% in	125 ml	170	17213	Toluene Dried, 99.5%, 0.005% water	500 ml	390
	methanol)	F 0	0.10	[108-88-3]		1000 ml	740
24474 [125-20-2]	Thymolphthalein ACS, ExiPlus, Multi-Compendial	5 Gms	240			2500 ml	1400
	•	25 Gms 100 Gms	1000	80156	Toluene Dried Special (Low	250 ml	450
	mosts compandial appear of BD. Dh. Tur	100 GIIIS	3800	[108-88-3]	Benzene, 25ppm), 99.5%, 0.005% water	1000 ml	1100
10710	meets compendial specs of BP, Ph.Eur Tin AAS Standard Solution in 2N	100!	1000	83662	Toluene GC-HS, 99.9%	500 ml	750
19710	HCI (Traceable to NIST)	100 ml	1800	[108-88-3]	. 5.46116 40-116, 33.378	1000 ml	
	· ·	250 ml	2900		Talvana far UDI C 9 IP/		1350
56283 [7440-31-5]	Tin Metal Granular extrapure, 99.5%	100 Gms	1700	29490 [108-88-3]	Toluene for HPLC & UV Spectroscopy, 99.8%	500 ml	470
[6-16-0441]	00.070	250 Gms	3850	[100-00-0]		1000 ml	820
		500 Gms	7500			2500 ml	1450

Code	Name	Packing	Price	Code	Name	Packing	Pric
85590	Toluene-d8 for NMR spectroscopy,	10 ml	21000	92390	Trichloroethylene extrapure AR,	500 ml	390
[2037-26-5]	99.5 Atom %D	25 ml	45000	[79-01-6]	99.5%	2500 ml	1650
33635	m-Toluidine extrapure, 99%	500 ml	570			25 Ltr	15500
[108-44-1]	(3-Methylaniline, m-Aminotoluene)	2500 ml	2250	86976	Trichloroethylene extrapure AR,	500 ml	440
82225	p-Toluenesulfonamide (PTSamide)	100 Gms		[79-01-6]	ACS, ExiPlus, Multi-Compendial,	2500 ml	1800
[70-55-3]	pure, 98%	500 Gms	310		99.5%		
	(4-Toluenesulfonamide)	500 GIIIS	1200		meets compendial specs of BP, Ph.Eur		
29423	p-Toluenesulphonic Acid	500 Gms	520	76338 [79-01-6]	Trichloroethylene electronic grade, 99.5%	500 ml	750
[6192-52-5]	Monohydrate pure, 98%	5 Kg	3940	[/9-01-0]	33.3 /6	2500 ml	2800
77948	(Toluene-4-Sulphonic Acid, PTSA) p-Toluenesulphonic Acid	100 Gms	000	97681	Trichloroethylene for UV	500 ml	720
[6192-52-5]	Monohydrate extrapure AR, ACS,	500 Gms	320	[79-01-6]	spectroscopy, 99.5%	1000 ml	1300
	99%	500 GIIIS	1280	42943	Trichloroethylene Dried, 99.5%,	500 ml	1000
	(Toluene-4-Sulphonic Acid, PTSA)			[79-01-6]	0.005% water		
55580	p-Toluenesulphonic Acid	100 Gms	620	20779	Triethanolamine pure, 98%	500 ml	550
[6192-52-5]	Monohydrate (High Purity) extrapure AR,ACS,	500 Gms	2240	[102-71-6]		2500 ml	2600
	ExiPlus,Multi-Compendial, 99.5%			29306	Triethylamine pure, 98%	500 ml	380
	(Toluene-4-Sulphonic Acid, PTSA)			[121-44-8]		2500 ml	1650
	meets compendial specs of USP, BP,					25 Ltr	15000
	Ph.Eur			75198	Triethylamine extrapure AR, 99.5%	500 ml	430
8 6763	p-Toluenesulphonic Acid Sodium Salt pure, 98%	500 Gms	1850	[121-44-8]	•	2500 ml	1800
[657-84-1]	(Sodium p-Toluenesulfonate, PTSA			95205	Triethylamine extrapure AR,	1000 ml	
	Sodium)			[121-44-8]	ExiPlus, Multi-Compendial, 99.5%	2500 ml	1025
73222	Triacetin pure, 99%	500 ml	810		manta commandial anges of LICD, DD	2500 1111	1950
[102-76-1]		2500 ml	3930		meets compendial specs of USP, BP, Ph.Eur		
21559	Tributylamine extrapure, 99%	250 ml	230	67352	Triethylamine for HPLC, 99.5%	250 ml	460
[102-82-9]		1000 ml	800	[121-44-8]	Thethylaninie for TIPLO, 33.3%	500 ml	850
74315	Tributylphosphate extrapure, 99%	500 ml	1800			1000 ml	1300
[126-73-8]	····au, ·p····ap····ap····ap····ap····ap····ap····ap····ap·····ap·····ap·····ap·····ap·····ap·····ap·····ap····	2500 ml	8400				
	D Trabalage Dibudusta sutramura			55221 [121-44-8]	Triethylamine for molecular biology, 99.5%	500 ml	600
91094 [6138-23-4]	D-Trehalose Dihydrate extrapure CHR	5 Gms	370	12475	Triethyl Citrate extrapure, 99%	250 ml	600
[0100 20 4]		25 Gms	1280	[77-93-0]	(Citric Acid Triethyl Ester, Ethyl Citrate)	1000 ml	2200
		100 Gms	4250			2500 ml	5200
		1 Kg	12500				
15886	D-Trehalose Dihydrate for tissue	5 Gms	550	37817 [112-27-6]	Triethylene Glycol extrapure, 99%	500 ml	400
[6138-23-4]	culture	25 Gms	1950	[112-21-0]		2500 ml	1700
		100 Gms	4730	96475	Triethylene Glycol extrapure AR,	500 ml	520
10952	D-Trehalose Dihydrate ExiPlus	25 Gms	1500	[112-27-6]	99%	2500 ml	2000
[6138-23-4]	Multi-Compendial	100 Gms	4800	86570	Triethylenetetramine (mix. of	500 ml	1800
		1 Kg	17000	[112-24-3]	isomers) pure, 97%	2500 ml	7500
	Meets compendial specs of USP,BP &			81085	Triethyl Orthoformate extrapure,	500 ml	600
	Ph.Eur			[122-51-0]	99%	2500 ml	2900
90544	Trichloroacetic Acid extrapure, 99%	100 Gms	200	78984	Trifluoroacetic Acid (TFA) pure,	100 ml	650
[76-03-9]		500 Gms	650	[76-05-1]	99%	500 ml	2500
60677 ×	Trichloroacetic Acid extrapure AR,	100 Gms	290	•		2500 ml	12000
[76-03-9]	ACS, 99.5%	500 Gms	720		Trifficareacetic Acid (TEA)		
31445	Trichloroacetic Acid 10% solution	100 ml	200	65415 [76-05-1]	Trifluoroacetic Acid (TFA) extrapure AR, 99.5%	100 ml	900
[76-03-9]		500 ml	430	[10-03-1]		250 ml	1800
	Triablementia Anid COO/ Inti-					500 ml	2800
54290 [76-03-9]	Trichloroacetic Acid 20% solution	500 ml	450	67869	Trifluoroacetic Acid (TFA)	100 ml	1050
15106	Trichloroethylene extrapure, 99%	500 ml	350	[76-05-1]	extrapure AR, ExiPlus, Multi-Compendial, 99.5%	500 ml	3200
[79-01-6]		2500 ml	1500		meets compendial specs of USP, BP,		
[/9-01-6]		2000 1111	1000		Ph.Eur		

Code	Name	Packing	Price	Code	Name	Packing	Price
82818	Trifluoroacetic Acid (TFA) for HPLC	25 ml	840	55219	Triton X-405 (70% solution)	500 ml	2200
[76-05-1]	& UV Spectroscopy, 99.9%	100 ml	1400	[9036-19-5]	extrapure (Octylphenolethoxylate,Polyethylenegly	1000 ml	3600
		500 ml	4200		col	2500 ml	8000
40801	Trifluoroacetic Acid (TFA) for	100 ml	1700		t-Octylphenylether,Polyoxyethylene(40)i		
[76-05-1]	molecular biology, 99.9%	500 ml	5000		sooctylphenylether)	25.0	
23947	Trifluoroacetic Acid (TFA) for HPLC	10 x1 ml	18000	64315 [547-57-9]	Tropaeolin O Sodium Salt (Acid Orange 6, Chrysoin)	25 Gms	640
[76-05-1]	& Sequencing, 99.9%					100 Gms	2290
78716	Trifluoroacetic Acid-d (TFA-d1) for	5 ml	6200	10233 [54-12-6]	DL-Tryptophan extrapure CHR, 99%	5 Gms	490
[599-00-8]	NMR spectroscopy, 99.5 Atom %D	10 ml	9500	[34-12-0]		25 Gms	1500
82395	Trimethyltetradecylammonium	25 Gms	1500			100 Gms	5800
[4574-04-3]	Chloride extrapure, 99%	100 Gms	4200	10263	L-Tryptophan extrapure CHR, 99%	100 Gms	750
38476	Triphenylmethane pure, 98%	100 Gms	1210	[73-22-3]		1 Kg	6200
[519-73-3]		500 Gms	4960			5 Kg	30000
71033	Tris Buffer AR, ACS for molecular	100 Gms	880	49102	L-Tryptophan for tissue culture,	25 Gms	800
[77-86-1]	biology, 99.9%	500 Gms	4150	[73-22-3]	99%	100 Gms	2200
	(Tris (Hydroxymethyl) Aminomethane, Tromethamine)	5 Kg	34880	48288	L-Tryptophan ExiPlus,	100 Gms	900
79420	Tris Buffer Superior extrapure AR,	100 Gms	1040	[73-22-3]	Multi-Compendial, 99%	1 Kg	6700
[77-86-1]	ACS, 99.9%	500 Gms	4580		meets compendial specs of BP, Ph.Eur		
	(Tris (Hydroxymethyl) Aminomethane,	5 Kg	39240	26579	D-Tryptophan (base) extrapure,	10 Gms	2800
07000	Tromethamine) Tris Buffer Superior for molecular			[153-94-6]	99%	25 Gms	5800
37969 [77-86-1]	biology, 99.9%	100 Gms 500 Gms	1110			100 Gms	15000
(1	(Tris (Hydroxymethyl) Aminomethane,	500 Gills 5 Kg	5240 44690	10726	Tungsten AAS Standard Solution in	100 ml	1800
	Tromethamine)				H20 (Traceable to NIST)	250 ml	2900
56995 [77-86-1]	Tris Buffer for HPLC, 99.9% (Tris (Hydroxymethyl) Aminomethane,	100 Gms	1530	71290	Tungstosilicic Acid Hydrate	25 Gms	1080
[77-00-1]	Tromethamine)	500 Gms	6540	[12027-43-9]	-	100 Gms	2800
16622	Tris Buffer USP, 99-101% (Non	1 Kg	8000		(Silicotungstic Acid Hydrate)	25.0	
[77-86-1]	Injectable Use)	5 Kg	37500	67134 [12027-43-9]	Tungstosilicic Acid Hydrate extrapure AR, ExiPlus,	25 Gms	1200
	(Tris (Hydroxymethyl) Aminomethane, Tromethamine)			[Multi-Compendial	100 Gms	3200
56489	Tris Buffer PrimeDx, 99.9%	1 Kg	10000		(Silicotungstic Acid Hydrate)		
[77-86-1]	(Tris (Hydroxymethyl) Aminomethane,	5 Kg	42000		meets compendial specs of BP, Ph.Eur		
	Tromethamine)	25 Kg	180000	70600 [556-02-5]	D-Tyrosine extrapure, 98%	5 Gms	2000
99438	Tris Hydrochloride (Tris HCI)	100 Gms	1090			25 Gms	7000
[1185-53-1]	extrapure AR, 99%	500 Gms	5240	10342	DL-Tyrosine extrapure CHR, 99%	5 Gms	1500
	(Tris (Hydroxymethyl) Aminomethane	5 Kg	49050	[556-03-6]		25 Gms	3240
00704	Hydrochloride) Tris Hydrochloride (Tris HCI) for					100 Gms	12000
89781 [1185-53-1]	molecular biology, 99%	100 Gms	1370	16796	L-Tyrosine extrapure CHR, 99%	25 Gms	350
[(Tris (Hydroxymethyl) Aminomethane	500 Gms	6000	[60-18-4]		100 Gms	850
	Hydrochloride)	1 Kg	9810			500 Gms	4000
96922 [1185-53-1]	Tris Hydrochloride (Tris HCI) PrimeDx, 99%	1 Kg	13000			1 Kg	7000
[1105-55-1]	(Tris (Hydroxymethyl) Aminomethane	5 Kg	55000	18917	L-Tyrosine for tissue culture, 99%	25 Gms	500
	Hydrochloride)			[60-18-4]		100 Gms	1400
30190	Triton X-100 extrapure for	500 ml	660			500 Gms	5000
[9002-93-1]	scintillation	2500 ml	3170	91772	L-Tyrosine ExiPlus,	25 Gms	400
64518	Triton X-100 for molecular biology	100 ml	880	[60-18-4]	Multi-Compendial, 99%	100 Gms	1050
[9002-93-1]		500 ml	1310			500 Gms	4300
		2500 ml	5500		meets compendial specs of BP, Ph.Eur		
39857	Triton X-100 PrimeDx	2500 ml	8000	62762	Urea extrapure, 99%	500 Gms	350
			-	[57-13-6]			

Code	Name	Packing	Price	Code	Name	Packing	Price
69120	Urea ACS, 99.5%	500 Gms	620	64236	Xanthan Gum ExiPlus,	100 Gms	430
[57-13-6]		5 Kg	5800	[11138-66-2]	Multi-Compendial	500 Gms	1500
		25 Kg	27000		meets compendial specs of USP, BP,		
86854	Urea ExiPlus, Multi-Compendial,	500 Gms	720		Ph.Eur		
[57-13-6]	99.5%	5 Kg	6200	23749	o-Xylene pure, 98%	500 ml	420
	meets compendial specs of USP, BP			[95-47-6]	(1,2-Dimethylbenzene)	2500 ml	1580
21113	Urea for molecular biology, 99.5%	500 Gms	950	62231	o-Xylene extrapure AR, 99%	500 ml	650
[57-13-6]		1 Kg	1700	[95-47-6]	(1,2-Dimethylbenzene)	2500 ml	3100
		5 Kg	7890	29280	m-Xylene pure, 98%	500 ml	620
44255	Urea for tissue culture, 99.5%	500 Gms	800	[108-38-3]	(1,3-Dimethylbenzene)		
[57-13-6]		1 Kg	1500	24923	p-Xylene pure, 99%	500 ml	640
12859	L-Valine extrapure CHR, 99%	25 Gms	300	[106-42-3]	(1,4-Dimethylbenzene)	2500 ml	2790
[72-18-4]	L-vaime extrapare orm, 35%	100 Gms	700	54717	Xylene pure, 99%	500 ml	360
		1 Kg		[1330-20-7]		2500 ml	1480
			4300			25 Ltr	10850
55269 [72-18-4]	L-Valine for tissue culture, 99%	5 Gms	410	63797	Xylene Cyanol FF	5 Gms	1300
[/2-10-4]		100 Gms	1250	[2650-17-1]	(Acid Blue 147, C.I. No. 42135)	25 Gms	5200
		500 Gms	4980			100 Gms	17690
42749	Vanadium AAS Standard Solution	100 ml	1800	75400	Videna Ciranal EE autraniira AD		
	in 2N H2SO4 (Traceable to NIST)	250 ml	2900	75122 [2650-17-1]	Xylene Cyanol FF extrapure AR, ExiPlus, Multi-Compendial	5 Gms	1500
76132	Vanadium Pentoxide extrapure AR,	25 Gms	350	[====,	(Acid Blue 147, C.I. No. 42135)	25 Gms	5600
[1314-62-1]	99.5%	100 Gms	1150			100 Gms	20410
		500 Gms	5400		meets compendial specs of USP		
83822	Vanadium Pentoxide extrapure AR,	25 Gms	400	49672	p-Xylenol Blue extrapure AR, 95%	1 Gms	550
[1314-62-1]	ExiPlus, Multi-Compendial, 99.5%	100 Gms	1280	[125-31-5]	(p-Xylenosulphonaphthalein)	5 Gms	2550
		500 Gms	5650	49992	Xylenol Orange Tetrasodium Salt	5 Gms	520
	meets compendial specs of USP	300 Gm3	3030	[3618-43-7]	ACS	10 Gms	900
83080	Vanillic Acid extrapure, 99%	25 Gms	1000	31557	Xylenol Orange Tetrasodium Salt	10 Gms	1100
[121-34-6]	(4-Hydroxy-3-Methoxybenzoic Acid)	100 Gms	1280	[3618-43-7]	ACS, ExiPlus, Multi-Compendial	25 Gms	2600
			4370		meets compendial specs of BP, Ph.Eur		
98842 [121-33-5]	Vanillin pure, 99% (4-hydroxy-3-Methoxybenzaldehyde)	25 Gms	250	96240	Xylene Sulphur Free extrapure,	500 ml	380
[121-00-0]	(4 flydroxy o Wethoxybenzaldeflyde)	100 Gms	500	[1330-20-7]	99%	2500 ml	1520
		500 Gms	1800			25 Ltr	11210
20563	Vanillin extrapure AR, 99%	25 Gms	300	90998	Xylene extrapure AR, 99.5%	500 ml	450
[121-33-5]	(4-hydroxy-3-Methoxybenzaldehyde)	100 Gms	550	[1330-20-7]	,	2500 ml	1640
		500 Gms	2100		Videne sutremure AD ACC FuiDhie		
49456	Vanillin extrapure AR, ExiPlus,	25 Gms	340	89159 [1330-20-7]	Xylene extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	500 ml	500
[121-33-5]	Multi-Compendial, 99%	100 Gms	650	[1000 20 7]	•	2500 ml	1880
	(4-hydroxy-3-Methoxybenzaldehyde)	500 Gms	2400		meets compendial specs of USP		
	meets compendial specs of BP			45122 [1330-20-7]	Xylene for molecular biology, 99.5%	250 ml	410
14553	Vitamin A Acetate (Retinyl Acetate)	5 Gms	650	[1000-20-7]	55.576	500 ml	730
[127-47-9]	for tissue culture	25 Gms	2200			2500 ml	2180
	(Retinol Acetate)	100 Gms	6000	85471 [1330-20-7]	Xylene Dried, 99.5%, 0.005% water	1000 ml	710
76911	` · ·	5 Gms	850	46561	Yttrium (III) Oxide extrapure AR,	10 Gms	530
[79-81-2]	Palmitate) for tissue culture, 1.615-1.860MIU/g	25 Gms	3640	[1314-36-9]	99.9%	25 Gms	1240
92605	Water for HPLC	1000 ml	400	76192	Zinc Acetate Dihydrate extrapure,	500 Gms	650
[7732-18-5]		2500 ml	900	[5970-45-6]	98.5%		
58348	Water Distilled	5 Ltr	500	76205 [5970-45-6]	Zinc Acetate Dihydrate ACS, 99.5%	500 Gms	750
[7732-18-5] 62104	Winkler`s Solution 1	100 ml	980	53174	Zinc Acetate Dihydrate ACS,	500 Gms	850
JZ 104		500 ml		[5970-45-6]	ExiPlus, Multi-Compendial, 99.5%		
		500 1111	4850		meets compendial specs of USP, BP, Ph.		

Code	Name	Packing	Price
43758	Zinc AAS Standard Solution in 1N	100 ml	1800
	HNO3 (Traceable to NIST)	250 ml	2900
97765 [5263-02-5, 51839-25-9]	Zinc Carbonate Basic pure, 58% Zn (Zinc Hydroxide Carbonate, Carbonic Acid Zinc Salt Basic)	500 Gms	1000
99367 [5990-32-9]	Zinc Citrate Dihydrate pure, 98% (Citric Acid Zinc Salt)	500 Gms	900
87288 [7646-85-7]	Zinc Chloride pure, 97%	500 Gms 5 Kg	500 4300
80004	Zinc Chloride ACS, 98%	500 Gms	900
[7646-85-7]		5 Kg	8400
67514 [7646-85-7]	Zinc Chloride for tissue culture, 98%	500 Gms	800
[7040 00 7]		1 Kg	1400
86783 [7783-49-5]	Zinc Fluoride pure, 98%	100 Gms 500 Gms	400
			900
46621 [7440-66-6]	Zinc Metal Dust pure, 95%, -325 mesh	500 Gms	900
		2.5 Kg	4200
27008 [7440-66-6]	Zinc Metal Dust pure, 99%, -325 mesh	500 Gms 2.5 Kg	1080
			5280
20050 [7440-66-6]	Zinc Metal Dust extrapure AR, 99.5%, -325 mesh	500 Gms	1260
	7' Matal Durat autorium AD ACC	2.5 Kg	5940
73932 [7440-66-6]	Zinc Metal Dust extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%,	500 Gms	1380
	-325 mesh meets compendial specs of Ph.Eur	2.5 Kg	6300
91229 [7440-66-6]	Zinc Metal Granules, 99%, 3-12 mm	500 Gms	1200
75001 ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure, 98%	500 Gms	600
24693 ✓ [10196-18-6]	Zinc Nitrate Hexahydrate extrapure AR, 98%	500 Gms	700
87531	Zinc Oxide extrapure, 99%	500 Gms	620
[1314-13-2]		5 Kg	6000
67062 [1314-13-2]	Zinc Oxide ACS, 99.5%	500 Gms	700
	Zina Ovida ACC EviDiva	5 Kg	6500
51508 [1314-13-2]	Zinc Oxide ACS, ExiPlus, Multi-Compendial, 99.5%	500 Gms 5 Kg	750 7000
	meets compendial specs of BP		
13439	Zinc Stearate extrapure, 10-15%	500 Gms	700
[557-05-1]	ZnO (Stearic acid zinc salt)	1 Kg	1200
67106	Zinc Sulphate Heptahydrate for	500 Gms	570
[7446-20-0]	tissue culture, 99%	1 Kg	1010
76455	Zinc Sulphate Heptahydrate pure,	500 Gms	290
[7446-20-0]	99%	1 Kg	530
		5 Kg	2550
78494 [13597-44-9]	Zinc Sulphite Anhydrous extrapure, 80%	500 Gms	1380
62294 [7488-52-0]	Zinc Sulphite Dihydrate extrapure, 98%	500 Gms	1330
47482	Zinc Sulphide extrapure, 98%	100 Gms	720
[1314-98-3]		500 Gms	2400

Code	Name	Packing	Price
75738	Zinc Sulphate Heptahydrate ACS,	500 Gms	340
[7446-20-0]	99.5%	5 Kg	3100
35243	Zinc Sulphate Heptahydrate	500 Gms	430
[7446-20-0]	ExiPlus, Multi-Compendial, 99.5%	5 Kg	3900
	meets compendial specs of BP		
12077	Zirconium Oxychloride Octahydrate	100 Gms	500
[13520-92-8]	extrapure, 99.5%	250 Gms	900
		500 Gms	1650
22047	Zirconium Oxychloride Octahydrate	100 Gms	1050
[13520-92-8]	ACS, 99.5%	250 Gms	1800
38028	Zirconium Sulphate extrapure,	100 Gms	1100
[14644-61-2]	99.5%	500 Gms	2500
47985	Zirconyl Nitrate Hydrate ExiPlus,	100 Gms	950
[13826-66-9]	Multi-Compendial, 99.5% (Zirconium Oxynitrate)	500 Gms	3600
	meets compendial specs of USP, Ph.Eur		
60979	Strontium Hydroxide Octahydrate	500 Gms	900
[1311-10-0]	pure, 98%	5 Kg	8500

www.srlchem.com



Part B

Bioreagents, Biochemicals & Speciality Fine Chemicals



PrimeDx™ is a specialized line of high-purity reagents crafted specifically for the diagnostic and molecular biology industries. Developed under stringent quality protocols, these reagents ensure maximum purity, consistency, and reliability, making them ideal for use in clinical diagnostics, molecular assays, and R&D applications.

This dedicated range of raw material chemicals is specially produced for diagnostic kit manufacturers, delivering application-specific performance and unmatched quality tailored to the demands of the diagnostic industry.



Key Features of PrimeDx™ Grade:

- Ensures high accuracy and reliability in diagnostic applications.
- Minimizes toxicological risks, especially crucial for sensitive diagnostic assays.
- Each batch meets stringent QC standards to maintain uniformity and reproducibility across diagnostic platforms.
- Designed to eliminate environmental and particulate contamination, preserving material integrity from production to use.

Applications:

- Clinical Chemistry
- Molecular Diagnostics
- ELISA & Immunoassays
- · Genomic & Proteomic Analysis
- · In-vitro Diagnostic Kit Manufacturing

PrimeDx™ Product Portfolio (Selected)

Prdt. Code	Product Name
69657	4-Aminoantipyrine (Ampyrone) PrimeDx, 99%
19575	Casein acc. to Hammarsten, PrimeDx, 95% Protein
53499	Dodecyltrimethylammonium Bromide (DOTAB) PrimeDx, 99%
61936	Dodecyltrimethylammonium Chloride (DOTAC) PrimeDx, 98%
64762	EDTA Disodium Salt Dihydrate PrimeDx, 98%
54479	L-Alanine PrimeDx, 99%
40495	L-Arginine (free base) PrimeDx, 99%
61310	MOPS Buffer PrimeDx, 99%
84868	p-Nitrophenylphosphate Disodium Salt Hexahydrate (pNPP) PrimeDx, 99%
86180	PIPES Buffer PrimeDx, 99%
26511	ß-Nicotinamide Adenine Dinucleotide Disodium Salt (Reduced) (ß-NADH.Na2, DPNH.Na2) PrimeDx, 98%
56489	Tris Buffer PrimeDx, 99.9%

Note: This is a selected listing. A comprehensive product range is available on request.

Packaging & Quality Assurance

Every PrimeDx[™] batch comes with a Certificate of Analysis (CoA) to show it meets strict quality checks. It's made under SRL's high standards and packed in clean containers to keep it safe and pure all the way from the lab to where it's used.

Code	Name	Packing	Price	Code	Name	Packing	Price
66308		25 Mg	1470	43717	1-Acetonaphthone pure, 98%	100 ml	1370
[21293-29-8]	for tissue culture, 98% (Dormin, Abscissin II)	100 Mg	4100	[941-98-0]	(Acetylnaphthalene, Naphthyl Ketone)	250 ml	2660
	(DOTTIIII, ADSCISSITII)	500 Mg	18900	21009	2-Acetonaphthone pure, 98%	100 Gms	1300
31240	(+/-)-Abscisic Acid Synthetic (ABA)	25 Mg	1680	[93-08-3]	(Acetylnaphthalene, Methyl-2-Naphthyl	250 Gms	3000
[14375-45-2]	•	100 Mg	4310		Ketone)	5.0	0700
40457	(Dormin, Abscissin II) ABTS extrapure AR (2,2-Azino-bis	100 Ma	0000	24168 [66-23-9]	Acetylcholine Bromide extrapure, 98%	5 Gms	2760
40157 [30931-67-0]		100 Mg	2800			25 Gms	9200
	acid) Diammonium Salt), 98.5%	500 Mg	8500		N-Acetyl-L-Alanine extrapure, 99%	5 Gms	1250
28042	ABTS extrapure (2,2-Azino-bis	500 Mg	4600	[97-69-8]		25 Gms	5040
[30931-67-0]	(3-ethylbenzothiazoline-6-sulfonic acid) Diammonium Salt), 98%	1 Gms	7000		N-Acetyl-L-Aspartic Acid extrapure,	5 Gms	2000
	acidy Diaminomum Saity, 96%	5 Gms	26980	[997-55-7]	98%	25 Gms	8500
83088	ABTS Peroxidase Stop Solution	25 ml	1630	23157	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-D-	5 Gms	2500
	(5% SDS solution) suitable for	100 ml	4480	[6974-32-9]	Ribofuranose extrapure, 98% (b-D-Ribofuranose 1-Acetate	25 Gms	8000
0	molecular biology				2,3,5-Tribenzoate)		
33108	ABTS Substrate Solution (Single Solution)	25 ml	1630	23598	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-b-L-	1 Gms	12210
	·	100 ml	3470	[3080-30-6]	Ribofuranose extrapure, 98%	5 Gms	39540
65457	Acarbose extrapure, 95%	1 Gms	6000		(b-L-Ribofuranose 1-Acetate 2,3,5-Tribenzoate)		
[56180-94-0]		5 Gms	20000	41439	1-O-Acetyl-2,3,5-Tri-O-Benzoyl-D-Ri	5 Gms	2450
17965	Acarbose ExiPlus,	1 Gms	7500		bofuranose extrapure, 98%	25 Gms	11050
[56180-94-0]	Multi-Compendial, 95%	5 Gms	25000		(D-Ribofuranose 1-Acetate	25 01115	11030
	Meets compendial specs of USP, BP & Ph.				2,3,5-Tribenzoate)		
	Eur			72981 [91110-24-6]	1-O-Acetyl-2,3,5-Tri-O-Benzyl-b-D-R ibofuranose extrapure, 95%	50 Mg	22680
66822	ACES Buffer extrapure, 99%	25 Gms	1900	[91110-24-6]	ibolulariose extrapure, 95%	200 Mg	50000
[7365-82-4]	(2-[(2-Amino-2-Oxoethylamino)Ethane] Sulphonic Acid)	100 Gms	7400		1-O-Acetyl-2,3,5-Tri-O-Benzyl-D-Rib	50 Mg	22680
		250 Gms	18000	[58381-23-0]	ofuranose extrapure, 98%	200 Mg	50000
27907	ACES Buffer for molecular biology,	5 Gms	720	62929	Acetylcholine Chloride extrapure,	25 Gms	6000
[7365-82-4]	99.5%	25 Gms	2700	[60-31-1]	99%		
		100 Gms	9200	71332	Acetylcholine lodide extrapure,	5 Gms	2900
62316	Acetone Sodium Bisulfite pure,	100 Gms	4200	[2260-50-6]	98%	25 Gms	10100
[540-92-1]	98%	250 Gms	9500	26904	• •	5 Mg	4500
	(2-Hydroxy-2-Propanesulfonic Acid Monosodium Salt)			[75520-41-1]	extrapure, 90%	25 Mg	22100
89561	Acetoxime (Acetone Oxime)	25 Gms	1400	47866	N-Acetyl-L-Cysteine ExiPlus,	25 Gms	600
[127-06-0]	extrapure, 98%	100 Gms	3000	[616-91-1]	Multi-Compendial, 99%	100 Gms	1600
		250 Gms	7200			500 Gms	6000
99204	AEBSF Hydrochloride extrapure				meets compendial specs of BP		
89204 [30827-99-7]		25 Mg 100 Mg	2000	99328	N-Acetyl-D-Galactosamine	100 Mg	2520
	(4-(2-Aminoethyl)	500 Mg	3200	[14215-68-0]	extrapure, 98%	1 Gms	7550
	benzenesulfonylfluoride Hydrochloride)		12000	59012	N-Acetyl-D-Glucosamine extrapure	10 Gms	940
59750 [132489-69-1]	PUGNAc extrapure, 95%	5 Mg	16230	[7512-17-6]	AR, 99%	50 Gms	2620
[102408-08-1]	(2-Acetamido-2-Deoxy-D-Glucopyrano					100 Gms	4600
	sylidenamino) N-Phenylcarbamate)					500 Gms	20940
20140	· / // !	1 Gms	5260	50241	N-Acetyl-L-Glutamic Acid	10 Gms	500
[52574-08-0]				[1188-37-0]	extrapure, 99%	100 Gms	4280
12052 [14691-89-5]	4-Acetamido-2,2,6,6-Tetramethylpip eridine-1-Oxyl (Acetamido TEMPO)	1 Gms	1950	68761	N-Acetyl-L-Glutamine extrapure,	25 Gms	
[, , , , , , , , , , , , , , , , , , ,	pure, 97%	5 Gms	3200	[2490-97-3]	-	100 Gms	1550 4880
		25 Gms	7000				4880
		100 Gms	20000	56115 5 [543-24-8]	N-Acetylglycine extrapure, 99% (Acetamidoacetic Acid, Aceturic Acid)	25 Gms	1030
•	Acetobromo-D-Glucose Stab. 1%	10 Gms	5200	[0-10-24-0]	v	100 Gms	2800
[572-09-8]	CaCO3 extrapure, 98%	25 Gms	12000			500 Gms	6600
	Acetobromo-D-Galatose w/ 2%	5 Gms	6500				

Code	Name	Packing	Price	Code	Name	Packing	Price
76097	N-Acetyl-L-Leucine extrapure, 99%	5 Gms	450	42070	Acridine Yellow G	5 Gms	1200
[1188-21-2]		25 Gms	1800	[135-49-9]	(Basic Yellow K,	25 Gms	4500
		100 Gms	5200		3,6-Diamino-2,7-Dimethylacridine Hydrochloride)		
26124	N-Acetyl-L-Methionine extrapure,	5 Gms	810	42428	Acriflavine Neutral for molecular	5 Gms	420
[65-82-7]	99%	25 Gms	3380	[8048-52-0]	biology, 98%	25 Gms	1800
		100 Gms	11820		(3,6-Diamino-10-Methylacridinium Chloride, Acriflavine Base)	100 Gms	6000
90430	N-Acetyl-L-Proline extrapure, 98%	5 Gms	1560	35188	Acriflavine Hydrochloride for	5 Gms	600
[68-95-1]		25 Gms	5880	[8063-24-9]	molecular biology, 98.5%-105%	25 Gms	2600
		100 Gms	15640		(3,6-Diamino-10-Methylacridinium		2000
81977	N-Acetylimidazole extrapure AR,	25 Gms	1970	39309	Chloride Hydrochloride, Euflavine) Actin extrapure, 99%	1 Mg	34200
[2466-76-4]	98%	100 Gms	6020	[51005-14-2]	Acuit extrapure, 35%	i wig	34200
32414	N-Acetyl-DL-Methionine extrapure,	10 Gms	780	28269	Actinomycin D (AMD) ex.	2 Mg	5000
	99%	100 Gms	1750	[50-76-0]	Streptomyces Sp., 98%	5 Mg	8250
86419	N-Acetylneuraminic Acid extrapure	100 Mg	1200		(Actinomycin C1, Actinomycin IV, Dactinomycin)	10 Mg	14500
	(NANA), 98%	1 Gms	3000	44597	Acylase 1 (ACY1) ex. Porcine	50 Mg	2900
		5 Gms	5500	[9012-37-7]	Kidney, 1000U/mg	250 Mg	10200
10197	2-Acetyl Pyridine extrapure, 99%	25 ml				1 Gms	31800
[1122-62-9]	2-Activity finding extrapare, 55%	100 ml	1850 6600	37690	ADA Buffer extrapure, 98%	25 Gms	1200
44507	2 Apotal Davidino navo 000/			[26239-55-4]		100 Gms	3000
14507 [350-03-8]	3-Acetyl Pyridine pure, 99%	25 ml 100 ml	1600			500 Gms	7400
			4000	83468	ADA Monosodium Salt Buffer	5 Gms	4660
	S-Acetylthiocholine lodide extrapure AR, 99%	1 Gms	2220	[7415-22-7]	extrapure, 98%	25 Gms	9310
	<u> </u>	5 Gms	8800	35609	ADA Disodium Salt Buffer	25 Gms	3800
99703 [88-15-3]	2-Acetyl Thiophene pure, 99%	100 ml	1800	[41689-31-0]	extrapure, 98%	25 Gills	3600
[00-13-3]		500 ml	8100	50300	Adenine extrapure, 98%	5 Gms	320
	N-Acetyl-L-Tryptophan extrapure,	5 Gms	1420	[73-24-5]		25 Gms	1290
[1218-34-4]	99%	25 Gms	6120	87583	Adenine Hemisulphate Dihydrate	10 Gms	550
	N-Acetyl-L-Tryptophan ExiPlus,	5 Gms	1630	[6509-19-9,	extrapure, 99%	25 Gms	1320
[1218-34-4]	Multi-Compendial, 99%	25 Gms	6050	321-30-2]	(Adenine Sulphate)	100 Gms	4940
	meets compendial specs of BP, Ph.Eur			81951	Adenine Hemisulphate Dihydrate	10 Gms	870
	N-Acetyl-DL-Tryptophan extrapure, 99%	25 Gms	2050	[6509-19-9,	for tissue culture, 99%	25 Gms	2100
[87-32-1]	33/6	100 Gms	7980	321-30-2]	(Adenine Sulphate)	100 Gms	7350
		1 Kg	75600	56603	Adenine Hemisulphate Dihydrate	25 Gms	2520
	N-Acetyl-L-Tyrosine extrapure, 98%	5 Gms	2080	[321-30-2]	ExiPlus, Multi-Compendial, 99%	100 Gms	8400
[537-55-3]		25 Gms	7940		(Adenine Sulphate)		
	N-Acetyl-L-Tyrosine Ethyl Ester	5 Gms	5870	E4965	meets compendial specs of USP Adenosine extrapure, 99%	5 Gms	250
[36546-50-6]	(ATEE) extrapure, 99%	10 Gms	10990	54865 [58-61-7]	Adenosine extrapure, 99 %		350
	N-Acetyl-L-Valine extrapure, 99%	1 Gms	2700		Adamasina EviDi	25 Gms	1340
[96-81-1]				94149 [58-61-7]	Adenosine ExiPlus, Multi-Compendial, 99%	25 Gms	1870
97412 [10127-02-3]	Acridine Orange hemi (Zinc Chloride) Salt	5 Gms	1100	[-50.1]	meets compendial specs of USP, BP,		
[10121-02-0]	(C.I. No. 46005)	10 Gms	1850		Ph.Eur		
		25 Gms	4190		Adenosine-2',3' Cyclic	25 Mg	3510
37751 [10127-02-3]	Acridine Orange hemi(Zinc Chloride) Salt for molecular	5 Gms	1650	[37063-35-7]	Monophosphate Sodium Salt extrapure, 98%	100 Mg	10730
[10121-02-3]	biology	10 Gms	2800	98333	Adenosine-3',5'-Cyclic-Monophosp	100 Mg	2000
		25 Gms	5500	[60-92-4]	horic Acid extrapure, 98%	500 Mg	6000
62255	Acridine Orange hemi(Zinc	5 Gms	1580	43801	Adenosine-5-Diphosphate	500 Mg	750
[10127-02-3]	Chloride) Salt for tissue culture	25 Gms	4800		Disodium Salt (ADP-Na2)	1 Gms	1400
82407	Acridine Orange Hydrochloride	1 Gms	1410		extrapure, 98%	5 Gms	5000
	Hydrate for molecular biology, 99%	5 Gms	5000			o dilio	5500
[65-61-2]	(3,6-Bis(dimethylamino)Acridine	3 dilis	3000			25 Gms	16000

Code	Name	Packing	Price	Code	Name	Packing	Pri
99118	Adenosine-5-Diphosphate	500 Mg	1760	32417	Agarose Low Melting for molecular	5 Gms	3000
[72696-48-1]	Monopotassium Salt Dihydrate (ADP-K) extrapure, 97%	1 Gms	3000	[9012-36-6]	biology	10 Gms	3500
	(ADF-K) extrapure, 97%	5 Gms	9000			25 Gms	8000
0697	Adenosine-5-Monophosphate	5 Gms	840			100 Gms	3000
4578-31-8]	Disodium Salt (AMP.Na2)	25 Gms	2000			250 Gms	7000
	extrapure, 95%	100 Gms	7000	93419	Agarose TAE mix 1.0%	100 Gms	853
		500 Gms	32000		· ·		
4878	Adenosine-5'-Triphosphate	5 Gms	900	67900	Agarose TAE mix 2.0%	100 Gms	853
34369-07-8]	Disodium Salt (ATP-Na2) extrapure	25 Gms	3200				
	vanadium free, 98%	100 Gms	12000	76171	Agarose TBE mix 1.0%	100 Gms	853
	0 (5 Adamasa)			12375	Agarose TBE mix 2.0%	100 Gms	853
[979-92-0]	S-(5-Adenosyl)-L-Homocysteine extrapure, 99%	10 Mg	37210	12373	Aguiose TBE IIIX 2.0%	100 41113	655
[979-92-0]	5'-Deoxy-S-adenosyl-L-homocysteine			19339	Ajmalicine (Raubasine) extrapure,	10 Mg	150
5934 ■		500 Mg	1840	[483-04-5]	98%	50 Mg	600
7540-22-2]	DisulphateTosylate, 98%	1 Gms	3470			1 Gms	1120
0257	Adipic Acid Dihydrazide (ADH)	25 Gms	3000	52821	Ajmaline pure, 98%	50 Mg	
1071-93-8]	extrapure, 98%	100 Gms		52821 6 [4360-12-7]	(Ritmos)	•	800
	(Hexanedioic Acid Dihydrazide)	250 Gms	4700		,	1 Gms	1580
			7200	74590	L-Alaninamide Hydrochloride	5 Gms	240
5101	Adonitol (Ribitol) extrapure, 99%	5 Gms	1800	[33208-99-0]	extrapure, 97% (L-Alanineamide Hydrochloride)	25 Gms	930
488-81-3]		25 Gms	7550	64422	D-Alanine extrapure CHR, 99%	5 Gms	42
7575	Adrenaline Bitartarate (Epinephrine	1 Gms	2300	[338-69-2]	•	25 Gms	175
[51-42-3]	Bitartrate) extrapure, 98%	5 Gms	8500			100 Gms	600
	(L-Adrenaline Hydrogen Bitartrate, L-Epinephrine Hydrogen Bitartrate)				DI Alamina autranura CHD 000/		
59783 & L	L-Adrenaline (L-Epinephrine)	1 Gms	3000	96244 [302-72-7]	DL-Alanine extrapure CHR, 99%	100 Gms	61
	extrapure, 98%	5 Gms	10250	[002.2.1]		500 Gms	165
0645	Agarose High EEO for molecular	25 Gms	1840			1 Kg	300
9012-36-6]	biology	100 Gms			D-Alanine-7-Amido-4-Methylcoumar	10 Mg	1142
-		500 Gms	6610	[//4/1-41-1]	in Free Base extrapure, 97% (D-Alanine-7-Amido-4-Methylcoumarin)	25 Mg	2076
			31820	11180	B-Alanine-7-Amido-4-Methylcoumar	10 Mg	1234
6601 9012-36-6]	Agarose Low EEO for molecular biology	10 Gms	680		in Trifluoroacetate Salt extrapure,	25 Mg	2522
9012-30-0]	blology	25 Gms	1350		99%	3	LOLL
		100 Gms	4290		(B-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt.		
		500 Gms	19580		B-Alanine-AMC.TFA salt)		
		1 Kg	38550	28760	D-Alanine-7-Amido-4-Methylcoumar	10 Mg	888
3287	Agarose Low EEO Superior Grade	10 Gms	800	[201847-52-1]	in Trifluoroacetate Salt extrapure,	25 Mg	1726
012-36-6]	for molecular biology	25 Gms	1720		99% (D. Alapina, 7. Amida, 4. Mathylagumaria	·	
		100 Gms	5020		(D-Alanine-7-Amido-4-Methylcoumarin Trifluoroacetate Salt,		
		500 Gms	22640		D-Alanine-AMC.TFA salt)		
		1 Kg	42830	25696	L-Alanine-7-Amido-4-Methylcoumar	25 Mg	591
0423	Agarose Medium EEO for	10 Gms	900	[96594-10-4]	•	100 Mg	1687
9012-36-6]	molecular biology	25 Gms	2200		98% (L-Alanine-7-Amido-4-Methylcoumarin		
		100 Gms	5800		Trifluoroacetate Salt,		
		500 Gms	25700		L-Alanine-AMC.TFA salt)		
7813	Agarose UltraPhor for molecular	10 Gms	6200		L-Alanine Benzyl Ester p-Toluene	25 Gms	623
9012-36-6]	biology	25 Gms			Sulfonate extrapure, 98%		
,	-	25 Gms	11000		L-Alanine Benzyl Ester	25 Gms	541
			40000	[5557-83-5]	Hydrochloride extrapure, 98%	100 M=	000
		500 Gms	100000	64048 [3513-56-2]	L-Alanine-ß-Naphthylamide Hydrobromide extrapure, 98%	100 Mg	636
					L-Alanyl-L-Alanine extrapure, 99%	100 Mg	403
				5.545	,,,		+00

Code	Name	Packing	y Price	Code	Name	Packing	Price
31622		1 Gms	840	83428	\	100 Mg	3000
[39537-23-0]	99%	5 Gms	2520	[70024-90-7]	ex. Yeast, 99% (Human Serum Albumin)	1 Gms	24000
	L-Alanyl Glycine extrapure, 99%	1 Gms	6000	48261	Alcian Blue	5 Gms	2100
[687-69-4]		5 Gms	24000	[33864-99-2]	(C.I. No. 74240, Alcian Blue 8 GX)	10 Gms	3900
73721	L-Alanyl-L-Leucine extrapure, 99%	500 Mg	9320	46822	Alcian Blue for tissue culture	5 Gms	4000
[3303-34-2] 31550	L-Alanyl-L-Leucine-L-Phenylalanine	100 Mg	9000	[33864-99-2]	(C.I. No. 74240, Alcian Blue 8 GX)	25 Gms	18300
31550	extrapure	100 Wig	8000	90008	Alcohol Dehydrogenase (ALD) ex.	7500 Units	5400
97088	L-Alanyl Methyl Ester	5 Gms	1790	[9031-72-5]	Saccharomyces Cerevisiae,	15 K.Units	10200
[2491-20-5]	Hydrochloride extrapure, 99%	25 Gms	6830		300U/mg protein (ex. Bakers Yeast)		
41859 [3061-88-9]	L-Alanyl-L-Tyrosine extrapure, 99%	100 Mg	3180	67482 [1715-30-6]	Alexidine Dihydrochloride extrapure, 96%	250 Mg	5510
38211	Alar extrapure AR, 99%	5 Gms	1200	. ,	(1,1-Hexamethylene-bis(5-		
[1596-84-5]		25 Gms	4500		[2-Ethylhexyl]biguanide))		
97350	Albumin Bovine (pH 5.2) fraction V	5 Gms	2000	86220 [9005-32-7]	Alginic Acid ex. Brown Algae, 19-25%	100 Gms	400
[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	50 Gms	12100	[,		250 Gms 500 Gms	940
		100 Gms	23700		N. A.V. 1917		1780
		250 Gms	52500	84554 [109-57-9]	N-Allylthiourea extrapure, 98% (1-Allyl-2-thiourea, Thiosinamine)	25 Gms	1350
83803	Albumin Bovine (pH 7) fraction V	5 Gms	900			100 Gms	4800
[9048-46-8]	(Bovine Serum Albumin, BSA), 98%	25 Gms	4000	29186 [130-22-3]	Alizarin Red S (C.I. No. 58005)	25 Gms	750
		100 Gms	15300	[100-22-0]	(6.1.116.33333)	100 Gms	2700
		250 Gms	35700			500 Gms	13000
		1 Kg	120000	60352 [130-22-3]	Alizarin Red S for tissue culture (C.I. No. 58005)	25 Gms	950
	(J)	5 Gms	1000		,	100 Gms	3200
[9048-46-8]	for molecular biology (Bovine Serum Albumin, BSA), 98%	25 Gms	4200	95786 [584-42-9]	Alizarin Yellow GG, 90% (Metachrome Yellow, Mordant Yellow 1,	5 Gms	660
	, ,	100 Gms	16600	[60. 12.0]	Salicyl Yellow) (C.I. No. 14025)	25 Gms	1320
		500 Gms	75600		Alkaline Phosphatase (ALP, AP,	100 Mg	6490
		1 Kg	140000	[9001-78-9]	CIP) ex. Calf Intestine Mucosa, 20 DEA U/mg powder	500 Mg	12000
14438 • [9048-46-8]	Albumin Bovine (pH 7) fraction V Lipid Enhanced (Bovine Serum	25 Gms	8400			1 Gms	21000
[00.0.00]	Albumin, BSA), 98%	100 Gms	25500	97534	Alkalophilic Proteinase ex.	100 Units	36050
	Albumin Bovine (pH 7) fraction V	5 Gms	2500		Streptomyces Sp., 20U/mg powder	200 Units	67440
[9048-46-8]	for tissue culture (Bovine Serum Albumin, BSA), 98%	25 Gms	9300	58020 [315-30-0]	Allopurinol extrapure, 98%	5 Gms 25 Gms	600 2200
65186 [9048-46-8]	Albumin Bovine (pH 7) fraction V Reagent Grade (Bovine Serum	10 Gms	5400	46287	6-D-Allose extrapure, 98%	100 Mg	7740
[0040 40 0]	Albumin, BSA), 99%	25 Gms	9800	[7283-09-2]	<u> </u>		
		100 Gms	21200		L-Allose extrapure, 97%	25 Mg	12670
93630 [9048-46-8]	Albumin Bovine (pH 7) fraction V Cohn Analog (Bovine Serum	10 Gms	5400	[7635-11-2]		50 Mg	21810
. ,	Albumin, BSA), 96%	25 Gms 100 Gms	9800 21200		L-Alpha Glycerophosphate Oxidase	500 Units	5260
19007	Albumin Bovine Solution (20mg/ml)			[9046-28-0]	(GPO) ex. Microorganism, 15U/mg powder		
19007 [9048-46-8]	Albanini Bovine Solution (20mg/mi)	1 ml 5 x1 ml	1300 2600	61973	D-Altrose extrapure	25 Mg	14710
	Albumin Povino Solution 100/			[1990-29-0]		100 Mg	56280
77761 [9048-46-8]	Albumin Bovine Solution 10% Diluent Solution in PBS (BSA 10%	10 ml	3500			200 Mg	125470
	Diluent/Blocking Solution in PBS) Albumin Egg Powder extrapure,	100 Gms	750		7-Amino-4-Methylcoumarin	1 Gms	3030
[9006-59-1]		500 Gms	750 3500		(7-AMC) extrapure, 99% Amikacin (AMK) free base, 98%	50 Mg	6000
E6E07 -	Albumin Egg Flakes ovtronura 95%			[37517-28-5]	() 1100 2000, 00/0	250 Mg	25000
56587 [9006-59-1]	Albumin Egg Flakes extrapure, 85%	100 Gms 500 Gms	1700 7760	10036	Amikacin Sulphate (AMKS)	1 Gms	
	Albumin Human Cower (#UCA)			18036 4 [39831-55-5]	Aminaom outpriate (Alvino)	5 Gms	2310 9890
	l Albumin Human Serum (rHSA) (Lipid Enhanced), 95%	100 Mg 1 Gms	2000		p-Aminoacetanilide pure, 98%		
	•	5 Gms	5500 14000	98062 [122-80-5]	p-Annioacetainilue puie, 30%	100 Gms 500 Gms	510 1820
		5 GIIIS	14000	,		500 GITIS	1820

Code	Name	Packing	Price	Code	Name	Packing	Pric
40182 [99-92-3]	p-Aminoacetophenone extrapure AR, 99%	25 Gms 100 Gms	850 3020	86898 [214139-20-5]	DL-3-Aminoisobutyric Acid Hydrate extrapure, 98%	25 Mg 100 Mg	1160 2630
62360	D-a-Amino Adipic Acid extrapure,	250 Mg	2200	87907	5-Aminoisophthalic Acid (5-AIPA)	25 Gms	1800
[7620-28-2]	98%	1 Gms	6000	[99-31-0]	<pre>pure, 99% (5-Aminobenzene-1,3-Dicarboxylic</pre>	100 Gms	4800
35418	L-a-Amino Adipic Acid extrapure,	250 Mg	2400		acid)		
[1118-90-7]	98%	1 Gms	7000	50407	2-Amino-2-Methyl-1-Propanol (AMP	500 ml	2000
46832	Amino Acids Kit	1 Kit	3730	[124-68-5]	Buffer) pure, 95%	2500 ml	9560
86936	L-Amino Acids Kit	1 Kit	4430	51812 [115-69-5]	2-Amino-2-Methyl-1,3-Propanediol (AMPD Buffer) extrapure, 99% (Ammediol)	25 Gms 100 Gms	3800 13500
68384 ■	D-Amino Acid Oxidase (DAA, DAO,	50 Units	11260	91085	5-Aminonaphthalene-1-Sulphonic	25 Gms	2630
[9000-88-8]	DAMOX) ex. Porcine Kidney, 6000U/g powder	100 Units	19700	[84-89-9]	Acid pure, 90% (1-Naphthylamine-5-Sulfonic Acid,	100 Gms	9450
98437	p-Aminoazobenzene pure, 98%	100 Gms	620		Laurents Acid)		
[60-09-3]		500 Gms	2400	98372	5-Aminonaphthalene-2-Sulphonic	25 Gms	2940
79793	m-Aminobenzoic Acid pure, 98%	100 Gms	700	[119-79-9]	Acid pure, 98%	100 Gms	998
[99-05-8]		500 Gms	2600	79911	1-Amino-2-Naphthol-4-Sulphonic	25 Gms	52
74004	m-Aminobenzoic Acid extrapure	25 Gms	800	[116-63-2]	Acid (1,2,4-Acid) , ACS, 90%	100 Gms	174
[99-05-8]	AR, 99%	100 Gms	2500		(1-Amino-2-Hydroxy-4-Naphthalenesulf onic acid)	500 Gms	720
99839	p-Aminobenzoic Acid pure, 99%	100 Gms	600	21407	2-Amino-5-Nitrobenzophenone	25 Gms	294
[150-13-0]	(PABA)	250 Gms	1250	[1775-95-7]	extrapure, 98%	100 Gms	967
		500 Gms	2400	58513	2-Aminophenyl-Acetonitrile pure,	250 Mg	598
10100	n Aminahanzaia Asid EviDiya			[2973-50-4]	97%	1 Gms	1523
19196 [150-13-0]	p-Aminobenzoic Acid ExiPlus, Multi-Compendial, 99%	100 Gms 500 Gms	720	22002	/3 Aminonropyl)triothoxygilano		
. (r	(PABA) meets compendial specs of USP, BP,	500 GITIS	2700	33993 [919-30-2]	(3-Aminopropyl)triethoxysilane (APTES) extrapure, 98% (3-(Triethoxysilyl)Propylamine)	100 ml 500 ml	120 340
	Ph.Eur			17081	2-Aminopurine extrapure, 98%	100 Mg	322
56960	2-Aminobenzophenone pure, 98%	5 Gms	1800	[452-06-2]		250 Mg	691
[2835-77-0]		25 Gms	4640			1 Gms	2330
26345	4-Aminobutyric Acid extrapure	10 Gms	360	65377	2-Aminopyridine pure, 98%	100 Gms	50
[56-12-2]	CHR, 99%	25 Gms	890	[504-29-0]		250 Gms	100
65081	DL-a-Aminobutyric Acid extrapure,	25 Gms	1960			500 Gms	180
[2835-81-6]	99% (DL-2-Aminobutyric Acid)	100 Gms	5850	29786	3-Aminopyridine pure, 98%	25 Gms	90
10498	2-Amino-5-Chlorobenzophenone	100 Gms	3760	[462-08-8]		100 Gms	300
[719-59-5]	pure, 98%	500 Gms	18350			500 Gms	1050
18125	1-Amino-1-Cyclopropanecarbonitril	1 Gms	2500	16104	4-Aminopyridine pure, 98%	10 Gms	47
	e Hydrochloride extrapure, 98%	5 Gms	8000	[504-24-5]		25 Gms	85
00070	3-Amino-9-Ethyl Carbazole (AEC)					100 Gms	280
68678 [132-32-1]	extrapure, 95%	1 Gms 10 Gms	800	12920	4-Amino-1,2,4-Triazole pure, 98%	25 Gms	90
. ,	•	25 Gms	3500 8500	[584-13-4]		100 Gms	300
	4 Amino C Hudumino 5 Managata 4			40057	Ammonium Phosphomolybdate	25 Gms	130
44285 [1750-12-5]	4-Amino-3-Hydrazino-5-Mercapto-1, 2,4-Triazole (AHMT), 98%	1 Gms	2200	[54723-94-3]	Hydrate extrapure, 61% Mo	100 Gms	320
. ,	(equivalent to Purpald)	5 Gms 25 Gms	5100 15000		(Ammonium-12-Molybdophosphate,M olybdophosphoric Acid		
24000	2 Amino 2 Undranamidia		15000		Ammonium,Phosphomolybdic Acid		
94283 [16867-03-1]	2-Amino-3-Hydroxypyridine pure, 98%	25 Gms	1200		Ammonium Hydrate)		
		100 Gms	4000	31438	Ammonium Tetrachloropalladate	250 Mg	250
	5-Amino Levulinic Acid Hydrochloride extrapure, 97%	100 Mg	1500	[13820-40-1]	(II) extrapure, 98% (Palladium (II) Ammonium Chloride)	1 Gms	600
[5451-09-2]	Try diodinorius extrapure, 97 %	1 Gms	3000	32285	Ammonium Tetrachloroplatinate (II)	250 Mg	350
		5 Gms	9000	[13820-41-2]	extrapure, 99%	1 Gms	900
19902	DL-3-Aminoisobutyric Acid	1 Gms	4200		(Platinum (II) Ammonium Chloride)	. Gillo	300
[144-90-1]	extrapure, 98%	5 Gms	12600				

Code	Name	Packing	Price	Code	Name	Packing	Price
	Amoxicillin Trihydrate (AMOT), 97%	1 Gms	300	96476	Anthrone ACS, 98%	25 Gms	700
[61336-70-7]		5 Gms	1290	[90-44-8]		100 Gms	2000
		10 Gms	2330	63714	Anthrone ACS, ExiPlus,	25 Gms	800
54713	Amphotericin B (AMT)	250 Mg	1290	[90-44-8]	Multi-Compendial, 98%	100 Gms	2400
[1397-89-3]		1 Gms	4910		meets compendial specs of BP		
		5 Gms	23950	44089	Apple Seed (PyrusMalus) Oil	250 ml	2000
61314	Ampicillin Sodium Salt (AMP-Na)	1 Gms	380	[85251-63-4]		500 ml	3750
[69-52-3]		5 Gms	1730	62179	Aprotinin ex. Bovine Lung, 3-8	5 Mg	2000
		25 Gms	6290	[9087-70-1]	TIU/mg powder	25 Mg	7100
26647	Ampicillin Sodium Salt (AMP-Na)	1 Gms	460		(BPTI, Trypsin Inhibitor)	100 Mg	18900
[69-52-3]	for tissue culture	5 Gms	1710			250 Mg	44100
		25 Gms	6720	79815	Arabinogalactan ex. Larch Wood,	25 Gms	5200
82904	Ampicillin Trihydrate (AMP), 99%	1 Gms	330	[9036-66-2]		100 Gms	15000
[7177-48-2]	Amplemii Triiyarate (Amir), 55%	5 Gms	1420		((+)-Arabinogalactan,		10000
		10 Gms	2570		Polyarabinogalactan)	5.0	
	AMDOO Doffees and an arrange of the second			23848 [10323-20-3]	D-Arabinose extrapure (D-(-)-Arabinose)	5 Gms	400
96459 [68399-79-1]	AMPSO Buffer extrapure, 99% (N-(1,1-Dimethyl-2-Hydroxyethyl)	5 Gms	3000	[10020 20 0]	(_ (/ /	25 Gms	1400
[00000 10 1]	-3-Amino-2-Hydroxypropane Sulphonic	25 Gms	8000			100 Gms	5300
	Acid)	100 Gms	17000	52392	L-Arabinose extrapure (L-(+)-Arabinose)	100 Gms	1000
85441	D-Amygdalin extrapure, 97%	1 Gms	1440	[87-72-9, 5328-37-0]	(L-(+)-Alabinose)	500 Gms	4700
[29883-15-6]		10 Gms	4410	52384	L-Arabinose ExiPlus,	25 Gms	900
		25 Gms	8000	[87-72-9,	Multi-Compendial	500 Gms	6300
95114		1 Gms	1200	5328-37-0]	(L-(+)-Arabinose) meets compendial specs of BP, Ph.Eur		
[9000-90-2]	5U/mg powder	5 Gms	5000	74926	D(+)Arabitol (D-Arabinitol)	1 Gms	900
28588	a-Amylase ex. Porcine Pancreas,	100 Mg	4200	[488-82-4]	extrapure 99%	5 Gms	800 3200
[9000-90-2]	10-25U/mg powder				•	25 Gms	10900
46504	ì	100 Gms	600		L () Augliani (I. Auglianian)		
[9000-92-4]	Diastase ex. Aspergillus Oryzae) 1:2000, (2000U/g powder)	500 Gms	2300	91121 [7643-75-6]	L-(-) Arabitol (L-Arabinitol) extrapure 99%	1 Gms	1300
40321	8-Anilino-1-Naphthalene Sulphonic	5 Gms	2900		·	10 Gms	5500
	Acid Ammonium Salt Hydrate (ANS	25 Gms	8300	89657 [506-30-9]	Arachidic Acid extrapure, 99% (Eicosanoic Acid, Arachic Acid,	1 Gms	2700
	Hydrate) extrapure, 98% (8-Anilino-1-Naphthalenesulfonic Acid	100 Gms	31900	[500-50-9]	Arachidinic Acid)	5 Gms	6300
	Ammonium Salt Hydrate)					25 Gms	16800
42275	8-Anilino-1-Naphthalenesulphonic	5 Gms	3100		Arachidonic Acid (non-animal)	10 Mg	2700
[82-76-8]	Acid (ANS) extrapure, 98%	25 Gms	8900	[506-32-1]	extrapure, 99%	25 Mg	4800
	(8-Anilino-1-Naphthalenesulfonic Acid, N-Phenyl Peri Acid)	100 Gms	19900			100 Mg	11600
99610	8-Anilino-1-Napthalenesulfonic	5 Gms	3500	13492	p-Arbutin extrapure, 98%	10 Gms	3200
[18108-68-4]	Acid Hemimagnesium Salt Hydrate	25 Gms	12000	[497-76-7]	(4-Hydroxyphenyl-B-D-glucopyranosid e,	25 Gms	6300
	extrapure, 98%	20 Gillo	12000		Hydroquinone-B-D-glucopyranoside)	100 Gms	12600
	(ANSA Magnesium Salt, Magnesium(II) 8-Anilino-1-Naphthalenesulfonate,			89184	D-Arginine (free base) extrapure	1 Gms	2500
	1,8-ANS Magnesium Salt, N-Phen			[157-06-2]	CHR, 99%	5 Gms	5300
89119	Anisaldehyde extrapure, 99%	100 ml	500		((R)-2-Amino-5-Guanidinopentanoic Acid)		
[123-11-5]	(p-Methoxybenzaldehyde)	250 ml	1000	34537	L-Arginine Ethyl Ester	5 Gms	1400
		500 ml	2000	[36589-29-4]		25 Gms	5200
90820	p-Anisic Acid extrapure, 98%	100 Gms	700			100 Gms	16900
[100-09-4]	(p-Methoxybenzoic Acid)	500 Gms	2600	11249	L-Arginine Methyl Ester	25 Gms	
70940	Anisole extrapure, 99%	500 ml	700		Dihydrochloride extrapure, 98%	100 Gms	2900
[100-66-3]		300 1111	700		<u> </u>		8400
64447 [100-66-3]	Anisole extrapure AR, 99.5%	500 ml	1100	47014 [1668-00-4]	Arsenazo III Free Acid (High Purity) extrapure AR, 85%	1 Gms 5 Gms	7900 36800
59553	Anthrone pure, 95%	25 Gms	700		(2,7-Bis(2-Arsonophenylazo) -1,8-Dihydroxynaphthaline-3,6-Disulfon		
[90-44-8]	1	100 Gms	1900		ic Acid)		
		.50 01113	1900				

Code	Name	Packing	Price	Code	Name	Packing	Price
57656	(),	2500 Units	5800		2,2-Azobisisobutyronitrile (AIBN)	100 Gms	600
[9029-44-1]	Cucurbita Sp., 150U/mg powder	10000	16300	[78-67-1]	pure, 98% (2,2-Azobis(2-Methylpropionitrile))	500 Gms	2100
	L Accordate Ovidence (Time 9) ou	Units	7500		(2,2 72003(2 Methylproporiume))	5 Kg	16800
60402 [9029-44-1]	L-Ascorbate Oxidase (Type 2) ex. Acremonium Sp., 350U/mg powder	1000 Units	7500	95426	1 /1 1	250 Mg	3600
27999		50 Mg	4300	[102110-73-6]	from Bovine fraction V powder extrapure	500 Mg	6900
[464-92-6]	(2a,23-Dihydroxyursolic Acid,	200 Mg	15100		extrapure	1 Gms	13100
	Dammarolic acid, NSC 166063)			21070	Azocasein extrapure, 98%	250 Mg	3000
11479 [5794-24-1]	D-Asparagine Monohydrate extrapure, 99%	5 Gms 25 Gms	800	[102110-74-7]		500 Mg	5500
			2400			1 Gms	10300
86883 [5794-13-8]	L-Asparagine Monohydrate extrapure CHR, 99%	100 Gms	800		Azomethine H Monosodium Salt	1 Gms	700
[0704 10 0]	omaparo om, co/c	1 Kg	6100	[206752-32-1]	Hydrate, 97%	5 Gms	3100
		5 Kg	28400			25 Gms	11000
92468 [5794-13-8]	L-Asparagine Monohydrate for tissue culture, 99%	25 Gms	600	78130	Azomethine H Monosodium Salt,	1 Gms	1100
[5/94-13-6]	ussue culture, 33 /6	100 Gms	1200	[5941-07-1]	97%	5 Gms	4500
		500 Gms	4800			25 Gms	12000
44444	L-Asparagine Monohydrate ExiPlus, Multi-Compendial, 99%	100 Gms	1000	13741	Aztreonam (AZN), 96%	100 Mg	4500
[5794-13-8]	ExiPlus, Multi-Compendial, 99%	1 Kg	6700	[78110-38-0]	·		
	meets compendial specs of BP,USP & EU				1-Cyclohexene-1-Carboxaldehyde	1 Gms	6300
	Ph			[1192-88-7]	extrapure, 97%	5 Gms	28400
90601 [1783-96-6]	D-Aspartic Acid extrapure CHR, 99%	5 Gms	900	76432	3-(CarbamimidoyIthio)	5 Gms	2100
		25 Gms	2700	[21668-81-5]	-1-Propanesulfonic Acid extrapure, 98%	25 Gms	4800
71353	L-Aspartic Acid Diethyl Ester Hydrochloride extrapure, 98%	5 Gms	2100			100 Gms	7400
	Tryal octionac extrapare, 50%	25 Gms	6300	11730	Azure B (Azure I)	25 Gms	700
50144	L-Aspartic Acid Dimethyl Ester	1 Gms	1200	[531-55-5]	(C.I. No. 52010) (N,N,N-Trimethylthionin, Methylene	100 Gms	2600
[32213-95-9]	Hydrochloride extrapure, 98%	5 Gms	4200		Azure A)	500 Gms	11600
		25 Gms	12800	62151	Azur II	10 Gms	400
		100 Gms	43200	[37247-10-2]	(C.I. 52010/52015)	25 Gms	700
	Atropine Sulfate Monohydrate	5 Gms	1600		(3-Chloro-6-Hydroxy-2-Pyridinecarboxy lic Acid, Methylene Azure II)	100 Gms	2400
[5908-99-6]	extrapure, 98% (a-(Hydroxymethyl)Benzeneacetic Acid	25 Gms	7200	25003	Azure A Chloride	25 Gms	700
	8-Methyl-8-Azabicyclo[3.2.1]Oct-3-yl			[531-53-3]	(C.I. No. 52005) (3-Amino-7-	100 Gms	2600
	Ester, Tropine Tropate)				(Dimethylamino)phenothiazin-5-ium Chloride)	500 Gms	11600
21505 [1405-69-2]	Avidin ex. Egg White for molecular biology, 10U/mg Protein	10 Mg	2300	17327	Bacitracin (BCT) ex. Bacillus	50000	1600
[1403-03-2]	siciogy, roo _/ mg recom	25 Mg	5400		Licheniformis	Units	1000
		100 Mg	18200			250000	3900
	5-Azacytidine extrapure, 98%	100 Mg	1900		DADTA AMt	Units	
[320-67-2]		1 Gms	3200		BAPTA AM extrapure, 98% Tetrakis (Acetoxymethyl)	10 Mg	7000
59070	Azaerythromycin (AZAE)	1 Gms	2400	[,	1,2-Bis(2-Aminophenoxy)Ethane-N,N,N	25 Mg	16000
[76801-85-9]		5 Gms	5700		',N'-Tetraacetate,		
81947	6-Azathymine extrapure, 98%	1 Gms	6200	34501	1,2-Bis(2-Aminophenox BAPTA Free Acid extrapure, 98%	100 Mg	1900
[932-53-6]	3 Azido 3 Doovithymidina	OF Ma	000		(1,2-Bis(2-Aminophenoxy)	1 Gms	4000
	3-Azido-3-Deoxythymidine extrapure, 99%	25 Mg 1 Gms	900		Ethane-N,N,N',N'-Tetraacetic Acid, 2,2'-	5 Gms	18000
	(AZT, Azidothymidine, ZDV,	5 Gms	3200 8000	E0574	(Ethylenedioxy)Dianiline-N,N,N',N'- Barfoed`s Reagent		
n	Zidovudine)			52571	Daniceu s neagent	250 ml	700
17156 [117772-70-0]	Azithromycin Dihydrate (AZA), 96%	1 Gms	800	29090	Barium Diphenylamine-4-Sulfonate	5 Gms	310
[//2/10-0]		5 Gms	3500	[6211-24-1]	ACS	25 Gms	960
•		10 Gms	6300		(4-(Phenylamino)benzenesulfonic Acid Barium Salt, Diphenylamine-4-Sulfonic	100 Gms	3400
47138 [2997-92-4]	2,2-Azobis(2-Methylpropionamidine) Dihydrochloride (AAPH)	5 Gms	2700		Acid Barium Salt)		
[2331-32-4]	extrapure, 98%	25 Gms	4500	27297	Bathocuproine (BCP) ACS, 99%	500 Mg	2500
	a,a'-Azodiisobutyramidine	100 Gms	7200	[4733-39-5]		1 Gms	4500
	dihydrochloride					5 Gms	21000

Code	Name	Packing	Price	Code	Name	Packing	Price
28242	Bathocuproinedisulphonate	100 Mg	1800	47554	1-Benzoylacetone pure, 98%	10 Gms	2400
[52698-84-7]	Disodium Salt extrapure AR, 98%	250 Mg	4200	[93-91-4]		50 Gms	8900
		1 Gms	12000	76356	N-a-Benzoyl-L-Arginine Ethyl Ester	1 Gms	1000
		5 Gms	50000	[2645-08-1]	Hydrochloride (BAEE) extrapure	5 Gms	4700
50221	Bathophenanthroline extrapure AR,	1 Gms	3400		AR, 99%	25 Gms	22100
[1662-01-7]	99% (4,7-Diphenyl-1,10-Phenanthroline,	5 Gms	15800	96249	N-a-Benzoyl-DL-Arginine-4-Nitroani	100 Mg	1900
	BPhen)			[911-77-3]	lide Hydrochloride (BANI,	250 Mg	3200
98680	Bathophenanthroline Disulphonate	250 Mg	3700		L-BAPNA) extrapure, 98%	1 Gms	9300
[52746-49-3,	Disodium Salt Hydrate extrapure,	1 Gms	12100	51003	N-a-Benzoyl-DL-Arginine-ß-Naphth	250 Mg	3100
98645-86-4, 53744-42-6]	99%	5 Gms	52500	[913-04-2]	ylamide Hydrochloride (BANA)	1 Gms	9700
36333	9-BBN Triflate Solution (0.5M in	500 ml	8300		extrapure, 97%		
[21205-91-4]	hexanes) pure	1000 ml	13400		N-(Benzoyloxy)Succinimide (Bz-OSu) extrapure, 99%	1 Gms	4200
	(9-[{9-(Trifluoromethyl)sulfonyl} oxy]9-Borabicyclo(3.3.1)Nonane)			[20403-13-4]	(Benzoic Acid N-Succinimidyl Ester, N-Succinimidyl Benzoate)	5 Gms	8700
64733	Behenic Acid pure, 85%	25 Gms	500	46651	6-Benzyladenine (6-BAP) extrapure	5 Gms	640
[112-85-6]	(Docosanoic acid, 1-Docosanoic acid, n-Docosanoic acid, Docosoic acid)	250 Gms	900	[1214-39-7]	AR, 99%	25 Gms	940
35591 🗸	Behenic Acid extrapure, 99%	5 Gms	4200		(6-Benzylaminopurine)	100 Gms	3330
[112-85-6]	(Docosanoic acid, 1-Docosanoic acid,	25 Gms	7400			500 Gms	15000
	n-Docosanoic acid, Docosoic acid)		7 400	54395 •	6-Benzyladenine (6-BAP) for tissue	5 Gms	1050
	1-Docosanol (Behenyl Alcohol)	25 Gms	800	[1214-39-7]	culture, 99%	25 Gms	5100
[661-19-8]	extrapure, 98%	500 Gms	5800		(6-BAP, BA, N6-Benzyladenine,	100 Gms	8800
82142	Benzalacetophenone (Chalcone)	25 Gms	700		6-Benzylaminopurine, N-benzyl-7H-purin-6-amine, 6-Benzyl	500 Gms	20000
[94-41-7]	pure, 98% (1,3-Diphenyl-2-Propenone)	100 Gms	1900		adenine)		20000
	(1,0 Diplicity) 2 (10perione)	500 Gms	7400	38728	Benzylamine pure, 99%	500 ml	800
93014	Benzamidine Hydrochloride	5 Gms	1000	[100-46-9]		2500 ml	3600
[206752-36-5]	Hydrate extrapure, 98%	25 Gms	2600			25 Ltr	33600
		100 Gms	7900	64554	Benzylamine extrapure AR, 99.5%	250 ml	600
13740	Benzanilide pure, 98%	100 Gms	700	[100-46-9]		500 ml	1000
[93-98-1]		500 Gms	2500	91695	4-Benzyloxy-Phenylboronic Acid	1 Gms	1600
42689	Benzenesulphonyl Chloride pure,	500 ml	1100		extrapure, 97%	5 Gms	6000
[98-09-9]	98%					25 Gms	17800
41035	Benzenesulphonyl Chloride	500 ml	1300	47102	S-Benzyl-L-(+)-Cysteine extrapure,	25 Gms	18400
[98-09-9]	ExiPlus, Multi-Compendial, 98% meets compendial specs of USP			[3054-01-0]	98%		10400
57730	Benzhydrylamine pure, 97%	25 ml	700	26862	O-Benzyl-L-Serine extrapure, 99%	1 Gms	1800
[91-00-9]	(a-Aminodiphenylmethane)	100 ml	1300	[472696-9]		5 Gms	6400
		500 ml	5300			10 Gms	12300
17851	Dannahuduayamia Asid aydyamyya					25 Gms	28000
17851 4 [495-18-1]	Benzohydroxamic Acid extrapure, 99%	10 Gms	4800	50562	3-(Benzylthio)-Propionic Acid	1 Gms	3800
		25 Gms	9300	[2899-66-3]	extrapure, 98%	5 Gms	10000
17192 [134-81-6]	Benzil extrapure, 98%	250 Gms	900	75036	5-(Benzylthio)-1H-Tetrazole (BTT	5 Gms	2300
93528	Benzilic Acid extrapure, 99%	100 Gms	1400	[21871-47-6]	Activator) extrapure, 99%	25 Gms	7400
[76-93-7]	(Diphenylglycolic Acid)	250 Gms	3300	29161	Benzyltriethylammonium Chloride	500 Gms	600
35034	Benzimidazole extrapure, 99%	25 Gms	300	[56-37-1]	pure, 98%	5 Kg	5400
[51-17-2]	. .	100 Gms	800	98924	Benzyltrimethylammonium	100 Gms	400
		500 Gms	3700	[56-39-9]	Chloride pure, 98%	500 Gms	1800
31398	a-Benzoinoxime extrapure AR, 99%	25 Gms	500			5 Kg	16000
[441-38-3]	(Cupron)	100 Gms	1400	60168	Benzyltrimethylammonium	100 Gms	500
44371	Benzophenone Hydrazone pure,			[56-39-9]	Chloride ExiPlus,	500 Gms	2100
44371 [5350-57-2]	• • • •	100 Gms	3200		Multi-Compendial, 98%	555 Gillo	2100
		500 Gms	12700		meets compendial specs of USP, BP,		

Code	Name	Packing	Price	Code	Name	Packing	Prid
30307	Benzyltrimethyl Ammonium	100 ml	1400	11866 🗸	Bis(benzonitrile)palladium(II)	500 Mg	3500
[100-85-6]	Hydroxide 40% in Methanol	500 ml	4300	[14220-64-5]	Dichloride extrapure, 27.4% Pd	1 Gms	6200
	extrapure (Triton B)					5 Gms	28000
18437 🗸	,	500 ml	6000	24637	Bis(chloromethyl) Ether pure, 96%	25 Gms	5800
[8007-75-8]	Doigamet en extrapare	1000 ml	10700	[542-88-1]		100 Gms	16800
04400	DEC Duffer extremuse 00%			96246	Bis(Dibenzylideneacetone)	250 Mg	2500
34489 [10191-18-1]	BES Buffer extrapure, 99% (N,N-bis(2-Hydroxyethyl)2-Aminoethan	25 Gms 100 Gms	900	[32005-36-0]	Palladium extrapure, 16.5%-20.5%	1 Gms	420
	esulphonic Acid)	500 Gms	3000		Pd	5 Gms	1600
		1 Kg	12000		(Palladium(0) bis(Dibenzylideneacetone), Pd(dba)2)	3 4113	1000
			22000	52119	, , , , , , , , , , , , , , , , , , , ,	25 Gms	140
59299 [66992-27-6]	BES Sodium Salt Buffer extrapure,	25 Gms	3000	[140-95-4]	pure, 95%	100 Gms	350
[00992-27-0]	33 /6	100 Gms	7000		(1,3-Bis(hydroxymethyl)urea,	500 Gms	
		250 Gms	14000		Dimethylolurea)	500 GITIS	1580
83710	Bial's Reagent	250 ml	700	98932	1,8-Bis(dimethylamino)	5 Gms	180
0				[20734-58-1]	Naphthalene (DMAN) extrapure, 99%	25 Gms	550
84867 [979-88-4]	Bicinchoninic Acid Disodium Salt (BCA) extrapure, 98%	1 Gms	3000		(N,N,N',N'-Tetramethyl-1,8-Diaminonap		
[070 00 4]	(2,2-Biquinoline-4,4-Dicarboxylic Acid	5 Gms	8900		hthalene)		
	Disodium Salt)			16660	1,1`-Bis(Diphenylphosphino)Ferroc	250 Mg	300
39849	BICINE Buffer extrapure, 99%	25 Gms	630	[72287-26-4]	ene Palladium(II) Dichloride extrapure, 14.5% Pd	1 Gms	580
[150-25-4]	(N,N-bis(2-Hydroxyethyl) Glycine)	100 Gms	1900		(Dichloro [(1,1-Bis-Diphenylphosphino	5 Gms	2400
		500 Gms	8500		Ferrocene)] Palladium (II) (14.5% Pd))		
66466	Big CHAPS, 95%	500 Mg	10400	87281	1,1`-Bis(Diphenylphosphino)Ferroc	1 Gms	400
[86303-22-2]	N,N'-Bis(3-D-gluconamidopropyl)	1 Gms	18200	[95464-05-04]	ene-Palladium(II)Dichloride-Dichlor omethane Complex extrapure, 98%	5 Gms	1500
	cholamide	5 Gms	58300		omemane complex extrapare, 30%	25 Gms	5400
64839	Bilirubin extrapure AR, 99%	100 Mg	1000	49463	Bis(Tricyclohexylphosphine)Palladi	250 Mg	180
[635-65-4]	•	1 Gms	6800	[29934-17-6]	um(II) Dichloride extrapure, 98%	1 Gms	400
		5 Gms	27300		(Dichlorobis(tricyclohexylphosphine)Pal ladium(II))	5 Gms	1700
66915	Bilirubin Oxidase ex. Myrothecium,	25 Units	5800	26477 🗸	N,O-Bis-(Trimethylsilyl) Acetamide	25 ml	90
	1.2U/mg powder			[10416-59-8]	(BSA) extrapure, 95%	100 ml	250
18888	D-Biotin extrapure, 99%	1 Gms	600			250 ml	530
[58-85-5]	(Vitamin H)	10 Gms	4600	57677 ✓	N,O-Bis-(Trimethylsilyl) Trifluoro	5 ml	50
		25 Gms	8500		Acetamide (BSTFA) extrapure, 99%	25 ml	150
		100 Gms	28000			100 ml	510
89932	D-Biotin for tissue culture, 99%	1 Gms	660			500 ml	2310
[58-85-5]	(Vitamin H)	10 Gms	5500	50050	DCA : TMCC(0, 50/), 00, 070/		
		25 Gms	10000	52353	BSA+TMCS(3-5%), 93-97% (N,O-Bis(trimethylsilyl) Acetamide,	10 ml	310
		100 Gms	34000		Trimethylchlorosilane)	25 ml	620
92196	Biphenyl extrapure, 99%	100 Gms		22555 🗸	BSA+TMCS+TMSI, (3:2:3)	10 x1 ml	580
[92-52-4]	Diplienty extrapare, 33%	1 Kg	470 1500		N,O-Bis(trimethylsilyl)Acetamide,	25 ml	890
		5 Kg	1500		Trimethylchlorosilane,Trimethylsilylimid azole (GC Derivatization)		
	0.0 Plumidad A00, 05 75′		6000	46976	N,O-Bis(trimethylsilyl) trifluoro	10 x1 ml	580
79363 [366-18-7]	2,2-Bipyridyl ACS, 99.5%	5 Gms	800	[25561-30-2]		25 ml	260
[000-10-7]		25 Gms	3000		(BSTFA+TMCS) (99:1)	100 ml	900
		100 Gms	8300		for GC Derivatization		
37025	Bis(Acetonitrile)Dichloropalladium	500 Mg	5000	31817 [80-05-7]	Bisphenol A pure, 97% (4,4-Isopropylidenediphenol)	500 Gms	50
[14592-56-4]	(II) extrapure, 99%, ~41% Pd (Palladium (II) Chloride Diacetonitrile	1 Gms	8000	25417	BIS-TRIS Buffer extrapure, 99%	25 Gms	131
	Complex)	5 Gms	35000	[6976-37-0]	(bis [2-Hydroxyethyl] Aminotris	100 Gms	479
98369	1,3-Bis(3-Aminophenoxy) Benzene	5 Gms	5900		[Hydroxymethyl] Methane (bis-Tris)	500 Gms	2236
[10526-07-5]	(APB) pure, 98%	25 Gms	21900		(free base)		
	(Resorcinol bis(3-Aminophenyl) Ether)			15893	BIS-TRIS Hydrochloride Buffer	10 Gms	311
47063	4,4-Bis(4-Aminophenoxy)Diphenyl Sulfone pure, 98%	5 Gms	3600	[124/63-51-5]	extrapure, 98%	25 Gms	582
113000-89-2	oundie puie, 30%	25 Gms	13500			100 Gms	1486

Code	Name	Packing	Price	Code	Name	Packing	Price
49084	BIS-TRIS Propane Buffer extrapure,	25 Gms	4000		BOC-D-Glutamic Acid extrapure,	10 Gms	5420
[64431-96-5]	99%	100 Gms	13000	[34404-28-9]	33/6	25 Gms	12190
		500 Gms	52500		BOC-L-Glutamic acid extrapure,	10 Gms	1070
77031	Biuret Reagent Solution ExiPlus,	250 ml	300	[2419-94-5]	99%	25 Gms	2380
	Multi-Compendial meets compendial specs of BP, Ph.Eur					100 Gms	9020
20899	Bleomycin Sulfate (BLM-S), 90%	10 Mg	6300	82284	BOC-L-Glutamic Acid-5-Benzyl	10 Gms	12330
[9041-93-4]	Diedniyeni Sunate (DEM-5), 30%	50 Mg	23100	[13574-13-5]	Ester extrapure, 98%	25 Gms	21560
	D. T			45707	(BOC-I-Glu(OBzl)-OH) BOC-D-Glutamine extrapure, 99%	10 Gms	6500
22649 • [1871-22-3]	Blue Tetrazolium Chloride (BTC, Tetrazolium Blue Chloride)	1 Gms	1200	45737 [61348-28-5]	boo-b-Giutallille extrapure, 33/8	25 Gms	14620
[.07.22.0]	extrapure AR	5 Gms	5500				
		25 Gms	25000	46975 [13726-85-7]	BOC-L-Glutamine extrapure, 99%	25 Gms	2350
86204	BOC-D-Alanine extrapure, 99%	10 Gms	3000	[10720 00 7]		100 Gms	8820
[7764-95-6]		25 Gms	5000		BOC-Glycine extrapure, 99%	25 Gms	2080
42849	BOC-L-Alanine extrapure, 99%	10 Gms	750	[4530-20-5]		100 Gms	6260
[15761-38-3]		25 Gms	1780	44986	•	10 ml	1900
50483	BOC-L-Alanine Methyl Ester	10 Gms	8340	[31954-27-5]	extrapure, 98%	25 ml	4500
[28875-17-4]	extrapure, 98%	25 Gms	14590	10722	(BOC-Gly-OMe) • BOC-L-Histidine extrapure, 98.5%	10 Gms	4450
75597	BOC Amide pure, 98%	5 Gms	880	10733 [17791-52-5]	BOC-L-HISHUME extrapure, 96.5%	25 Gms	4450
	(tert-Butyl Carbamate)	25 Gms	1980				8610
		100 Gms	6600	38544 [13726-69-7]	BOC-L-Hydroxyproline extrapure,	5 Gms	5240
23875	BOC-L-Amino Acids Kit	1 Kit		[13720-09-7]	(BOC-Hyp-OH)	25 Gms	11860
230/5	BOC-L-Allillio Acids Kit	1 Kit	31620	74956	BOC-L-Isoleucine extrapure, 99%	10 Gms	1190
50647	N-BOC-4-Aminopiperidine pure,	5 Gms	3600	[13139-16-7]		25 Gms	2670
[73874-95-0]	97%	25 Gms	13170			100 Gms	9000
33534	N-BOC-O-Benzyl-L-Serine	10 Gms	27350	55665	BOC-Isonipecotic Acid extrapure,	10 Gms	6390
	extrapure, 98%	25 Gms	47850	[84358-13-4]		25 Gms	11170
	(BOC-L-Ser(BzI)-OH)	20 Gillo	47030		(1-BOC-Piperidine-4-Carboxylic Acid)	20 01110	
	N-BOC-O-Benzyl-L-Tyrosine	10 Gms	11490	39190	,	10 Gms	10230
[2130-96-3]	extrapure, 98% (BOC-L-Tyr(Bzl)-OH)	25 Gms	20100		Ester extrapure, 98% (N-Boc-Piperidine-4-Carboxylic Acid	25 Gms	17890
61900	BOC-L-Arginine Hydrochloride	25 Gms	4830		Methyl Ester)		
	extrapure, 98.5%	100 Gms	13580	22237	BOC-D-Leucine extrapure, 98%	10 Gms	3800
10000	BOC-L-Aspartic Acid-4-Benzylester	10 Gms		[16937-99-8]		25 Gms	8000
12202 • [7536-58-5]	extrapure, 98%	25 Gms	2600	25833	BOC-L-Leucine Monohydrate	25 Gms	1700
			6500		extrapure, 99%	100 Gms	6000
19362 • [75647-01-07]	BOC-D-Aspargine extrapure, 99%	10 Gms	4710	88985	Na-BOC-Ne-Z-L-Lysine	5 Gms	
[75047-01-07]		25 Gms	10980		(BOC-Lys(Z)-OH) extrapure, 98%	25 Gms	4200 11980
	BOC-L-Aspargine extrapure, 99%	10 Gms	1070		(BOC-Lys(Z)-OH)	25 01115	11900
[7536-55-2]		25 Gms	2380		N-a-e-T-BOC-L-Lysine-Dicyclohexyl	10 Gms	5820
		100 Gms	9020	[15098-69-8]	ammonium Salt extrapure, 99% (BOC-L-Lys(BOC)-OH.DCHA)	25 Gms	10180
38230	BOC-D-Aspartic Acid extrapure,	10 Gms	3910	69681	BOC-L-Lysine extrapure, 98%	10 Gms	3500
[62396-48-9]	99%	25 Gms	8800	[2418-95-3]	2.2.2 Lyonic oxilapaic, 50/6	25 Gms	7000
30394	BOC-L-Aspartic Acid extrapure,	10 Gms	3000	0.10==	DOC I Mathiauter enteren		
[13726-67-5]	98%			81350 [2488-15-5]	9 BOC-L-Methionine extrapure, 98.5%	25 Gms	2400
	BOC-L-Acetamidomethyl-L-Cystein	10 Gms	17400			100 Gms	5700
[19746-37-3]	e extrapure, 98%	25 Gms	30440		BOC-Nipecotic Acid extrapure, 99%	10 Gms	6390
44054	BOC-L-Benzyl-L-Cysteine	10 Gms	11960	[88495-54-9]		25 Gms	11170
[5068-28-0]	extrapure, 98%	25 Gms	20930		BOC-Nipecotic Acid Methyl Ester	10 Gms	11240
53340	BOC-Cyclopropylamine extrapure,	10 Gms	10510	[1487631-41- 1]	extrapure, 98%	25 Gms	19660
[132844-48-5]		25 Gms	18390		BOC-Nitro-L-Arginine extrapure,	10 Gms	5630
14000	ROC-L-Cuetine ovtranura 99%			[2188-18-3]		25 Gms	10580
14930 • [10389-65-8]	BOC-L-Cystine extrapure, 99%	10 Gms	1060		(Boc-Arg(NO2)-OH)	20 01118	10300
		25 Gms	2350				

Code	Name	Packing	Price	Code	Name	Packing	Price
14910	BOC-4-Nitro-L-Phenylalanine	10 Gms	6560	77340	BOC-L-Threonine extrapure, 99%	10 Gms	1190
[33305-77-0]	extrapure, 98% (BOC-L-Phe(4 No2)-OH)	25 Gms	11480	[2592-18-9]		25 Gms	2670
76600	BOC-4-Nitro-L-Phenylalanine Ethyl	10 Gms	11640			100 Gms	9000
[7535-56-0]	Ester extrapure, 98%	25 Gms	20360		BOC-D-Tryptophan extrapure, 99%	10 Gms	4000
	(BOC-Phe-Onp)			[5241-64-5]	(BOC-D-Trp-OH)	25 Gms	9000
40474 [18942-49-9]	BOC-D-Phenylalanine extrapure,	10 Gms	5270	86659	BOC-L-Tryptophan extrapure, 99%	25 Gms	2150
[10342-43-3]		25 Gms	11830	[13139-14-5]	(BOC-L-Trp-PH, BOC-Trp-OH)	100 Gms	8000
	BOC-L-Phenylalanine extrapure,	10 Gms	1250	61475	BOC-L-Tyrosine extrapure, 99%	10 Gms	2540
[13734-34-4]	33/6	25 Gms	2870	[3978-80-1]		25 Gms	5340
		100 Gms	9230			100 Gms	16990
	BOC-D-Phenylalanine Methyl Ester	10 Gms	13050	77170	BOC-L-Tyrosine Methyl Ester	10 Gms	10150
[35909-92-3]	extrapure, 98%	25 Gms	22830	[4326-36-7]	extrapure, 98%	25 Gms	17760
60090	BOC-L-Phenylalanine Methyl Ester	10 Gms	10150	35049	BOC-D-Valine extrapure, 99%	25 Gms	3800
[51987-73-6]	extrapure, 98%	25 Gms	17760	[22838-58-0]			0000
46437	BOC-D-Phenylglycine extrapure,	1 Gms	1510	80577	BOC-L-Valine extrapure, 99%	10 Gms	690
[33125-05-2]	99%			[13734-41-3]		25 Gms	1380
	BOC-L-Phenylglycine extrapure,	10 Gms	5440			100 Gms	4990
[2900-27-8]	99%	25 Gms	9520	97810	BOC-L-Valine Methyl Ester	10 Gms	7330
53665		10 Gms	5880	[58561-04-9]	extrapure, 98%	25 Gms	12820
[26250-84-0]		25 Gms	10280	59946	BOP Reagent extrapure AR, 98%	5 Gms	750
41311	BOC-Pipecolic Acid Methyl Ester	10 Gms	13120		(Castros Reagent)	25 Gms	3500
[132910-79-3]	extrapure, 98%	25 Gms	22960			100 Gms	13500
12098	1-BOC-Piperazine extrapure, 99%	10 Gms	2760	24790	Boron Trifluoride in Methanol (50%)	50 ml	4370
[57260-71-6]		25 Gms	5990	[2802-68-8]		250 ml	18500
32298	1-BOC-4-Piperidone extrapure, 99%	5 Gms	1560			1000 ml	40000
[79099-07-3]		25 Gms	5990	40047	Boron Trifluoride in Methanol (14%)		
43977	BOC-L-Prolinamide extrapure, 98%	1 Gms		48847 (373-57-9)	Solution (14%)	25 ml 100 ml	4850
43977 [35150-07-3]	· · · · · · · · · · · · · · · · · · ·	5 Gms	4240 12690			500 ml	6840 12850
		10 Gms	18320		Paridos las acomo albaballa O (Paridos		
	ROC D Brailing autremuse 000/			68774 • [9007-83-4]	Bovine Immunoglobulin G (Bovine IgG) Reagent Grade, 90% IgG Total	1 Gms	6000
93481 [37784-17-1]	BOC-D-Proline extrapure, 99%	10 Gms	3570	[]	Protein	5 Gms	18000
		25 Gms	8030			25 Gms	60000
	BOC-L-Proline extrapure, 99% (BOC-Pro-OH)	25 Gms	1800	19219	Bradford Reagent for Proteins	100 ml	600
[15/01-39-4]	(600-110-011)	100 Gms	5900			500 ml	1850
		250 Gms	14000		Brassinolide (BR) synthetic	25 Mg	3500
	BOC-D-Proline Methyl Ester	10 Gms	16740	[76962-43-7]	technical grade, 90%	100 Mg	12000
[/33323-65-6]	extrapure, 98%	25 Gms	29300	64222	Brilliant Blue G-250 for molecular	5 Gms	620
	BOC-L-Proline Methyl Ester	10 Gms	15220	[6104-58-1]	biology (Coomassie Brilliant Blue G250)	25 Gms	2310
[59936-29-7]	extrapure, 98%	25 Gms	26630	93473	Brilliant Blue R-250 for molecular	5 Gms	580
91810	BOC-D-Serine extrapure, 98%	25 Gms	2500	[6104-59-2]	biology	25 Gms	2200
[6368-20-3]		100 Gms	4800		(Coomassie Brilliant Blue R250)		
77874	BOC-L-Serine extrapure, 99%	10 Gms	2300	84778	Brilliant Blue R Staining Solution (Coomassie Brilliant Blue R-250	100 ml	3140
[3262-72-4]		25 Gms	5160		solution)		
		100 Gms	16020	75824	Brilliant Cresyl Blue	5 Gms	800
20256	BOC-L-Serine Methyl Ester	10 ml	8710	[81029-05-2]	(C.I. No. 51010 Brilliant Blue C, Brilliant	25 Gms	3000
	extrapure, 98%	25 ml	15220		Blue ALD)	100 Gms	8000
73138	BOC-D-Threonine extrapure, 98%	10 Gms	4710	60343	Bromelain ex. Pineapple Stem,	25 Gms	700
[55674-67-4]		25 Gms	10980		2400 GDU/g powder	100 Gms	2000
			10000			=	

Code	Name	Packing	Price	Code	Name	Packing	Price
36953	Bromoacetaldehyde Dimethyl	25 ml	1200	82860		25 Mg	1250
[7252-83-7]	Acetal pure (Stabilized), 97%	100 ml	3900	[209347-94-4]		100 Mg	3000
	(2-Bromo-1,1-Dimethoxyethane)	500 ml	17700		97%	500 Mg	11000
96141	2-Bromoacetamide pure, 97%	5 Gms	2300	93775	5-Bromo-4-Chloro-3-Indolyl-a-D-Gal	25 Mg	2300
[683-57-8]	÷	25 Gms	7500	[107021-38-5]	actopyranoside (X-a-Gal) for	100 Mg	5000
25038	p-Bromoacetanilide pure, 98%	100 Gms			molecular biology, 98%	1 Gms	20000
[103-88-8]	(4-Bromoactanilide)	500 Gms	1600	74004	(X-a-D-Galactoside)		
			6800		5-Bromo-4-Chloro-3-Indolyl-a-D-Glu copyranoside (X-a-Glc) for	50 Mg	5000
39903 ✓ [79-08-3]	Bromoacetic Acid pure, 99%	100 Gms	900	[.00.00 00 2]	molecular biology, 98%	1 Gms	36000
[/9-00-3]		500 Gms	3900		(X-a-D-Glucoside)		
15180	4-Bromoacetophenone pure, 98%	25 Gms	600		5-Bromo-4-Chloro-3-Indolyl-b-D-Cel	25 Mg	2300
[99-90-1]	(p-Bromoacetophenone)	100 Gms	1500	[177966-52-8]	lobioside (X-Cellobioside,	100 Mg	5000
		500 Gms	7000	45004	X-B-D-Cel) extrapure, 99%	100 M=	1000
30930	3-Bromoacetophenone extrapure,	25 Gms	1100	45904 [7240-90-6]	5-Bromo-4-Chloro-3-Indolyl-b-D-Gal actopyranoside (X-Gal) for tissue	100 Mg	1800
[2142-63-4]	99%	100 Gms	3200	[7240 00 0]	culture, 98%	500 Mg	7100
	(1-Acetyl-3-Bromobenzene,		0200			1 Gms	12000
	m-Bromoacetophenone)			10513		100 Mg	1200
47085	m-Bromoaniline pure, 97%	25 ml	2100	[7240-90-6]	actopyranoside (X-Gal) for	500 Mg	3800
[591-19-5]		100 ml	7300		molecular biology, 98%	1 Gms	7000
22912	p-Bromoaniline pure, 98%	100 Gms	1500	19185	5-Bromo-6-Chloro-3-Indolyl	250 Mg	7960
[106-40-1]	(4-Bromoaniline)	500 Gms	6000	[93863-89-9]	b-D-Glucopyranoside	1 Gms	23870
47405	3-Bromoanisole pure, 98%	50 ml	1100		(Magenta-Glc) for molecular		200.0
[2398-37-0]	(m-Bromoanisole)	100 ml	2000		biology, 98% (Magenta Glucoside)		
		500 ml	8700	16651		25 Mg	0000
					ucuronide Sodium Anhydrous	•	2200
54364 [104-92-7]	4-Bromoanisole pure, 98% (p-Bromoanisole)	100 Gms	1100		(X-Gluc Sodium) extrapure, 98%	100 Mg	4800
[104-92-7]	(p Bromodinolo)	500 Gms	3500		(X-GlcA Sodium Salt, X-B-D-GLcA-Na,	250 Mg	9800
27879	Bromobenzene extrapure, 99%	250 ml	1000		X-Glucuronide, X-Glucurono Sodium Salt, BC-Indicator) (X-GlcA	1 Gms	32000
[108-86-1]		1000 ml	3900	55702	5-Bromo-4-Chloro-3-Indolyl-ß-D-GI	25 Mg	2200
61714	Bromobenzene extrapure AR, 99%	250 ml	1200		ucuronide Sodium Salt Trihydrate	100 Mg	2200 4400
[108-86-1]					extrapure, 98%	1 Gms	16000
20107	3-Bromobenzoic Acid extrapure,	10 Gms	1000		F Brown 4 Oblave 2 Indebt B D Cl		
[585-76-2]	99%	25 Gms	2800		5-Bromo-4-Chloro-3-Indolyl-B-D-Gl ucuronide Cyclohexylammonium	100 Mg	2500
17833	p-Bromobenzophenone pure, 98%	5 Gms	1300	[114102 04 0]	Salt (X-Gluc CHX) extrapure, 99%	250 Mg	4000
[90-90-4]		25 Gms	4200		(X-beta-Glucuronide CHX Salt)	1 Gms	8000
		100 Gms	13200		5-Bromo-4-Chloro-3-Indolyl-B-D-GI	100 Mg	3500
69530	p-Bromobenzyl Bromide pure, 98%	100 Gms	7300	[114162-64-0]	ucuronide Cyclohexylammonium Salt (X-Gluc CHX) for tissue	500 Mg	9250
[589-15-1]	·				culture,		
79118	2-Bromo-4-Chloro Acetophenone	100 Gms	5800		(X-beta-Glucuronide CHX Salt)		
[536-38-9]	pure, 98% (O-Bromo-4-Chloro Acetophenone)				5-Bromo-6-Chloro-3-Indolyl-ß-D-Gl	50 Mg	5000
88685	1-Bromo-4-Chloro Benzene pure,	100 Gms	900	[144110-43-0]	ucuronide Cyclohexylammonium	250 Mg	9000
[106-39-8]	98%	500 Gms			Salt extrapure, 98% (Magenta-GlcA, Magenta Glucuronide)		
			3400	82224	, , , , , , , , , , , , , , , , , , , ,	50 Mg	2500
11447	1-Bromo-2-Chloroethane pure, 97%	100 Gms	2200	[93863-88-8]	alactopyranoside (Magenta-Gal)	250 Mg	6000
[107-04-0]		500 Gms	9800		extrapure, 98.%	1 Gms	12000
83788		25 Mg	3000		(Magenta-beta-D-Gal)		
[3252-36-6]	(X-3-Acetate, X-Acetate) extrapure,	250 Mg	12000	62949	5-Bromo-4-Chloro-3-Indolyl-b-D-Gl ucopyranoside (X-Glu, X-Glc) for	25 Mg	1200
40400 -	5 Brown 4 Chlore 2 Indebt	40.14		[10046-00-4]	tissue culture, 98%	100 Mg	2400
49199 • [129541-42-0]		10 Mg	900	51683	5-Bromo-4-Chloro-3-Indolyl-ß-D-Gl	100 Mg	1500
[12004154250]	98%	25 Mg	2000	[15548-60-4]	ucopyranoside (X-Glu, X-Glc) for	500 Mg	3500
	(5-Bromo-4-chloro-3-Indolyl	250 Mg	8000		molecular biology, 98%	1 Gms	
	Octanoate)				(X-Glucoside)	i Gilis	6000

Code	Name	Packing	Price	Code	Name	Packing	Price
24714	5-Bromo-4-Chloro-3-Indolyl	100 Mg	2400	71170 🗸	4-Bromo-2-Fluorobiphenyl pure,	10 Gms	4400
[102185-33-1]	Phosphate Disodium Salt (BCIP)	250 Mg	4400	[41604-19-7]	98%	25 Gms	7300
	extrapure, 98% (X-Phosphate Disodium Salt)	500 Mg	8000			100 Gms	15200
		1 Gms	13000	58421	1-Bromoheptane pure, 98%	100 ml	1300
66620	5-Bromo-4-Chloro-3-Indolyl	100 Mg	3430	[629-04-9]	(Heptyl Bromide)	250 ml	2800
[102185-33-1]	Phosphate Disodium Salt (BCIP)	500 Mg	12910	52240	1-Bromohexadecane pure, 96%	100 ml	2760
	for tissue culture, 98%			[112-82-3]	(Hexadecyl Bromide)	250 ml	6560
	5-Bromo-6-Chloro-3-Indolylphosph	25 Mg	2000			500 ml	8700
[6769-80-8]	ate-p-Toluidine Salt (BCIP Red) extrapure, 95%	100 Mg	4000				
	(Magenta Phosphate p-Toludine Salt)	500 Mg	8000	26459 [111-25-1]	1-Bromohexane pure, 99% (Hexyl Bromide)	100 ml	1000
45366	5-Bromo-4-Chloro-3-Indolyl	25 Mg	2450	[111 20 1]	(i.e., Sie.i.i.de)	500 ml	3100
[6578-06-9]	Phosphate p-Toluidine Salt (BCIP	100 Mg	4500	25036	4-Bromoindole pure, 96%	1 Gms	2100
	p-toluidine salt) for molecular biology,	500 Mg	9000	[52488-36-5]		5 Gms	8100
	(X-phosphate p-Toluidine Salt)			54635 Y	5-Bromoindole pure, 99%	5 Gms	500
75531	BCIP Red/NBT Solution A (BCIP	100 ml	17750	[10075-50-0]		25 Gms	1700
	Red Solution)			38092	5-Bromo-3-Indolyl-B-D-Glucuronide	25 Mg	18100
73654	BCIP Red/NBT Solution B (NBT Solution)	100 ml	2270	[18656-96-7]	Cyclohexylammonium Salt (X-GlcA CHX salt) extrapure, 97%		
71007	5-Bromo-4-Chloro-3-Indolyl-6-D-Rib	25 Mg	20180		(Blue Glucuronide CHX,		
[518033-33-5]	ofuranoside extrapure, 95%	100 Mg	57640		X-beta-D-GlcA.CHX)		
		250 Mg	115280		5-Bromo-3-Indolyl-B-D-Galactopyra	100 Mg	5400
45924	5-Bromo-4-Chloro-3-Indoxyl-myo-In	20 Mg	5150	[97753-82-7]	noside (Bluo-Gal) for molecular biology, 99%	1 Gms	16200
	ositol-1-Phosphate Ammonium Salt	100 Mg	19580	43675	5-Bromoindoxylacetate extrapure	100 Mg	2200
	(X-Phos-Inositol, X-IP) extrapure,	100 Mg	19300	[17357-14-1]		500 Mg	8700
	(myo-Inositol 1-						
	(5-Bromo-4-Chloro-3-Indoxylphosphat e) Ammonium Salt)			85999 • [80008-69-1]	5-Bromo-3-Indoxyl Phosphate p-Toluidine Salt extrapure, 98%	250 Mg	12000
62861	5-Bromo-4-Chloro-3-Indoxyl-a-D-N-	2 Mg	16910	[00000 00 1]	(Lapis-phos.p-tol, Lapis-phos PT)		
[160369-85-7]	Acetylneuraminic Acid Sodium Salt	5 Mg	28170	82645	1-Bromo-3-Methylbutane	100 ml	1700
	extrapure (X-NANA.Na), 98%			[107-82-4]	(Stabilized w/ Ag) pure, 98.5%	250 ml	2900
37869 [109-70-6]	1-Bromo-3-Chloropropane pure, 98%	100 ml	900		(Isopentyl Bromide, Isoamyl Bromide)	500 ml	4600
[109-70-0]	(Trimethylene Bromochloride)	500 ml	3500	89943	1-Bromonaphthalene pure, 98%	100 ml	2100
78388	1-Bromodecane pure, 98%	100 ml	1400	[90-11-9]		250 ml	5000
[112-29-8]	(Decyl Bromide)	250 ml	3100	97167	2-Bromonaphthalene pure, 98%	5 Gms	1700
14433	Bromodifluoroacetyl Chloride	1 Gms	10000	[580-13-2]	2 Bromonaphanaione pare, co/c	25 Gms	5700
[3832-48-2]	extrapure, 97%		10000		O Durana O Nambahata Asidanaa		
38209	1-Bromo-2,4-Difluorobenzene pure,	25 ml	3300		6-Bromo-2-Naphthoic Acid pure, 98%	5 Gms	2700
[348-57-2]	98%	100 ml	11400	[5776-66-6]	30%	25 Gms	9600
28503	1-Bromododecane pure, 98%	250 ml	3500		6-Bromo-2-Napthol pure, 98%	100 Gms	13200
[143-15-7]	(Dodecyl Bromide, Lauryl Bromide)	200	0000	[15231-91-1]	a Burney a New balled a B Collectory		
57418	5-Bromo-2-Deoxyuridine extrapure,	100 Mg	1200		6-Bromo-2-Naphthyl-ß-D-Galactopy ranoside extrapure, 98%	1 Gms	7200
[59-14-3]	98%	500 Mg	3700		6-Bromo-2-Naphthyl-ß-D-Glucopyra	100 Mg	3200
		1 Gms	6300		noside extrapure, 98%	500 Mg	14200
		5 Gms	26100	70045	6 Promo 2 Nonhibud o D Manusanum		
11849	5-Bromo-2-Deoxyuridine ExiPlus,	1 Gms	8000	79945 [15548-61-5]	6-Bromo-2-Naphthyl-a-D-Mannopyr anoside extrapure, 98%	25 Mg	13200
[59-14-3]	Multi-Compendial, 98%	5 Gms	27500			100 Mg	48600
	meets compendial specs of BP, Ph.Eur		_, 550	51879 ✓	5-Bromo-5-Nitro-1,3-Dioxane	1 Gms	1600
59866 ✓	2-Bromoethylamine Hydrobromide	25 Gms	1200	[30007-47-7]	(Bronidox) extrapure, 99%	5 Gms	4000
[2576-47-8]	extrapure AR, 99%	100 Gms		93052	2-Bromo-2-Nitro-1,3-Propanediol	100 Gms	600
•		500 Gms	2500 6400	[52-51-7]	(Bronopol, BNPD) ExiPlus,	500 Gms	2200
			6400		Multi-Compendial, 99-101% meets compendial specs of BP		
94471	2-Bromo Ethyl Ether pure, 98%	250 ml	19700	31868	1-Bromooctane pure, 98%	100 ml	1000
[592-55-2]							

Code	Name	Packing	Price	Code	Name	Packing	Price
64493	1-Bromooctadecane pure, 98%	100 ml	2100	32202 🗸	2,5-bis(5-tert-Butylbenzoxazol-2-yl)	5 Gms	2000
[112-89-0]	(Octadecyl Bromide)	500 ml	9900	[7128-64-5]	Thiophene (BBOT) scintillation grade, 99%	25 Gms	4400
10459	1-Bromopentane pure, 98%	100 ml	1200	34186	n-Butyl Bromide pure, 98%	250 ml	900
[110-53-2]	(Pentyl Bromide, Amyl Bromide)	250 ml	1800	[109-65-9]	(1-bromobutane)	500 ml	1500
		500 ml	3400			1000 ml	2700
78478	3-Bromophenol pure, 98%	10 Gms	1600	58390	sec-Butyl Bromide pure, 98%	100 ml	500
[591-20-8]		25 Gms	3300	[78-76-2]	(2-bromobutane)	500 ml	2000
		100 Gms	8100	33781	2-Bromo-2-Methylpropane	100 ml	2000
45609	p-Bromophenol pure, 99%	100 Gms	1800	[507-19-7]	(tert-Butyl Bromide) (Stabilized w/	500 ml	7800
[106-41-2]	(4-Bromophenol)	500 Gms	7400	00104 4	Ag) pure, 98%	100 Cma	400
62771		5 Gms	800	88194 ✓ [98-29-3]	p-tert-Butyl Catechol pure, 98% (1,2-Benzenediol)	100 Gms 500 Gms	400 1500
[2800-80-8]	(3,3-Dibromophenolsulfonphthalein)	25 Gms	3000	04000 14	And Butul Conhands outroning 000/		
35675		5 Gms	2600	91666 ✓ [870-46-2]	tert-Butyl Carbazate extrapure, 98% (BOC Hydrazide)	25 Gms 100 Gms	1600
[5467-74-3]	extrapure, 97%	25 Gms	11100				5400
88783	4-Bromophthalic Anhydride pure,	5 Gms	2500	22942 [507-20-0]	tert-Butyl Chloride extrapure, 99% (2-Chloro-2-Methylpropane)	500 ml	1800
[86-90-8]	97%	25 Gms	8300			1000 ml	3300
98418	2-Bromopyridine-5-boronic acid	1 Gms	3700		tert-Butylchlorodiphenylsilane (TBDPSCI) extrapure AR, 98%	10 ml	1300
[223463-14-7]	extrapure, 95% (Boronic Acid)	5 Gms	14500	[00470 01 1]	(tert-Butyldiphenylchlorosilane,	25 ml	3000
93829	N-Bromosuccinimide pure, 98%	100 Gms	400		tert-Butyl(chloro)diphenylsilane)	100 ml	10500
[128-08-5]		500 Gms	1350	90611 [54925-64-3]	N-tert-Butyldimethylsilyl Imidazole (TBDMSIM) pure, 97%	1 ml	2040
		5 Kg	12000	[34923-04-3]	(188 Molini) pare, 37 /8	5 ml	9550
51059	N-Bromosuccinimide extrapure AR,	100 Gms	530	39227	tert-Butyldimethylsilyl Chloride (TBDMS.CI) extrapure, 98%	25 Gms	530
[128-08-5]	ExiPlus, Multi-Compendial, 99%	500 Gms	1600	[16102-46-0]	(TBDMS.CI) extrapure, 98%	100 Gms	1900
		5 Kg	14000			500 Gms	8200
	meets compendial specs of USP			52573 [69739-34-0]	tert-Butyldimethylsilyl Trifluoromethanesulfonate (TBDMS	5 ml	1300
22628	1-Bromotetradecane pure, 98%	250 ml	2500	[09709-04-0]	triflate) extrapure, 98%	25 ml	5500
[112-71-0]	(Myristyl Bromide)	1000 ml	9000		(Trifluoromethanesulfonic Acid	100 ml	15000
55570	2-Bromothiophene pure, 98%	50 ml	1800	29972	tert-Butyldimethylsilylester) n-Butyl lodide extrapure, 98%	25 ml	1600
[1003-09-4]		100 ml	3200	[542-69-8]	n-Butyl louide extrapare, 55%	100 ml	5500
46714	3-Bromothiophene pure, 98%	10 ml	1200			500 ml	24700
[872-31-1]		25 ml	2200	48792	sec-Butyl lodide pure, 98%	25 ml	2500
		100 ml	8100		(2-lodobutane)	100 ml	9000
11521	2-Bromotoluene pure, 98%	25 ml	1800	28791 🗸	1-Butyl-3-Methylimidazolium	25 Gms	2200
[95-46-5]		100 ml	6200		Chloride (BMIM CI) extrapure, 98%	250 Gms	10500
92125	3-Bromotoluene pure, 98%	10 ml	1100	50807 ✓	1-Butyl-3-Methylimidazolium	5 Gms	3700
[591-17-3]		25 ml	2600		Dicyanamide (BMIM.DC) pure, 98%	25 Gms	12600
52250	4-Bromotoluene extrapure, 99%	100 Gms	1600	15748	1-Butyl-3-Methylimidazolium	5 Gms	1300
[106-38-7]		500 Gms	6800		Hexafluorophosphate (BMIM PF6)	25 Gms	4200
27964	5-Bromouracil extrapure, 99%	5 Gms	1500		extrapure, 98%	100 Gms	13700
[51-20-7]		25 Gms	4900	84903	1-Butyl-3-Methylimidazolium	10 Gms	3200
12211	5-Bromouridine extrapure, 99%	100 Mg	1000		Tetrachloroaluminate (BMIM AICI4)	25 Gms	5300
[957-75-5]		500 Mg	1700		extrapure, 95%	50 Gms	8400
42338	Borax Carmine (Grenacher)	25 Gms	1300	92656 🗸	1-Butyl-3-Methylimidazolium	5 Gms	2400
					Tetrafluoroborate (BMIMBF4)	25 Gms	5300
27691	Brucine Anhydrous Reagent Grade,	5 Gms	600		extrapure, 98%		
[357-57-3]	98% (10,11-Dimethoxystrychnine,	25 Gms	2300		1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (BMIM	1 Gms	1100
	2,3-Dimethoxystrychnidin-10-one)	100 Gms	9000	[174099-00-2]	Otf) extrapure, 95%	5 Gms	3200
					(1-Butyl-3-Methylimidazolium Triflate)	25 Gms	12600

utyl-1-Methylpyrrolidinium (trifluoromethylsulfonyl)imide MP TFSI) extrapure, 98% utyl-1-Methylpyrrolidinium oride extrapure, 98% utyl-1-Methylpyrrolidinium (afluorophosphate (BMP FP6) rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 futyrolactone extrapure, 99%	5 Gms 25 Gms 5 Gms 25 Gms 5 Gms 25 Gms 1 Gms 5 Gms 5 Gms 500 Gms 1 Gms 5 Gms 5 Gms 5 Gms 5 Gms	1800 7400 2300 10000 2100 8400 900 3200 700 2100 6300 2400 800 2900	47700 [9005-43-0] 31269 [137-08-6] 65326 [3737-95-9] 66406 [3737-95-9]	Calcium Caseinate extrapure, 90% Protein (Casein Calcium Salt) Calcium-D-Pantothenate pure, 98% (D-Pantothenic Acid Calcium Salt, Vitamin B5) Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR (Calver II)	100 Gms 500 Gms 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 100 Gms	1000 3200 500 1200 5500 300 900
MP TFSI) extrapure, 98% utyl-1-Methylpyrrolidinium oride extrapure, 98% utyl-1-Methylpyrrolidinium cafluorophosphate (BMP FP6) rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	5 Gms 25 Gms 5 Gms 25 Gms 1 Gms 5 Gms 5 Gms 500 Gms 1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	2300 10000 2100 8400 900 3200 700 2100 6300 2400	31269 [137-08-6] 65326 [3737-95-9] 66406 [3737-95-9]	(Casein Calcium Salt) Calcium-D-Pantothenate pure, 98% (D-Pantothenic Acid Calcium Salt, Vitamin B5) Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 25 Gms 100 Gms	500 1200 5500 300 900
utyl-1-Methylpyrrolidinium (afluorophosphate (BMP FP6) rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	25 Gms 5 Gms 25 Gms 1 Gms 5 Gms 500 Gms 1 Gms 5 Gms 500 ml 500 ml	10000 2100 8400 900 3200 700 2100 6300 2400	[137-08-6] 65326 [3737-95-9] 66406 [3737-95-9]	(D-Pantothenic Acid Calcium Salt, Vitamin B5) Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	100 Gms 500 Gms 5 Gms 25 Gms 25 Gms 100 Gms	1200 5500 300 900
utyl-1-Methylpyrrolidinium cafluorophosphate (BMP FP6) rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	5 Gms 25 Gms 1 Gms 5 Gms 500 Gms 1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	2100 8400 900 3200 700 2100 6300 2400	65326 [3737-95-9] 66406 [3737-95-9]	Vitamin B5) Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	500 Gms 5 Gms 25 Gms 25 Gms 100 Gms	5500 300 900
cafluorophosphate (BMP FP6) rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	25 Gms 1 Gms 5 Gms 500 Gms 1 Gms 5 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	900 3200 700 2100 6300 2400	[3737-95-9] 66406 [3737-95-9]	Calconcarboxylic Acid extrapure AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	5 Gms 25 Gms 25 Gms 100 Gms	300 900 1000
rapure, 97.5% utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	1 Gms 5 Gms 500 Gms 1 Gms 5 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	900 3200 700 2100 6300 2400	[3737-95-9] 66406 [3737-95-9]	AR (Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	25 Gms 25 Gms 100 Gms	900
utyl-1-Methylpyrrolidinium rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	5 Gms 500 Gms 1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	3200 700 2100 6300 2400	66406 [3737-95-9]	(Patton & Reeders Indicator for Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	25 Gms 100 Gms	1000
rafluoroborate (BMP BF4) rapure, 97% ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	5 Gms 500 Gms 1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml	3200 700 2100 6300 2400	[3737-95-9] 42532 ✓	Calcium) Calconcarboxylic Acid extrapure AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	100 Gms	
ert-Butyl Phenol pure, 98% ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml 2500 ml	700 2100 6300 2400	[3737-95-9] 42532 ✓	AR, ExiPlus, Multi-Compendial (Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR	100 Gms	
ert-Butyl-L-Serine extrapure, 6 utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	1 Gms 5 Gms 500 ml 100 ml 500 ml 500 ml 2500 ml	2100 6300 2400 800	42532 🗸	(Patton & Reeders Indicator for Calcium) meets compendial specs of BP, Ph.Eur Calmagite AR		3300
utyric Anhydride pure, 98% utyric Anhydride extrapure AR, utyrolactone extrapure, 99%	5 Gms 500 ml 100 ml 500 ml 500 ml	6300 2400 800		meets compendial specs of BP, Ph.Eur Calmagite AR	5 O	
utyric Anhydride pure, 98% utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	500 ml 100 ml 500 ml 500 ml 2500 ml	2400		Calmagite AR	F 0	
utyric Anhydride extrapure AR, 6 utyrolactone extrapure, 99%	100 ml 500 ml 500 ml 2500 ml	800				400
6 sutyrolactone extrapure, 99%	500 ml 500 ml 2500 ml		[5 Gms	400
6 sutyrolactone extrapure, 99%	500 ml 500 ml 2500 ml			,	25 Gms 100 Gms	1400 4500
utyrolactone extrapure, 99%	500 ml 2500 ml	2900				
	2500 ml		94340 [3144-16-9]	D-10 Camphor Sulphonic Acid pure, 99%	25 Gms	1000
		750	[0144 10 0]	(D-Camphor Sulphonic Acid)	100 Gms	2500
d Oblasida		3500			500 Gms	11600
and Objective	25 Ltr	31000	25421 [3144-16-9]	D-10 Camphor Sulphonic Acid ExiPlus, Multi-Compendial, 99%	100 Gms	2700
yryl Chloride extrapure, 98%	100 ml	350	[0144-10-9]	(D-Camphor Sulphonic Acid)	500 Gms	12600
	500 ml	1200		meets compendial specs of BP, Ph.Eur		
yrylcholine Chloride extrapure,	1 Gms	2370	20940	L-10 Camphor Sulphonic Acid pure,	25 Gms	1200
6	5 Gms	8200	[35963-20-3]	99% (L-(-)-Camphor Sulphonic Acid)	100 Gms	3500
Sutyrylthiocholine lodide	1 Gms	2500	74616	Canada Balsam Natural for	100 ml	400
rapure, 98%	5 Gms	5400	[8007-47-4]	microscopy	500 ml	2000
	25 Gms	17500	64210	CAPS Buffer extrapure, 99%	25 Gms	1130
cotheline Monohydrate	5 Gms	1000	[1135-40-6]	(3-[Cyclohexylamino]-1-Propane	100 Gms	3490
rapure, 95% dox Indicator)	25 Gms	4200		Sulphonic Acid)	500 Gms	13670
daverine Free Base	1 ml	1500	39271	CAPSO Buffer extrapure, 99%	25 Gms	1400
5-Diaminopentane) extrapure,	5 ml	4250	[73463-39-5]	(3-(Cyclohexylamino)	100 Gms	3500
6 etemathulanadiamina	25 ml	8000		-2-Hydroxypropane Sulphonic Acid)	500 Gms	15000
ntamethylenediamine, Pentanediamine)			71222	CAPSO Sodium Salt Buffer	25 Gms	2200
daverin Dihydrochloride	1 Gms	2700		extrapure, 99%	100 Gms	6500
rapure, 98%	5 Gms	4800			500 Gms	25000
i-Diaminopentane Dihydrochloride, Itamethylenediamine	25 Gms	10300	54338	Carbazole pure, 95%	100 Gms	1800
drochloride)			[86-74-8]	(9-Azaflluorene, 9H-Carbazole,	500 Gms	8400
dmium Telluride ultrapure,	5 Gms	3800		Dibenzopyrrole, Diphenylenimine)		
99%	25 Gms	11700		Carbenicillin Disodium Salt for	250 Mg	1960
feic Acid extrapure, 98%	5 Gms	2400	[4000-94-0]	accus culture, 50%		2860
-Dihydroxybenzeneacrylic Acid,	25 Gms	6300				6430
				Carbenicillin Disodium Salt, 90%	_	880
-Dihydroxyphenyl)-2-Propenoic A	1 Gms	300	[4000-94-0]		1 Gms	1450
-Dihydroxyphenyl)-2-Propenoic A cein Reagent extrapure AR	5 Gms	900			5 Gms	5800
	25 Gms	3400	32943 🗸	• • • • • • • • • • • • • • • • • • • •	1 Gms	1100
cein Reagent extrapure AR	500 Ma		[638-23-3]	(s-Gai DOXYI Heti iyi-i-Gystelfie)	5 Gms	3300
cein Reagent extrapure AR			98536	Carbohydrates Kit Type I	1 Kit	4400
cein Reagent extrapure AR iorescein Complexone)	1 Gms					8500
-Dil Dih	nydroxybenzeneacrylic Acid, ydroxycinnamic Acid, 3- nydroxyphenyl)-2-Propenoic A n Reagent extrapure AR escein Complexone)	nydroxybenzeneacrylic Acid, ydroxycinnamic Acid, 3- nydroxyphenyl)-2-Propenoic A n Reagent extrapure AR escein Complexone) 25 Gms 25 Gms 25 Gms erol (Vitamin D2), 97%	## Acid extrapure, 98%	[4800-94-6] Acid extrapure, 98% 5 Gms 2400 25 Gms 6300 10566 [4800-94-6]	\$\frac{1}{4800-94-6} \] \$\frac{1}{4800-	2400 25 Gms 2400 25 Gms 2400 25 Gms 2400 25 Gms 25 Gms 2400 25 Gms 2

Code	Name	Packing	Price	Code	Name	Packing	Price
67852	N,N-Carbonyldiimidazole (CDI)	25 Gms	500	79364	Ceftriaxone Disodium Salt	1 Gms	1500
[530-62-1]	extrapure AR, 98%	100 Gms	1200	[104376-79-6]	Hemiheptahydrate (CFTZ) (Ceftriazone Sodium Salt)	5 Gms	4200
		500 Gms	5300	13081	Ceftriaxone Disodium Salt	1 Gms	3000
87379	•	1 Gms	3200		Hemiheptahydrate (CFTZ) ExiPlus,	5 Gms	7250
[25487-66-5]	extrapure, 97% (3-Carboxyphenylboronic Acid)	5 Gms	9000		Multi-Compendial		. 200
	(3-Carboxyprienyiboronic Acia)	25 Gms	20100	84755	(Ceftriazone Sodium Salt) Cefuroxime Sodium Salt, 86-100%	2 Gms	1400
51171	4-Carboxyphenylboronic Acid	1 Gms	1500	[56238-63-2]	Gerardanne Socialin Sait, 66-166/8	10 Gms	3700
[14047-29-1]	extrapure, 97%	5 Gms	4800			25 Gms	8400
35982	5-Carboxyuracil extrapure, 98%	5 Gms	3700	85294	D-Cellobiose extrapure	5 Gms	
[23945-44-0]		10 Gms	7200	[528-50-7]	D-Cellobiose extrapare	25 Gms	1200 5100
24352	L-Carnitine extrapure, 99%	25 Gms	2100			100 Gms	19800
[541-15-1]		100 Gms	6300	05000	Collulado (Maisollado) ev		
		500 Gms	21000	95382 [9012-54-8]	Cellulase (Meicellase) ex. Aspergillus Niger, 0.3 U/mg powder	100 Mg	1600
85641	₿-Carotene extrapure, 90%	1 Gms	1700	. ,	Cellulase (Meicellase) ex. Aspergillus	1 Gms 5 Gms	3400 10000
[7235-40-7]		5 Gms	3600		Niger, 0.3U/mg powder	25 Gms	42000
		25 Gms	8400		L Callinda a Consendo EA ass		
71953	Casein Protein Rich Alkali Soluble	500 Gms	1600	32970 [9012-54-8]	Cellulase Onozuka FA ex. Trichoderma Viride, 2500U/g	1 Gms	6400
[9000-71-9]	extrapure, 80% Protein	5 Kg	13400	[]	powder (Meicellase)	5 Gms	24700
27012	Casein Fat Free Ultrapurified, 0.2%	500 Gms	2900	24801	Cellulase Onozuka R-10 ex.	1 Gms	8400
[9000-71-9]	Fat			[9012-54-8]	Trichoderma Viride, 10000U/g	5 Gms	39900
23845 [9000-71-9]	Casein acc. to Hammarsten, 95% Protein	100 Gms	2800		powder (Maiorlage)		00000
[9000-71-9]	Fioten	500 Gms	12200	CE 400	(Meicellase) Cellulase Onozuka RS ex.	1 Cma	10700
		1 Kg	21700	65480 [9012-54-8]	Trichoderma Viride, 16000U/g	1 Gms	12700
19575	Casein acc. to Hammarsten,	1 Kg	28000		powder		
[9000-71-9]	PrimeDx, 95% Protein	5 Kg	125000		(Meicellase)		
42168	, , , , ,	25 Mg	3700	45662 [9004-38-0]	Cellulose Acetate Phthalate extrapure	100 Gms	800
[9001-05-2]	Liver, 11700U/mg powder	100 Mg	8000	[0 00 + 00 0]		500 Gms	3200
78695	, , , , ,	1 Gms	7300	33340 [9004-34-6]	Cellulose microcrystalline pure for TLC, 98%	500 Gms	700
[9001-05-2] 92063	Liver, 2000-5000U/mg protein Cefaclor (CFC), 95%	1 Gms	1000	. ,	,	5 Kg 25 Kg	6100
[53994-73-3]	Ceración (CPC), 95%	5 Gms	1000 3200				21700
4=000	Octobrod Monobody (OFD)				Cephalexin Hydrate (CFL), 95-103% (Cefalexin Hydrate)	1 Gms	2400
15689 [66592-87-8]	, , , , , , , , , , , , , , , , , , , ,	1 Gms	1000	[10000 7 1 2]	(=====,	5 Gms	8700
		5 Gms	4200			25 Gms	20400
85254 [62893-20-3]		1 Gms	1300	36413 J [58-71-9]	Cephalothin Sodium Salt (CF), 97%	1 Gms	3400
[02093-20-3]	Ceraperazone dodiumi	5 Gms	5200	[50-71-9]		5 Gms	8600
26732	· · · · · · · · · · · · · · · · · · ·	25 Mg	6300		Cephotaxime Sodium Salt (CFT),	1 Gms	1500
[74356-00-6]	05%	100 Mg	18900	[64485-93-4]	916-964ug/mg	5 Gms	3200
	Cefazolin Sodium Salt (CFZL),	100 Mg	4700	40111	Cerium (III)	5 Gms	4400
[27164-46-1]	89-110%	500 Mg	8000	[76089-77-5]	Trifluoromethanesulfonate extrapure, 98%	25 Gms	14600
13910	Cefixime Trihydrate (CFX), 95-101%	1 Gms	1000		(Cerium triflate,		
[125110-14-7]	l '	5 Gms	2100		Trifluoromethanesulfonic Acid Cerium		
13329	Cefpodoxime (CFPD) free acid	25 Mg	3200	E 4704	Salt)	10.0~-	1400
[80210-62-4]	extrapure, 96%	100 Mg	9500	54784 [7787-69-1]	Cesium Bromide extrapure AR, 99.5%	10 Gms 50 Gms	1400
58597	Cefoxitin Sodium Salt (CTX), 94%	100 Mg	1300		Continue Control of the control of t		6000
[33564-30-6]		250 Mg	3200	95125 [534-17-8]	Cesium Carbonate extrapure, 99%	25 Gms	2400
		1 Gms	5300	[-3 9]		100 Gms 500 Gms	8700
80223	Cefsulodin Sodium Salt (CFS)	10 Mg	1000				39900
	extrapure, 97%	250 Mg	7900	22966	Cesium Chloride extrapure AR for	25 Gms	3000
[52152-93-9]		230 Wg	1300	[7647-17-8]	molecular biology, 99.9%	100 Gms	11000

Code	Name	Packing	Price	Code	Name	Packing	Price
32355	Cesium Chloride ultrapure for	25 Gms	3500		CHAPS Buffer extrapure, 99%	1 Gms	900
[7647-17-8]	molecular biology, 99.9%	100 Gms	13000		(3-[(3-Cholamidopropyl)	5 Gms	3000
		500 Gms	55000	331717-43-4]	Dimethylaminonio] -1-Propanesulphonate)	25 Gms	13000
36117	Cesium Fluoride extrapure AR, 99%	25 Gms	2300		, , , , , , , , , , , , , , , , , , , ,	100 Gms	46000
[13400-13-0]		100 Gms	8700	21420 🗸	CHAPS Buffer for molecular	1 Gms	1200
22941	Cesium Iodide extrapure, 99.5%	10 Gms	1800	-	biology, 99.5%	5 Gms	4400
[7789-17-5]		50 Gms	9000	331717-45-4]		25 Gms	18000
73254	Cesium Iodide ultrapure, 99.999%	5 Gms	1700	66903 🗸	CHAPSO Buffer extrapure, 99%	1 Gms	5540
[7789-17-5]		10 Gms	3200	[82473-24-3]	(3-[(3-Cholamidopropyl)	5 Gms	21990
		25 Gms	5900		Dimethylammonio]-2-Hydroxy 1-Propanesulphonate)		
		100 Gms	18000	18081 🗸	CHES Buffer extrapure, 99%	25 Gms	2500
52757	Cerium Metal Ultrapure, 200 mesh,	5 Gms	8500	[103-47-9]	(2-(N-Cyclohexylamino)	100 Gms	7900
[1306-38-3]	99.9%	25 Gms	14000		Ethanesulphonic Acid)	500 Gms	32000
	O - draw Nikasta antarawa 2007			98507 ✓	Chitin (Poly-(b1-4)-N-acetyl	25 Gms	
88733 [7789-18-6]	Cesium Nitrate extrapure, 99% (Nitric Acid Cesium Salt)	5 Gms	1300		glucosamine) extrapure	100 Gms	3430
[7700 10 0]	(Mare / Isla essiam early	10 Gms	1900		· ·		10140
		50 Gms	8000	27391 ✓ [9012-76-4]	Chitosan (Low MW) extrapure, 10-150m.Pas, 90% DA	25 Gms	960
57455	Cesium Sulphate for molecular	10 Gms	1500	[9012-76-4]	(Deacetylated Chitin)	100 Gms	3110
[10294-54-9]	biology, 99.9%	25 Gms	3300		<u> </u>	500 Gms	11270
		100 Gms	12000	18824 🗸	Chitosan (Medium MW) extrapure,	10 Gms	580
40649		100 Gms	760	[9012-76-4]	150-500m.Pas, 90% DA (Deacetylated Chitin)	25 Gms	1130
[122-18-9]	m Chloride (BDHDAC) pure, 97% (Cetyldimethylbenzylammonium	1 Kg	5000		(2)	100 Gms	3680
	Chloride, Cetalkonium Chloride)					500 Gms	12160
77040	Cetylpyridinium Bromide (CPB)	100 Gms	1200	96266 🗸	Chitosan (High MW) extrapure,	25 Gms	1930
[140-72-7]	pure, 98%	500 Gms	5000	[9012-76-4]	800m.Pas, 90% DA (Deacetylated Chitin)	100 Gms	6600
50000	(Hexadecylpyridinium Bromide)	100.0	700		(Bedeetylated Offith)	500 Gms	24200
59088 [6004-24-6]	Cetylpyridinium Chloride (CPC) extrapure, 98%	100 Gms 500 Gms	700		Chitosan Oligosaccharide (water	10 Gms	4350
			2500	[148411-57-8]	soluble) extrapure, 90% DA	25 Gms	7710
99698 [6004-24-6]	Cetylpyridinium Chloride (CPC) ExiPlus, Multi-Compendial, 98%	100 Gms	800			100 Gms	13050
[,	•	500 Gms	3000	59811	Chitosan Dimer Dihydrochloride	5 Mg	20000
	meets compendial specs of BP, Ph.Eur	400.0	400	[577-76-4]	extrapure, 98%	10 Mg	33000
66302 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) extrapure AR, 99%	100 Gms	490	19363	(Chitobiose Dihydrochloride) Chitosan Trimer Trihydrochloride	5 Mg	E7000
[0. 00 0]	(Hexadecyltrimethyl Ammonium	500 Gms	2070		extrapure, 98%	5 Mg	57880
	Bromide)	5 Kg	18500		(Chitotriose Trihydrochloride)		
59771	Cetyltrimethyl Ammonium Bromide	100 Gms	540		Chitosan Tetramer	5 Mg	22000
[57-09-0]	(CTAB) extrapure AR, ExiPlus, Multi-Compendial, 99%	500 Gms	2440	[117399-50-5]	Tetrahydrochloride extrapure, 98% (Chitotetraose Tetrahydrochloride)		
	(Hexadecyltrimethyl Ammonium	5 Kg	22000	80517	Chitosan Pentamer	5 Mg	15520
	Bromide)				Pentahydrochloride extrapure, 98%	5 Mg	13320
	meets compendial specs of BP, Ph.Eur				(Chitopentaose Pentahydrochloride)		
12779 [57-09-0]	Cetyltrimethyl Ammonium Bromide (CTAB) for molecular biology, 99%	100 Gms	560		Chitosan Hexamer	5 Mg	42000
[0. 00 0]	(Hexadecyltrimethyl Ammonium	500 Gms	2640	[41708-95-6]	Hexahydrochloride extrapure, 95% (Chitohexaose Hexahydrochloride)		
	Bromide)	5 Kg	23500	11975 🗸	a-Chloralose pure, 98%	25 Gms	2970
23595	Cetyltrimethyl Ammonium Chloride	25 Gms	2020		(Anhydro-D-Glucochloral,		
[112-02-7]	(CTAC) extrapure AR, 99% (Cetrimonium Chloride,	100 Gms	5940		a-D-Glucochloralose)		
	Hexadecyltrimethyl Ammonium Chloride)	500 Gms	8910	77441	Chloranilic Acid extrapure, 98% (2,5-Dichloro-3,6-Dihydroxy-2,5-Cycloh	25 Gms 100 Gms	2400 8400
68623	Cetyltrimethyl Ammonium Chloride	25 Gms	2970		exadiene-1,4-Dione, 2,5-Dichloro-3,6-Dihydroxy-p-Benzoqui		
[112-02-7]	(CTAC) for molecular biology, 99%	100 Gms	8080		none)		
	(Cetrimonium Chloride, Hexadecyltrimethyl Ammonium			50146	Chloranitine Fast Red BB	5 Gms	900
	Chloride)			[0000 40 0]	(C.I. No. 25380)	25 Gms	

Code	Name	Packing	Price	Code	Name	Packing	Price
97686	Chloramphenicol (CFP), 98-102%	5 Gms	830	23843	Chlorocholine Chloride (CCC)	5 Gms	1300
[56-75-7]		25 Gms	2310	[999-81-5]	extrapure, 98% (2-Chloroethyl)trimethylammonium	25 Gms	4000
		100 Gms	5720		chloride, Chlormequat chloride,		
28812	1 ', '	5 Gms	1090		Choline dichloride, Cycocel)		
[56-75-7]	culture, 98-102%	25 Gms	2530		2-Chloro-4,6 Dimethoxy-1,3,5	5 Gms	900
57956	Chloramphenicol (CFP) ExiPlus,	25 Gms	3600	[3140-73-0]	Triazine extrapure, 99%	25 Gms	3500
[56-75-7]	Multi-Compendial, 98.0-102%	100 Gms	8000			100 Gms	12000
37281	p-Chloroacetanilide extrapure AR,	25 Gms	630	42687	1-Chloro-2,4-Dinitrobenzene extrapure, 99%	500 Gms	740
[539-03-7]	99%	100 Gms	1930	[97-00-7] 69297	1-Chloro-2,4-Dinitrobenzene	25 Gms	190
77863	p-Chloroacetanilide extrapure AR,	100 Gms	2050	[97-00-7]	extrapure AR, 99%	100 Gms	570
[539-03-7]	ExiPlus, Multi-Compendial, 99%			93937	1-Chloro-2,4-Dinitrobenzene	100 Gms	610
	meets compendial specs of USP, BP, Ph.Eur			[97-00-7]	extrapure AR, ExiPlus,	500 Gms	2570
70179	2-Chloroactophenone pure, 97%	25 Gms	2300		Multi-Compendial, 99%	ooo amo	2370
[532-27-4]	(Phenacyl Chloride)	100 Gms	7300		meets compendial specs of BP		
40505	n-Chlorogostonhenone extranure			17691 ✓ [2578-45-2]	2-Chloro-3,5-Dinitropyridine extrapure AR, 99%	1 Gms	5120
40585 [99-91-2]	p-Chloroacetophenone extrapure, 98%	100 ml 500 ml	1420 5760		•	5 Gms	15720
		1000 ml	10880	38825 [1679-18-1]	4-Chlorophenylboronic Acid extrapure, 97%	5 Gms	1800
00004	m-Chloroaniline (MCA) pure, 99%	500 ml		[1079-10-1]	елиарите, 37 %	25 Gms	7430
92804 [108-42-9]	m-chloroannine (wcx) pure, 99%	2500 ml	1400 6100	22654	2-Chloroethylphosphonic Acid	100 ml	800
4000	Chlorehanneldshude nuve 000/			[166/2-8/-0]	(ETHREL, Ethephon) 40% soln.	250 ml	1500
43265 [89-98-5]	o-Chlorobenzaldehyde pure, 98% (2-Chlorobenzaldehyde)	100 ml	300		3-Chloro-4-Fluoroaniline pure, 98%	25 Gms	700
	, ,	500 ml 2500 ml	750 3300	[367-21-5]		100 Gms	1400
4=00= 14	(n Chlorobouroldobudo nuvo 070/					500 Gms	6000
17927 ✓ [104-88-1]	' p-Chlorobenzaldehyde pure, 97% (4-Chlorobenzaldehyde)	100 Gms 500 Gms	450	17703	2-Chloro-4-Fluorobenzoic Acid	5 Gms	1650
. ,	, ,	500 Gills 5 Kg	1050 9500	[2252-51-9]	pure, 98%	25 Gms	5340
04040 14	4.4 Oblavahambudual mura 200/			36393	2-Chloro-5-Fluorobenzoic Acid	10 Gms	2940
91019 ✓ [119-56-2]	4-Chlorobenzhydrol pure, 98%	50 Gms 100 Gms	2400	[2252-50-8]	pure, 98%	100 Gms	15300
			4200	84538	2-Chloro-6-Fluorobenzoic Acid	5 Gms	2760
69159 [118-91-2]	o-Chlorobenzoic Acid pure, 98%	100 Gms	300	[434-75-3]	pure, 98%	25 Gms	6450
		500 Gms	1200	33676	3-Chloro-2-Fluorobenzoic Acid	5 Gms	4480
30519 [118-91-2]	o-Chlorobenzoic Acid extrapure AR, 99.5%	100 Gms	400	[161957-55-7]	pure, 98%	10 Gms	7680
	•	500 Gms	1700	69932	2-Chloro-4-Nitrophenyl	250 Mg	12000
34366 [535-80-8]	m-Chlorobenzoic Acid extrapure, 99%	25 Gms	810	[157381-11-8]	4-O-b-D-Galactopyranosylmaltosid e (Gal-G2-a-CNP, Gal CNPG2)	1 Gms	35000
[333-00-0]	3378	100 Gms	3030		extrapure, 90%	5 Gms	150000
		500 Gms	9540		(a-(2-Chloro-4-Nitrophenyl)		
24711 [74-11-3]	p-Chlorobenzoic Acid pure, 99%	100 Gms	330		-ß-1,4-Galactopyranosylmaltoside)		
[/4-11-0]		500 Gms	1200	85563	Chloroform : Isoamyl Alcohol (24:1) for molecular biology	100 ml	1130
97199	p-Chlorobenzoic Acid extrapure	100 Gms	600		<u> </u>	500 ml	2370
[74-11-3] 53378	AR, 99.7% p-Chlorobenzophenone extrapure,	100 Gms	600	41117 9 [936-59-4]	3-Chloro-1-Phenyl Propanone pure, 98%	25 Gms	2370
[134-85-0]	99%	500 Gms	2200	[900-09-4]	(3-Chloropropiophenone,	100 Gms	8700
08001	2-Chlorobenzylamine pure, 98%	25 ml			B-Chloropropiophenone)		
98001 [89-97-4]	(o-Chlorobenzylamine)	25 mi 100 ml	1200 4200	72928	Chlorophosphonazo III for	100 Mg	4180
	4 Chlorobutyronitrilo aura 000/			[1914-99-4]	Spectrophotometry (Bis(4-chloro-2-Phosphonobenzolazo)	500 Mg	17600
95074 [628-20-6]	4-Chlorobutyronitrile pure, 98%	100 ml	3020		Chromotropic acid)		
	4 Ohlanakara da Ohlanii	500 ml	13140	51562		100 Mg	480
29440 [4635-59-0]	4-Chlorobutyryl Chloride pure, 98%	250 ml	1100	[6001-76-9]	extrapure, 98%	1 Gms	2300
[.500 06-0]		500 ml	2000		6-Chloroguanine extrapure, 98%	1 Gms	1900
		1000 ml	3600	[10310-21-1]	(2-Amino-6-Chloropurine)	5 Gms	7580

Code	Name	Packing	Price	Code	Name	Packing	Price
99721 [159954-35-5]		50 Mg	6000	61937 [106-48-9]	<pre>p-Chlorophenol PrimeDx, 98% (4-Chlorophenol)</pre>	1 Kg	3800
	biology, 97%			18344	Chlorophenol Red	5 Gms	620
79621	(6-Chloro-3-Indoxyl-Octanoate) 4-Chloro-3-Indolyl-β-Galactopyrano	100 Mg	6050	[4430-20-0]		25 Gms	2430
[135313-63-2]		100 Wig	0030	87976	Chlorophenol	25 Mg	8480
98551	6-Chloro-3-Indolyl	100 Mg	3400	[99792-79-7]	Red-ß-D-Galactopyranoside (CPRG) extrapure, 90%		
[138182-21-5]	ß-D-Galactopyranoside (Salmon Gal) extrapure, 98%	500 Mg	6580	21524 🗸	Chlorophenoxyacetic Acid (4-CPA)	25 Gms	800
	(Red Gal, Rose Gal)			[122-88-3]	for tissue culture, 98%	100 Gms	2800
82947	6-Chloro-3-Indolyl-ß-D-Glucuronide	10 Mg	4070		(Parachlorophenoxyacetic acid)	500 Gms	12000
[138182-20-4]		50 Mg	13540	91145 🗸	2-(3-Chlorophenoxy)-Propionic	10 Gms	2000
	extrapure, 98% (RED-GLUC, Rose-Glucuronide CHA			[101-10-0]	Acid (3-CPA) pure, 99%	25 Gms	4500
	Salt, Salmon-Glucuronide CHA Salt)			28272 🗸	4-Chlorophenylacetic Acid pure,	100 Gms	1800
89432	6-Chloro-3-Indoxyl-a-D-Glucopyran	100 Mg	2500	[1878-66-6]	98%	500 Gms	8000
[467214-46-6]	oside (Salmon-a-D-Glc) extrapure, 98%	500 Mg	9500	40004 14	Oblavanania Anid autonoma 000/		
	(Salmon-alpha-D-Glucoside)			40881 ✓ [327-97-9]	Chlorogenic Acid extrapure, 98% (1,3,4,5-Tetrahydroxycyclohexanecarb	100 Mg	500
71848	5-Chloro-7-lodo-8-Quinolinol	25 Gms	2500	[]	oxylic acid 3-(3,4-dihydroxycinnamate),	1 Gms	2500
[130-26-7]	(Clioquinol) ExiPlus,	100 Gms	6500		3-(3,4-Dihydroxycinnamoy	5 Gms	11750
	Multi-Compendial, 97-103% (5-Chloro-8-Hydroxy-7-lodoquinoline,	500 Gms	24700	23727	2-Chloropropionic Acid pure, 97%	100 ml	1350
	lodochlorohydroxyquinoline)			[598-78-7]		500 ml	5880
	meets compendial specs of USP ,BP, &			50217	S-2-Chloropropionic Acid pure,	5 ml	980
	Ph.Eur			[29617-66-1]	(S-(-)-2-Chloropropionic Acid)	25 ml	3060
25898	• • • • • • • • • • • • • • • • • • •	10 Mg	30600		(c () 2 cinerapionio risia)	100 ml	11020
[14110-97-5]	Acid Monosodium Salt (pCMBS) extrapure, 95%			70774	3-Chloropropiophenone pure, 98%	25 Gms	2820
	(p-Chloromercuriphenylsulfonic Acid			[34841-35-5]		100 Gms	10240
	Sodium Salt)					500 Gms	44780
26004 (138-85-2]	p-Chloromercuribenzoic Acid Sodium Salt extrapure, 98%	1 Gms	3390	53313	4-Chloropropiophenone pure, 98%	100 Gms	2830
[130-03-2]	Sociali Salt extrapare, 30%	5 Gms	12260	[6285-05-8]		500 Gms	12770
81929	• • • • • • • • • • • • • • • • • • •	2.5 Gms	2630	62020	6-Chloropurine extrapure, 99%	1 Gms	880
[604-44-4]	Grade extrapure, 99%	5 Gms	3980	[87-42-3]		5 Gms	3110
		25 Gms	19260			25 Gms	12300
85267	1-Chloro-3-Nitrobenzene pure, 98%	250 Gms	540	57430	6-Chloropurine Riboside extrapure	250 Mg	2160
[121-73-3]		500 Gms	1040	[2004-06-0]		1 Gms	7310
77459	2-Chloro-5-Nitrobenzoic Acid pure,	25 Gms	360	18741	4-Chlororesorcinol pure, 98%	100 Gms	2000
[2516-96-3]	99%	100 Gms	1050	[95-88-5]	(1-Chloro-2,4-Dihydroxybenzene,	500 Gms	8000
		500 Gms	4000		1,3-Dihydroxy-4-Chlorobenzene)		
21259		25 Mg	8450	26176 [321-14-2]	5-Chlorosalicylic Acid pure, 98%	100 Gms	570
[157843-41-9]	a-L-Fucopyranoside (CNPF) extrapure, 98%			[021-14-2]		500 Gms	1650
	(AFU)			59838	p-Chlorotoluene pure, 98%	500 ml	1310
48958	2-Chloro-4-Nitrophenyl	25 Mg	3920	[106-43-4]		1000 ml	2210
[118291-90-0]		100 Mg	9000	97389	Cholecalciferol (Vitamin D3) for	1 Gms	1210
	extrapure, 95%	4.0	4500	[67-97-0]	tissue culture, 97% (7-Dehydrocholesterol Activated)	5 Gms	4600
66684 [3970-40-9]	2-Chloro-3-Nitrotoluene extrapure, 98%	1 Gms	1500		, , , , , , , , , , , , , , , , , , , ,	25 Gms	22000
		5 Gms	6000		Cholesterol ex. Sheep Wool	5 Gms	580
41107 [108-43-0]	3-Chlorophenol pure, 98% (m-Chlorophenol)	25 Gms	980	[57-88-5]	(Lanolin) extrapure AR, 99%	25 Gms	2530
[.50 -0-0]	,	100 Gms	3500			100 Gms	9350
		500 Gms	17000			500 Gms	38500
94280 [95-57-8]	o-Chlorophenol pure, 98%	500 ml	880	38615		5 Gms	1290
[80-07-6]		1000 ml	1730	[57-88-5]	(Lanolin) Reference Standard Grade for molecular biology, 99%	25 Gms	3860
		2500 ml	3340			100 Gms	14730
74230	p-Chlorophenol pure, 98%	500 Gms	1100	51626	Cholesterol Esterase (CE) ex.	10 Mg	10430

Code	Name	Packing	Price	Code	Name	Packing	Price
15787	Cholesterol Oxidase ex.	250 Units	3000	41694	Citrazinic Acid extrapure, 97%	25 Gms	2400
[9028-76-6]	Microorganism, 10U/mg powder	1000 Units	9000	[99-11-6]	(2,6-Dihydroxypyridine-4-Carboxylic acid, Dihydroxyisonicotinic Acid)	100 Gms	5300
		2500 Units	20000		acid, Diriyaroxyisoriicotiiriic Acid)	500 Gms	16300
77645	Cholesteryl Acetate extrapure, 99%	5 Gms	860	78746	Clove Oil extrapure, 80%	100 ml	1200
[604-35-3]		25 Gms	3800	[8000-34-8]		500 ml	5100
54908	Cholic Acid extrapure, 98%	25 Gms	3800	68320	CP-OSu (N-	25 Gms	4500
[81-25-4]		100 Gms	13200	[128595-07-3]	(Cyclopentyloxycarbonyloxy)Succi	100 Gms	13000
		500 Gms	60500		nimide) extrapure, 99%		
53645	Cholic Acid Sodium Salt Hydrate	25 Gms	4200	68636 [7081-44-9]	Cloxacillin Sodium Monohydrate (CSX), 95-102%	1 Gms	800
[361-09-1,	pure, 99%	100 Gms	14300			5 Gms	3200
206986-87-0]	(Sodium Cholate Hydrate)	500 Gms	66000		Coelenterazine Native (CLZN) ex. Aequorea Sp., 95%	250 mcg	15100
93319 🗸	Chromotrope 2R	10 Gms	700	[55779-46-1]	Aequorea Sp., 95%	1 Mg	24800
[4197-07-3]		25 Gms	1400		Coenzyme A Free Acid extrapure,	10 Mg	3500
04700	Chromotronic Acid Disadium Salt			[85-61-0]	90%	25 Mg	5800
31723 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, 99%	10 Gms 25 Gms	750			100 Mg	18000
. ,	, ,	25 Gms	1740	95225	Coenzyme A Sodium Salt Hydrate	10 Mg	6900
		500 Gms	4000	[55672-92-9	(CoA Na2) for molecular biology,	25 Mg	12100
			16000	(anhy)]	85% Coenzyme A Trilithium Salt ex.	25 Mg	F600
72580 [5808-22-0]	Chromotropic Acid Disodium Salt Dihydrate extrapure AR, ACS,	10 Gms	1030	•	Yeast extrapure, 90% CoA	25 Wg	5600
[3000-22-0]	ExiPlus, Multi-Compendial, 99%	25 Gms	2000		Coenzyme Q10 extrapure, 99%	100 Mg	800
		100 Gms	4800	[303-98-0]		500 Mg	3000
		500 Gms	18500			1 Gms	5900
	meets compendial specs of USP, BP,					5 Gms	11500
	Ph.Eur	05.14	0700	17701 🗸	Colchicine extrapure, 98%	1 Gms	2000
	a-Chymotrypsin ex. Bovine Pancreas, 40 BTEE U/mg protein	25 Mg	2700	[64-86-8]	- Coloniano Chiapane, Colo	5 Gms	9300
[000.0.0]		250 Mg	5000			10 Gms	18000
		1 Gms 5 Gms	8000	00150 1	Colchicine ExiPlus,		
			25000	93156 ✓ [64-86-8]	Multi-Compendial, 98%	1 Gms 5 Gms	2400
	a-Chymotrypsin ex. Porcine, 40 BTEE U/mg protein	250 Mg	2500		meets compendial specs of USP, BP,	5 Gills	11100
[9004-07-0]	5.22 c/mg protein	1 Gms	4500		Ph.Eur		
		5 Gms	21000	45830 🗸	Colchicine for tissue culture, 98%	1 Gms	2200
	, , ,	100 Mg	2860	[64-86-8]		5 Gms	10600
[9035-75-0]	ex. Bovine Pancreas, 45U/mg protein	250 Mg	6030	E4004	Colistin Sulphate (CLS)		
		1 Gms	16770	51681 [1264-72-8]	Collstin Sulphate (CLS)	500 Mg 1 Gms	1800
		5 Gms	80730	. ,		5 Gms	3500
88213	Cinnamonitrile extrapure, 97%	25 ml	880				10400
[1885-38-7]	(3-Phenylacrylonitrile)	100 ml	2620	90443 ✓ [9007-34-5]	Collagen ex. Marine Fish extrapure,	5 Gms	2400
26591	Cinnamoyl Chloride pure, 98%	100 ml	2370	[3007-04-3]	55.0	25 Gms	7000
[102-92-1]		500 ml	9380			100 Gms	22000
78079	Ciprofloxacin Hydrochloride	1 Gms	440	51581	Colloidal Protein Staining Solution	100 ml	3600
	Hydrate (CPFX), 98-102%	5 Gms	1650	94278	2,4,6-Collidine pure, 98%	100 ml	1500
29965	Citral pure, 95%	100 ml	580	[108-75-8]	(2,4,6-Trimethylpyridine)		1500
[5392-40-5]	(3,7-Dimethyl-2,6-Octadienal)	500 ml	2800			500 ml	6600
13294 🗸	Citronella Oil extrapure, 34%	250 ml		38496 [1391-06-6]	Conalbumin (Ovotransferrin) ex. Chicken Egg White, 98%	100 Mg	5000
[8000-29-1]	on onena on excapate, 34%	500 ml	2750 5040			500 Mg	20000
	I Oliverilles sectores 2017 and		5040	24275	Congo Red ACS, 75%	25 Gms	400
35417 [372-75-8]	L-Citrulline extrapure CHR, 99%	100 Gms	600	[573-58-0]		100 Gms	1400
		500 Gms	2000		Cotrimoxazole (CTX), 95%	100 Mg	2700
94708	L-Citrulline ExiPlus,	100 Gms	1800	[8064-90-2]		500 Mg	12600
[372-75-8]	Multi-Compendial, 99%	500 Gms	6250			400.0	000
. ,				42074	Coumarin pure, 98%	100 Gms	600

Code	Name	Packing	Price	Code	Name	Packing	Price
76072	Creatine Monohydrate extrapure,	25 Gms	400		1-(3-Cyanopropyl)	1 Gms	14000
[6020-87-7]	99%	100 Gms	1000	[879866-74-7]	-3-Methylimidazolium Dicyanamide	5 Gms	60000
		1 Kg	9500		(CPMIM.DC) pure, 98% (1-Methyl-3-		
25758	Creatine Phosphate Disodium Salt	5 Gms	3000		(3-Cyanopropyl)imidazolium		
[71519-72-7]	-	25 Gms	11000		Dicyanamide)		
	(Sodium Creatine Phosphate Dibasic Tetrahydrate, Phosphocreatine	100 Gms	36000	65291 [506-68-3]	Cyanogen Bromide pure, 98%	25 Gms	900
	Disodium Salt Tetrahydrate)			[500-00-3]		100 Gms	2400
25074	Creatininase ex. Recombinant	2 K.Units	4200	31787	Cyanogen Bromide ExiPlus,	25 Gms	1200
[9025-13-2]	E.Coli, 500U/mg powder	5 K.Units	8400	[506-68-3]	Multi-Compendial, 98%	100 Gms	2700
65142	Creatinine extrapure CHR, 99%	25 Gms	900		meets compendial specs of USP, Ph.Eur		
[60-27-5]		100 Gms	3200		Cyanogen Bromide Solution (5.0M	100 ml	6300
		500 Gms	12600	[506-68-3]	in Acetonitrile)	F 0	
19428 🗸	Creatinine extrapure AR, 99%	25 Gms	1000	94952 5 [5457-28-3]	3-Cyanoindole pure, 98%	5 Gms	3100
[60-27-5]	· · · · · · · · · · · · · · · · · · ·	100 Gms	3600			25 Gms	12400
		500 Gms	14700	00_0_	5-Cyanoindole pure, 98%	10 Gms	27800
62000	Creatinine Deiminase ex.			[15861-24-2]		25 Gms	68900
02000	Microorganism, 10U/mg powder	250 Units	10300		ß-Cyclodextrin, base (BCD) for	100 Gms	700
29121	o-Cresolphthalein AR, 95%	5 Gms	200	[7585-39-9]	tissue culture, 98%	500 Gms	2100
[596-27-0]	•	25 Gms	700	76496	ß-Cyclodextrin, base (BCD), 98%	25 Gms	700
		100 Gms	2400	[7585-39-9]		100 Gms	2000
64982	o-Cresolphthalein Complexone	1 Gms	600			500 Gms	4200
[2411-89-4]	(Phthalein Purple) extrapure AR,	5 Gms	2000	98395	Cyclohexanecarboxaldehyde pure,	25 ml	3700
	80%	25 Gms	6300	[2043-61-0]		100 ml	14300
	- One and shall be of the One and the orange				(Hexahydrobenzaldehyde)		
72278 [94442-10-1]	o-Cresolphthalein Complexone Disodium Salt extrapure	1 Gms	1400		1,4-Cyclohexanedione pure, 99%	25 Gms	1300
[04442 10 1]		5 Gms	5800	[637-88-7]		100 Gms	4400
31393	m-Cresol Purple extrapure AR	1 Gms	300			500 Gms	21000
[2303-01-7]		5 Gms	1200	55799	Cyclohexanol extrapure, 99%	500 ml	700
60837	Crotonic Acid pure, 99%	100 Gms	700	[108-93-0]		2500 ml	2800
[107-93-7]		250 Gms	1200	82626	1-Cyclohexene-1-Carboxylic Acid	1 Gms	2400
		500 Gms	2200	[636-82-8]	extrapure, 97%	5 Gms	10500
51665	r-CRP ex. E.Coli (Recombinant	1 Mg	12400	00400	(3,4,5,6-Tetrahydrobenzoic Acid)	05!	0400
	C-reactive protein) extrapure			69160 8 [100-50-5]	3-Cyclohexene-1-Carboxaldehyde extrapure, 98%	25 ml	2100
12295	Cuelure pure, 95%	25 Gms	800	[]	(1,2,3,6-Tetrahydrobenzaldehyde,	100 ml	5500
[3572-06-3]	(4-[4-(Acetyloxy)phenyl]-2-Butanone)	100 Gms	2700		4-Formyl-1-cyclohexene)		
		500 Gms	12300	31668	Cyclohexene (Tetrahydrobenzene)	100 ml	400
		1 Kg	23400	[110-83-8]	pure, 99%	500 ml	1800
		2.5 Kg	51800			2500 ml	8200
	4-Cyanophenylboronic Acid	1 Gms	1600	86620	Cycloheximide extrapure, 94%	100 Mg	500
[126747-14-6]	extrapure, 95%	5 Gms	6900	[66-81-9]	(Actidione)	1 Gms	2400
		25 Gms	20000			5 Gms	9900
86320 🗸	3-Cyanophenylboronic Acid	1 Gms	1500	95581	Cycloheximide for tissue culture,	100 Mg	800
[150255-96-2]	extrapure, 97%	5 Gms	3600	[66-81-9]	94%	1 Gms	2800
		25 Gms	14700		(Actidione)	5 Gms	11400
57446	Cyanuric Chloride extrapure, 99%	100 Gms	400	38772	Cyclopentanone (Keto	100 ml	500
[108-77-0]	(2,4,6-Trichloro-1,3,5-Triazine)	250 Gms	700	[120-92-3]	Cyclopentane) pure, 99%	500 ml	1600
		500 Gms	1200		(Keto Cyclopentane)	2500 ml	5600
51458	1-Cyano-4-Dimethylaminopyridiniu	100 Mg	7200	99/10	Cyclopentyl Methyl Ether (CPME)	250 ml	
	m Tetrafluoroborate (CDAP)	250 Mg	16400	88410 [5614-37-9]	extrapure AR, 99%	500 ml	1700 3300
	extrapure, 97.5%	1 Gms	63300			1000 ml	6300
		i dilia	00000			1000 1111	0300

Code	Name	Packing	Price	Code	Name	Packing	Price
74083	Cyclopropanecarboxylic Acid	25 Gms	1600	22499	DAST (Diethylamino	1 Gms	675
[1759-53-1]	(CPC-Acid) pure, 98%	100 Gms	3200	[38078-09-0]	Sulfurtrifluoride) extrapure AR, 95%	5 Gms	3000
		250 Gms	7400			25 Gms	10000
62160 Ū	Cyclopropylboronic Acid	1 Gms	900			100 Gms	37000
[411235-57-9]	Monohydrate extrapure, 97%	5 Gms	3400	40396	DDAPS	2 Gms	990
41269	D-Cycloserine (D-CSR), 98%	1 Gms	2700	[14933-08-5]		10 Gms	2960
[68-41-7]	(D-4-Amino-3-Isoxazolidone)	5 Gms	8400		o-1-propanesulfonate, Lauryl sulfobetaine) extrapure, 98%	50 Gms	14500
73383	D-Cysteine (base) extrapure, 99%	1 Gms	1800	47478	DEAE Cellulose 11 analytical grade	5 Gms	2450
[921-01-7]	((S)-2-Amino-3-Mercaptopropionic	5 Gms	3700	[9013-34-7]	for molecular biology	25 Gms	10040
	Acid)	25 Gms	14000	57136	DEAE Cellulose 23 analytical grade	5 Gms	2760
98973	Cytidine extrapure, 99%	5 Gms	590	[9013-34-7]	for molecular biology	25 Gms	11630
[65-46-3]		25 Gms	1540	92321	DEAE Cellulose 32 analytical grade	5 Gms	3430
		500 Gms	28600	[9013-34-7]	for molecular biology	25 Gms	14440
87600	Cytidine-5-Monophosphate	1 Gms	620	10529	DEAE Cellulose 52 analytical grade	5 Gms	2170
[63-37-6]	(5-CMP) extrapure, 99%	5 Gms	2450	[9013-34-7]	for molecular biology	25 Gms	10060
48666	Cytidine-5-Triphosphate Disodium	100 Mg	1620			100 Gms	35000
	Salt (5-CTP-Na2) extrapure, 97%	500 Mg	7340	54665	Decalin (Decahydronaphthalene)	500 ml	1900
81551	Cytochrome C (Oxidized) (Type 1)	25 Mg	3300	[91-17-8]	pure, 98%	2500 ml	9000
[9007-43-6]	ex. Horse Heart extrapure, 90%	100 Mg	10500	47112	1,10-Decanediol pure, 98%	100 Gms	1800
		500 Mg	51000	[112-47-0]	(Decamethylene Glycol,	500 Gms	7000
		1 Gms	95000		1,10-Dihydroxydecane)		
90777	Cytochrome C (Oxidized) (Type 2)	25 Mg	4000	72007 [143-10-2]	1-Decanethiol pure, 95%	100 ml	5600
	ex. Horse Heart, 95%	100 Mg	13000	[143-10-2]		500 ml	24850
		500 Mg	60000	91106	Decanoyl Chloride pure, 98%	100 ml	920
		1 Gms	115000	[112-13-0]	(Capric Acid Chloride)	500 ml	4410
62682	Cytosine-B-D-Arabinofuranoside	100 Mg	2000	48467	Decyl Alcohol pure, 99%	100 ml	280
[147-94-4]	(Ara-C, Cytarabine) extrapure, 98%	1 Gms	5200	[112-30-1]	(1-Decanol)	500 ml	870
	(Cytosine Arabinoside)	5 Gms	8500			2500 ml	4000
75543	DABCYL-N-Succinimidyl Ester	50 Mg	5600	43940	Decyltrimethylammonium Bromide	25 Gms	2500
[146998-31-4]	extrapure, 98%	250 Mg	18390	[2082-84-0]	(DTMAB) extrapure, 98%	100 Gms	8000
	(4-[4- (Dimethylamino)phenylazo]Benzoic			40133 • [86303-23-3]	Deoxy Big CHAPS extrapure, 95% N,N'-Bis(3-D-gluconamidopropyl	500 Mg	24850
	Acid N-Succinimidyl Ester)				deoxycholamide		
31920 [552-66-9]	Daidzin extrapure, 98% (Daidzein-7-O-ß-D-Glucopyranoside)	25 Mg	6610		2-Deoxyadenosine Monohydrate	1 Gms	1270
		100 Mg	22340	[163/3-93-6]	extrapure, 98%	5 Gms	5660
90441 [119478-55-6]	Danofloxacin Mesylate (DM), 98%	100 Mg	6840	39192 • [2922-74-9]	2'-Deoxyadenosine-5'-Monophosph ate Disodium Salt (dAMP-Na2)	100 Mg	2870
64018 • [605-65-2]	Dansyl Chloride (DNSCI) extrapure, 99%	1 Gms	3600		extrapure, 98%		
[000 00 2]	(5-Dimethylaminonaphthalene-1-Sulfon	5 Gms	12000	49092 • [951-77-9]	2-Deoxycytidine extrapure, 98%	100 Mg	790
	yl Chloride)	25 Gms	35000			500 Mg 1 Gms	2240 3610
	DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole	10 Mg	4350		2` Deconocidine		
[20710-90-3]	Dihydrochloride) for molecular biology, 95%	25 Mg	8950		2`-Deoxycytidine -5`-Monophosphate Disodium Salt (dCMP-Na2) extrapure, 98%	500 Mg	10000
	DAPI Dihydrochloride	100 Mg	5390	84476	2-Deoxy-D-Galactose extrapure,	1 Gms	9000
[28718-90-3]	(4,6-Diamidino-2-Phenylindole Dihydrochloride) for tissue culture,			[1949-89-9]	98% (2-Deoxygalactose)	5 Gms	34000
004.57	95%				2-Deoxy-D-Glucose (2-DG)	1 Gms	900
	DAPI Dihydrochloride (4,6-Diamidino-2-Phenylindole	1 ml	860	[154-17-6]	extrapure AR, 99.9%	5 Gms	4100
[==: .0 00 0]	Dihydrochloride) Solution (1mg/ml in H2O)	5 x1 ml	4040			25 Gms	20000

Code	Name	Packing	Price	Code	Name	Packing	Price
	2-Deoxyguanosine Monohydrate	100 Mg	2600	43767	Dess Martin Periodinane extrapure,	5 Gms	700
[312693-72-4]	extrapure, 99%	500 Mg	8030	[87413-09-0]	97%	25 Gms	2900
		1 Gms	13580			100 Gms	10900
		5 Gms	42850	47601	Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
25695	2'-Deoxyguanosine	500 Mg	16770	[9004-54-0]	10 (9-11)	25 Gms	5500
[52558-16-4,	-5'-Monophosphate Sodium Salt	1 Gms	29810			100 Gms	16000
33430-61-4]	(dGMP) extrapure, 98%	5 Gms	136620			500 Gms	48000
16516	2'-Deoxyinosine extrapure, 98%	100 Mg	630	41570	Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
[890-38-0]		250 Mg	1470	[9004-54-0]	-	25 Gms	5500
		1 Gms	5220			100 Gms	14000
61824	Deoxyribonuclease I (DNase I) -	10 K.Units	2420			500 Gms	32000
	Type 1A ex. Bovine Pancreas for	50 K.Units	7700	12891	Dextran ex. Leuconostoc Sp Tech	5 Gms	3000
	MB, 2000Kunitz U/mg, 80% Protein	200	25300		70 (65-75)	25 Gms	5500
		K.Units	20000			100 Gms	14000
15409	Deoxyribonuclease I (DNase I) -	10 Mg	3910			500 Gms	42000
[9003-98-9]	Type 1B ex. Bovine Pancreas for	50 Mg	17600	35270	Dextran ex. Leuconostoc Sp Tech	5 Gms	
	MB, 2000Kunitz U/mg, 80% Protein	100 Mg	31900		110 (100-120)	25 Gms	3000 5500
14658	Deoxyribonuclease I - Type 2A	5000 Units	1100		•	100 Gms	16000
[9003-98-9]	(DNase I) ex. Bovine Pancreas for	50000	5600			500 Gms	48000
	MB, 180Kunitz U/mg, 80% Protein	Units					
		100000 Units	10560		Dextran ex. Leuconostoc Sp Tech 250 (225-275)	5 Gms	3000
52942 ■	Deoxyribonuclease I - Type 2B	10 Mg	600	[3004-34-0]	255 (225 275)	25 Gms	5500
	(DNase I) ex. Bovine Pancreas for	100 Mg	620			100 Gms	16000
	MB,180Kunitz U/mg	1 Gms	5880			500 Gms	48000
	protein,85%Protein		22030		Dextran ex. Leuconostoc Sp Tech	10 Gms	3000
	Deoxyribonucleic Acid Free Acid (DNA) ex. Fish Sperm	5 Gms	2100	[9004-54-0]	500 (450-550)	25 Gms	5500
[100403-24-5]	(DNA) ex. Fish Sperin	10 Gms	4000			100 Gms	16000
		25 Gms	8000			500 Gms	48000
	Deoxyribonucleic Acid Sodium Salt	5 Gms	2250		Dextran Blue 5 ex. Leuconostoc Sp.	500 Mg	21510
[9007-49-2, 68938-01-2]	(DNA Sodium Salt) ex. Salmon Milt (SS-DNA, sm-DNA)	25 Gms	8500	[87915-38-6]	I Danton Block to an I among the		
	Deoxyribonucleic Acid Sodium Salt	25 Mg	2750	82575 [87915-38-6]	Dextran Blue 40 ex. Leuconostoc	1 Gms	23000
	(DNA Sodium Salt Highly	100 Mg	6000		Dextran Blue 110 ex. Leuconostoc	1 Gms	23000
	Polymerized) ex. Calf Thymus	250 Mg	14000	[87915-38-6]			20000
04004	extrapure 2-Deoxy-D-Ribose extrapure			14420	Dextran Blue 500 ex. Leuconostoc	1 Gms	23000
84384 • [533-67-5]	2-Deoxy-D-Hibose extrapure	1 Gms	500	[87915-38-6]			
[]		5 Gms	1990	0.0.0	Dextran Blue 2000 ex. Leuconostoc	1 Gms	16000
		25 Gms	7340	[87915-38-6]	ор.	5 Gms	60000
92627 [951-78-0]	2'-Deoxyuridine extrapure, 98%	250 Mg	2300		DEAE-Dextran 500 ex. Leuconostoc	1 Gms	9680
[951-76-0]		1 Gms	8350	[9015-73-0]	Sp.	5 Gms	24890
	2`-Deoxyuridine-5`-Monophosphat	100 Mg	5000	33434	DEAE-Dextran Hydrochloride 500	5 Gms	3000
[42155-08-8]	e Disodium Salt (dUMP-Na2) extrapure, 98%			[9064-91-9]	ex. Leuconostoc Sp.	25 Gms	7000
41143	Deoxycholic Acid extrapure, 99%	25 Gms	3600			100 Gms	21000
[83-44-3]	• • •	100 Gms	12800	62250	FITC-Dextran 4000 ex. Leuconostoc	100 Mg	14000
24417	Deoxycholic Acid Sodium Salt	25 Gms	2200	[60842-46-8]	Sp.	250 Mg	29000
[302-95-4]	(Sodium Deoxycholate) Bacto	100 Gms	7920	n	(Fluorescein Isothiocyanate-Dextran)		
	grade, 99%	500 Gms	7920 38720		FITC-Dextran 40000 ex. Leuconostoc Sp.	100 Mg	14000
00070	Decorpholic Acid Codings C-1			[00042-40-0]	(Fluorescein Isothiocyanate–Dextran)	250 Mg	29000
96876 • [145224-92-6]	Deoxycholic Acid Sodium Salt Monohydrate (Sodium	25 Gms	2420	92901	FITC-Dextran 70000 ex.	100 Mg	14000
[02 0]	Deoxycholate Monohydrate) Bacto	100 Gms	8140	[60842-46-8]	Leuconostoc Sp.	250 Mg	29000
	grade, 99%	500 Gms	40700		(Fluorescein Isothiocyanate-Dextran)		

[60842-46-8] Leuconostoc Sp. (Fluorescein Isothiocyanate–Dextran) 65163 ■ Dextran Phenyl 40 (30-50) 1 Gms 7310 5 Gms 23970 76203 Dextran Sulphate Sodium Salt [9011-18-1] 30-50(DSS 35-50) ex. Leuconostoc 250 Mg 29000 1 Gms 7310 94912 ✓ 1, [82-22-4] ([10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	p-Dianisidine Dihydrochloride 1 Gms extrapure, 98% 5 Gms 3,3-Dimethoxybenzidine Dihydrochloride) 25 Gms 1,1-Dianthrimide extrapure AR, 98% 1 Gms	850 2000
(Fluorescein Isothiocyanate–Dextran) 65163 ■ Dextran Phenyl 40 (30-50) 1 Gms 7310 5 Gms 23970 76203 ■ Dextran Sulphate Sodium Salt [9011-18-1] 30-50(DSS 35-50) ex. Leuconostoc 25 Gms 9500 (3 (3 (3 (3 (3 (3 (3 (3 (3	3,3-Dimethoxybenzidine 25 Gms Dihydrochloride)	
65163	Dihydrochloride) 25 Gms	
5 Gms 23970 5 Gms 23970 76203		9500
76203 Dextran Sulphate Sodium Salt [82-22-4] (I [9011-18-1] 30-50(DSS 35-50) ex. Leuconostoc 25 Gms 9500	i, i-Diantifillide extrapure Ah, 96% i Gills	3080
[9011-18-1] 30-50(DSS 35-50) ex. Leuconostoc 25 Gms 9500	Di(1-anthraquinoyl)amine) 5 Gms	13200
25 Gills 9500 a.	1,1-Iminodianthraquinone) (for determination of Boron)	
Sp.Colitis Grade for molecular 100 Gms 32500 90405 ■ D	Diaphorase ex. Clostridium Sp., 500 Units	5340
biology [9001-18-7] 34	30U/mg powder	3040
23144 D	Dibenzylamine pure, 98% 100 ml	860
99629 Dextran Sulphate Sodium Salt 500 10 Gms 4000 [103-49-1] [9011-18-1] (DSS 500) ex. Leuconostoc Sp. for 25 Gms 0000	500 ml	4040
molecular biology 9000 96661 D	Dibenzyl Ether pure, 97% 500 ml	1800
[103-50-4] (E	Benzyl Ether) 2500 ml	8000
88749 ✓ 1.	1,4-Dibromobenzene pure, 98% 500 Gms	1300
17379		
extrapure, 98% 43589 1,	1,4-Dibromobutane pure, 98% 250 ml	2100
34224 ✓ Diacetone-D-Glucose (DAG) 25 Gms 2620 [110-52-1]	12 Dibromo E E Dimetholbodontolo	4000
[562-52-5] CARAPATE , 30 70 100 Gms 7050	I,3-Dibromo-5,5-Dimethylhydantoin 500 Gms DBDMH) extrapure, 98%	1200
(1,2.0,0 B) O 100propylladrio a B diad	Dibromantin)	
72332 Blacetyllionoxille extrapare Art, 25 arts 490	1,2-Dibromoethane pure, 98% 250 ml	1430
100 Gms 1580	Ethylene Dibromide) 1000 ml	4740
(2,3-Butanedione Monoxime) 500 Gms 7710 31575 3 ,	3,5-Dibromophenol pure, 98% 1 Gms	3080
10006 ✓ 1,4-(Diacryloyl) Piperazine 5 Gms 17390 [626-41-5]	5 Gms	13950
[6342-17-2] extrapure , 99% 34890 1,	1,3-Dibromopropane pure, 99% 100 ml	1130
	Trimethylene Dibromide) 500 ml	4600
62736 ✓ L-2,4 Diaminobutyric Acid 1 Gms 2490 [1482-98-0] Monohydrochloride extrapure, 98% 5 Gms 14000 96763 ♣ D	Di-tert-Butyldicarbonate (BOC 25 Gms	350
5 GITIS 11800 [24424-99-5] A	Anhydride, DiBOC) extrapure, 98.5	550
0	101.5% 500 Gms	1800
94524 \$ 3,3-Diaminobenzidine (DAB) pure, 5 Gms 1650 [91-95-2] 98%	5 Kg	15000
25 GIIIS 6560	N6,2-O-Dibutyryl-Adenosine-3,5-Cy 25 Mg	5600
100 Gms 22820 [16980-89-5] cl	clic-Monophosphate Sodium Salt,	13670
[000070 05 0] Tetrohydrochlorida Hydrota	77%	
(DAB.4HCl.xH2O) extrapure AR,	DICAMBA for tissue culture, 95% 250 Mg 3,6-Dichloro-2-Methoxybenzoic Acid)	1500
98% 25 Gms 16000 [1918-00-9] (3	, I dills	5500
98465 3,3-Diaminobenzidine 100 ml 7460	5 Gms	12000
m # 0 1 0 1	Di-(N-Succinimidyl) Carbonate 5 Gms	850
Peroxidase [74124-79-1] ex	extrapure, 95% 25 Gms	2800
17758 3,5-Diaminobenzoic Acid extrapure, 100 Gms 920	100 Gms	7200
300 dins 4170 = 300 dins	2,4-Dichloroacetophenone pure, 100 Gms	700
20723 3,5-Diaminobenzoic Acid 25 Gms 5510 [2234-16-4] 96	98% 500 Gms	2200
[618-56-4] Dihydrochloride extrapure, 98% 94453 1,	I,3-Dichlorobenzene extrapure, 250 ml	700
Tools of all N Totropostic Acid Monohydrote	99% 1000 ml m-Dichlorobenzene)	2600
extrapure AR (CDTA), 99%	2500 ml	5800
100 Gms 9500 91427 2,	2,3-Dichlorobenzoic Acid pure, 98% 25 Gms	1200
500 Gms 43000 [50-45-3]	100 Gms	4200
[107 00 7] (Amidal) avtranura 90%	2,4-Dichlorobenzoic Acid 100 Gms	350
[137-09-7] (Amidol) extrapure, 98% 25 Gms 9320 [50-84-0] e	extrapure, 98% 500 Gms	1600
	3,4-Dichlorobenzoic Acid pure, 98% 25 Gms	2300
[1904-98-9] 5 Gms 3800 [51-44-5]	100 Gms	7000
25 Gms 15500		

www.srlchem.com

Code	Name	Packing	Price	Code	Name	Packing	Price
40583	Dichloro[1,1`-bis(di-t-Butylphosphi	250 Mg	3500	33017	2,6-Dichloroquinone-4-Chlorimide	5 Gms	1610
[95408-45-0]	no)Ferrocene]Palladium(II)	1 Gms	8000	[101-38-2]	(Gibbs Reagent) extrapure AR, 99%	25 Gms	6530
	extrapure, 98% (1,1`-Bis(di-tert-Butylphosphino)Ferroc	5 Gms	35000		(N,2,6-Trichloro-p-Benzoquinoneimide)	100 Gms	21350
	ene)Dichloropalladium(II))			38762 ✓	2,4-Dichloro-1,3,5-Triazine pure,	1 Gms	17650
33604	Dichloro(1,2-bis(Diphenylphosphin	250 Mg	1900	[2831-66-5]	98%	5 Gms	58810
[19978-61-1]	o)Ethane)Palladium (II) extrapure,	1 Gms	4000	57262	Dicyclohexylamine pure, 99%	500 ml	830
	98% ([1,2-Bis(Diphenylphosphino)Ethane]Di	5 Gms	19500	[101-83-7]	Bioyolonexylamine pare, 35%	2500 ml	3800
	chloropalladium(II))			0			
97111	Dichloro(1,3-bis(Diphenylphosphin	250 Mg	2500	79596 [538-75-0]	N,N-Dicyclohexyl Carbodiimide (DCC) pure, 98%	100 Gms	550
[59831-02-6]	o)Propane)Palladium(II) extrapure,	1 Gms	5000	[000.00]	(,,	500 Gms	2100
	98% ([1,2-Bis(Diphenylphosphino)Ethane]Di	5 Gms	20000			5 Kg	18000
	chloropalladium(II))				2,3-Dideoxyadenosine (ddA)	5 Mg	2940
99494	Dichloro[1,4-bis(Diphenylphosphin	250 Mg	2500	[4097-22-7]	extrapure, 98%	05 M-	0450
[29964-62-3]	o)Butane]Palladium(II) extrapure,	1 Gms	5000	47248 [7481-89-2]	2,3-Dideoxycytidine (ddC) extrapure, 98%	25 Mg	3150
	98%	5 Gms	22000	73273		25 Mg	5200
70064	Dichloro-				extrapure, 98%	_5g	3200
70264 [927706-57-8]	[1,3-bis(Diisopropylphenyl)	250 Mg 1 Gms	2500	22328	2,3-Dideoxythymidine	25 Mg	6300
	-2-Imidazolidinylidene]-		6000	[3416-05-5]	(3-Deoxythymidine, ddT) extrapure,		
	(3-Chloropyridyl) Palladium(II),	5 Gms	28000		98%		
	98% ((1,3-Bis(2,6-Diisopropylphenyl))Imidaz				2,3-Dideoxyuridine (ddU) extrapure, 98%	25 Mg	8400
	olidene) (3-Chloropyridyl) Palladium(II)			[5983-09-5]	ехнарите, 96%	100 Mg	25200
	Dichloride)			16312	DEPBT (3-(Diethoxyphosphoryloxy)	5 Gms	3680
18602	1,4-Dichloro-2-Butyne pure, 97%	5 Gms	3200	[165534-43-0]	-1,2,3-benzotriazin-4(3H)-one)	25 Gms	10240
[821-10-3]		25 Gms	11100	86283 🗸	extrapure, 98% p-Diethylaminobenzaldhyde pure,	100 Gms	0010
21942	Dichlorobis(Triphenylphosphine)Pa	1 Gms	4000	86283 ✓ [120-21-8]	99%	100 GIIIS	2610
[13965-03-02]	Iladium(II) extrapure, 98%	5 Gms	15000	19885	2-Diethylaminoethyl Chloride	25 Gms	800
	(Pd(PPh2)2C)	25 Gms	70000	[869-24-9]	Hydrochloride extrapure, 99%	100 Gms	1600
85048	2,7-Dichlorofluorescein Diacetate	25 Mg			(2-Chlorotriethylamine Hydrochloride)	500 Gms	6000
[4091-99-0]	(DCFH) extrapure, 97%	100 Mg	2600	33684	Diethyl Aminoethyl Hexanoate		
	(DCFH-DA,	100 Mg	7200		(DA-6) technical grade, 98%	5 Gms 25 Gms	2200
	2,7-Dichlorodihydrofluorescein				· , ·		7710
86428	Diacetate) 2,3-Dichloro-5,6-Dicyano-1,4-Benzo	OF Cmo	1410	12915 [20605-01-0]	Diethyl bis(hydroxymethyl)malonate pure,	5 Gms	2400
86428 8 [84-58-2]	quinone (DDQ) pure, 98%	25 Gms	1410	[20005-01-0]	97%	25 Gms	6000
[0.002]	4 () F ;	100 Gms	5030		(Diethyl	100 Gms	22000
		500 Gms	24530		2,2-bis(hydroxymethyl)malonate)		
52979		5 ml	2200	79628	Diethyl Chlorophosphate pure, 97%	25 Gms	3800
[4885-02-3]	97%	25 ml	5500	[814-49-3]	(Chlorophosphoric Acid Diethyl Ester, Diethyl Phosphoryl Chloride)	100 Gms	12000
		100 ml	21000	56701	O,O-Diethyl Dithiophosphate	5 Gms	1800
88912	2,5-Dichloronitrobenzene pure,	250 Gms	250	[298-06-6]	extrapure, 85%	25 Gms	4200
[89-61-2]	99%					100 Gms	15000
E0020 1	(1,4-Dichloro-2-Nitrobenzene)	05 Cm-	F00	04000	Diethylanatyjaminanastasastis Asi-1		
52039 ✓ [120-83-2]	2,4-Dichlorophenol pure, 98%	25 Gms	500	64699 6 [67-43-6]	Diethylenetriaminepentaacetic Acid (DTPA) extrapure AR, 99%	100 Gms	490
		250 Gms	1500	[00 0]	(Pentetic Acid)	500 Gms	1910
87188 [87.65.0]	2,6-Dichlorophenol extrapure, 99%	25 Gms	400	81346	Diethylenetriaminepentaacetic Acid	500 ml	710
[87-65-0]		100 Gms	1200	[140-01-2]	Pentasodium Salt (DTPA)	1000 ml	1370
		500 Gms	4000		extrapure, 40% (Liquid)		
42180	2,4-Dichlorophenylboronic Acid	1 Gms	1070	17598 [111-40-0]	Diethylenetriamine pure, 98%	500 ml	850
[68716-47-2]	extrapure, 98%	5 Gms	2970	[111-40-0]		2500 ml	3800
		25 Gms	10380		Diethyl Pyrocarbonate (DEPC) for	5 ml	1200
93611	3,4-Dichlorophenylboronic Acid	1 Gms	1000	[1609-47-8]	molecular biology, 99%	25 ml	2510
	extrapure, 97%	5 Gms	2500			100 ml	8880
		25 Gms	8900	84254	N,N-Diethyl-m-Toluidine pure, 98%	100 ml	1010
			5500	[91-67-8]			-

Code	Name	Packing	Price	Code	Name	Packing	Price
99823	2,4-Difluoroaniline extrapure, 99%	25 Gms	1340	16517	DL-Dihydrozeatin (DHZ) pure, 98%	10 Mg	6530
[367-25-9]		100 Gms	4790	[14894-18-9]	(o- (4-Hydroxy-3-Methylbutylamino)Purine)	25 Mg	10790
29553 [372-18-9]	1,3-Difluorobenzene (MDFB) extrapure, 99%	25 ml	1000	19022	5,7-Diiodo-8-Quinolinol	25 Gms	2500
[372-18-9]	(m-Diflourobenzene)	100 ml	2110	[83-73-8]	(Diiodohydroxyquinoline,	100 Gms	6500
	<u> </u>	500 ml	9930		lodoquinol) ExiPlus, 96.5% (5,7-Diiodo-8-Hydroxyquinoline)	500 Gms	24700
72081	2,4-Difluorobenzoic Acid pure, 98%	5 Gms	2260	43913		25 Gms	1070
[1583-58-0]		25 Gms	7710	[693-13-0]	(DIPC) extrapure, 99%	100 Gms	3920
33488	1,5-Difluoro-2,4-Dinitrobenzene	5 Gms	2800			500 Gms	18030
[327-92-4]	(DFDNB) pure, 97%	25 Gms	11000	95423	1,2,3,4-Di-O-Isopropylidene	10 Gms	6910
10670	2,4-Difluoronitrobenzene extrapure,	25 Gms	1990		L-Arabinopyranoside extrapure		
[446-35-5]	99%	100 Gms	4730		1,2,3,4-Di-O-Isopropylidene	10 Gms	6910
		500 Gms	21740	[4064-06-6]	a-D-Galactopyranoside extrapure, 98%		
90309	2,4-Difluorophenylboronic Acid	5 Gms	5460	10232	2,3-Dimercaptosuccinic Acid	1 Gms	1740
144025-03-6]	extrapure, 95%	10 Gms	9490	[304-55-2]	(DMSA, Succimer) extrapure, 98%	5 Gms	5740
3755 ×	Digitonin (Digitin) extrapure, 50%	100 Mg	3180		(meso-2,3-Dimercaptosuccinic Acid)		0740
11024-24-1]		1 Gms	27220	98526	Bismuthiol	25 Gms	700
l8712 ✓	Digoxin extrapure, 95%	50 Mg	600	[1072-71-5]	(2,5-Dimercapto-1,3,4-Thiadiazole, DMTD) pure, 98%	100 Gms	1500
20830-75-5]		1 Gms	3500		(1,3,4-Thiadiazole-2,5-Dithiol)	500 Gms	2500
		5 Gms	15000	76620	2,5-Dimethoxyacetophenone pure,	100 Gms	7990
1374	3,4-Dihydro-3-Hydroxy-4-Oxo-1,2,3-	5 Gms		[1201-38-3]	99%	500 Gms	31110
28230-32-2]	Benzotriazine (DHOBT, DHBT)	25 Gms	1890 6510	40824	2,5-Dimethoxybenzaldehyde	25 Gms	1370
	extrapure, 98%	20 01115		[93-02-7]	(2,5-DMB) pure, 98%	100 Gms	5250
	3,4-Dihydro-2H-pyran (3,4-DHP)	25 ml	710	24116	2,4-Dimethoxybenzaldehyde	25 Gms	2370
[110-87-2]	pure, 97% (2,3-Dihydropyran)	100 ml	1640	[613-45-6]	extrapure AR, 98%	100 Gms	4470
	(2,0 2) a. 023. a.,	500 ml	6080	82410	1,4-Dimethoxybenzene pure, 99%	250 Gms	1870
55437	2,4-Dihydroxyacetophenone	25 Gms	700	[150-78-7]	(Hydroquinone Dimethyl Ether)	200 50	1070
[89-84-9]	extrapure, 99% (Resacetophenone)	100 Gms	2220	66053 (i	2,2-Dimethoxypropane pure, 98%	500 ml	500
11384	2,5-Dihydroxyacetophenone	5 Gms	1250	[77-76-9]		1000 ml	980
[490-78-8]	extrapure, 99%	25 Gms	5000			2500 ml	2400
	(2-Acetylhydroquinone,		0000	84774	4-Dimethylaminoantipyrine	25 Gms	1680
-0404	Quinacetophenone) 2,6-Dihydroxyacetophenone	5 Gms	1.400	[58-15-1]	(Aminopyrine) extrapure, 99%	100 Gms	6300
5 8494 [699-83-2]	extrapure, 99%	10 Gms	1420 2560		(4-Dimethylamino-2,3-Dimethyl-1-Phen yl-3-Pyrazolin-5-one)		
	(2-Acetylresorcin)	25 Gms	5610	42442	5-(4-Dimethylaminobenzylidene)	1 Gms	1100
		100 Gms	19570	[536-17-4]	Rhodanine pure, 98%	5 Gms	2400
15205	2 4-Dihydrovyhonzoio Aoid nive					25 Gms	7200
1 5395 [89-86-1]	2,4-Dihydroxybenzoic Acid pure, 98%	25 Gms 100 Gms	950 1870	58451	p-Dimethylaminocinnamaldehyde	5 Gms	2710
	(β-Resocylic Acid)	500 Gms	1870 7170	[6203-18-5]	(DMACA) extrapure, 98%	25 Gms	11550
20044	1.2 Dihydrovynanhthalana			48690	p-Dimethylaminocinnamaldehyde	10 ml	700
69911 [132-86-5]	1,3-Dihydroxynaphthalene (Naphthoresorcinol) extrapure AR,	1 Gms	2500	[6203-18-5]	(DMACA) Solution, 1% in HCl	50 ml	1500
	99%	5 Gms	10000		Used for flavonoid, proanthocyanidin		.500
n	(1,3-Naphthalenediol)	25 Gms	38000	E9049	or polyphenol detection 2-Dimethylaminoethanol extrapure,	500 ml	F00
41110 4 [83-56-7]	1,5-Dihydroxynaphthalene pure, 98%	100 Gms	3800	58048 [108-01-0]	98%	2500 ml	580 2610
		500 Gms	15000		(N,N-Dimethylethanolamine)	2000 IIII	2610
		5 Gms	5940	18814	2-Dimethylaminoethyl Chloride	100 Gms	420
[575-38-2]	97% (1,7-Naphthalenediol)	25 Gms	21350	[4584-46-7]	Hydrochloride pure, 98% (2-Chloro-N,N-Dimethylethylamine	500 Gms	1580
33580	2,7-Dihydroxynaphthalene pure,	5 Gms	1300		Hydrochloride)		
[582-17-2]	98% (2,7-Naphthalenediol)	25 Gms	2600				
	, , , ,	100 Gms	5740				
63370		25 Gms	3730				
	Benzaldehyde pure, 98%	100 Gms	9320				

www.srlchem.com

Code	Name	Packing	Price	Code	Name	Packing	Pr
	1-(3-Dimethylaminopropyl)-3-Ethyl Carbodiimide Hydrochloride	25 Gms 100 Gms	980 3300	67318 ✓ [120-61-6]	Dimethyl Terephthalate pure, 99%	500 Gms	68
	(EDC.HCI, EDAC.HCI) extrapure,	500 Gms	12980	91273	• •	500 Mg	150
	99% (N-Ethyl-N'-(3-Dimethylaminopropyl		.2000	[518-67-2]	(3,8-Diamino-5-Methyl-6-Phenylphenan	1 Gms	270
	Ethylcarbodimide Hydrochloride)				thridinium Bromide, Trypadine)	5 Gms	1100
3088	4-Dimethylaminopyridine (DMAP)	25 Gms	490	84846	2,4-Dinitroaniline pure, 98%	100 Gms	113
[1122-58-3]	extrapure, 98%	100 Gms	1250	[97-02-9]	• • •	500 Gms	473
		500 Gms	4440	50500	3,5-Dinitrobenzoic Acid extrapure,		
0593	2,4-Dimethylaniline pure, 98%	250 ml		58586 [99-34-3]	98%	100 Gms	56
[95-68-1]	(2,4-Xylidine)	2500 ml	630	[000.0]		500 Gms	22
			5500	66764	3,5-Dinitrobenzoic Acid extrapure	100 Gms	7:
3029	2,6-Dimethylaniline pure, 99% (2,6-Xylidine)	250 ml	850	[99-34-3]	AR, 99%	500 Gms	300
[87-62-7]	(2,0-Ayliuli le)	1000 ml	3200	87464	3,5-Dinitrobenzoic Acid extrapure	100 Gms	84
9579	2,4-Dimethylbenzoic Acid pure,	10 Gms	2100	[99-34-3]	AR, ExiPlus, Multi-Compendial,	500 Gms	32
[611-01-8]	98%	50 Gms	9000		99% meets compendial specs of BP, Ph.Eur		
	(m-Xylene-4-Carboxylic Acid, asym. -m-Xylylic Acid)			50500	Dinitrodiaminepalladium (II)	050 Ma	
6330	Dimethyl Carbonate pure, 99%	500 ml	240	56569 [14323-43-4]	extrapure, 45-50% Pd	250 Mg	380
[616-38-6]		2500 ml	1100			1 Gms	100
		25 Ltr	10000	88639	2,4-Dinitrophenylhydrazine (DNPH) Reagent Grade, 99%	25 Gms	3
1000	Discoulant Disklasses (DMDOO)			[119-26-6]	(Brady`s Reagent)	100 Gms	8
[1800]	Dimethyl Dichlorosilane (DMDCS) pure, 98%	250 ml	1150		(2.3.3)	500 Gms	38
	(Dichlorodimethylsilane)	500 ml	2200	85387	2,4-Dinitrophenylhydrazine (DNPH)	25 Gms	3
		1000 ml	4000	[119-26-6]	ExiPlus, Multi-Compendial, 99%	100 Gms	10
	N,N-Dimethyldodecylamine	100 ml	1200		(Brady`s Reagent)		
1643-20-5]	N-Oxide Solution (DDAO) pure, 30%	500 ml	3000	75477	meets compendial specs of BP & Ph.Eur	100!	
	(Lauryldimethylamine N-Oxide, LDAO)			75477	2,4-Dinitrophenylhydrazine (DNPH) Reagent Solution	100 ml	3
	N,N-Dimethyldodecylamine	5 Gms	6000		(2,4-DNP Reagent)		
1643-20-5]	N-Oxide (DDAO) extrapure, 95% (Lauryldimethylamine N-Oxide, LDAO)	25 Gms	25000	10253 [609-99-4]	3,5-Dinitrosalicylic Acid pure, 98%	25 Gms	80
′0976 ✓	N,N-Dimethyl Glycine	10 Gms	1600	[009-99-4]		100 Gms	280
	Hydrochloride pure, 98%	50 Gms	6000			500 Gms	129
4157	5,5-Dimethylhydantoin (DMH)	100 Gms		38707	3,5-Dinitrosalicylic Acid extrapure	25 Gms	15
4157 [77-71-4]	extrapure, 99%	500 Gms	320	[609-99-4]	AR, 99%	100 Gms	53
. ,	(4,4-Dimethyl-2,5-Dioxoimidazolidine, Fennosurf 300)	500 GIIIS	950	13313 [609-99-4]	3,5-Dinitrosalicylic Acid Reagent Solution	100 ml	8
3177	Dimethyl Malonate pure, 98%	250 ml	540	41131	Diosgenin extrapure, 95%	1 Gms	180
[108-59-8]		500 ml	600	[512-04-9]		5 Gms	53
2247 🗸	3,3-Dimethylnaphthidine extrapure	200 Mg	3680		3ß-Hydroxy-5-Spirostene)		
3138-48-2]		200 Mg 1 Gms		0	1,3-Diphenylacetone extrapure,	25 Gms	25
	(4,4'-Diamino-3,3'dimethyl-1,1'-binapht	i Gilis	10080	[102-04-5]	98%	100 Gms	67
	hyl)					500 Gms	276
5047 ✓ 3290-96-5]	Dimethyl 5-Nitroisophthalate pure, 99%	25 Gms 100 Gms	1360 2720	54164 ✓ [86-29-3]	Diphenylacetonitrile pure, 98%	100 Gms	10
0923 🗸	3,5-Dimethyl-4-Nitroisoxazole	5 Gms	2760		1,5-Diphenylcarbazide ACS	25 Gms	17
1123-49-5]	extrapure, 98%	25 Gms	8820	[140-22-7]	(DPC, 1,5-Diphenylcarbohydrazide, symDiphenylcarbazide)	100 Gms	60
8950 ✓ [95-87-4]	2,5-Dimethyl Phenol pure, 98% (2,5-Xylenol)	100 Gms	1990	57719 ✓	Diphenylcarbinol pure, 99% (Benzhydrol)	100 Gms 500 Gms	5
3834	N,N-Dimethyl-L-Phenylalanine	1 Gms	3000				18
7469-89-5]	extrapure, 98%	5 Gms	9000	23957	Diphenyl Oxide)	500 ml	80
3287 🗸	N,N-Dimethyl-p-Phenylenediamine	5 Gms	2500	[101-84-8]	(Diphenyl Oxide)	1000 ml	150
[99-98-9]	(DMPPDA) pure, 98%	25 Gms					
•	(4-(Dimethylamino)Aniline,		4990				
4	4-Amino-N,N-Dimethylaniline, N,N-Dimethyl-1,4-Phenylenediamine,	100 Gms	16370				

Code	Name	Packing	Price	Code	Name	Packing	Price
90574		10 Gms	4000	17315	` ,	1 Gms	690
[536-46-9]	Dihydrochloride (DMPPDA.2HCI) pure, 98%	50 Gms	17500	[3483-12-3]	molecular biology, 98% (Clelands Reagent)	5 Gms	2420
	(4-(Dimethylamino)aniline				(Oblanda Heagern)	25 Gms	11340
	dihydrohchloride,					100 Gms	43000
	4-Amino-N,N-dimethylaniline dihydrochloride, N,N-Dimethy			15248	DL-Dithiothreitol 0.1M Solution	10 ml	840
66525		1 Gms	9000		(DTT 0.1M Solution)	100 ml	2630
[1720-32-7]	(DPH) pure, 98% (Dicinnamyl, 1,6-Diphenylhexatriene)	5 Gms	42000	16927	DL-Dithiothreitol 1M Solution (DTT 1M Solution)	10 ml	1260
34747	5,5-Diphenylhydantoin (Phenytoin)	100 Gms	1600			50 ml	3680
[57-41-0]	pure, 98%			97980 [60-10-6]	Dithizone pure, 70% (Diphenyl Thiocarbazone, Dithiozone)	5 Gms	650
78190		5 Gms	1800	89257	Dithizone extrapure AR, 85%	5 Gms	780
[530-47-2]	97%	25 Gms	5100	[60-10-6]	(Diphenyl Thiocarbazone, Dithiozone)	25 Gms	3400
41855	Diphenylmethane pure, 98%	100 Gms	800			100 Gms	12500
[101-81-5]		500 Gms	2400	46141	Dithizone extrapure AR, ACS,	5 Gms	850
29128	2,2-Diphenyl-1-Picrylhydrazyl	250 Mg	3500	[60-10-6]	ExiPlus, Multi-Compendial, 85%	25 Gms	
[1898-66-4]	(DPPH) extrapure, 95%	1 Gms	6900	. ,	(Diphenyl Thiocarbazone, Dithiozone)	25 GITIS	3900
		5 Gms	25800		meets compendial specs of BP, Ph.Eur		
38201 🗸	1,3-Diphenyl-1,3-Propanedione	25 Gms	3200	56266	Dithizone Reagent	100 ml	1200
[120-46-7]	(Dibenzoylmethane) extrapure, 98%	100 Gms	7200	37237	Divinyl Sulfone (DVS) pure, 96%	5 ml	2100
52196 Y	Diphenyl Thiourea pure, 98%	100 Gms	900	[77-77-0]	(Vinyl Sulfone)	25 ml	6100
[102-08-9]		500 Gms	2600	80704 (i) Lauroyl Chloride extrapure, 99%	100 Gms	1500
12781	DIPSO Buffer extrapure, 99%	25 Gms	5990	[112-16-3]	(Dodecanoyl Chloride)	250 Gms	3400
[68399-80-4]		100 Gms	20000			500 Gms	6600
	-3-Amino-2-Hydroxypropane Sulphonic Acid)	100 GIIIS	20000	93089 🗸	Dodecylamine (Laurylamine) pure,	100 Gms	400
16722	DIPSO Buffer Sodium Salt	10 Gms	7010	[124-22-1]	98%	500 Gms	1500
	extrapure, 98%		7010	85985	1-Dodecyl-3-Methylimidazolium	5 Gms	4700
93634 🗸	2,2-Biquinoline (2,2-Diquinolyl,	1 Gms	1100		Hexafluorophosphate (DMIM.PF6,	25 Gms	17800
[119-91-5]	Cuproine) extrapure AR, 99% (2,2'-Diquinoline)	5 Gms	4900		C12MIMPF6) extrapure, 98% (1-Lauryl-3-Methylimidazolium	20 4113	17600
32363	5,5'-Dithiobis(2-Nitro Benzoic Acid)	1 Gms	1300		Hexafluorophosphate)		
[69-78-3]	extrapure (DTNB), 98%	5 Gms	3800	85755	n-Dodecyl-b-D-Maltoside (DDM)	500 Mg	4200
	(Ellmans Reagent)	25 Gms	16400	[69227-93-6]	extrapure, 98%	1 Gms	7400
		100 Gms	54600		(Dodecyl-Maltoside, n-Dodecyl-b-D-Maltopyranoside)	5 Gms	31500
27956	Dithioerythritol (DTE) extrapure,	1 Gms	2000	24940	Dodecyltrimethylammonium	100 Gms	1600
[6892-68-8]	99%	5 Gms	6500	[1119-94-4]	Bromide (DOTAB) pure, 99%	500 Gms	5300
	(Clelands Other reagent)	25 Gms	26000		(Lauryl Trimethylammonium Bromide)	5 Kg	32600
53384	Dithioerythritol (DTE) for molecular	1 Gms	2500	53499	Dodecyltrimethylammonium	5 Kg	29000
[6892-68-8]	biology, 99%	5 Gms	7500	[1119-94-4]	Bromide (DOTAB) PrimeDx, 99%	=	130000
	(Clelands Other reagent)		7000	40000	Dodooyltvimothylommonium		
48086	Dithiooxamide (Rubeanic Acid)	1 Gms	1000	42020 [112-00-5]	Dodecyltrimethylammonium Chloride (DOTAC) pure, 98%	100 Gms	1800
[79-40-3]	extrapure AR, 99%	5 Gms	3500		(Lauryl Trimethylammonium Chloride)	500 Gms	5800
		25 Gms	15000			5 Kg	34700
84834	\ , / I /	1 Gms	580	61936 [112-00-5]	Dodecyltrimethylammonium Chloride (DOTAC) PrimeDx, 98%	5 Kg	29000
[3483-12-3]	98% (Clelands Reagent)	5 Gms	2050				130000
	(Olorando Hoagotti)	25 Gms	9660	77201	L-Dopa extrapure, 99%	5 Gms	1000
		100 Gms	37500	[59-92-7]	(L-Hydroxy Phenylalanine)	25 Gms	4500
46220	, , ,	5 Gms	2260	87943	DL-Dopa extrapure, 99%	1 Gms	400
[3483-12-3]	Multi-Compendial, 98%			[63-84-3]	(DL-Dihydroxy Phenylalanine)	5 Gms	800
	meets compendial specs of BP					25 Gms	3200

Code	Name	Packing	Price	Code	Name	Packing	Price
45462	Dopamine Hydrochloride	5 Gms	1050	97857	Epirubicin Hydrochloride	10 Mg	3800
[62-31-7]	(Dopamine HCI) extrapure, 98%	25 Gms	3680	[56390-09-1]	(EPR.HCI), 97%	25 Mg	7400
		100 Gms	13500	49470	EPPS Buffer extrapure, 99.5%	10 Gms	1860
65094	Doxycycline Hyclate (DXH),	1 Gms	2400	[16052-06-5]		50 Gms	5920
[24390-14-5]		5 Gms	3200			100 Gms	11720
		10 Gms	4500	E0060	N-(epsilon-Maleimidocaproyloxy)		
70005 4	DPPB				Succinimide extrapure, 98%	10 Mg	5400
78985 ✓ [7688-25-7]	(1,4-Bis(Diphenylphosphino)Butan	5 Gms	1900	[(EMCS)	50 Mg	9900
[]	e) extrapure, 98%	25 Gms	7500	41120	Erbium (III) Chloride Hexahydrate	5 Gms	3400
	(1,4-Butanediylbis(Diphenylphosphine)			[10025-75-9]	ultrapure, 99.99%	25 Gms	8300
	, Tetramethylenebis(Diphenylphosphine)			54788	Erbium (III) Nitrate Hexahydrate	5 Gms	3500
)			[13476-05-6]		25 Gms	8700
48237	DPPE	5 Gms	1100				
[1663-45-2]	(1,2-Bis(Diphenylphosphino)Ethane	25 Gms	5000	29831 [12061-16-4]	Erbium (III) Oxide ultrapure,	5 Gms	3400
) extrapure, 98%		0000	[12001-10-4]		25 Gms	8300
	(Diphos,			12485	Erbium (III)	5 Gms	3800
00000 4	Ethylenebis(Diphenylphosphine)) DPPF	1 Cma	4400	[139177-64-3]	Trifluoromethanesulfonate extrapure, 97%	25 Gms	12200
	(1,1-Bis(Diphenylphosphino)Ferroc	1 Gms	1100		(Erbium Triflate,		
[ene) extrapure, 98%	5 Gms	3800		Trifluoromethanesulfonic Acid Erbium		
	(1,1-Ferrocenediyl-bis(Diphenylphosph	25 Gms	12900		Salt)		
	ine))				Erythritol extrapure, 99%	25 Gms	600
34103		1 Gms	800	[149-32-6]	(Erythrite, meso-Erythritol)	100 Gms	1600
[6737-42-4]	(1,3-Bis(Diphenylphosphino)Propa ne) extrapure, 98%	5 Gms	2300			500 Gms	5300
	, , ,	25 Gms	10000	48535	Erythromycin for tissue culture	1 Gms	400
75470	Dulcitol (D-Galactitol) extrapure,	25 Gms	1600	[114-07-8]		5 Gms	1800
[608-66-2]	99%	100 Gms	5300	51114	Esculin Sesquihydrate extrapure,	5 Gms	1400
62813	(D-Galactitol)	10.0	1000	[66778-17-4,	98%	25 Gms	6300
020.0	EEDQ extrapure, 99% (N-Ethoxycarbonyl-2-Ethoxy-1,2-di-	10 Gms	1600	531-75-9]	(Aesculin)	25 Gills	0300
[Hydroxyquinoline)	25 Gms	2500	77688	•	1 Gms	800
		100 Gms	8400	[1070-11-7]	(ETB.2HCI), 98%	5 Gms	2100
17398	Ehrlich`s Aldehyde Reagent	100 ml	200	89737	1,2-Ethanedithiol extrapure, 98.5%	25 ml	3700
	Fhallah \ Amin = O D	400		[540-63-6]		100 ml	13700
99640	Ehrlich`s Amino Sugar Reagent	100 ml	200			500 ml	63000
81802	Elaidic Acid Reference Standard.	1 Gms	5300	16044	7-Ethoxycoumarin extrapure, 98%	25 Mg	
[112-79-8]	99%(GC)	5 Gms	18900	[31005-02-4]	7-Euloxycoulliai iii extrapure, 96 %	•	1900
	(trans-9-Octadecenoic Acid,	3 dilia	10900			100 Mg	5000
	trans-Oleic Acid)				2-Ethylaniline pure, 98%	100 ml	1500
	Elastase (ELA, PPE) ex. Porcine	10 Mg	8400	[578-54-1]		500 ml	2700
[39445-21-1]	Pancreas, 10U/mg Protein	100 M=	0700	96669 (i	Ethyl Chloroacetate pure, 98%	500 ml	500
19764 [155569-91-8]	Emamectin Benzoate extrapure, 90%	100 Mg	2700	[105-39-5]		2500 ml	2100
		1 Gms	6700	95953	Ethyl 2-Chloropropionate practical	100 ml	1400
73363	• •	25 Mg	2400	[535-13-7]	grade, 95%		
[518-82-1]	Cuspidatum, 90% (Emodin ex. Fallopia Japonica,	500 Mg	6300	92052	Ethyl Cyanoacetate extrapure, 98%	500 ml	800
	1,3,8-Trihydroxy-6-Methyl-9,10-Anthrac	1 Gms	9500	[105-56-6]		2500 ml	3500
	enedione, 1,3,8-Tri-hydroxy-6-M	5 Gms	18900	69674	3,4-Ethylenedioxythiophene	5 Gms	3000
90310	Emulgen B-66 (Eumulgin B66)	100 ml	4300		(EDOT) pure, 98%	25 Gms	6300
	(Polyoxyethylene Alkyl Ether)	500 ml	16500	60850	Ethylene Glycol-O-O-bis-		
20790	Enrofloxacin (EFX), 98%	5 Gms	2100	62858 [67-42-5]	(2-Aminoethyl) N,N,N,N-Tetraacetic	10 Gms	2400
[93106-60-6]	(_100	[, 0]	Acid (EGTA) extrapure, 98%	25 Gms	4200
59508	Epiprogoitrin Potassium Salt	10 Mg	27700			100 Gms	10500
[21087-74-1]	Reference Standard Grade, 80%	_		78214	2-Ethylhexanoic Acid extrapure,	250 ml	300
	((S)-2-Hydroxy-3-Butenylglucosinolate			[149-57-5]	99%	1000 ml	1000

Code	Name	Packing	Price	Code	Name	Packing	Price
32021	2-Ethyl-1-Hexanol pure, 99%	500 ml	400	64770	1-Ethyl-1-Methylpyrrolidinium	1 Gms	2200
[104-76-7]		2500 ml	1500	[223436-99-5]	Bis(trifluoromethylsulfonyl)imide	5 Gms	3520
69647	Ethylhexadecyldimethylammonium	25 Gms	1500		(EMP TFSI) extrapure, 99%	25 Gms	14300
[124-03-8]	Bromide (EHDDMAB) extrapure,	100 Gms	5000	70945	Ethyl Oleate pure	500 ml	720
	98% (Cetyldimethylethylammonium	500 Gms	13300	[111-62-6]		2500 ml	3410
	Bromide,			24489	2-Ethylphenylboronic Acid pure,	1 Gms	2440
	Dimethylethylhexadecylammonium				95%	5 Gms	10400
74.407	Bromide)	500 ml	700		(2-Ethylbenzeneboronic Acid, o-Ethylphenylboronic Acid)		
71407 [103-11-7]	2-Ethylhexyl Acrylate extrapure, 99%	500 ml 2500 ml	700 2700	42676		50 Gms	880
	(Acrylic acid 2-ethylhexyl Ester)	2500 1111	2700	[5308-25-8]	(N-Ethylpiperazine)	250 Gms	2200
30484	Ethylhexyl Triazone extrapure, 98%	100 Mg	2100	72424	Ethyl p-Toluenesulfonate pure, 98%	25 ml	850
[88122-99-0]	(2,4,6-Trianilino(p-Carbo-2-Ethylhexyl-1 -oxy)-1,3,5-Triazine)	1 Gms	7200	[80-40-0]	(Ethyl Tosylate, p-Toluenesulfonic Acid	500 ml	7120
	CASS TIGENTOS	5 Gms	10000		Ethyl Ester)	000 1111	7120
91018	Ethylidene Glucose extrapure, 90%	1 Gms	4300	59863	5-(Ethylthio)-1H-Tetrazole (ETT	1 Gms	1200
[13224-99-2]		5 Gms	11100	[89797-68-2]	Activator) extrapure, 99%	5 Gms	3000
10674	Ethyl lodide extrapure, 99%	25 ml	2400			25 Gms	11250
[75-03-6]		100 ml	8600	65770	Ethyltriphenylphosphonium	25 Gms	530
		250 ml	20200	[1530-32-1]	Bromide pure, 97%	100 Gms	1320
78503	N-Ethylmaleimide extrapure, 99%	5 Gms	2100	57056	Ethyl Vanillin extrapure, 98%	100 Gms	830
[128-53-0]		25 Gms	9500	[121-32-4]		500 Gms	3740
		100 Gms	37800	24820 🗸	Ethyl Vinyl Ether (Stabilized) pure,	100 ml	610
81176	N-Ethylmaleimide ExiPlus,	5 Gms	2400	[109-92-2]	98%	500 ml	1930
[128-53-0]	Multi-Compendial, 99%	25 Gms	10500			2500 ml	9350
		100 Gms	42000	93050	Eucalyptus Oil extrapure, 60%	250 ml	1210
	meets compendial specs of BP, Ph.Eur			[8000-48-4]			
85108	Ethyl Methanesulphonate (EMS)	10 Gms	950	69553	Eugenol extrapure, 99%	100 ml	1210
[62-50-0]	extrapure, 98%	100 Gms	8500	[97-53-0]	(2-Methoxy-4-(2-Propenyl)phenol, 4-Allyl-2-Methoxyphenol,	500 ml	4400
27035	Ethyl Methanesulphonate (EMS)	10 Gms	2150		4-Allylguaiacol)		
[62-50-0]	for tissue culture, 98%			98345	Europium (III) Chloride	1 Gms	2400
38303	Ethyl Methyl Carbonate (EMC)	10 ml	2000	[13759-92-7]	Hexahydrate ultrapure, 99.99%	5 Gms	6200
[623-53-0]	extrapure, 98% (Carbonic Acid Ethyl Methyl Ester,	50 ml	5000			25 Gms	17900
	Methyl Ethyl Carbonate)			97625	Europium (III) Nitrate Hexahydrate	5 Gms	6500
	1-Ethyl-3-Methylimidazolium	5 Gms	2400	[10031-53-5]	ultrapure, 99.99%	25 Gms	18700
[65039-09-0]	Chloride (EMIM CI) extrapure, 98%	25 Gms	4200	44088	Europium (III) Oxide extrapure,	1 Gms	1500
		100 Gms	8400	[1308-96-9]	99.9%	5 Gms	5300
	1-Ethyl-3-Methylimidazolium Ethyl	5 Gms	2300	91883	Europium (III)	1 Gms	2200
[342573-75-5]	Sulfate (EMIM EtOSO3) extrapure, 99%	25 Gms	7200	[52093-25-1]	Trifluoromethanesulfonate	5 Gms	5550
34543	1-Ethyl-3-Methylimidazolium	5 Gms	1600		extrapure, 98% (Europium Triflate,		
	Hexafluorophosphate (EMIM PF6)	25 Gms	6600		Trifluoromethanesulfonic Acid		
	extrapure, 97%				Europium Salt)		
	1-Ethyl-3-Methylimidazolium Tetrachloroaluminate (EMIM AICI4)	5 Gms	2600	46650 [314-13-6]	Evans Blue	10 Gms	1860
[00432-05-9]	extrapure, 95%	25 Gms	9500	[014-10-0]		25 Gms	4400
60887 🗸	1-Ethyl-3-Methylimidazolium	5 Gms	5000	33138	Exton`s Reagent	100 ml	260
[143314-16-3]	Tetrafluoroborate (EMIM BF4)	25 Gms	6500	66977	Fast Blue B Salt (DBB)	25 Gms	700
90329 🗸	extrapure, 97% 1-Ethyl-3-Methylimidazolium	1 Gms	1400	[14263-94-6]		100 Gms	700 2500
	Trifluoromethanesulfonate (EMIM	5 Gms	1400 4200		Double Salt, Azoic Diazo No. 48, Diazo	500 Gms	11000
•	Otf), 98%	25 Gms	12900		Blue B)		
46	(1-Ethyl-3-Methylimidazolium Triflate)						
49544 [104-90-5]	5-Ethyl-2-Methylpyridine pure, 97%	100 ml	950				
[104-90-3]		250 ml	1680				

Code	Name	Packing	Price	Code	Name	Packing	Price
94315	Fast Blue BB Salt Hemi Zinc	5 Gms	2410		Fluorescamine extrapure AR, 99%	25 Mg	1680
[5486-84-0]	Chloride Salt, 99% (4-Amino-2,5-Diethoxybenzanilide	10 Gms	4010	[38183-12-9]		100 Mg	4310
	Diazotated Zinc Double Salt,	25 Gms	6010			500 Mg	9450
	4-Benzoylamino-2,5-Diethoxybenzened					1 Gms	13920
62003	Fast Blue RR Hemi(Zinc Chloride)	1 Gms	4000		Fluorescamine extrapure AR,	25 Mg	1890
[14726-29-5]	Salt	5 Gms	18000	[38183-12-9]	ExiPlus, Multi-Compendial, 99%	100 Mg	4620
	4-Benzoylamino-2,5-Dimethoxybenzen	o dino	10000			500 Mg	10770
	ediazonium Chloride Hemi(Zinc Chloride) salt, Azoic Diazo No. 24S				meets compendial specs of USP, BP, Ph.Eur		
60339	Fast Green FCF (Food Green 3), 85%	5 Gms	440	50389	Fluorescein Free Acid (C.I. No.	25 Gms	270
[2353-45-9]	(C.I. No. 42053)	25 Gms	1680	[2321-07-5]	45350:1), 96% (Solvent Yellow 94)	100 Gms	900
79950	Fast Red TR Salt Hemi Zinc	100 Mg	2940	73698	Fluorescein Isothiocyanate Isomer	25 Mg	2310
[89453-69-0]	Chloride Salt	500 Mg	11750		I (FITC) extrapure, 95%	100 Mg	3500
	(4-Chloro-2-Methylbenzenediazonium Salt, Azoic Diazo No.11) (C.I. No.					250 Mg	8200
	37085)					1 Gms	21500
14977 🗸	Ferrocene extrapure, 98%	25 Gms	550	55091	Fluorescein Sodium Salt (C.I. No.	25 Gms	320
[102-54-5]		100 Gms	1700	[518-47-8]	45350)	100 Gms	1200
		500 Gms	7000		(Acid Yellow 73)	1 Kg	10500
38082 🗸	Ferrozine Monosodium extrapure,	1 Gms	2300	92458	4-Fluoroacetophenone pure, 98%	25 Gms	1430
[69898-45-9]		5 Gms	9900	[403-42-9]	4-1 luoloacetophenone pure, 30 %	100 Gms	4500
	(5,6-Diphenyl-3-(2-pyridyl) -1,2,4-triazine-4',4"-disulfonic acid	25 Gms	46700		0 Flores - 111-2 - 2000		
	sodium salt, PDT disulfonate)			57482 [348-54-9]	2-Fluoroaniline pure, 98%	100 ml	1700
33920 🗸	Ferrozine Monosodium PrimeDx,	100 Gms	195000			500 ml	8000
[69898-45-9]	97%	250 Gms	450000	61820 [372-19-0]	3-Fluoroaniline pure, 98%	25 ml	3000
60096	Ferulic Acid pure, 98%	5 Gms	920	[372-19-0]		100 ml	11500
[1135-24-6]	(4-Hydroxy-3-Methoxycinnamic Acid)	25 Gms	2660	62395	4-Fluoroaniline pure, 98%	100 ml	1800
		100 Gms	9370	[371-40-4]		500 ml	8400
23108	Fibrinogen ex. Bovine Plasma, 65%	1 Gms	5000	55482	2-Fluoroanisole pure, 98%	25 ml	3150
[9001-32-5]	Protein	5 Gms	10500	[321-28-8]		100 ml	9980
	(Coagulation Factor I)			45810	3-Fluoroanisole pure, 98%	25 Gms	2630
	Ficoll 400® for molecular biology (Polysucrose 400)	5 Gms	2290	[456-49-5]		100 Gms	9450
[=======	,	25 Gms	10440	51009	4-Fluoroanisole extrapure, 99%	25 Gms	1200
		100 Gms	39130	[459-60-9]		100 Gms	4500
87939 ● [146-14-5,	Flavin Adenine Dinucleotide Sodium Salt Hydrate (FAD Hydrate)	25 Mg	3850	90335	4-Fluorobenzaldehyde pure, 98%	100 ml	3500
84366-81-4]	extrapure, 95%	100 Mg	10450	[459-57-4]		500 ml	14000
		250 Mg	22000	88879	Fluorobenzene pure, 99%	100 ml	1000
		1 Gms	66000	[462-06-6]	• .	500 ml	4000
69510 [525-82-6]	Flavone extrapure	5 Gms	880			1000 ml	7600
[323-02-0]		25 Gms	3960	68427	4-Fluorobenzoic Acid pure, 98%	25 Gms	840
89465	Florisil 60-100 mesh for	100 Gms	2750	[456-22-4]	4 That obstitute Asia pare, 55%	100 Gms	2310
[1343-88-0]	chromatography	250 Gms	5500	94304	4-Fluorobenzonitrile pure, 98%	25 ml	
		1 Kg	20900	[1194-02-1]	4-1 luorobenzoniune pure, 30%	100 ml	2430
22239	Fluconazole (FLC), 98%	1 Gms	800		4 Flyanskammalamina		8450
[86386-73-4]		5 Gms	1600	13212 [140-75-0]	4-Fluorobenzylamine extrapure, 99%	5 Gms	840
54083	9-Fluorenylmethyl Chloroformate	5 Gms	620			25 Gms	2210
[28920-43-6]	(FMOC Chloride, FMOC-CI) extrapure, 99%	25 Gms	2200	11821 8 [2341-22-2]	5-Fluorocytidine (5-FCytd) extrapure, 99%	1 Gms	4200
		100 Gms	7300		5-Fluorocytosine (5-FCtys)	1 Gms	2100
29175	9-Fluorenylmethanol (FMOC-OH)	25 Gms	2200	[2022-85-7]	extrapure, 98%	5 Gms	6830
[24324-17-2]	extrapure, 98%	100 Gms	7000		(5-FA,	o dilib	5000
	(9-Fluorenemethanol, 9-				4-Amino-5-Fluoro-2-Hydroxypyrimidine		

Code	Name	Packing	Price	Code	Name	Packing	Price
81015 [50-91-9]	5-Fluoro-2-Deoxyuridine extrapure, 98%	25 Mg 100 Mg	1680 5260	21015 [446-11-7]	4-Fluoro-3-Nitrotoluene extrapure, 98%	5 Gms 25 Gms	2000 7000
		1 Gms	32440	15088	5-Fluorouracil (5-FU) extrapure,	1 Gms	530
67782	1-Fluoro-2,4-Dinitrobenzene	25 ml	1400	[51-21-8]	99%	5 Gms	1680
[70-34-8]	(FDNB) extrapure AR, 99%	100 ml	4800			25 Gms	5670
		250 ml	10250	59333	5-Fluorouracil (5-FU) Exiplus,	5 Gms	3300
42199	1-Fluoro-2,4-Dinitrobenzene	5 ml	8000	[51-21-8]	Multi-Compendial, 99%	25 Gms	9000
[70-34-8]	(FDNB) for HPLC, 99% (Sanger Reagent)		0000		Meets compendial specs of BP, USP, Ph.Eur		5000
68632	5-Fluoro-2-Methoxyphenyl Boronic	5 Gms	5000	28329	5-Fluorouridine (5-FUrd) extrapure,	1 Gms	4200
[179897-94-0]	Acid extrapure, 95%	10 Gms	8000	[316-46-1]	98%	5 Gms	9980
78447	1-Fluoro-4-Nitrobenzene extrapure,	100 Gms	1400	50004	TMOO I Amino Asido Kia		
[350-46-9]	99%	500 Gms	5500	53061	FMOC-L-Amino Acids Kit	1 Kit	27080
27492	2-Fluoro-3-Nitrotoluene extrapure,	1 Gms	4000	97306	FMOC-S-Acetamido	5 Gms	2000
[3013-27-2]	98%			[86060-81-3]	Methyl-L-Cysteine (Fmoc-Cys(Acm)	25 Gms	9000
_	(3-Fluoro-2-nitrotoluene)				-OH) extrapure, 98%		
78510 [703-95-7]	5-Fluoroorotic Acid (5-FOA) for molecular biology, 98%	250 Mg	3970		FMOC-D-Alanine extrapure, 99%	5 Gms	2470
[703-95-7]	molecular biology, 30 %	1 Gms	13050	[79990-15-1]		25 Gms	8000
50958	, ,	250 Mg	4200	002.0	FMOC-L-Alanine extrapure, 99%	5 Gms	520
[207291-81-4]	Hydrate) for molecular biology, 98%	1 Gms	13610	[35661-39-3]		25 Gms	2300
11933	5-Fluoroorotic Acid Monohydrate	250 Mg	4090			100 Gms	8450
	(5-FOA Monohydrate) for molecular	1 Gms	13390		FMOC-2-Aminobutric Acid	1 Gms	3650
	biology, 98%			[135112-27-5]	extrapure, 99%	5 Gms	16610
66079	2-Fluorophenol pure, 98%	10 ml	1730	66725	FMOC-D-Arginine extrapure, 99%	1 Gms	2180
[367-12-4]		100 ml	8910	[130752-32-8]	l ·	5 Gms	9670
47982	3-Fluorophenol pure, 98%	10 ml	3410			25 Gms	43500
[372-20-3]		50 ml	11550	88459	FMOC-L-Arginine extrapure, 98%	1 Gms	430
41593	4-Fluorophenol pure, 98%	100 Gms	3410	[91000-69-0]		5 Gms	1470
[371-41-5]		500 Gms	12980			25 Gms	6180
10573	4-Fluorophenylacetic Acid pure,	5 Gms	960			100 Gms	22200
[405-50-5]	98%	25 Gms	2820	23508	FMOC-D-Asparagine extrapure,	1 Gms	720
		100 Gms	8660	[108321-39-7]		5 Gms	3000
86567	o-Fluoro-DL-Phenylalanine	1 Gms	7420			25 Gms	12500
[2629-55-2]	extrapure, 99%		7 120	66915	FMOC-L-Asparagine extrapure,	5 Gms	520
53933	m-Fluoro-DL-Phenylalanine	500 Mg	4410	[71989-16-7]		25 Gms	2300
[2629-54-1]	extrapure, 98%					100 Gms	8450
96044 5 [51-65-0]	p-Fluoro-DL-Phenylalanine extrapure, 99%	1 Gms	2800	40000	TMOC N Tribul I Assessation		
[51-05-0]	extrapure, 33%	5 Gms	13000		FMOC-N-Trityl-L-Asparagine (FMOC-Asn(Trt)-OH) extrapure,	5 Gms 100 Gms	3510
11280	2-Fluorophenylboronic Acid	1 Gms	980		99%	100 Gills	22200
[1993-03-9]	extrapure, 97%	5 Gms	1990	30074	FMOC-L-Aspartic Acid extrapure,	1 Gms	6850
		25 Gms	8710	[119062-05-4]	99%	5 Gms	12330
54271	3-Fluorophenylboronic Acid	1 Gms	790	59022	FMOC-L-Aspartic Acid-4- Benzy	10 Gms	11410
[768-35-4]	extrapure, 98%	5 Gms	1720	[86060-84-6]	Ester extrapure, 98%	25 Gms	19950
		25 Gms	7330	24407	FMOC-S-Benzyl-L-Cysteine	10 Gms	12150
68733	4-Fluorophenylboronic Acid	1 Gms	740		extrapure, 98%	25 Gms	21260
[1765-93-1]	extrapure, 98%	5 Gms	1720	52208	FMOC-O-Benzyl-L-Serine	10 Gms	9000
		25 Gms	6110		extrapure, 98%	25 Gms	17000
		100 Gms	21990		(FMOC-Ser(Bzl)-OH)	Lo Gillo	17000
37042	4-Fluorotoluene pure, 99%	100 ml	2850		FMOC-O-Benzyl-L-Tyrosine	10 Gms	11410
[352-32-9]				[/1989-40-7]	extrapure, 98%	25 Gms	19970

Code	Name	Packing	Price	Code	Name	Packing	Price
	FMOC-D-Citrulline extrapure, 99%	100 Mg	3060		N-a-Fmoc-N-e-4-Methyltrityl-L-Lysin	1 Gms	3000
[200344-33-8]		1 Gms	4550	[167393-62-6]	e (FMOC-Lys(MTT)-OH) extrapure, 98%	5 Gms	11000
	FMOC-L-Citrulline extrapure, 99%	1 Gms	1790	95562	FMOC-D-Norleucine extrapure, 99%	1 Gms	3810
[133174-15-9]	(FMOC-CIT-OH)	5 Gms	6300	[112883-41-7]		5 Gms	17330
	FMOC-L-Cysteine extrapure, 95%	25 Mg	4490	35941	FMOC-L-Norleucine extrapure, 99%	1 Gms	2700
[135248-89-4]		100 Mg	14940	[77284-32-3]	· · · · · · · · · · · · · · · · · · ·	5 Gms	12260
86254	FMOC-L-Glutamic Acid extrapure,	10 Gms	4990	73648	FMOC-D-Norvaline extrapure, 99%	1 Gms	3810
[121343-82-6]	99%	25 Gms	9840	[144701-24-6]		5 Gms	17330
68902	FMOC -L-Glutamic Acid g-Benzyl	10 Gms	11540	31631	FMOC-L-Norvaline extrapure, 99%	1 Gms	3020
[123639-61-2]	Ester extrapure, 98%	25 Gms	20190	[135112-28-6]		5 Gms	13730
90673	FMOC-L-Glutamic Acid 5-Tert-Butyl	10 Gms	4740	24626	FMOC-4-Nitro-L-Phenylalanine	10 Gms	8550
[71989-18-9]	Ester (FMOC-Glu(OtBu)-OH)	25 Gms	11830		extrapure (FMOC-L-Phe(4NO2)	25 Gms	14950
	extrapure, 99%	100 Gms	22410		-OH), 98%	20 Gillo	14950
21323	FMOC-D-Glutamic Acid 5-Tert-Butyl	5 Gms	3000		FMOC-D-Phenylalanine extrapure,	1 Gms	630
[104091-08-9]	Ester (FMOC-D-Glu(OtBu)-OH)	25 Gms	12000	[86123-10-6]	55%	5 Gms	2560
	extrapure, 99%	500 14				25 Gms	8950
59874 [112898-00-7]	FMOC-D-Glutamine extrapure, 99%	500 Mg	630			100 Gms	32200
		2.5 Gms 25 Gms	2520 22360		FMOC-L-Phenylalanine extrapure,	5 Gms	600
	FMOOL Obstancing automorphism 2007			[35661-40-6]	99%	25 Gms	2000
27631 [71989-20-3]	FMOC-L-Glutamine extrapure, 99%	25 Gms	1800		FMOC-D-Phenylglycine extrapure,	25 Gms	5000
		100 Gms	6000	[111524-95-9]		10.0	1000
	Na-FMOC-No-Trityl-L-Glutamine (FMOC-Gln(TRT)-OH) extrapure,	5 Gms	2500	33014 [102410-65-1]	FMOC-L-Phenylglycine extrapure, 98%	10 Gms 25 Gms	1800
[102027-00-1]	98%	100 Gms	18000				3000
18680	FMOC-Glycine extrapure, 99%	5 Gms	840	53412 [101555-62-8]	FMOC-D-Proline extrapure, 99%	5 Gms	4330
[29022-11-5]		25 Gms	2730		FMOC-L-Proline extrapure, 99%	5 Gms	630
17849	FMOC-L-Histidine extrapure, 98%	5 Gms	3860	[71989-31-6]		25 Gms	2610
[116611-64-4]	·					100 Gms	9200
90688 • [143688-83-9]	FMOC-D-Isoleucine extrapure, 99%	500 Mg	17160		FMOC-D-Serine extrapure, 99%	25 Gms	5000
	FMOC-L-Isoleucine extrapure, 99%	5 Gms	630	[116861-26-8]	FMOC-L-Serine extrapure, 99%	1 Gms	1490
[71989-23-6]		25 Gms	2610	[73724-45-5]	i moo E comic canapare, co	5 Gms	3230
		100 Gms	9200	12224	FMOC-O-Tert-Butyl-L-Serine	10 Gms	
16515	FMOC-D-Leucine extrapure, 99%	1 Gms	630		(FMOC-Ser(tBu)-OH) extrapure,	100 Gms	3000 16000
[114360-54-2]		5 Gms	2520		99%	100 anis	10000
		25 Gms	10490		FMOC-D-Threonine extrapure, 98%	1 Gms	3500
	FMOC-L-Leucine extrapure, 99%	25 Gms	2300	[157355-81-2]		5 Gms	13000
[35661-60-0]		100 Gms	6490		FMOC-L-Threonine extrapure, 99%	5 Gms	960
	Na-FMOC-Ne-BOC-L-Lysine	10 Gms	3100	[73731-37-0]		25 Gms	4030
[71989-26-9]	(FMOC-Lys(BOC)-OH) extrapure, 98%	25 Gms	7350			100 Gms	14390
		100 Gms	13130		Na-FMOC-N(im)-Trityl-L-Histidine	10 Gms	3000
	FMOC-N-e-Z-L-Lysine extrapure,	10 Gms	14260	[109425-51-6]	(FMOC-His(Trt)-OH) extrapure, 99%	100 Gms	16000
[86060-82-4]	98%	25 Gms	24240		FMOC-O-Tert-Butyl-D-Threonine	1 Gms	1500
	FMOC-L-Lysine extrapure, 99%	1 Gms	1410	[138797-71-4]	(FMOC-D-Thr(tBu)-OH) extrapure, 98%	5 Gms	6000
[105047-45-8]		5 Gms	5380	42366	FMOC-D-Tryptophan extrapure,	5 Gms	2200
	FMOC-D-Methionine extrapure,	1 Gms	1040	[86123-11-7]		25 Gms	8000
[112883-40-6]	99%	5 Gms	4330	70309	FMOC-L-Tryptophan extrapure,	5 Gms	1000
		25 Gms	18030	[35737-15-6]	••••	25 Gms	2630
	FMOC-L-Methionine extrapure, 99%	5 Gms	520	96532	Na-FMOC-N(in)-BOC-D-Tryptophan	1 Gms	2200
[71989-28-1]		25 Gms	2300		(FMOC-D-Trp(BOC)-OH) extrapure,	5 Gms	8000
					98%		

Code	Name	Packing	Price	Code	Name	Packing	Price
54034 • [112883-29-1]	FMOC-D-Tyrosine extrapure, 99%	1 Gms 5 Gms	1040 4330	76007 [3615-37-0]	D-(+)-Fucose extrapure (6-Deoxy-L-Galactose, Rhodeose)	500 Mg 1 Gms	7200 12500
		25 Gms	18030	47462 Û	Furfural pure, 99%	500 ml	700
79199	FMOC-L-Tyrosine extrapure, 99%	5 Gms	1430	[98-01-1]		2500 ml	2800
[92954-90-0]		25 Gms	6000	86133 Û	Furfural extrapure AR, ACS, 99%	500 ml	1130
		100 Gms	21160	[98-01-1]	·		
22292	FMOC-O-Tert-Butyl-L-Tyrosine	5 Gms	2110		Furfurylamine pure, 98%	500 ml	1480
[71989-38-3]	(FMOC-Tyr(tBu)-OH) extrapure, 98%	100 Gms	16000	[617-89-0]		2500 ml	6700
15917	FMOC-D-Valine extrapure, 99%	1 Gms	1360	18641	Furosemide (Frusemide), 98.5%	5 Gms	3560
[84624-17-9]		5 Gms	5620	[54-31-9]		25 Gms	9930
		25 Gms	23410		2-Furoic Acid pure, 98%	100 Gms	1000
47834	FMOC-L-Valine extrapure, 99%	5 Gms	410	[88-14-2]	(Furan-2-Carboxylic Acid)	500 Gms	3800
[68858-20-8]		25 Gms	1870		3-Furoic Acid pure, 98%	5 Gms	2500
		100 Gms	7010	[488-93-7]	(Furan-3-Carboxylic Acid)	25 Gms	9500
79235	FMOC-OSu extrapure AR, 99%	5 Gms	650		2-Furoyl Chloride pure, 98% (Furan-2-Carbonyl Chloride)	20 ml	1500
[82911-69-1]		25 Gms	2400	[527-69-5]	(Furan-2-Carbonyi Chloride)	100 ml	5000
		100 Gms	7250		3-Furoyl Chloride pure, 97%	1 Gms	4000
		500 Gms	33000	[26214-65-3]	(Furan-3-Carbonyl Chloride)	5 Gms	14500
33866 🗸	Folcisteine (ATCA, NATCA) pure,	1 Gms	1600		Furylacrylic Acid pure, 99%	25 Gms	2020
[5025-82-1/54 323-50-1]	99% (3-Acetyl-1,3-Thiazolidine-4-Carboxylic	5 Gms	5000	[539-47-9]	(3-(2-Furyl)acrylic Acid, Furan-2-Acrylic Acid, Furfurylideneacetic Acid)		
020-30-1]	acid, R-Aminofol)			58327	G-418 Sulphate (Geneticin)	100 Mg	1260
43164	Folic Acid pure, 98%	25 Gms	800	[108321-42-2]	extrapure	1 Gms	6300
[59-30-3]	(Vitamin B9, Vitamin M,	100 Gms	2800			5 Gms	29400
	Pteroyl-L-Glutamic acid)	500 Gms	12400	87858	G-418 Sulphate (Geneticin) for	100 Mg	2220
24791	Folic Acid ExiPlus,	10 Gms	500	[108321-42-2]	tissue culture	1 Gms	8060
[59-30-3]	Multi-Compendial, 98% (Vitamin B9, Vitamin M,	25 Gms	1100			5 Gms	36510
	Pteroyl-L-Glutamic acid)			45734	Gaby-Hadley Reagent A	100 ml	300
17989 🗸	meets compendial specs of BP ' Folic Acid for tissue culture, 98%	25 Gms	1100	94536	Gaby-Hadley Reagent B	100 ml	430
[59-30-3]	(Vitamin B9, Vitamin M,	100 Gms	3500	45704	Cadalinium (III) Oblasida	5.0	
	Pteroyl-L-Glutamic acid)	500 Gms	15200	45781 [13450-84-5]	Gadolinium (III) Chloride Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	2500 5000
39520	Folin & Ciocalteus Phenol (FCP)	100 ml	600	40400	Cadalinium (III) Niimata		
	Reagent AR	250 ml	1400	10438 [19598-90-4]	Gadolinium (III) Nitrate Hexahydrate ultrapure, 99.99%	5 Gms 25 Gms	2600
		500 ml	2500				5300
64684	Folin's Uric Acid Reagent	250 ml	590	31353 [12064-62-9]	Gadolinium (III) Oxide extrapure, 99.9%	5 Gms 25 Gms	920
	(Family of any WT on ODDII N	4.0		. ,		100 Gms	3360 11900
49244 ✓ [68157-60-8]	' Forchlorfenuron (KT-30, CPPU, N- (2-Chloro-4-pyridyl)-N-phenylurea)	1 Gms	3040	E0400	Gadolinium (III)		
	extrapure, 99%	5 Gms	7360	52480 [52093-29-5]	Gadolinium (III) Trifluoromethanesulfonate	1 Gms 5 Gms	1890 4200
53870	4-Formylphenylboronic Acid	5 Gms	1550		extrapure, 98%	o dina	4200
[87199-17-5]	extrapure, 95%	25 Gms	6200		(Gadolinium(III) Triflate, Trifluoromethanesulfonic Acid		
85925	Fouchet`s Reagent	100 ml	250		Gadolinium(III) Salt)		
54704	D-Fructose-1,6-Diphosphate	250 Mg	480	14725 [1772-03-8]	D-Galactosamine Hydrochloride extrapure, 98%	250 Mg	580
[81028-91-3]	Octahydrate Trisodium Salt	1 Gms	1250	91	. ,	1 Gms 5 Gms	1400 4200
05760	extrapure, 99% D-Fructose-6-Phosphate Disodium	100 M-	0170	00470	D Coloctoco outroni 200/		
	Salt extrapure, 95%	100 Mg 500 Mg	3170 9490	88176 [59-23-4]	D-Galactose extrapure, 98%	25 Gms 100 Gms	500 1500
73212	L-Fucose extrapure, 99%					500 Gms	1500 6200
73212 [2438-80-4]	• •	1 Gms 5 Gms	2000 7000			ooo ams	0200
	. ,	25 Gms	30000				
		25 GIIIS	30000				

Code	Name	Packing	Price	Code	Name	Packing	Price
65528 [59-23-4]	D-Galactose ExiPlus, Multi-Compendial, 98% meets compendial specs USP & BP	100 Gms 500 Gms	2100 8000	61404 • [15592-37-7]	Reference Standard Grade, 95% (4-Methylthiobutyl Glucosinolate	10 Mg	58800
27146	· · · · · · · · · · · · · · · · · · ·	5 K.Units	38550	20378 • [15592-34-4]	Potassium Salt) Glucoiberin Potassium Salt Reference Standard, 85% (3-Methylsulfinylpropyl Glucosinolate Potassium Salt)	10 Mg	35700
20096 [4163-60-4]	ß-D-Galactose Pentaacetate extrapure, 99%	25 Gms	8000		Gluconapin Potassium Salt Reference Standard, 90%	10 Mg	35700
83055 [1953-04-4]	Galantamine Hydrobromide extrapure, 98%	250 Mg	7000		(3-Butenyl Glucosinolate Potassium Salt)		
14101 [69365-72-6]	Gallium (III) Nitrate Hydrate extrapure, 99.9%	5 Gms 25 Gms	3860 14690	27429 • [18425-76-8]	Reference Standard, 95%	10 Mg	44100
93956	L-Gamma-Glutamyl-3-Carboxy-4-Nit	1 Gms	8000		(2-Phenylethyl Glucosinolate Potassium Salt)		
[63699-78-5]	roanilide (Glupa) extrapure, 99% (L-Glutamic acid 5-	5 Gms	34000	45063 [1198-69-2]	D-Glucono-1,4-Lactone pure, 85%	50 Mg	7140
	(3-Carboxy-4-Nitroanilide) Ammonium Salt)				L-Glucono-1,5-Lactone pure, 85%	25 Mg	6510
23813	Geldanamycin (GLD) ex.	5 Mg	6000	[52153-09-0]	(3,4,5-Trihydroxy-6-		
[30562-34-6]	Streptomyces Hygroscopicus, 98%	25 Mg	22000		(Hydroxymethyl)Tetrahydro-2H-Pyran-2 -one, L-Gluconolactone)		
72394	Gelrite Gellan Gum (Low Acyl)	100 Gms	2010	55195	D-Glucono-1,5-Lactone extrapure,	100 Gms	1580
[71010-52-1]	•	250 Gms	4200	[90-80-2]	99%	500 Gms	2420
		500 Gms	6000		(D-(+)-Gluconic Acid d-Lactone, D-Gluconolactone,		
		1 Kg	11000		Glucono-Delta-Lactone)		
		5 Kg	52000	74587	Glucoraphanin Potassium Salt	10 Mg	33600
53409	Genipin extrapure, 98%	25 Mg	3000	[21414-41-5]	Reference Standard Grade, 90%		
[6902-77-8]	• • •	100 Mg	8000		(4-Methylsulfinylbutyl Glucosinolate Potassium Salt)		
37636	Gentamicin Sulphate (GM)	1 Gms	410	15546	Glucoraphenin Potassium Salt	10 Mg	36750
[1405-41-0]	(,	5 Gms	1640	[108844-81-1]	Reference Standard Grade, 95%		
		25 Gms	6080		(4-Methylsulfinyl 3-Butenylglucosinolate Potassium Salt)		
50827	Gentamicin Sulphate (GM) for	1 Gms	960	73360	D-Glucorono-3,6-Lactone	25 Gms	2310
	tissue culture	5 Gms	2400		extrapure, 99%	100 Gms	3460
		25 Gms	7890			500 Gms	10290
95677	β-D-Gentiobiose extrapure, 95%	100 Mg	2800	28453	Glucoamylase ex. Rhizopus Sp.,	1000 Units	7050
[554-91-6]	(Amygdalose)	500 Mg	9000	[9032-08-0]	•	5000 Units	30000
2004.4	Germanium Dioxide electronic	10 Gms		45648 🗸	Glucosamine Hydrochloride	100 Gms	900
32614 [1310-53-8]	grade ultrapure, 99.999%	25 Gms	7120 16800	[66-84-2]	extrapure, 99%	500 Gms	3200
		100 Gms	46830			5 Kg	25000
E6207 4	Gitavin avtranura 99%			49531	Glucosamine Hydrochloride	100 Gms	
56397 ✓ [4562-36-1]	Gitoxin extrapure, 98%	5 Mg	6000	[66-84-2]	Exiplus, Multi-Compendial, 99%	500 Gms	1300 3800
- 1		25 Mg 500 Mg	12000 52000			5 Kg	32000
38490	Glaucine Hydrobromide, 97%	10 Gms	6000		Meets compendial specs of USP, BP & Ph.Eur	- 1.9	02000
[5996-06-5] 76052	β-Glucanase ex. Aspergillus Niger,	5 Gms	900	14810	Glucose Dehydrogenase ex.	5 K.Units	15500
	10U/mg powder	25 Gms	4000	[9028-53-9]	Microorganism, 250U/mg powder		10000
40193	Glucobarbarin Potassium Salt Reference Standard Grade, 90%	10 Mg	47250	61788 [9001-37-0]	Glucose Oxidase (GOD) ex. Aspergillus Niger, 100U/mg powder	10 K.Units 25 K.Units	2170 4870
[21087-78-5] 63878	Glucocheirolin Potassium Salt	10 Mg	57750	12419	a-D-Glucose Pentaacetate	25 Gms	1260
[15592-36-6]	Reference Standard Grade, 95%	9	2.700	[604-68-2]	extrapure, 99%		
	(3-Methylsulfonylpropyl Glucosinolate			65776	ß-D-Glucose Pentaacetate	25 Gms	1080
	Potassium Salt)			[604-69-3]	extrapure, 99%	100 Gms	3570

Code	Name	Packing	Price	Code	Name	Packing	Price
23208	B diacocc i i noophate	1 Gms	1470		L-r-Glutamyl-p-Nitroanilide	500 Mg	2900
[6736-77-2 (anhy)]	Dipotassium Salt Hydrate (G1P.K2 Hydrate) extrapure, 98%	5 Gms	6830	[67953-08-6]	Hydrochloride extrapure, 99%	1 Gms	4900
(αι ιι ιγ)]	(Cori Ester Dipotassium Salt Hydrate)			92577 🗸	Glutardialdehyde 25% Aq. Solution	500 ml	800
62591	D-Glucose-1-Phosphate Disodium	1 Gms	580	[111-30-8]	(Glutaric Dialdehyde Solution,	2500 ml	3300
[150399-99-8]		5 Gms	2100	00475	Pentane-1,5-dial) Glutardialdehyde 50% Aq. Solution	E00 ml	1000
	Tetrahydrate) extrapure, 98% (Cori Ester Disodium Salt Tetrahydrate)	25 Gms	9720	23475 ✓ [111-30-8]	(Glutaric Dialdehyde Solution,	500 ml 2500 ml	1200
32994		1 Gms	1020		Pentane-1,5-dial)	2500 1111	4000
[3671-99-6]	Salt Dihydrate (G6P.Na2 Dihydrate)	5 Gms	4400		Glutaric Acid pure, 99%	100 Gms	1100
	extrapure, 99% (Robinson Ester)	25 Gms	21000	[110-94-1]		500 Gms	4700
71037		100 Gms	88000	87175	Glutaric Anhydride pure, 98%	100 Gms	1600
[3671-99-6]	Salt Dihydrate (G6P.Na2 Dihydrate)	roo amo	00000	[108-55-4]		500 Gms	6300
	PrimeDx, 99%			94980	Glutathione Oxidized (GSSG)	250 Mg	1500
	r-Glucose-6-Phosphate-Dehydroge	5 K.Units	5500	[27025-41-8]	extrapure, 99%	1 Gms	3800
[9001-40-5]	nase ex. Leuconostoc Mesenteroides, 400 U/mg powder	25 K.Units	20000			5 Gms	16100
75551	a-Glucosidase (Maltase) ex. Yeast,	10 Mg	3210			25 Gms	44100
[9001-42-7]	100U/mg powder	100 Mg	29050			100 Gms	89300
13275	B-Glucosidase ex. Sweet Almonds	250 Units	4000	41422	Glutathione Oxidized (GSSG)	1 Gms	4800
[9001-22-3]		1000 Units	9000	[27025-41-8]	ExiPlus, Multi-Compendial, 99%	25 Gms	47300
	(Gentiobiase, Cellobiase)		3000			100 Gms	110300
-11000	B-Glucosidase ex. Sweet Almonds	25 Mg	2100		meets compendial specs of BP, Ph.Eur		
[9001-22-3]	(Type 2B), 10U/mg powder (Gentiobiase, Cellobiase)	100 Mg	6300	22151	Glutathione Oxidized (GSSG) for	250 Mg	3200
	, ,	1 Gms	23100	[27025-41-8]	molecular biology, 99.5%	1 Gms	5300
70077	•	10 Mg	18900			5 Gms	24200
[5115-71-9]	Reference Standard Grade, 95%	1 Gms	1000	48938	Glutathione Reduced (GSH)	5 Gms	900
88229 ✓ [6556-12-3]	D-Glucuronic Acid extrapure, 98%	5 Gms	1000	[70-18-8]	extrapure, 99%	25 Gms	4000
. ,		25 Gms	3700			100 Gms	14700
	Obstance Balandar and		12600	16111	Glutathione Reduced (GSH) for	1 Gms	400
74117 • [9029-12-3]	Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver, 10U/mg	100 Mg	8600	[70-18-8]	tissue culture, 99.5%	5 Gms	1900
. ,	powder					25 Gms	7300
61126	D-Glutamic Acid extrapure CHR,	1 Gms	700	77285	Glutathione Reduced (GSH)	5 Gms	2100
[6893-26-1]	99%	5 Gms	1800	[70-18-8]	ExiPlus, Multi-Compendial, 98%	25 Gms	6900
20655	g-L-Glutamic Acid	10 Mg	7200		meets compendial specs of USP, BP &		
[72669-53-5]	7-Amido-4-Methylcoumarin	25 Mg	13900		Ph.Eur		
	extrapure, 98% (y-L-Glutamic Acid-AMC)	100 Mg	39700	11514	` ,	1 Gms	800
76228	,	5 Gms	1300	[70-18-8]	molecular biology, 99.5%	5 Gms	2300
[1676-73-9]	extrapure, 99%	25 Gms	2700			25 Gms	8500
	(5-Benzyl-L-Glutamate)	100 Gms	8400			100 Gms	19700
98087 9	Glutamic Oxaloacetic Transaminase (GOT) ex. Porcine	1 K.Units	14800	14210 ✓ [453-17-8]	D-(+)-Glyceraldehyde extrapure, 85%	1 Gms	15800
1	Heart, 50-300U/mg powder				Glycerol Kinase (GK) ex.	1 K.Units	10000
17632	D-Glutamine extrapure, 99%	1 Gms	3200	[9030-66-4]	Microorganism, 30U/mg powder	400 1	
[5959-95-5]		5 Gms	5800	36451 [106-91-2]	Glycidyl Methacrylate pure, 97%	100 ml 500 ml	800
12381	L-Glutamine extrapure CHR, 99%	100 Gms	900		Observe 7 Amile 4 Market		2600
[56-85-9]		500 Gms	3400		Glycine-7-Amido-4-Methylcoumarin Hydrobromide Salt extrapure, 98%	10 Mg	10500
		1 Kg	6300	[110720-10-0]	(Glycine-AMC.HBr sal)	25 Mg	20400
86612	L-Glutamine ExiPlus,	100 Gms	1400	56204	Glycine Benzyl Ester Hydrochloride	5 Gms	3200
[56-85-9]	Multi-Compendial, 99%	500 Gms	6500	[2462-31-9]	extrapure, 98%	25 Gms	12200
	((S)-2,5-Diamino-5-Oxopentanoic acid, L-Glutamic acid 5-amide,	1 Kg	12000	67536	Glycine Benzyl Ester p-Toluene	25 Gms	6400
	Levoglutamide)	5 Kg	51000	[1738-76-7]	Sulfonate extrapure, 98%		
	Meets compendial specs of USP, BP						

Code	Name	Packing	Price	Code	Name	Packing	Pric
85055	Betaine (Glycine Betaine) pure,	25 Gms	900	25952	Glycyl-L-Proline-7-Amido-4-Methylc	25 Mg	35700
[107-43-7]	98%	100 Gms	1900	[115035-46-6]	-		
		500 Gms	5000		extrapure, 98% (H-Gly-Pro-AMC-HBr, GP-AMC.HBr		
9993	Glycine Ethyl Ester Hydrochloride	100 Gms	600		Salt)		
[623-33-6]	extrapure, 99%	500 Gms	2300		Glycyl-L-Tyrosine extrapure, 99%	1 Gms	2100
18308	Glycyl Histidine Glycine extrapure,	100 Mg	9600	[658-79-7]		5 Gms	8300
[7758-33-0]	95%			34601	Glycyl-L-Valine extrapure, 99%	1 Gms	2600
17055 1 72957-37-0]	Glycine-L-Histidine-L-Lysine extrapure, 98%	100 Mg	12900	[1963-21-9]	·	5 Gms	10800
98803 🛆	Glycofurol extrapure, 99%	100 ml	3500	92245	Glyoxal 40% Aq. Solution pure	500 ml	500
31692-85-0]	(Tetraglycol, Tetrahydrofurfurylalcohol Polyethylene Glycolether)	500 ml	13800	[107-22-2] 	Griess Reagent for Nitrite extrapure	2500 ml 100 ml	1800 3700
74078	Glycogen ex. Oyster extrapure,	5 Gms	7000	33037	anoso nougent for mane examples	100 1111	3700
[9005-79-2]	85%	25 Gms	22000	53613	Guaiacol extrapure, 99%	250 Gms	1000
19740	Glycogen ex. Oyster for molecular	1 Gms	2200	[90-05-1]		1 Kg	3600
[9005-79-2]	biology, 85%	5 Gms	8000	44260	Guanine extrapure, 99%	25 Gms	800
		25 Gms	26000	[73-40-5]	• •	100 Gms	250
50006 ¥	Glycolaldehyde Dimer					1 Kg	20000
5 0006 ✓ 23147-58-2]	extrapure,95%	500 Mg	4200	37567	Guanine Hydrochloride extrapure,	5 Gms	700
0391	Glycoursodeoxycholic Acid	1 Gms	5000	[635-39-2]	98%	25 Gms	300
64480-66-6]	(GUDCA) extrapure, 97% (Glycylursodeoxycholic Acid,	5 Gms	18000		Guanine Sulphate extrapure, 98%	1 Gms	170
	Ursodeoxycholylglycine)			[10333-92-3]			
	Glycyl-L-Glutamine extrapure, 99%	1 Gms	2100	57892 J [118-00-3]	Guanosine extrapure, 99%	25 Gms	70
13115-71-4]		5 Gms	8300	[110-00-0]		100 Gms	260
1530	Glycyl Glycine extrapure, 99%	25 Gms	1700			500 Gms	840
[556-50-3]		100 Gms	5800		Guanosine-5-Monophosphate	25 Gms	370
		500 Gms	23100	[5550-12-9]	Disodium Salt (5-GMP-Na2) extrapure, 98%	100 Gms	840
2998	Z-Glycyl-Glycyl-L-Arginine	5 Mg	9900	70564		100 Mg	320
02601-58-1]	7-Amido-4-Methylcoumarin	25 Mg	40900	[56001-37-7]	Disodium Salt (5-GTP-Na2)	500 Mg	530
	Hydrochloride Salt extrapure, 95% (Z-Glycine-Glycine-Arginine-AMC.HCl				extrapure, 90%		
	Salt)			11945	Guayule (DCPTA) for tissue	25 Gms	250
5746	Z-Glycyl-LProline-4-Nitroanilide	25 Mg	4200	[65202-07-5]	culture, 98% (2-(3,4-Dichlorophenoxy)	100 Gms	830
65022-15-3]	(Z-Gly-Pro-4-Nitroanilide)	100 Mg	8400		-N,N-diethylethanamine)		
	extrapure, 98%			11777	D-Gulono-1,4-Lactone extrapure,	1 Gms	250
11675 [556-33-2]	Glycyl-Glycyl-L-Glycine (Triglycine) extrapure, 99%	1 Gms	1800	[6322-07-2]	98%	5 Gms	1180
[550-00-2]	oxidapare, 00%	5 Gms	7700	97514	L-Gulono-1,4-Lactone extrapure,	10 Gms	580
		25 Gms	28300	[1128-23-0]	98%	25 Gms	1040
27057	Glycyl-Glycyl-L- Isoleucine	1 Gms	4900	37421	Gunzburg Reagent	100 ml	70
69242-40-6]	extrapure, 99%	5 Gms	20200	07421	danizary neagen.	100 1111	70
7 0039 14857-82-0]	Glycyl-Glycyl-L-Leucine extrapure, 99%	1 Gms	4700	95068 [9008-02-0]	Haemoglobin Powder ex. Bovine Erythrocytes	100 Gms	210
		5 Gms	19900		Harmaline pure, 98%	1 Gms	520
19764 3 20274-89-9]	Glycyl-Glycyl-L-Valine extrapure,	25 Mg	7500	[304-21-2]	Trainianie pare, ee z	i dilis	320
		100 Mg	22500	99132	HATU extrapure, 98%	5 Gms	120
82725	Glycyl-L-Isoleucine extrapure, 99%	1 Gms	2100	[148893-10-1]		25 Gms	480
19461-38-2]		5 Gms	8000			100 Gms	1680
6010 [869-19-2]	Glycyl-L-Leucine extrapure, 99%	1 Gms	1800		HBTU extrapure, 98%	5 Gms	40
		5 Gms	7900	[94790-37-1]		25 Gms	170
	Glycyl Leucine Phenylalanine	100 Mg	17200			100 Gms	580
103213-38-3]	extrapure, 99%					500 Gms	2520

[330645-87-9] 23315	HCTU extrapure, 98% (O-(6-Chlorobenzotriazol-1-yl) -N,N,N',N'-Tetramethyluronium Hexafluorophosphate) HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99% Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	5 Gms 25 Gms 100 Gms 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms 100 Gms	900 2600 9000 1300 3900 16800 2300 10400	29681 [10534-89-1] 28373 [143-27-1]	Hexaammine Cobalt (III) Chloride extrapure, 99% (Cobalt Hexammine Trichloride, Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride) Hexadecylamine (Cetylamine) pure, 98%	5 Gms 25 Gms 5 Gms	3200 9500 900
23315	-N,N,N',N'-Tetramethyluronium Hexafluorophosphate) HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99% Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	100 Gms 25 Gms 100 Gms 500 Gms 5 Gms 25 Gms	9000 1300 3900 16800 2300	28373	(Cobalt Hexammine Trichloride, Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride) Hexadecylamine (Cetylamine) pure,		
23315	Hexafluorophosphate) HEDTA (N-(2-Hydroxyethyl) ethylenediaminetriacetic acid) extrapure, 99% Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	25 Gms 100 Gms 500 Gms 5 Gms 25 Gms	1300 3900 16800 2300		Hexaamminecobalt Trichloride, Luteo-cobaltic Chloride) Hexadecylamine (Cetylamine) pure,	5 Gms	900
28394 [517-28-2] 78372	ethylenediaminetriacetic acid) extrapure, 99% Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	100 Gms 500 Gms 5 Gms 25 Gms	3900 16800 2300		Hexadecylamine (Cetylamine) pure,	5 Gms	900
28394 [517-28-2] 78372	extrapure, 99% Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	500 Gms 5 Gms 25 Gms	16800 2300			5 Gms	900
28394 [517-28-2] 78372	Hematoxylin Monohydrate (Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	5 Gms 25 Gms	2300	[143-27-1]			
78372 [16009-13-5] 98457 [16009-13-5]	(Natural Black I) Hemin Chloride cryst. ex. Bovine extrapure, 98%	25 Gms			55.8	25 Gms	1900
78372 [16009-13-5] 98457 [16009-13-5]	Hemin Chloride cryst. ex. Bovine extrapure, 98%		10400			100 Gms	3600
[16009-13-5] 98457 [16009-13-5]	extrapure, 98%	100 Gms		21437	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml	2600
[16009-13-5] 98457 [16009-13-5]	extrapure, 98%		33600	[920-66-1]	(HFIP) extrapure, 99% (Hexafluoroisopropanol)	100 ml	7600
98457 [16009-13-5]	-	1 Gms	1600		(,	500 ml	35700
98457 [16009-13-5]		5 Gms	5600	98573	1,1,1,3,3,3-Hexafluoro-2-Propanol	25 ml	4200
[16009-13-5]	(Hematin Hydrochloride, Chlorohemin)			[920-66-1]	(HFIP) for UV spectroscopy, 99% (Hexafluoroisopropanol)	100 ml	10500
	Hemin Chloride cryst. ex. Porcine extrapure, 98%	1 Gms	1600	28437 Ü) 1,1,1,3,3,3-Hexamethyldisilazane	100 ml	500
	(Hematin Hydrochloride, Chlorohemin)	5 Gms	5600	[999-97-3]	pure (HMDS), 98%	500 ml	1600
58389	Heparin Sodium Salt ex. Bovine	20 K.Units	1200			2500 ml	6900
[9041-08-1]	Intestinal Mucosa, 150 IU/mg	100	3600	70404	(2S,5S)-2,5-Hexanediol extrapure,		
		K.Units		79404 [34338-96-0]		1 Gms 2.5 Gms	16200
	Heparin Sodium Salt ex. Bovine	100 Mg	1300				39800
[9041-08-1]	Intestinal Mucosa, 150 IU/mg	1 Gms	5300	56464 [111-27-3]	n-Hexanol pure, 98%	500 ml	950
	HEPBS Buffer extrapure, 99%	10 Gms	7410	[111-21-0]		2500 ml	4200
[161308-36-7]		25 Gms	9870	98669	n-Hexanol extrapure AR, 99%	250 ml	725
		100 Gms	35760	[111-27-3]		500 ml	1200
63732	HEPES Buffer extrapure, 99%	25 Gms	530			2500 ml	5000
	(N-[2-Hydroxyethyl]	100 Gms	1680	68497	Hexanoyl Chloride pure, 98%	100 ml	1100
	Piperazine-N[2-Ethane Sulphonic Acid])	500 Gms	7350	[142-61-0]		500 ml	4200
	, totajj	1 Kg	13650		Hexokinase ex. Saccharomyces Sp. 150U/mg powder	5000 Units	6900
	HEPES Buffer for tissue culture,	25 Gms	790	[9001-51-8] 46639	4-Hexylresorcinol extrapure, 99%	5 Gms	800
	99% (N-[2-Hydroxyethyl]	100 Gms	2100	[136-77-6]	(Antascarin, Ascarinol,	25 Gms	3000
	Piperazine-N[2-Ethane Sulphonic				4-Hexyl-1,3-Dihydroxybenzene)	100 Gms	8000
	Acid])				Historia Asidonia 2007		
	HEPES Buffer for molecular	25 Gms	840	35696 [495-69-2]	Hippuric Acid pure, 99% (Benzoylglycine, Benzoylaminoacetic	100 Gms 500 Gms	500
	biology, 99.5% (N-(2-Hydroxyethyl)	100 Gms	2310	. ,	Acid)	500 GITIS	1200
	Piperazine-N(2-Ethane Sulphonic Acid)	500 Gms	8400	97843	Hippuric Acid Reference Standard,	10 Gms	4500
78805	HEPES Buffer 1M Solution pH-7.3	100 ml	3360	[495-69-2]	100%		
	for molecular biology HEPES Sodium Salt extrapure, 99%	25 Gms	1000	98808 [744-59-2]	Hippuryl-L-Phenylalanine extrapure, 99%	1 Gms	7000
	(N-2-Hydroxyethyl piperazine	100 Gms	2900	83597	Histamine Dihydrochloride (HSM),	1 Gms	1070
	N-2-Ethane Sulphonic Acid Sodium	500 Gms	9800	[56-92-8]	98%	5 Gms	2970
	Salt)					25 Gms	8000
	HEPES Sodium Salt for molecular biology, 99%	25 Gms	1700	81240	HOAT	1 Gms	780
	(N-2-Hydroxyethyl piperazine	100 Gms	4000		(1-Hydroxy-7-azobenzotriazole)	5 Gms	2000
	N-2-Ethane Sulphonic Acid Sodium	500 Gms	13300		pure, 98%	25 Gms	8500
	Salt)	05.0	1000	38653	HOBT Anhydrous extrapure, 99%	25 Gms	300
	HEPES Sodium Salt for tissue culture, 99.5%	25 Gms 100 Gms	1600	[2592-95-2]	, , ,	100 Gms	1050
	(N-2-Hydroxyethyl piperazine	TOO GITIS	3600			500 Gms	3500
	N-2-Ethane Sulphonic Acid Sodium					1 Kg	6500
	Salt) 2-Heptanone (Methyl-n-Amyl	100 ml	E00	27645	HOBT Monohydrate pure, 99%	25 Gms	
	Ketone, MAK) extrapure 99%	500 ml	500 1600	[123333-53-9]		100 Gms	300 1080
	(Methyl Pentyl Ketone)	1111 000	1600			500 Gms	3200
	Heptanoyl Chloride pure, 98%	25 Gms	2000			1 Kg	6000
	(Enanthic Chloride, Oenanthic Chloride)	100 Gms	3800			1 1/9	

Code	Name	Packing	Price	Code	Name	Packing	Price
93864 ✓ [121080-96-4]	D-Homocitrulline extrapure CHR,	1 Gms	4000	91893	o-Hydroxyacetophenone pure, 95%	100 ml	1100
[121060-96-4]	35%	5 Gms	12000	[118-93-4]		500 ml	4400
	D-Homophenylalanine extrapure,	500 Mg	2500	58245	m-Hydroxyacetophenone pure, 98%	25 Gms	600
[82795-51-5]		5 Gms	10000	[121-71-1]		100 Gms	1500
	L-Homophenylalanine extrapure,	500 Mg	1900	54564	p-Hydroxyacetophenone extrapure, 98%	100 Gms	600
[943-73-7]	97%	1 Gms	3200	[99-93-4]	90%	500 Gms	2300
		5 Gms	7500	66616	m-Hydroxybenzaldehyde pure, 98%	25 Gms	600
		25 Gms	23700	[100-83-4]		100 Gms	1300
58931 [89-51-0]	Homophthalic Acid pure, 98%	25 Gms	1600			500 Gms	5800
[09-01-0]		100 Gms	5400	85692	p-Hydroxybenzaldehyde pure, 99%	100 Gms	600
69080	Homovanillic Acid extrapure, 99%	250 Mg	1300	[123-08-0]		500 Gms	2200
[306-08-1]		1 Gms	4100			5 Kg	18900
		10 Gms	23700	78957	p-Hydroxybenzoic Acid pure, 99%	100 Gms	400
27698	•	100 Mg	5500	[99-96-7]		500 Gms	1000
[9067-32-7]	1 (600-1000 KD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Hyasis	100 Gms	24000		p-Hydroxybenzoic Acid Sodium	25 Gms	1950
	850P, Sodium hyaluronate,			[114-63-6]	Salt (HBA Sodium) extrapure, 98% (4-Hydroxybenzoic Acid Sodium Salt,	100 Gms	3800
	Poly(b-glucuronic acid-[1?3]-b-N-acet				Sodium p-Hydroxybenzoate)	500 Gms	18000
75810 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 2 (1000-2000 kD) extrapure, 90%	100 Mg	5500	59645	4-Hydroxybenzophenone pure, 98%	100 Gms	3900
[0007 02 7]	(HA, Hyaluronan, Hyaluronate, Hyasis	1 Gms	24000	[1137-42-4]		500 Gms	13100
	850P, Sodium hyaluronate,			29893	4-Hydroxybenzyl Alcohol (4-HBA)	25 Gms	1400
39678	Poly(b-glucuronic acid-[1?3]-b-N-acet Hyaluronic Acid Sodium Salt - Type	100 Ma	6500	[623-05-2]	pure, 98%	100 Gms	4900
[9067-32-7]	3 (80-100 kD) extrapure, 90%	100 Mg 1 Gms	6500 34000			500 Gms	9500
	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid- [1->3]-b-N-acetylglucosamin	i dilis	34000	12197 [9028-38-0]	D-3-Hydroxybutyrate Dehydrogenase (3-HBDH) ex. Pseudomonas Sp., 100U/mg	1000 Units	28700
89002	Hyaluronic Acid Sodium Salt - Type	100 Mg	6500		powder		
[9067-32-7]	4 (40-50 kD) extrapure, 90% (HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid-	1 Gms	34000		(b-Hydroxybutyrate Dehydrogenase, (R)-3-Hydroxybutanoate: NAD+ oxidoreductase)		
	[1?3]-b-N-acetylglucosamine	400.14		82739	2-Hydroxy-3,5,- Dichlorobenzene	5 Gms	3410
43384 [9067-32-7]	Hyaluronic Acid Sodium Salt - Type 5 (8-15 kD) extrapure, 90%	100 Mg	6500	[54970-72-8]	Sulphonic Acid Sodium Salt (DCHBS), 98%	25 Gms	8500
, ,	(HA, Hyaluronan, Hyaluronate, Sodium hyaluronate, Poly(b-glucuronic acid- [1?3]-b-N-acetylglucosamine	1 Gms	34000		(DHBS, 3,5-Dichloro-2-hydroxybenzenesulfonic acid, Sodium	100 Gms	32000
98512	Hydrazine Dihydrochloride pure,	100 Gms	600		3,5-dichloro-2-hydroxybenzenesulfonat		
[5341-61-7]	98%	500 Gms	2000	81073	e, Tr HMBA Linker (4-	5 Gms	3200
36681	4-Hydrazinobenzoic Acid extrapure,	25 Gms	3300	[3006-96-0]	(Hydroxymethyl)benzoic Acid)	25 Gms	10250
[619-67-0]	95%	100 Gms	9900		extrapure, 99%		10200
40935	Hydrazobenzene pure, 97%	25 Gms	600	0.0.0	HMPA Linker (4-	1 Gms	2200
[122-66-7]	(1,2-Diphenylhydrazine)	100 Gms	2100	[68858-21-9]	(Hydroxymethyl)phenoxyacetic Acid) extrapure, 98%	5 Gms	7500
13542 [50-23-7]	Hydrocortisone pure, 97%	1 Gms	500		Hydroxypropyl-B-Cyclodextrin (HPBCD) ExiPlus,	25 Gms 100 Gms	3200 8800
28449 [123-31-9]	Hydroquinone pure, 98%	100 Gms	500		Multi-Compendial, 98% meets compendial specs of USP		
[123-31-9]	(1,4-Dihydroxybenzene, Quinol)	500 Gms	2100	53133	4-Hydroxydiphenylamine extrapure,	25 Gms	2500
25311	Hydroquinone extrapure AR, 99%	100 Gms	600	[122-37-2]	98%	100 Gms	4000
[123-31-9]		500 Gms	2600		(4-Phenylaminophenol)		
17732	Hydroquinone extrapure AR,	100 Gms	700	58240 [13161-30-3]	2-Hydroxypyridine-N-oxide pure (HOPO), 98%	25 Gms	5200
[123-31-9]	ExiPlus, Multi-Compendial, 99%	500 Gms	2800			100 Gms	19000
	meets compendial specs of USP, BP, Ph.Eur			44923 [1306-06-5]	Hydroxylapatite ~ 25% solids suspension (10g solids/40ml) in	40 ml 100 ml	2100 4000

Code	Name	Packing	Price	Code	Name	Packing	Price
62953	5-Hydroxymethylfurfural (HMF)	1 Gms	1800	52106	1,3-Indanedione pure, 96%	5 Gms	2600
[67-47-0]	extrapure, 98%	5 Gms	5800	[606-23-5]	(1,3-Diketohydrindene, 1,3-Dioxoindan)	25 Gms	10500
		25 Gms	26300	32328	2-Indanone pure, 98%	10 Gms	2100
		100 Gms	60900	[615-13-4]		25 Gms	4200
77491	, , , , ,	1 Gms	2300			100 Gms	14700
[67-47-0]	ExiPlus, Multi-Compendial, 98%	5 Gms	8600	46486	Indigo Carmine extrapure AR	25 Gms	350
		25 Gms	29400	[860-22-0]		100 Gms	1050
	meets compendial specs of BP, Ph.Eur					500 Gms	4300
79897	3-(Hydroxymethyl) Phenylboronic	1 Gms	2700	31016	Indium (III) Chloride Tetrahydrate	5 Gms	4800
[87199-15-3]	acid extrapure, 95%	5 Gms	12400	[22519-64-8]	ultrapure, 99.99%	25 Gms	8400
		10 Gms	23100	50050	(Indium Chloride)	F C	0000
93740	Hydroxynaphthol Blue	5 Gms	350	52859 [20661-21-6]	Indium (III) Hydroxide ultrapure, 99.99%	5 Gms	2630
[63451-35-4]		25 Gms	1300			25 Gms	7350
		100 Gms	4700	84697 [7440-74-6]	Indium Metal Ingots, 99.9%	10 Gms	3200
69399	N-Hydroxyphthalimide pure, 98%	25 Gms	500	95867	Indium (III) Nitrate Hydrate	5 Gms	4500
[524-38-9]		100 Gms	1600		extrapure, 99.9%	10 Gms	8000
		500 Gms	5300			50 Gms	24000
26921	L-Hydroxyproline extrapure CHR,	25 Gms	700	43095	Indium (III) Oxide extrapure, 99.9%	5 Gms	3000
[51-35-4]	99%	100 Gms	2500	[1312-43-2]	(Diindium Trioxide, Indium	25 Gms	6900
57803	2-Hydroxypyridine pure, 98%	100 Gms	3000		Sesquioxide)	100 Gms	17000
[142-08-5]		500 Gms	11100	64331	Indium (III) Sulphate Anhydrous	10 Gms	2400
64675	3-Hydroxypyridine pure, 98%	25 Gms	800	[13464-82-9]		25 Gms	5300
[109-00-2]		100 Gms	2600	75000	Indium (III) Culphoto Aphydroug	10 Gms	
		500 Gms	11600	75920 [13464-82-9]	Indium (III) Sulphate Anhydrous ultrapure, 99.99%	50 Gms	4800
87228	4-Hydroxypyridine practical grade,	25 Gms	1600				22100
[626-64-2]	95%	100 Gms	5400	96535 [7440-74-6]	Indium Wire Ø 0.5 mm, 99.9%	5 Gms	4000
47913	N-Hydroxysuccinimide pure, 97%	25 Gms	800			10 Gms	7400
[6066-82-6]	(NHS)	100 Gms	2700	19228 [120-72-9]	Indole crystalline extrapure AR, 99%	25 Gms	600
		500 Gms	12000	[120 72 0]		100 Gms 500 Gms	1600
88997	3-Hydroxy-2,4,6-Tribromo-Benzoic	1 Gms	800				7200
	Acid (TBHBA), 97%	5 Gms	3500	69522 [1912-33-0]	Indole-3-Acetic Acid Methyl Ester extrapure, 98%	1 Gms	1800
84688	3-Hydroxy-2,4,6-Triiodobenzoic	1 Gms	3000	[1912-00-0]	(Methyl-3-Indolylacetate)	10 Gms	9900
	Acid (HTBA), 97%	5 Gms	9000	63661	Indole-3-Acetyl-L-Phenylalanine	1 Gms	36300
67044	5-Hydroxy-L-Tryptophan extrapure,			[57105-50-7]	extrapure, 98%	5 Gms	108700
67941 [4350-09-8]	98%	1 Gms 5 Gms	1900 8400		(N-(3-Indolylacetyl)-L-Phenylalanine, IAA-L-Phe)		
	(Serotonin precursor)	3 dilis	0400	13550	Indole-3-Acetyl-L-Valine extrapure,	25 Mg	2500
11056	Hygromycin B (HGR) for tissue	100 Mg	2600	[57105-42-7]	99%		
[31282-04-9]	culture, 90%	250 Mg	6300		Indole-3-Acrylic Acid extrapure,	1 Gms	3100
67317	Hygromycin B (HGR), 90%	100 Mg	1500	[1204-06-4]	99.5% (3-Indoleacrylic Acid)	5 Gms	15200
[31282-04-9]		250 Mg	3600	97637	Indole-3-Propionic Acid pure, 98%	5 Gms	1200
		1 Gms	11600	[830-96-6]	,	25 Gms	3500
94663	,, ,	20 ml	10300	69447	Indole-3-Carboxyaldehyde extrapu	10 Gms	1400
[31282-04-9]	50mg/ml in Aq. Solution	100 ml	40500	[487-89-8]	re, 99%	25 Gms	2000
63573	Hypoxanthine extrapure, 99%	5 Gms	300		(3-Indolylaldehyde)	100 Gms	6300
[68-94-0]		25 Gms	900	96553	Indoxyl-ß-D-Galactopyranoside	25 Mg	4000
		100 Gms	3400		extrapure, 98%		.500
36693	4-Imidazolecarboxaldehyde pure,	1 Gms	2600		3-Indoxyl Phosphate Disodium Salt	25 Mg	3600
[3034-50-2]	98%	5 Gms	5800	[3318-43-2]	extrapure, 98%	100 Mg	6800
	(4-Formylimidazole, 1H-Imidazole-4-Carbaldehyde,					500 Mg	23400
	5-Imidazolecarboxaldehyde)						

www.srlchem.com

Code	Name	Packing	Price	Code	Name	Packing	Price
25670	3-Indoxyl Sulfate Potassium Salt	50 Mg	2800	39634	Isobutyric Acid extrapure, 99%	500 ml	1100
[2642-37-7]	extrapure, 98%	250 Mg	6300	[79-31-2]		2500 ml	5000
51113	Inosine extrapure, 99%	10 Gms	700	35853	Isobutyryl Chloride pure, 98.5%	250 ml	1500
[58-63-9]		25 Gms	1400	[79-30-1]		1000 ml	5200
		100 Gms	5200	70170	Isobutyryl Chloride specially	250 ml	1900
		500 Gms	22100	[79-30-1]	purified, 98.5%	1000 ml	6500
19594	Inosine-5-Monophosphate	5 Gms	1300	42615	DL-Isocitrate Trisodium Salt, 94%	1 Gms	2200
[352195-40-5]				[1637-73-6]		5 Gms	7900
	Hydrate) extrapure, 99% (Disodium Inosate)			90189	Isodecanol pure, 98%	500 ml	1200
77985	Inosine-5-Triphosphate Disodium	25 Mg	3200	[25339-17-7]			
[36051-67-9]	Salt (ITP-Na2) extrapure, 97%	100 Mg	6300		Isoeugenol (mixture of cis and	100 ml	1300
98211	Inositol pure, 99%	100 Gms	500	[97-54-1]	trans) pure, 98%	500 ml	5300
[87-89-8]	(Vitamin B8)	500 Gms	1900	33401	D-Isoleucine extrapure, 98%	250 Mg	9000
		1 Kg	3500	[319-78-8]		1 Gms	18000
		5 Kg	15000			5 Gms	72000
87114	Inositol for tissue culture, 99%	100 Gms	550	26731	L-Isoleucine extrapure CHR, 99%	25 Gms	490
[87-89-8]	(Vitamin B8)	500 Gms	2100	[73-32-5]		100 Gms	850
		1 Kg	3800			500 Gms	4000
		5 Kg	17000			1 Kg	7000
53860	Inulin extrapure	25 Gms	1200	94082	Isomaltose extrapure, 98%	25 Mg	4500
[9005-80-5]		100 Gms	3700	[499-40-1]		100 Mg	8800
61568 [9001-57-4]	Invertase (Saccharase) ex. Candida Sp., 100U/mg powder (Invertase-β-D-Fructofuranoside	2 K.Units	12900	42021 ✓ [3371-50-4]	Isomaltotriose extrapure, 97% (6-O-[6-O-(a-D-Glucopyranosyl) -a-D-Glucopyranosyl]-D-Glucose)	25 Mg	8500
51611	Fructohydrolase) 2-lodobenzoic Acid pure, 98%	25 Gms	1400	88109 ✓ [35997-20-7]	Isomaltotetraose extrapure, 95%	5 Mg	3500
[88-67-5]		100 Gms	4100		Isomaltopentaose extrapure, 95%	1 Mg	51580
55129	lodocyclohexane (Stabilized w/ Cu)	10 Gms	3360	[6082-32-2]	leanierid outromure 200/	F C	
[626-62-0]	extrapure, 98%	25 Gms	7200	94885 ✓ [54-85-3]	Isoniazid extrapure, 99% (Isonicotinic Acid Hydrazide,	5 Gms 100 Gms	300
	(Cyclohexyl lodide)	100 Gms	10800		4-Pyridinecarboxylic Acid Hydrazide)	500 Gms	800 3600
82104	1-lododecane (Stabilized with Cu)	25 ml	2100		NC IO leggesternell Adenine		
[2050-77-3]	extrapure, 98%	100 ml	6700	68866 [2365-40-4]	N6-[2-Isopentenyl] Adenine extrapure, 98%	250 Mg 500 Mg	2900
00444	(Decyl lodide, Decyliodide)	500 Ma	1000	. ,		1 Gms	4800 8400
83441 [54-42-2]	9 5-Iodo-2-Deoxyuridine extrapure, 98%	500 Mg 5 Gms	1800	40040	leambibalia Asid mura 000/		
	2011		11800	18018 [121-91-5]	Isophthalic Acid pure, 99%	500 Gms	400
40686 [146-68-9]	2(4-lodophenyl)-3 (4-Nitrophenyl) -5-Phenyl-2H-Tetrazolium Chloride	1 Gms	2100		Isophthaloyl Chloride pure, 98%	100 Gms	1700
[(INT) extrapure AR, 98%	5 Gms	9000	[99-63-8]		500 Gms	5300
99918	5-lodouracil extrapure, 98%	5 Gms	2300	36321	Isopropyl Acetate pure, 99%	500 ml	500
[696-07-1]		10 Gms	3900	[108-21-4]		2500 ml	1800
63088	Isobutyl Benzene pure, 98%	500 ml	600	61386	N6-(2-Isopentenyl) Adenosine pure,	50 Mg	2100
[538-93-2]		2500 ml	2500	[7724-76-7]	98%	200 Mg	7400
34516	Isobutylboronic Acid extrapure,	1 Gms	1700		(6-(?,?-Dimethylallylamino)purine	9	
[84110-40-7]		5 Gms	3700		riboside, N6- (3,3-Dimethylallylamino)purine		
	(2-Methylpropylboronic acid)	25 Gms	16400		riboside, 6-(3,3-Dimet		
78521	Isobutyl Bromide (Stabilized w/ Ag)	100 ml	900		N-Isopropylacrylamide (NIPAM)	10 Gms	1600
[78-77-3]	pure, 98%	500 ml	4200	[2210-25-5]	extrapure, 99%	25 Gms	3200
30671	Isobutyl lodide	25 ml	4500			100 Gms	12000
				45273	Isopropylboronic Acid extrapure,	5 Gms	3500
[513-38-2]	(1-lodo-2-Methylpropane) (Stabilized w/Ag) pure, 97%	100 ml	12400	[80041-89-0]		5 dilis	0300

Code	Name	Packing	Price	Code	Name	Packing	Price
16390	Isopropyl Bromide (Stab w/ Ag)	100 ml	400	93929 🗸	a-Ketoglutaric Acid extrapure, 99%	25 Gms	610
[75-26-3]	pure, 99%	500 ml	1500	[328-50-7]		100 Gms	2110
18346	Isopropyl Chloroacetate pure, 98%	500 ml	900			500 Gms	8770
[105-48-6] 38525	Isopropyl lodide pure, 98%	25 ml	2100	28386	a-Ketoglutaric Acid (High Purity) extrapure AR, 99.5%	25 Gms	770
[75-30-9]	isopropyr rodide pure, 30%	100 ml	7000	[328-50-7]	extrapure An, 99.5%	100 Gms	2930
		250 ml	16800			500 Gms	13440
F0400	Jaansanul Palmiteta nura 200/			22826	g	25 Gms	3010
52469 [142-91-6]	Isopropyl Palmitate pure, 90%	500 ml	800	[305-72-6]	Anhydrous PrimeDx, 95%	100 Gms	10070
		2500 ml	3400			500 Gms	46000
54110 [367-93-1]	Isopropyl-B-D-Thiogalactopyranosi de (IPTG) (dioxan free), 99%	5 Gms	1780	18223	•	25 Gms	2580
[307-93-1]	de (ii Ta) (dioxaii lice), 55%	25 Gms	8070	[305-72-6]	Dihydrate extrapure, 98% (2-Oxoglutaric Acid Sodium Salt)	100 Gms	8420
		100 Gms	29640		(2 exeglutario / old eculum edit)	500 Gms	40000
		1 Kg	260000	90814	a-Ketoglutaric Acid Monosodium	25 Gms	5000
	Isopropyl-B-D-Thiogalactopyranosi de (IPTG) (dioxan-free) for MB,	5 Gms	1950	[22202-68-2]	Salt extrapure, 98% (2-Oxoglutaric acid monosodium salt,	100 Gms	19000
[367-93-1]	99%	25 Gms	8660		2-Oxopentanedioic acid monosodium		
		100 Gms	32010		salt, Sodium 2-oxoglutarate m		
		1 Kg	285000	61341	Kinetin extrapure AR, 99%	5 Gms	600
82202	IPTG Solution (20mg/ml)	1 ml	1100	[525-79-1]		25 Gms	2700
		5 x1 ml	2500			100 Gms	8000
86577	Isovaleraldehyde pure, 98%	100 ml	350	34154	Kinetin for tissue culture, 99%	1 Gms	400
[590-86-3]		500 ml	1000	[525-79-1]		5 Gms	1400
		1000 ml	1800			25 Gms	6000
51656	Isovaleryl Chloride pure, 98%	100 Gms	1100	83296	Kinetin Riboside extrapure, 98%	100 Mg	3680
[108-12-3]	(Isopentanoyl Chloride, 3-Methylbutyryl Chloride)	500 Gms	4000	[4338-47-0]	. •	1 Gms	12600
35798	Itaconic Acid pure, 99%	250 Gms	630	19744	Kojic acid extrapure, 99%	5 Gms	210
[97-65-4]				[501-30-4]	(5-Hydroxy-2-Hydroxymethyl-4-Pyrano	25 Gms	550
	Ivermectin (IVM), 95-102%	1 Gms	800		ne)	100 Gms	2050
[70288-86-7]		5 Gms	2000	98158	Kojibiose extrapure, 99%	10 Mg	3180
		25 Gms	6000	[2140-29-6]		50 Mg	10780
79238 [77026-92-7]	Jasmonic Acid for molecular biology, 95%	25 Mg	16120	81662	Kovac`s Indole Reagent for microbiology	100 ml	330
98314	Jojoba oil extrapure	250 ml	2200	69068	Kraut`s Reagent	100 ml	680
[61789-91-1]		500 ml	3500				
70878	Kanamycin Acid Sulphate (KS)	1 Gms	500		D-Lactate Dehydrogenase (D-LDH)	2500 Units	5000
[64013-70-3]		5 Gms	2000	[9028-36-8]	ex. Microorganism, 400U/mg powder	5000 Units	9500
	(Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	25 Gms	7500	82334	r-D-Lactate Dehydrogenase	5000 Units	7010
89346		1 Gms	700	[9001-60-9]	(r-D-LDH) ex. E. Coli	10000	12620
[64013-70-3]	tissue culture, 670U/mg	5 Gms	3000		(Thermostable), 200U/mg powder	Units	
	(Kanamycin Disulfate, Kanamycin A, Kanamycin Acid Sulfate)	25 Gms	9500	15932 ✓ [8006-54-0]	Lanolin anhydrous extrapure (Wool Wax, Wool Grease)	500 Gms	2080
99311		1 Gms	580	56839	Lanosterol pure, 50%	1 Gms	2000
[25389-94-0]	extrapure, 750mcg/mg	5 Gms	2290	[79-63-0]		10 Gms	6000
		25 Gms	8560	20351	Lanthanum Chloride Heptahydrate	100 Gms	1200
76061	Kanamycin Monosulphate (KM) for	1 Gms	750	[10025-84-0]		500 Gms	4000
[25389-94-0]	tissue culture, 750mcg/mg	5 Gms	3100	73274	Lanthanum Metal Ultrapure, 200	5 Gms	
		25 Gms	10810	[7439-91-0]	mesh, 99.9%	25 Gms	8500 14000
14259	2-Ketobutyric Acid pure, 97%	5 Gms	6500				
[600-18-0]	(a-Ketobutyric acid, Propionylformic	25 Gms	30000	34032 [10277-43-7]	Lanthanum Nitrate Hexahydrate Reagent Grade, 99%	100 Gms 500 Gms	800 3000
	Acid, 2-Oxobutyric Acid)			04600	Landhamum Nitrata C 434		
				91288 [10277-43-7]	Lanthanum Nitrate 0.1M	500 ml	1400
				[.52.7 40 7]		1000 ml	2500

Code	Name	Packing	Price	Code	Name	Packing	Price
36917 312696-10-9]	Lanthanum Oxalate Hydrate extrapure AR, 99.5%	10 Gms 100 Gms	400 2200	27029 [893-36-7]	L-Leucine-ß-Napthylamide Hydrochloride extrapure, 97%	100 Mg	2630
		500 Gms	9000		L-Leucyl-L-Alanine Hydrate	1 Gms	4800
59415	Lanthanum Oxide extrapure, 99.9%	100 Gms	800	[7298-84-2]	extrapure, 98%	5 Gms	20000
[1312-81-8]	,	500 Gms	3200		D-Leucyl-Glycine extrapure, 98%	100 Mg	2520
47835	Lanthanum (III)	1 Gms	1050	[997-05-7]		500 Mg	11900
[52093-26-2]	Trifluoromethanesulfonate	5 Gms	3250	23467	Levofloxacin (LVX), 98%	1 Gms	2800
	extrapure, 98%			[100986-85-4, 138199-71-0]		5 Gms	5500
	(Lanthanum Triflate, Trifluoromethanesulfonic Acid			100100710]		25 Gms	17000
	Lanthanum Salt)			60011	Light Green SF Yellowish, 65%	25 Gms	900
92044	•	5 Gms	1800	[5141-20-8]	(C.I. No. 42095)	100 Gms	3250
[111-82-0]	Standard, 99.5%(GC) (Methyl Laurate)	25 Gms	6500			500 Gms	15000
87444		1 Gms	3870	98099	Linoleic Acid (Free Acid) extrapure,	5 ml	3000
[142-18-7]	(Imwitor 312), 99%	5 Gms	15570	[60-33-3]	98%	25 ml	5500
	(1-Monododecanoyl-Rac-Glycerol,					100 ml	8000
	1-Monolaurin,1-Monolauroyl-Rac-Glycerol,			13562	Linoleic Acid (Free Acid) Reference	1 Gms	1640
	Rrac-Glycerol 1-Laurate, D			[60-33-3]	Standard, 99%(GC)	5 Gms	6830
74090	N-Lauroylsarcosine Sodium Salt	25 Gms	1520	49462	Linoleic Acid Methyl Ester	1 Gms	2630
[137-16-6]	(Sarkosyl Sodium) pure, 98%	100 Gms	4000	[112-63-0]	Reference Standard, 99%(GC)	5 Gms	4730
		500 Gms	9000		(Methyl Linoleate)	25 Gms	17850
		2.5 Kg	41000	C0770	Linese (Steenein) ov Aspersillus		
15448	N-Lauroylsarcosine Sodium Salt	25 Gms	2400		Lipase (Steapsin) ex. Aspergillus Sp., 40U/mg solids	25 Gms 100 Gms	520
[137-16-6]	(Sarkosyl Sodium) for molecular	100 Gms	4800		.,	500 Gms	1500
	biology, 98% (Sodium Lauroyl Sarcosine)	250 Gms	7000				6000
	(Jodian Lauroyi Jarcosine)	1 Kg	22000	15471 [9004-02-8]	Lipoprotein Lipase (LPL) ex. Pseudomonas Sp., 20U/mg powder	10 Mg	2460
67983	N-Lauroylsarcosine Sodium Salt	500 ml	900	[3004-02-0]	i doudomonad op., 200/mg pomaci	50 Mg	4000
[137-16-6]	(Sarkosyl Sodium Solution) 30%	2500 ml	4000			250 Mg	12000
	Aq. Solution				Lipoxidase ex. Glycine Max (Soyabean), 50000U/mg powder	100 Mg	6300
63645	Lavender oil extrapure, 30-60% LA	25 ml	900	[9029-60-1]	(Soyabean), Soudoo/ing powder	250 Mg	13130
[8000-28-0]		100 ml	2200			1 Gms	39900
		500 ml	6000	68457	Lithium Acetate Dihydrate	100 Gms	3100
71707	Lead (II) Chromate pure, 98%	500 Gms	1050	[6108-17-4]	ultrapure, 99%	250 Gms	7300
[7758-97-6]	(Plumbous Chromate)	500 Gms	600			500 Gms	14300
21854 [7439-92-1]	Lead Metal Lumps, 99%	500 GITIS	680	86213	Lithium Acetate Dihydrate PrimeDx,	1 Kg	36000
62603	Lead Metal Powder extrapure AR,	500 Gms	1000	[6108-17-4]	99%	400.0	
[7439-92-1]	99.5%			86701 [16853-85-3]	Lithium Aluminium Hydride (LAH) extrapure, 95%	100 Gms	24000
59557	Lecithin ex. Egg, 60%	25 Gms	5470	24966	Lithium Citrate Tribasic	100 Gms	1300
[8002-43-5]	(L-a-Phosphatidylcholine)	100 Gms	19440	[6080-58-6]	Tetrahydrate extrapure AR (High	250 Gms	3000
59561	Lecithin ex. Soya, 30%	100 Gms	1770		Purity), 99.5%		
[8002-43-5]	(L-a-Phosphatidylcholine)	500 Gms	3890	91740	Lithium Iodide Monohydrate pure, 98%	25 Gms	2300
64613	L-Leucinamide Hydrochloride	5 Gms	2000	[17023-24-4]	90%	100 Gms	7300
[10466-61-2]	extrapure, 99%			43904	Lithium Lauryl Sulphate extrapure,	5 Gms	1900
61304	D-Leucine extrapure, 99%	5 Gms	1890	[2044-56-6]	99% (Lithium Dodecyl Sulphate)	25 Gms	5600
[328-38-1]		25 Gms	5000			100 Gms	16600
99664	tert-DL-Leucine extrapure, 98%	500 Mg	3000			500 Gms	73600
[33105-81-6]	L-Leucine	10 Ma	9400	89141	Lithium Lactate (specially purified)	100 Gms	2800
		10 Mg	8400	[867-55-0]	extrapure, 99% (Lactic Acid Lithium Salt)	500 Gms	12900
	Hydrochloride Salt extrapure, 98% (L-Leucine-AMC.HCI Salt)	25 Mg	16800	69375 [7439-93-2]	Lithium Metal, 99%	100 Gms	21200
40528	Leucine Dehydrogenase (LeuDH)	100 Units	14230	23410	Lithium Oxalate extrapure, 99%	25 Gms	2100
[9082-71-7]	ex. Bacillus Sp., 20U/mg powder			[553-91-3]		20 01113	2100

Code	Name	Packing	Price	Code	Name	Packing	Price
16350	Lithium Tetrafluoroborate	5 Gms	1600	55114	4-Maleimidobutyric Acid	100 Mg	3000
[14283-07-9]	extrapure, 98%	25 Gms	4800	[80307-12-6]	N-Hydroxysuccinimide Ester	1 Gms	6000
	(Lithium Borofluoride, Lithium Fluoroborate)				extrapure (GMBS), 99%	5 Gms	13000
29288	Lithocholic Acid (LCA) pure, 98%	10 Gms	7500	57096	Malonamide extrapure, 98%	25 Gms	380
[434-13-9]		25 Gms	18000	[108-13-4]		100 Gms	1050
52737	Lomefloxacin Hydrochloride (LMF),	1 Gms	1260			500 Gms	4510
[98079-52-8]	98.5%	5 Gms	3260	43541	Malonic Acid pure, 99%	250 Gms	550
50320	D-Luciferin ex. Firefly, 99%	10 Mg	4000	[141-82-2]		500 Gms	950
[2591-17-5]	((S)-4,5-Dihydro-2-	50 Mg	18000	26504	Malonic Acid extrapure AR, 99%	100 Gms	330
	(6-Hydroxy-2-Benzothiazolyl)	· ·		[141-82-2]		250 Gms	650
58891 ■	-4-Thiazolecarboxylic Acid) D-Luciferin Potassium Salt ex.	25 Mg	0000			500 Gms	1200
	Firefly, 99%	100 Mg	3000 6000	32261	Malononitrile extrapure, 98%	100 Gms	700
		500 Mg	22000	[109-77-3]	(Malonic Dinitrile, Dicyanomethane)	500 Gms	2900
00054	D. Lucifavin Cadium Calk au Finafh.			43786	Maltotriose (DP3) extrapure, 90%	250 Mg	3200
62851 [103404-75-7]	D-Luciferin Sodium Salt ex. Firefly, 99%	25 Mg	4000	[1109-28-0]	(a-1,4-Glucotriose)	1 Gms	6900
		100 Mg 500 Mg	11000			5 Gms	33000
			40000	28083	Maltotetraose (DP4) extrapure, 97%	10 Mg	
49982 [521-31-3]	Luminol extrapure, 98%	5 Gms	1070		(a-D-Glucopyranosyl-1,4-O-a-D-Gluco	25 Mg	6000 10000
[521-01-0]		25 Gms	4160		pyranosyl-1,4-O-a-D-Glucopyranosyl-1	25 Mg	10000
60445	Luminol - Peroxide Chemiluminisence Solution for	100 ml	1900		,4-D-Glucopyranose)		
	ELISA			10450 [34620-76-3]	Maltopentaose (DP5) extrapure,	10 Mg	12000
70795	L-Lysine	10 Mg	8870			25 Mg	26900
[201853-23-8]	-	25 Mg	18150	27607 [34620-77-4]	Maltohexaose (DP6) extrapure,	50 Mg	12000
	Salt extrapure, 98% (L-Lysine-AMC.Acetate salt)			12894	Maltoheptaose (DP7) extrapure,	25 Mg	7900
72890 ■	L-a-Lysophosphatidylethanolamine	10 Mg	14500	[34620-78-5]		25 Wg	7900
	(Egg Lyso PE) ex. Egg, 99%	25 Mg	24000		(Amyloheptaose)		
	(L-a-Lysocephalin,	J			R-(-)-Mandelic Acid extrapure, 99%	25 Gms	920
45822 ■	3-sn-Lysophosphatidylethanolamine) Lysozyme (3x cryst) ex. Egg white	1 Gms	840	[611-71-2]	(D-(-)-Mandelic Acid)	100 Gms	2820
[12650-88-3]		5 Gms	3090	30727	S-(+)-Mandelic Acid extrapure,	25 Gms	920
	biology, 15000U/mg powder	25 Gms	14230	[17199-29-0]	(L-(+)-Mandelic Acid,	100 Gms	2490
35355	D-Lyxose extrapure	1 Gms			S-Z-Hydroxyphenyl Acetic Acid)		
[1114-34-7]	D-Lyxose extrapare	5 Gms	1890 5670	27072	DL-Mandelic Acid pure, 99%	100 Gms	1200
	11			[90-64-2]		500 Gms	5500
38894 [1949-78-6]	L-Lyxose extrapure	100 Mg	1470	94551	D-Mannosamine Hydrochloride	100 Mg	2020
		1 Gms	8400	[5505-63-5]	extrapure, 98%	500 Mg	9610
81889 [9032-75-1]	Macerozyme "R-10" ex. Rhizopus Sp., 3000U/g powder	500 Mg	5000	13735	D-Mannose extrapure AR, 99%	25 Gms	600
[9032-73-1]	(Pectinase)	1 Gms	9000	[3458-28-4]		100 Gms	1500
		5 Gms	43000			500 Gms	6500
	Macerozyme "R-10" ex. Trichoderma & Aspergillus Niger,	500 Mg	3250			5 Kg	52000
[9032-75-1]	10000U/g powder	1 Gms	5500	58476	D-Mannose for tissue culture, 99%	25 Gms	950
	(Pectinase)			[3458-28-4]		100 Gms	2000
40169	, , ,	1 K.Units	6500			500 Gms	9000
[9001-64-3]	Microorganism, 40U/mg powder	5 K.Units	28000	87875	D-Mannose extrapure AR, ExiPlus,	25 Gms	800
87448	, , ,	5000 Units	7600	[3458-28-4]	Multi-Compendial, 99%	100 Gms	1800
	(Thermostable), 500U/mg	10000	14020			1 Kg	16000
0.005-	Malata Autordata and	Units			meets compendial specs of BP, Ph.Eur	-	
84225 [108-31-6]	Maleic Anhydride extrapure AR, 99%	500 Gms	450	72002	D-Mannose-6-Phosphate Barium	25 Mg	25080
		5 Kg	4200		Salt Hydrate extrapure, 98%		
18808 ✓ [13676-54-5]	Bis-Maleimide pure, 95%	100 Gms	6850				

Code	Name	Packing	Price	Code	Name	Packing	Price
43804	Marfeys Reagent extrapure AR,	50 Mg	5000	69408	MES Sodium Salt Buffer extrapure,	10 Gms	2290
[95713-52-3]	98% (FDAA, FDNP-ALA-NH2, Na-	200 Mg	9000	[71119-23-8]	99%	25 Gms	3270
	(2,4-Dinitro-5-Fluorophenyl)	1 Gms	38000			100 Gms	10120
	-L-Alaninamide)			72841	Mesotrione extrapure, 98%	100 Mg	800
70902	Melatonin extrapure, 99%	1 Gms	600	[104206-82-8	g (2-(4-Mesyl-2-Nitrobenzoyl)	1 Gms	5000
[73-31-4]		5 Gms	1400		-1,3-Cyclohexanedione)(2-		
		25 Gms	5000		(4-Mesyl-2-nitrobenzoyl) -1,3-cyclohexanedione)		
10030	Meldolas Blue extrapure	5 Gms	2000	47062	MES1: Spectrometric Oil Standard	100 Gms	38000
[7057-57-0]	(8-Dimethylamino-2,3-Benzophenoxazi				D12 (12 elements in 10µg/g		
	ne Hemi(zinc Chloride) Salt, Naphthol				Aviation Reference Oil)		
0	Blue R, Basic Blue 6)	05.0			Ag, Al, Cr, Cu, Fe, Mg, Na, Ni, Pb, Si, Sn,		
71405 [2033-24-1]	Meldrum`s Acid extrapure, 98% (2,2-Dimethyl-1,3-dioxane-4,6-dione	25 Gms	700		Ti @ 10 µg/g Aviation Reference Oil	400.0	
[2000-24-1]	cycl-Isopropylidene Malonate Malonic	100 Gms	2000	19278	 ✓ MES2: Metals in Biodiesel Standard (5 elements in 10μg/g 	100 Gms	96000
	Acid Cyclic Isopropylidene	500 Gms	7000		Biodiesel)		
77393	D(+) Melibiose Monohydrate	1 Gms	1600		Ca, K, Mg, Na, P @ 10 μg/g		
[66009-10-7,5 85-99-9]	extrapure, 98%	5 Gms	3200	55049 ×	MES3: ICP Alkali`s & Alkaline	100 ml	33000
00-99-9]		25 Gms	9000		Earths (10 elements in 5% HNO3)		
83709	D-Melezitose Monohydrate	25 Gms	15000		Ba, Be, Ca, Cs, K, Li, Mg, Na, Rb, Sr @		
[10030-67-8]	extrapure, 99%				100 µg/ml 5% HNO3	400 1	
61495 [58-27-5]	Menadione O/S (Vitamin K3) pure, 98%	25 Gms	1000	25562	MES4: ICP Noble Metals (8 elements in 20% HCI)	100 ml	42000
44111	Menadione Sodium Bisulphite	25 Gms	750		Au, Ir, Os, Pd, Pt, Re, Rh, Ru @ 100 μg/ml		
[6147-37-1]	Trihydrate W/S (Vitamin K3 Sodium	100 Gms	3300		20% HCI	400 1	0.4000
	Bisulphite Trihydrate) pure, 95%	500 Gms	12500	21551	MES5: ICP Rare Earth & Geo Elements (21 elements in 5%	100 ml	64000
	(2-Methyl-1,4-Napthoquinone Sodium Bisulfite)				HNO3)		
26531	1-Thioglycerol	25 ml	1140		Ba, Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr,		
[96-27-5]	(3-Mercapto-1,2-Propanediol) pure,	100 ml	3510		Rb, Sc, Sm, Sr, Tb, Th, Tm, U, Y, Yb @		
	90%	500 ml	16940		100 μg/ml 5% HNO3		
0	(Monothioglycerol)			82634 Y	MES6: ICP Non-Metals (7 elements	100 ml	30000
54474 5 [32887-01-7]	Mecillinam (MCL) extrapure, 95%	25 Mg	3000		in 5% HCl tr. HF) (trace Hydrofluoric Acid (HF))		
[02007 0 7 7]		100 Mg	9000		As, B, P, S, Se, Si, Te @ 100 µg/ml 5%		
56868	3-Mercaptopropionic Acid pure,	100 ml	1150		HCI, tr. HF		
[107-96-0]	98%	500 ml	5000	18263 ¥	MES7: ICP Common Elements Mix	100 ml	35000
18382	6-Mercaptopurine Monohydrate	1 Gms	950		1 (9 elements in 5% HNO3)		
[6112-76-1]	extrapure, 99%	5 Gms	4600		Cd, Co, Cr, Cu, Fe, Mn, Ni, V, Zn @ 100		
42253	2-Mercaptopyridine extrapure, 98%	25 Gms	2100		μg/ml 5% HNO3	400 1	
[2637-34-5]	(2-Pyridinethiol, 2-Pyridyl Mercaptan)	100 Gms	6500	63924 Y	/ MES8: ICP Common Elements Mix 2 (20 elements in 5% HNO3, tr. HF)	100 ml	54000
81439	MES Free Acid Buffer extrapure,	25 Gms	1050		Ag, Al, B, Ca, Co, Cr, Cu, Fe, K, Mg, Mn,		
[4432-31-9]	99%	100 Gms	3780		Na, Ni, P, Pb, Si, Sn, Ti, V, Zn @ 100 μg/ml		
	(4-Morpholineethanesulfonic Acid)	500 Gms	13650		5% HNO3, tr. HF		
	MEG Manushanda Barra			58498 ×	MES9: ICP Comprehensive Mix A	100 ml	64000
31808 [145224-94-8]	MES Monohydrate Buffer extrapure, 99%	25 Gms	950		(34 elements in 40% Aqua Regia)		
	(2-Morpholineethane Sulphonic Acid	100 Gms	3470		Ag, Al, As, Ba, Bi, Ca, Cd, Ce, Dy, Er, Eu, Ga, Gd, Ho, La, Lu, Mg, Na, Nd, P, Pb, Pr,		
	Monohydrate)	500 Gms	12080		Rb, Sc, Se, Sm, Sr, Tb, Th, Tl, Tm, U, Y, Yb		
86751	MES Monohydrate Buffer for tissue	25 Gms	1160		@ 10 µg/ml 40% Aqua Regia		
[145224-94-8]	culture, 99% (2-Morpholineethane Sulphonic Acid	100 Gms	3730	36719	MES10: ICP Comprehensive Mix B	100 ml	85000
	Monohydrate)				(32 elements in 40% Aqua Regia, tr.		
26854	MES Monohydrate Buffer for	25 Gms	1470		HF)		
	molecular biology, 99%	100 Gms	3890		Au, B, Be, Co, Cr, Cu, Fe, Ge, Hf, Ir, K, Li,		
	(2-Morpholineethane Sulphonic Acid				Mn, Mo, Nb, Ni, Os, Pd, Pt, Re, Rh, Ru, Sb, Si, Sn, Ta, Te, Ti, V, W, Zn, Zr @ 10 μg/ml		
40000	Monohydrate)	25.2			40% Aqua Regia, tr. HF		
43396	MES Hemisodium Salt Buffer extrapure, 98%	25 Gms	5430		1070 Aqua Hogia, II. III		
[117001-21-4]		100 Gms	18500				

25 ml 100 ml 25 ml 25 ml 25 ml 25 ml 100 ml 250 Gms 1 Kg 25 Gms 100 Gms 5 Gms	Price 43000 58000 43000 35000 58000 200 720 1000 3000
25 ml 25 ml 100 ml 250 Gms 1 Kg 25 Gms 100 Gms	58000 43000 35000 58000 200 720 1000
25 ml 25 ml 100 ml 250 Gms 1 Kg 25 Gms 100 Gms	43000 35000 58000 200 720 1000
25 ml 100 ml 250 Gms 1 Kg 25 Gms 100 Gms	35000 58000 200 720 1000
100 ml 250 Gms 1 Kg 25 Gms 100 Gms	58000 200 720 1000
250 Gms 1 Kg 25 Gms 100 Gms	200 720 1000
1 Kg 25 Gms 100 Gms	720 1000
25 Gms 100 Gms	1000
100 Gms	
5 Gms	
	1220
25 Gms	4630
100 Gms	460
	1750
	3200
· ·	9400
· ·	16000 26000
	105000
1 Gms	3430
1 Gms	2500
5 Gms	7500
25 Gms	28000
100 Mg	3000
· ·	9000
	16000
	610
	1500
	1320 4870
- Carrie	4670
100 Gms	940
500 Gms	3200
5 Gms	10140
25 Gms	38020
1 Gms	1380
5 Gms	6170
	1 Gms 1 Gms 5 Gms 25 Gms 100 Mg 500 Mg 1 Gms 100 Gms 500 Gms 1 Gms 5 Gms 5 Gms 5 Gms 1 Gms 5 Gms

Code	Name	Packing	Price	Code	Name	Packing	Price
40632	4-Methoxyphenylboronic Acid	1 Gms	860	37685	1-Methylindole pure, 97%	5 ml	1200
[5720-07-0]	extrapure, 98%	5 Gms	1670	[603-76-9]		25 ml	3000
		25 Gms	8070			100 ml	9000
23438	2-Methoxypyridine-5-Boronic Acid	1 Gms	1570	96595	Methyl Green Zinc Chloride Double	5 Gms	860
[163105-89-3]	extrapure, 98%	5 Gms	4800	[7114-03-6]	Salt	25 Gms	4000
04050	(6-Methoxy-3-Pyridinylboronic Acid)	1.0	0000	74916	Methyl Green Zinc Chloride Double	5 Gms	940
24252 [54344- 92-2]	4-Methoxy-2,3,6-Trimethyl Benzaldehyde extrapure, 98%	1 Gms	3000	[7114-03-6]	Salt ExiPlus, Multi-Compendial	25 Gms	4140
	(2,3,6-Trimethyl-p-Anisaldehyde)	5 Gms	9000		meets compendial specs of BP, Ph.Eur		
88381	Methyl Acetoacetate pure, 98%	500 ml	980	85544	1-O-Methyl-beta-D-Glucuronic Acid	50 Mg	3800
[105-45-3]		2500 ml	4410	[134253-42-2]			
		25 Ltr	42000		(1-OMe-b-D-GlcA.Na)		
21392	Methyl Acetoacetate extrapure AR,	500 ml	1160	86720 [693-98-1]	2-Methylimidazole pure, 99%	100 Gms	380
[105-45-3]	99%	2500 ml	5150	[093-96-1]		500 Gms	1500
64330	p-Methylacetophenone pure, 98%	100 Gms	510			1 Kg	2740
[122-00-9]		250 Gms	1170	15913	Methylisoeugenol (mixture of cis	25 ml	600
93149	N-Methylaniline pure, 98%	500 ml		[93-16-3]	and trans) (1,2-Dimethoxy-4-propenylbenzene	100 ml	1800
[100-61-8]	N-Metriyiaininie pure, 90%	2500 ml	650) pure, 98%	500 ml	6000
			3100		(4-(1-Propenyl)		
29879 [38894-11-0]	3-Methyl-2-Benzothiazolinone Hydrazone HCl Monohydrate	1 Gms	1230		-1,2-Dimethoxybenzene, Isoeugenyl Methyl Ether)		
[00034-11-0]	(MBTH) extrapure AR (High Purity),	5 Gms	3980	73282	2-Methyl-4-Isothiazolin-3-One (MIT)	5 Gms	7000
	99%	25 Gms	17760	[2682-20-4]	pure, 95%	25 Gms	18000
23343	3-Methylbutylboronic acid	1 Gms	3610		(2-Methyl-3(2H)-Isothiazolone,	25 Gills	10000
[98139-72-1]	extrapure, 95%	5 Gms	17550		2-Methyl-1,2-Thiazol-3-One,		
39876 Ū	Methyl Chloroacetate extrapure,	500 ml	680	74384	2-Methylisothiazol-3(2H)-One) Methyl Methanesulphonate (MMS)	25 ml	2300
[96-34-4]	99%			[66-27-3]	extrapure, 98%	100 ml	2300 8500
	1-Methylcyclopropene (1-MCP),	100 Mg	2800				
[3100-04-7]	98%	500 Mg	8000	42067 [66-27-3]	Methyl Methanesulphonate (MMS) for tissue culture, 98%	10 ml	1580
34428	Methyl Dichloroacetate extrapure,	500 ml	1600	71512	6-Methylmercaptopurine extrapure,	100 Mg	2400
[116-54-1]	99%			[50-66-8]	98%	1 Gms	14500
45880 [41798-81-6]	Methyl-1,5-Di-p-Tolyl-1,4-Pentaza ene pure, 97%	1 Gms	4160		(6-Methyl(thio)purine)		1 1000
[41790-01-0]	(N,N-bis[(4-Methylphenyl)diazenyl]Met	5 Gms	19570	66960	Methyl 2-Naphthyl Ether pure, 99%	250 Gms	450
	hanamine)			[93-04-9]	(Yara Yara)	1 Kg	1250
31535	New Methylene Blue N extrapure,	1 Gms	1400	67915	1-Methylpiperazine extrapure, 99%	100 ml	300
[1934-16-3]	70% (Basic Blue 24, Methylene Blue N)	5 Gms	3700	[109-01-3]	(N-Methylpiperazine)	500 ml	1300
	(Basic Blac 2 1, Wellylone Blac 14)	25 Gms	12000			2500 ml	6100
28710	New Methylene Blue N Zinc	5 Gms	1540	40610	2-Methylphenylboronic Acid	1 Gms	1580
[6586-05-6]	Chloride Double Salt, 90%	25 Gms	6000	[16419-60-6]	extrapure, 97%	5 Gms	2500
73603	New Methylene Blue N Zinc	5 Gms	3510			25 Gms	10380
[6586-05-6]	Chloride Double Salt for tissue			20622	3-Methylphenylboronic Acid	1 Gms	840
047-0	Methyl Fugenel sytronyre 20%	400 /	4016	[17933-03-8]	extrapure (m-Tolylboronic Acid)	5 Gms	2380
84753 [93-15-2]	Methyl Eugenol extrapure, 99%	100 ml	1310		extrapure, 97%	25 Gms	11500
[55 .52]		500 ml	5580	43322	Methyl-n-Propyl Ketone pure, 99%	500 ml	1100
		2500 ml	25700	[107-87-9]	• • • • • • • • • • • • • • • • • • • •	2500 ml	4600
28409	N-Methylformanilide extrapure,	100 ml	1810	87964	Methyl Purple Indicator 0.1%	250 ml	810
[93-61-8]	99%	500 ml	6000	87964 [1340-02-9]	Solution extrapure AR	200 IIII	010
77007	Methyl Formate pure, 99%	500 ml	800	33878	2-Methylresorcinol pure, 98%	25 Gms	1300
[107-31-3]		2500 ml	3800	[608-25-3]	(2,6-Dihydroxytoluene)	100 Gms	3880
49281	Methyl-a-D-Glucopyranoside	100 Gms	2140			250 Gms	9520
[97-30-3]	extrapure, 99%	500 Gms	8600	29783	Methyl Salicylate pure, 99%	500 ml	750
	(a-Methyl-D-Glucoside)			[119-36-8]	,a,.a pai-o, -o-/o	000 1111	100

Code	Name	Packing	Price	Code	Name	Packing	Price
41652	Methyl p-Toluenesulfonate pure,	100 ml	900		Monensin Sodium Salt (MSN), 97%	1 Gms	2970
[80-48-8]	98% (Methyl p-Tosylate, p-Toluenesulfonic	500 ml	2620	[22373-78-0]		5 Gms	7710
	Acid Methyl Ester)			37233	Molybdenum Disulfide pure, 98%	100 Gms	2400
44243	Methyltriphenylphosphonium	100 Gms	1070	[1317-33-5]		250 Gms	5500
[1779-49-3]	Bromide pure, 98%	500 Gms	4200			500 Gms	10500
18040	ß-Methylumbelliferone extrapure	10 Gms	1100		Molybdenum Hexacarbonyl	5 Gms	6000
[90-33-5]	AR, 98%	25 Gms	2000	[13939-06-5]	extrapure, 98% (Hexacarbonylmolybdenum,	25 Gms	24000
		100 Gms	6000		Molybdenum carbonyl)		
13050		25 Mg	5400	75556	Molybdenum Metal Sheet 99.9%	1 piece	25700
[37067-30-4]	Glucosaminide extrapure, 99%	50 Mg	9000	[7439-98-7] 68078	10X MOPS Buffer for molecular	100 ml	600
		100 Mg	17100	68078 ¥	biology	500 ml	600 1960
15208	, , , ,	25 Mg	2000	00004	MODS Buffer outropure 009/		
[20671-66-3]	extrapure, 99%	50 Mg	3500		MOPS Buffer extrapure, 99% (3-Morpholinopropane Sulphonic Acid)	25 Gms 100 Gms	1000
		100 Mg	6000	. ,		500 Gms	2310 9450
21896	•	25 Mg	3710		MODE Buffer Britis Dv. 000/		
[72626-61-0]	de extrapure, 98%	50 Mg	6490	61310 [1132-61-2]	MOPS Buffer PrimeDx, 99% (3-Morpholinopropane Sulphonic Acid)	1 Kg	24000
34391	, ,	100 Mg	1070		· · · · · · · · · · · · · · · · · · ·		110000
[6160-78-7]	ß-D-Galactopyranoside extrapure	250 Mg	1600	85123 [117961-20-3]	MOPS Hemisodium Salt Buffer extrapure, 99%	25 Gms	5190
48838	4-Methylumbelliferyl-ß-D-	500 Mg	5200		•	100 Gms	16650
[18997-57-4]	Glucopyranoside extrapure, 98% B-Glucosidase Substrate	1 Gms	9000	57851 [71119-22-7]	MOPS Sodium Salt Buffer extrapure, 99.5%	50 Gms	3210
		5 Gms	40000	[, , , , , , , , , , , , , , , , , , ,		100 Gms	6050
92009		5 ml	2800			500 Gms	25000
[24589-78-4]	Trifluoroacetamide (MSTFA) extrapure, 98%	25 ml	10000	66043 [1132-61-2]	MOPS Buffer for molecular biology, 99%	25 Gms	1370
	· /	100 ml	30000	[,	(3-Morpholinopropane Sulphonic Acid)	100 Gms 500 Gms	3360 12000
83294	• •	10 x1 ml	6000		MODEO Buffey system 1999		
[24589-78-4]	(N-Methyl-N- (trimethylsilyl)trifluoroacetamide,			38602 [68399-77-9]	MOPSO Buffer extrapure, 99% (3-Morpholino-2-Hydroxy Propane	25 Gms 100 Gms	1700 5500
	Trimethylchlorosilane)				Sulphonic Acid)	500 Gms	20000
86338	4-Methylumbelliferyl-a-L-Iduronide	1 Mg	26250	82595	MOPSO Sodium Salt Buffer	50 Gms	3000
[66966-09-4] 49959	Free Acid extrapure, 97% 4-Methylumbelliferyl	25 Mg	15180	[79803-73-9]	extrapure, 99%	250 Gms	10000
45555	Myo-Inositol-1-Phosphate,	25 Wg	13160			1 Kg	35000
	N-Methyl-Morpholine Salt, Biosynth			24829 🗸	Morin Hydrate (Aluminium	1 Gms	1140
21400	patent(WO99/48899) 4-Methylumbelliferyl Sulfate	100 M=	4000	[480-16-0,	Ionophore I, C.I. 75660) extrapure	5 Gms	4200
21400 (15220-11-8)		100 Mg 500 Mg	4620 12580	6472-38-4]	AR, 98%		4200
	4 Mathadamah allifamal h. D. Charamani			77810	(2',3,4',5,7-Pentahydroxyflavone) Moxalactam Sodium Salt (LTX)	100 Mg	7500
51504 [199329-67-4,	•	100 Mg 1 Gms	1890	[64953-12-4]	` '	1 Gms	7500 24000
881005-91-0]		5 Gms	3200 12000		(Latamoxef)		2-000
77337	5-Methyluridine extrapure, 98%	5 Gms		14189 [526-99-8]	Mucic Acid extrapure, 99%	25 Gms	690
[1463-10-1]	(Ribothymidine)	25 Gms	2110 6660	[526-99-6]		100 Gms	2210
25828	Miconazole Nitrate					500 Gms	7880
25828 [22832-87-7]		1 Gms 5 Gms	860 2500	93027 [84082-64-4]	Mucin ex. Porcine Stomach, Type	10 Gms	5800
		25 Gms	5000	57868	Myosin II (in 4% SDS) ex. rabbit	1 Mg	10680
67424	Miglitol extrapure, 98%	1 Gms		2,000	skeletal muscle, 95%	2 Mg	16600
[72432-03-2]	(N-(b-Hydroxyethyl)	5 Gms	5500 12000	15358	Myricetin cryst pure, 98%	10 Mg	1800
	-1-Deoxynojirimycin, Glyset)	S GIIIO	12000	[529-44-2]		25 Mg	3000
15761	Molisch Reagent	100 ml	410			100 Mg	5000
64563	Mimosine ex. Koa Hoale Seeds,	25 Mg	4560			1 Gms	8000
[500-44-7]	98%	100 Mg	13000	45945	Myristic Acid pure, C14-95% (GC)	500 Gms	590
		9		[544-63-8]			

Code	Name	Packing	Price	Code	Name	Packing	Price
36459	Myristic Acid extrapure AR,	500 Gms	950		1-Naphthylacetonitrile pure, 97%	25 Gms	4900
[544-63-8]	C14-99% (GC)	5 Kg	8500	[132-75-2]		100 Gms	18980
86442	Myristic Acid (High Purity)	5 Gms	300	61166	N-(1-Naphthyl)Ethylenediamine	5 Gms	600
[544-63-8]	extrapure, C14-99.5% (GC)	25 Gms	1070	[1465-25-4]	Dihydrochloride (NEDA) extrapure AR, ACS, 98%	10 Gms	900
70718	Myristic Acid Methyl Ester	5 Gms	1600		(Bratton-Marshall Reagent, Marshall's	25 Gms	2000
[124-10-7]	Reference Standard, 99%(GC)	25 Gms	3200		Reagent)	100 Gms	7000
		100 Gms	9000	84942	N-(1-Naphthyl)Ethylenediamine	5 Gms	800
28136	Myristyl Alcohol (1-Tetradecanol)	100 ml	210	[1465-25-4]	Dihydrochloride (NEDA) extrapure AR,ACS,ExiPlus, Multi-Compendial,	10 Gms	1200
[112-72-1]	pure, 98%	500 ml	840		98%	25 Gms	2300
20346	Nalidixic Acid free acid extrapure,	1 Gms	300		(Bratton-Marshall Reagent, Marshall's		
[389-08-2]	99%	5 Gms	1320		Reagent)		
	(8-Naphthyridine-3-Carboxylic Acid)			07704	meets compendial specs of BP	E Cma	000
96676 [120-18-3]	Naphthalene-2-Sulphonic Acid Monohydrate extrapure, 98%	25 Gms	1250	27734 8 [10236-47-2]	Naringin pure, 97%	5 Gms 25 Gms	900
[120-10-0]	mononyarate extrapare, 30%	100 Gms	3980			100 Gms	2000
55335	1,3,6-Naphthalenetrisulfonic Acid	250 Gms	7000				6000
[123409-01-8]	Trisodium Salt Hydrate (NTSA Sodium Hydrate) extrapure, 95%	1 Kg	16000	95956 [67604-48-2]	Naringenin pure, 95%	1 Gms	1100
57955	a-Naphthoflavone extrapure AR,	1 Gms	730	[07004-40-2]		5 Gms	2000
[604-59-1]	98%	5 Gms	2650			25 Gms	5000
		25 Gms	12040	93007	Neocuproine extrapure, 99%	1 Gms	1310
93051	Naphthol-AS-Acetate extrapure,	100 Mg	1430	[484-11-7, 654054-57-6]	(2,9-Dimethyl-1,10-Phenanthroline)	5 Gms	5200
[1163-67-3]		500 Mg	5220			25 Gms	20000
56061	Nonhthal AC DI autronura 000/			35449	Neocuproine Hydrochloride	1 Gms	1640
56061 [1237-75-8]	Naphthol AS-BI extrapure, 98%	5 Gms	720	[7296-20-0]	Monohydrate extrapure AR,99% (2,9 Dimethyl-1-10-Phenanthroline	5 Gms	7600
70430	Naphthol-AS-BI-b-D- Glucuronide	25 Mg	4500		Hydrochloride)		
[37-87-6]	extrapure, 99%	100 Mg	10000	23049	Neodymium (III) Chloride	5 Gms	3920
87408	Naphthol-AS-Phosphate extrapure,	250 Mg	8310	[10024-93-8]	Anhydrous, 99.9%	25 Gms	9610
[13989-98-5]		500 Mg	11620	78442	Neodymium (III) Chloride	25 Gms	2620
11401	Naphthol-AS-BI- Phosphate	100 Mg	4160	[13477-89-9]	Hexahydrate extrapure, 99.9%	100 Gms	6530
[1919-91-1]	extrapure, 98%	250 Mg	9490	37499	Neodymium (III) Oxide extrapure	10 Gms	990
07704	Naphthol Blue Black B			[1313-97-9]	AR, 99.9%	25 Gms	2100
87791 [1064-48-8]	Naphilioi Bide Black B	25 Gms 100 Gms	530			100 Gms	7000
. ,		500 Gms	1700 8000	57369	Neodymium Metal Ultrapure, 200	5 Gms	8500
					mesh, 99.9%	25 Gms	14000
45838 [521-24-4]	1,2-Naphthoquinone-4- Sulphonic Acid Sodium Salt extrapure AR,	5 Gms	600		Neodymium (III) Nitrate		
[321-24-4]	99%	25 Gms	2400	86879 [16454-60-7]		25 Gms 100 Gms	2640 7200
10150	1-Naphthyl Acetamide (NAD)	5 Gms	3490		No advantage (III)		
[86-86-2]	technical grade, 98%	25 Gms	13700	99080 [34622-08-7]	Neodymium (III) Trifluoromethanesulfonate	1 Gms	1580
42383	1-Naphthyl Phosphate Disodium	25 Mg	1830	[extrapure, 98%	5 Gms	3990
[2183-17-7]	Salt extrapure	250 Mg	5470		(Neodymium Triflate, Neodymium		
	(a-Naphthyl Phosphate Disodium Salt, Disodium 1-Naphthyl Phosphate)			05000	Perfluoromethanesulfonate)	05.0	050
59523	2-Naphthoxyacetic Acid (BNOA)	25 Gms	570	35282 [1405-10-3]	Neomycin Sulphate (NMS), 600U/mg	25 Gms 100 Gms	650
[120-23-0]	extrapure, 98%	100 Gms	1950				1500
43036	a-Nanhthyl Acatata extranura AD			27309 [126-30-7]	Neopentyl Glycol pure, 98%	500 Gms	540
43036 8 [830-81-9]	a-Naphthyl Acetate extrapure AR, 99%	5 Gms 10 Gms	1000	13607	Neopentyl lodide extrapure, 98%	5 ml	6180
		25 Gms	1810		(2,2-Dimethyl-1-lodopropane,	25 ml	19780
		100 Gms	3660		1-lodo-2,2-Mimethylpropane)	20	10700
n	O Nambahad Assassas a second		11360	14678	Nessler`s Reagent	100 ml	600
79388 [1523-11-1]		5 Gms	1000	60600	Netilmicin Sulphate (NTC	100 M=	0000
[.020 [1-1]		10 Gms 25 Gms	1850 3170		Sulphate), 595ug/mg	100 Mg	2200

Code	Name	Packing	Price	Code	Name	Packing	Price
72860	Nicotinamide extrapure, 99.5%	100 Gms	320		B-Nicotinamide Adenine	25 Mg	2580
[98-92-0]	(Niacinamide, Pyridine-3-Carboxylic Acid Amide)	500 Gms	1200	[2646-71-1]	Dinucleotide Phosphate Tetrasodium Salt (Reduced)	100 Mg	5610
26759	B-Nicotinamide Adenine	1 Gms	900		(B-NADPH.Na4) for MB, 98%		
[53-84-9]	Dinucleotide (Oxidized) (6-NAD, DPN) extrapure, 98%	5 Gms	3800	55615	(TPNH2.Na4) B-Nicotinamide Adenine	500 Mg	3500
	Drivy extrapure, 30%	25 Gms	17000	555.5	Dinucleotide Phosphate	1 Gms	6000
		100 Gms	60000		Monopotassium Salt (Oxidized)	i dilis	0000
	B-Nicotinamide Adenine	1 Gms	970	88991	(ß-NADP.K)extrapure, 95% ß-Nicotinamide Adenine	500 Mg	2620
[53-84-9]	Dinucleotide (Oxidized) (6-NAD, DPN) ExiPlus, Multi-Compendial,	5 Gms	4100	[20111-18-6]	Dinucleotide Sodium Salt	1 Gms	2970
	98%	25 Gms	19000		(ß-NAD.Na) extrapure, 95%	5 Gms	11270
	and the same and the same of DD. Die Form	100 Gms	70000	95130	ß-Nicotinamide Mononucleotide	1 Gms	1200
07050	meets compendial specs of BP, Ph.Eur B-Nicotinamide Adenine	1.0	4440	[1094-61-7]	(ß-NMN) extrapure, 98%	5 Gms	5000
87253 [53-84-9]	Dinucleotide (Oxidized) (6-NAD,	1 Gms 5 Gms	1410		(B-Nicotinamide ribose	25 Gms	20000
	DPN) for molecular biology, 98%	5 Gills	5100		monophosphate, NMN, Nicotinamide ribotide,		
	B-Nicotinamide Adenine	100 Gms	120000		Nicotinamide-1-ium-1-ß-D-ribofuran		
[53-84-9]	Dinucleotide (Oxidized) (β-NAD, DPN) PrimeDx, 98%			70001	B-Nicotinamide Mononucleotide	100 Mg	800
77268	B-Nicotinamide Adenine	500 Mg	1250	[108347-85-9]	Disodium Salt (Reduced) (B-NMNH) extrapure, 98%	1 Gms	4000
[606-68-8]	Dinucleotide Disodium Salt	1 Gms	2000			5 Gms	12000
	(Reduced) (B-NADH.Na2, DPNH.Na2) extrapure, 98%	5 Gms	8000	84999	Nicotinamide Riboside Chloride	5 Gms	3500
	Di Mimazy examples, 50%	25 Gms	27000	[23111-00-4]	extrapure, 97%	25 Gms	8000
54941	ß-Nicotinamide Adenine	100 Mg	700	70035	Nicotinamide Riboside Malate	5 Gms	3500
[606-68-8]	Dinucleotide Disodium Salt	1 Gms	2500	[2415659-01- 5]	extrapure, 98% (Nicotinamide Riboside (Malate))	25 Gms	8000
	(Reduced) (ß-NADH.Na2, DPNH.Na2) for MB, 98%	5 Gms	9800	26478	Niobium Chloride ultrapure, 99.9%	5 Gms	2000
26511	· · · · · · · · · · · · · · · · · · ·	100 Gms	220000	[10026-12-7]	(Niobium Pentachloride)	25 Gms	6000
[606-68-8]	Dinucleotide Disodium Salt			73387	Niobium Pentoxide extrapure AR,	10 Gms	630
	(Reduced) (ß-NADH.Na2, DPNH.Na2) PrimeDx, 98%			[1313-96-8]	99.9%	25 Gms	1280
44566	ß-Nicotinamide Adenine	500 Mg	2280			100 Gms	4210
[64417-72-7]		1 Gms	4320			500 Gms	20210
	(Oxidized) (ß-NAD.Li) extrapure, 95%	5 Gms	11380	31162	Nitenpyram extrapure, 98%	1 Gms	2310
82819		100 Mg	820	[150824-47-8]		5 Gms	8400
[1184-16-3]	Dinucleotide Phosphate	1 Gms	2000	39180	m-Nitroacetophenone pure, 98%	100 Gms	630
	Monosodium Salt (ß-NADP.Na, TPN.Na) extrapure, 98%	5 Gms	8000	[121-89-1]		500 Gms	2950
	Trimay examples, 50%	25 Gms	31000	21254	2-Nitrobenzaldehyde extrapure AR,	25 Gms	740
72970	B-Nicotinamide Adenine	100 Mg	1200	[552-89-6]	99%	100 Gms	2580
[1184-16-3]	Dinucleotide Phosphate	1 Gms	3200	47705	(o-Nitrobenzaldehyde) p-Nitrobenzaldehyde extrapure,	25 Gms	000
	Monosodium Salt (β-NADP.Na) for MB, 98%			17735 [555-16-8]	99%	100 Gms	820 2000
57451	B-Nicotinamide Adenine	100 Mg	850			500 Gms	9000
[24292-60-2]	Dinucleotide Phosphate Disodium	500 Mg	3280	17644	m-Nitrobenzaldehyde pure, 98%	100 Gms	730
	Salt (β-NADP.Na2, TPN.Na2) extrapure, 95%	1 Gms	5610	[99-61-6]	Socialisti, de pui e, 00/0	500 Gms	2990
	-	5 Gms	18110	17003	m-Nitrobenzene Sulphonic Acid	1 Kg	600
56640		100 Mg	1230	[127-68-4]	Sodium Salt pure, 98%	5 Kg	2500
[24292-60-2]	Dinucleotide Phosphate Disodium Salt (β-NADP.Na2, TPN.Na2) for	1 Gms	10280		(Sodium 3-Nitrobenzenesulfonate,	5.19	2000
	MB, 95%			06144	Resist Salt) m-Nitrobenzoic Acid pure, 99%	100 Gms	F00
	ß-Nicotinamide Adenine	25 Mg	940	96144 [121-92-6]	m-Ma obelizoic Acid pure, 33/6	500 Gms	500 2230
[2646-71-1]	Dinucleotide Phosphate	100 Mg	2690	01/04	m-Nitrobonzoic Acid ovtrenure AB		
	Tetrasodium Salt (Reduced) (β-NADPH.Na4) extrapure, 98%	1 Gms	22780	81431 [121-92-6]	m-Nitrobenzoic Acid extrapure AR, 99%	25 Gms 100 Gms	430
				-		100 01115	1280
	(TPNH2.Na4)					250 Gms	2800
	(TPNH2.Na4)			79303	p-Nitrobenzoic Acid pure, 99%	250 Gms 100 Gms	2800 390

Code	Name	Packing	Price	Code	Name	Packing	Price
16148	• • • • • • • • • • • • • • • • • • • •	25 Gms	980	83602		100 Mg	11800
[552-16-9]	(2-Nitrobenzoic acid, Ortho-Nitrobenzoic acid)	100 Gms	2400	[3482-57-3]	extrapure, 98%	500 Mg	30440
	Ortho-Nitrobertzoic acid)	500 Gms	11000		(4-Nitrophenyl-beta-D-Cellobioside, PNP-beta-D-cellobioside)		
27500	4-Nitrobenzoyl Chloride (PNBC)	25 Gms	740	38325	4-Nitrophenyl-4,6-Ethylidene-a-D-M	25 Mg	5510
[122-04-3]	pure, 98%	100 Gms	1470	[96597-16-9]	altoheptaoside (pNP-G7, EPS), EPS	100 Mg	11630
	(p-Nitrobenzoic Acid Chloride)	500 Gms	4290		90% (Ethylidene-4-Nitrophenyl-a-D-Maltohe		
39996	p-Nitrobenzyl Alcohol pure, 97%	25 Gms	1090		ptaoside, EPS-PNP-G7)		
[619-73-8]		100 Gms	3420	66398	o-Nitrophenyl-ß-D-Galacto	1 Gms	900
12790	p-Nitrobenzyl Bromide (PNBBR)	25 Gms	510	[369-07-3]	Pyranoside (ONPG) extrapure, 99%	5 Gms	3800
[100-11-8]	pure, 99%	100 Gms	910			25 Gms	10500
		500 Gms	4310	64685	p-Nitrophenyl	250 Mg	3730
97695	4-(4-Nitrobenzyl)Pyridine extrapure	5 Gms		[7493-95-0]	a-D-Galactopyranoside extrapure,	1 Gms	7800
[1083-48-3]	AR, 99%	25 Gms	5700		98%	5 Gms	37500
			22000	96226	p-Nitrophenyl-ß-D-Galactopyranosi	250 Mg	1220
11207 [298-83-9]	Nitro Blue Tetrazolium Chloride (Nitro BT) (NBT) extrapure AR, 99%	100 Mg	610	[3150-24-1]	de (PNPG) extrapure, 98%	500 Mg	2200
[290-00-9]	(Millo D1) (MD1) extrapare Art, 55%	250 Mg	1100			1 Gms	3950
		1 Gms	3300		5 Gms	7000	
		5 Gms	15400		n Nitrania and O.D. Ohannan and de		
	Nitro Blue Tetrazolium Chloride	100 Mg	880	92734 • [2492-87-7]	p-Nitrophenyl-ß-D-Glucopyranoside extrapure, 98%	100 Mg	920
[298-83-9]	(Nitro BT) (NBT) for molecular biology, 99%	250 Mg	1540	[2.02.07.7]		1 Gms	4400
		1 Gms	4840			5 Gms	14500
13001	Nitro Blue Tetrazolium Chloride	100 Mg	1760	12735		100 Mg	1170
[298-83-9]	(Nitro BT) (NBT) for tissue culture, 99%			[3/6/-28-0]	extrapure, 98%	250 Mg	2010
15527 🗸	o-Nitrochlorobenzene (ONCB)	500 Gms	470			1 Gms	4200
[88-73-3]	pure, 99%	5 Kg	470			5 Gms	17000
	· ·		3800	92822	' ' '	100 Mg	3800
76773 [4883-67-4]	2-Nitrocyclohexanone extrapure, 99%	5 Gms	20500	[10344-94-2]	(PNPG (Gus)) extrapure, 99%	500 Mg	9000
84258	Nitrofurantoin extrapure, 98-102%	5 Gms	1320			1 Gms	15000
[67-20-9]	(N-(5-Nitro-2-Furfurylidene)	25 Gms	2970	27166	3-Nitrophenylboronic Acid	1 Gms	1130
	-1-Aminohydantoin, Furadoxyl)	100 Gms	5940	[13331-27-6]	extrapure, 97%	5 Gms	2240
90728 🗸	o-Nitrophenol extrapure AR, 99%	25 Gms	390			25 Gms	10250
[88-75-5]	o-Minophenoi extrapare Art, 33%	100 Gms	1180	82582	p-Nitrophenylhydrazine extrapure	10 Gms	930
				[100-16-3]	AR, 99%	25 Gms	1560
72892 [51-28-5]	2,4-Dinitrophenol (2,4-DNP) moistened with water, 99%	25 Gms	250	88485	p-Nitrophenylphosphate Disodium	5 Gms	800
[51-20-5]	moleculed with mater, 55%	100 Gms	700		Salt Hexahydrate (pNPP) Reagent	25 Gms	3300
21059	3,4-Dinitrophenol pure, 97%	1 Gms	7800	4264-83-9]	Grade, 99%	250 Gms	28600
[577-71-9]		5 Gms	24000	00241	p-Nitrophenylphosphate Disodium	5 Gms	
18432	p-Nitrophenyl Acetate extrapure,	1 Gms	440		Salt Hexahydrate (pNPP) for	25 Gms	800
[830-03-5]	99%	5 Gms	1500	4264-83-9]	molecular biology, 99%	25 01115	3800
		25 Gms	4350		p-Nitrophenylphosphate Disodium	250 Gms	34000
13463	2-Nitrophenylacetic Acid pure, 98%	5 Gms	700	[333338-18-4/ 4264-83-9]	Salt Hexahydrate (pNPP) PrimeDx, 99%	500 Gms	70000
[3740-52-1]		25 Gms	2430	93413		1 Gms	700
		100 Gms	8470		crystalline (pNPP-d) extrapure, 99%	5 Gms	700
68146	p-Nitrophenylacetic Acid pure, 98%	25 Gms	1240	•	•	25 Gms	2000 7100
[104-03-0]	· · · · · · · · · · · · · · · · · · ·	100 Gms	4300	70000	n Mitsenhamalahaankata Bibata Oak		
72565	4-Nitrophenyl-N-Acetyl-B-D-Glucos	100 Mg	3200	76230 [68189-42-4]	p-Nitrophenylphosphate Ditris Salt crystalline (PNPP-d) PrimeDx, 99%	50 Gms	22000
[3459-18-5]	aminide extrapure, 99%	1 Gms	24000	53456	4-Nitrophenyl trans-Ferulate	25 Mg	5500
	·				extrapure, 98%	100 Mg	16000
72367 [207591-86-4]	4-Nitro-L-Phenylalanine Monohydrate extrapure, 99%	5 Gms	4000		(3-Methoxy-4-Hydroxycinnamic Acid	.55 mg	. 5550
[201081-00-4]	mononyanate extrapate, 33/0	25 Gms	8000		4-Nitrophenyl Ester,		

Code	Name	Packing	Price	Code	Name	Packing	Price
85173 [603-11-2]	3-Nitrophthalic Acid pure, 98%	100 Gms 500 Gms	620 2550		Octyl a-D-Galactopyranoside extrapure, 98%	50 Mg	2800
46384	4-Nitrophthalic Acid pure, 98%	100 Gms	2420		Octyl ß-D-Galactopyranoside extrapure, 98%	50 Mg	2800
[610-27-5]		500 Gms	7830		Octyl a-D-Glucopyranoside	100 Mg	14000
43713 [525-05-3]	Nitroso R-Salt extrapure AR	25 Gms	410		extrapure, 98% Octyl ß-D-Glucopyranoside	1 Gms	
21872	3-Nitrotoluene extrapure, 99%	100 Gms 250 ml	1230 340		extrapure, 98%	5 Gms	5500 25000
[99-08-1]	· · ·	230 1111	340	33910 🗸	Octylphenyl Polyethylene Glycol	100 ml	900
19394 (i	2,4-Dinitrotoluene pure, 98% (1,3-Dinitro-4-Methylbenzene)	25 Gms	2250	[9002-93-1]	(IGEPAL CA-630®) for molecular biology	500 ml	4000
. ,		100 Gms 500 Gms	3500 16500		((Octylphenoxy)polyethoxyethanol)		
60944	E Nitrourseil outropure 000/				Ofloxacin (OFX), 98%	1 Gms	3000
60944 [611-08-5]	5-Nitrouracil extrapure, 98%	10 Gms 25 Gms	2700 5510	[82419-36-1]		5 Gms	6000
	E Nikessan IIII.			23576	Oil Red O for molecular biology,	25 Gms	710
81787 ✓ [6635-20-7]	5-Nitrovanillin pure, 98% (3-Methoxy-4-Hydroxy-5-Nitrobenzalde	5 Gms 25 Gms	2800 5600	[1320-06-5]	75% (Solvent Red 27, Sudan Red 5B) (C. I.	100 Gms	2220
	hyde)	20 00			No. 26125)		
64659	2-Nonanone pure, 98% (n-Heptyl Methyl Ketone)	25 ml	550		Oleandomycin Phosphate	100 Mg	4000
[821-55-6]	(п-перци мешу кетопе)	100 ml	1300	[7060-74-4]	extrapure, 100U/mg (Matromycin)	1 Gms	10000
		500 ml	3200	70855	Orange Oil extrapure	100 ml	840
56986	Norethisterone Acetate extrapure,	100 Mg	3450	[8008-57-9]		500 ml	3890
[51-98-9]	99% (Norethindrone Acetate)	1 Gms	8250	30774	Orcein	5 Gms	1370
	<u>, </u>	5 Gms	15000	[1400-62-0]		10 Gms	2400
43000	Norfloxacin (NFX), 98%	1 Gms	2140			25 Gms	5000
[70458-96-7]		5 Gms	4990	86848	L-Ornithine Monohydrochloride	25 Gms	550
82075	L-Norleucine pure, 97%	1 Gms	1800	[3184-13-2]	extrapure CHR, 99%	100 Gms	990
[327-57-1]	((S)-(+)-2-Aminohexanoic acid, (S) -2-Aminocaproic Acid)	5 Gms	7000			500 Gms	4400
49021 [616-06-8]	DL-Norleucine extrapure, 99%	5 Gms	800	98499 [7240-38-2]	Oxacillin Sodium Salt Monohydrate (OXC.Na.H2O), 815ug/mg	5 Gms	4330
		25 Gms	3000	62704	Oxalacetic Acid extrapure, 98%	1 Gms	1700
27434 8 [1476-53-5]	Novobiocin Sodium Salt (NVB), 95%	100 Mg	1110	[328-42-7]	(Oxaloacetic Acid, Ketosuccinic Acid,	5 Gms	6200
[1470-30-3]		1 Gms	7000		Oxobutanedioic Acid, 2-Oxosuccinic Acid)	25 Gms	28000
		5 Gms	30000	76207	Oxidase Reagent (Gordon-Macleod	100 ml	450
56221 [6600-40-4]	L-Norvaline extrapure, 99%	1 Gms 5 Gms	1780 3680		Reagent)		
68547	Nuclear Fast Red	1 Gms	1500	91088 [14698-29-4]	Oxolinic Acid (OXO), 99%	5 Gms	5000
[6409-77-4]	(C.I. No. 60760)	5 Gms	7400		Oxolinic Acid Sodium (OXO-Na),	1 Gms	2690
00040	Nylander`s Reagent			[59587-05-8]	, ,	5 Gms	9140
89249	Nylander 5 neagent	50 ml	430	55540	Oxytetracycline Dihydrate	1 Gms	410
56083	Obermayor`s Reagent	100 ml	240	[6153-64-6]	(OTC.2H2O) extrapure, 98%	4.0	
62339	Octadecylamine technical, 70%	500 Gms	300		Oxytetracycline Hydrochloride (OTC), 95%	1 Gms	600
[124-30-1]	(Stearylamine)	5 Kg	2800	[==== .0 0]	. "	5 Gms 25 Gms	2300
51038	Octadecylamine pure, 98%	250 Gms	600	61799	Ovalbumin ex. Chicken Egg White	25 Gms 1 Gms	4000
[124-30-1]		1 Kg	2200		for molecular biology, 90%	5 Gms	2800 12500
		5 Kg	8500	•		25 Gms	60000
27703	Octanoyl Chloride pure, 99%	25 ml	470	57590	Paclobutrazol pure, 95%	5 Gms	
[111-64-8]	•. •	100 ml	1230		(a-tert-Butyl-ß-(4-Chlorobenzyl)	5 Gms 25 Gms	900
		500 ml	3790		-1H-1,2,4-Triazole-1-Ethanol, PACZEE)	25 GIIIS	3500
48804 🗸	N-Octylamine pure, 99%	250 ml	1350		Paclitaxel (Taxol, PCXL), 99%	10 Mg	1260
[111-86-4]	(1-Aminooctane, n-Octylamine,	1000 ml	3750	[33069-62-4]		50 Mg	4000
	Caprylamine)					250 Mg	7500

Code	Name	Packing	Price	Code	Name	Packing	Price
42095	Palladium(II) Trifluoroacetate	1 Gms	6000		(2R,4R)-2,4-Pentanediol extrapure,	1 Gms	33240
[42196-31-6]	extrapure, 98%	25 Gms	28000	[42075-32-1]	99%	2.5 Gms	80550
15028	Palmitic Acid pure, C16-98%	500 Gms	550	10610	(2S,4S)-2,4-Pentanediol extrapure,	1 Gms	27700
[57-10-3]		5 Kg	5000	[72345-23-4]	99%	2.5 Gms	67160
34262	Palmitic Acid Reference Standard,	5 Gms	580	16165	Pentylenetetrazole (Pentetrazole)	5 Gms	900
[57-10-3]	C16-99% (GC)	25 Gms	2200	[54-95-5]	extrapure, 99%	25 Gms	3000
		100 Gms	7600		(1,5-Pentamethylenetetrazole) (Pentylenetetrazole,1,5-Pentamethylen		
77065	Palmitic Acid Methyl Ester	5 Gms	2000		etetrazole)		
[112-39-0]	Reference Standard, 99%(GC)	25 Gms	5880	32212	Peppermint oil extrapure, 50%	100 ml	600
	(Methyl Palmitate)			[8006-90-4]		500 ml	2200
62199 ✓ [112-67-4]	Palmitoyl Chloride pure, 98% (Hexadecanoyl Chloride, Palmitic Acid	25 ml	1800	12647	Pepsin 1:2500 ex. Porcine Stomach	25 Gms	950
[112-07-4]	Chloride)	100 ml	4000	[9001-75-6]	6] Mucosa, 0.6Anason U/mg	100 Gms	2310
		500 ml	8000			500 Gms	10500
83162	Pamoic Acid pure, 98%	25 Gms	1200	48062	Pepsin 1:10000 ex. Porcine	25 Gms	1890
[130-85-8]		100 Gms	4000	[9001-75-6]	Stomach Mucosa, 2.5 Anson U/mg	100 Gms	6720
74635	PAN Indicator (1(2-Pyridylazo)-2-	1 Gms	1000		powder	500 Gms	30450
[85-85-8]	Naphthol) extrapure AR, 99% (1(2-Pyridylazo)-2- Naphthol)	5 Gms	4000	11787	Pepsin 1:10000 ex. Porcine	25 Gms	2100
	(T/2 T yridyld20) 2 Tvaphiliol)	25 Gms	18000	[9001-75-6]	•	100 Gms	7350
37740	Pancreatin 3x ex. Porcine	100 Gms	1010		Anson U/mg powder	500 Gms	34130
[8049-47-6]	Pancreas, 75U/mg powder	500 Gms	4910				
41421	Pancreatin 4NF ex. Porcine	100 Gms	2900	63364 [9001-75-6]	Pepsin 2x cryst. ex. Porcine Stomach Mucosa, 2500U/mg	1 Gms	3000
[8049-47-6]	Pancreas, 100U/mg	500 Gms	11950	[0001.700]	powder	5 Gms	9500
95907	Papain 1x USP ex. Papaya Latex,	100 Gms	400			25 Gms	35000
[9001-73-4]	6000 USP U/mg powder	500 Gms	1730			100 Gms	75000
	Daniel St. HOD on Daniel Later				Peroxidase ex. Horseradish RZ	1.25	2000
80400 [9001-73-4]	Papain 5x USP ex. Papaya Latex, 30000 USP U/mg powder	25 Gms	940	[9003-99-0]	>3.0, w/o Stab., Salt free (HRP Type 1), 250U/mg Powder	K.Units 5 K.Units	4000
[000.70.]	(Papainase, Carica Papaya)	100 Gms	3500		,, , ,	25 K.Units	13000
		500 Gms	11500	73292	Peroxidase ex. Horseradish RZ	5 K.Units	
59196 [16593-81-0]	PAR extrapure, 99% (4-(2-Pyridylazo)-Resorcinol	1 Gms	860	[9003-99-0]		25 K.Units	2000 6250
[10393-61-0]	Monosodium Salt Hydrate)	5 Gms	3680		Type 2), 110U/mg powder	50 K.Units	11250
27436	Paromomycin Sulfate (PRM)	1 Gms	3150		Peroxidase ex. Horseradish RZ		
[1263-89-4]		5 Gms	8900	87913 [9003-99-0]		5 K.Units	2500
		25 Gms	34270	[,	Type 3), 180U/mg powder	25 K.Units	7000
13684	Pectic Acid pure	100 Gms	3700			50 K.Units	12000
[9046-40-6]	•			30709	1,10-Phenanthroline Anhydrous extrapure, 99%, water 2%	5 Gms	800
90464	Pectinase ex. Aspergillus Niger,	1 K.Units	2200	[66-71-7]	extrapure, 35%, water 2%	25 Gms	2800
[9032-75-1]	3U/mg powder	5 K.Units	5000			100 Gms	8000
	(Macerozyme)	10 K.Units	8000	65898	1,10-Phenanthroline Monohydrate	5 Gms	560
27295	Pectinase ex. Aspergillus Niger,	100 Gms	2800	[5144-89-8]	extrapure AR, 99.5%	25 Gms	2000
[9032-75-1]	3000 IU/g powder	500 Gms	8000			100 Gms	5800
20045	(Macerozyme)	F 0	0505			500 Gms	26000
38215 [1002-84-2]	Pentadecanoic Acid (Pentadecylic Acid) extrapure, 98%	5 Gms	2500	81067	1,10-Phenanthroline Monohydrate	5 Gms	680
	(Pentadecyclate, n-Pentadecylate)	25 Gms	6500	[5144-89-8]	extrapure AR, ACS, ExiPlus, Multi-Compendial, 99.5%	25 Gms	2400
		100 Gms	18900		mana-compendial, 33.070	100 Gms	6600
41991	Pentafluorobenzoic Acid pure, 98% (2,3,4,5,6-Pentafluorobenzoic Acid)	5 Gms	940			500 Gms	29000
[602-94-8]	(2,0,4,0,0-1 GIRANUOLODENZOIC ACIU)	25 Gms	3280		meets compendial specs of USP		
		100 Gms	7540	31888	1,10-Phenanthroline Hydrochloride	5 Gms	900
40309	, , , , , , , , , , , , , , , , , , , ,	1 Gms	2500	[18851-33-7]	Monohydrate extrapure AR, 99.5%	25 Gms	4000
[69-57-8]	98%	5 Gms	6500				
13585	Pentafluorophenol (PFP) extrapure,	5 Gms	1420				
[771-61-9]	99%	25 Gms	5880				
	(2,3,4,5,6-Pentafluorophenol)						

Code	Name	Packing	Price	Code	Name	Packing	Price
55782	Phenazonium Methosulphate	1 Gms	810	45754	Phenyl Glycidyl Ether (PGE)	100 ml	650
[299-11-6]	(PMS) extrapure, 99% (N-Methylphenazonium Methyl	5 Gms	3280	[122-60-1]	extrapure, 98% (2,3-Epoxypropyl Phenyl Ether,	500 ml	2000
	Sulphate, N-Methylphenazonium	25 Gms	15600		1,2-Epoxy-3-phenoxypropane)		
	Methosulphate, Phenazine			23116	L-Phenyl Glycine extrapure, 99%	25 Gms	720
	Methosulphate)			[2935-35-5]		100 Gms	2800
13920 • [299-11-6]	Phenazonium Methosulphate (PMS) for tissue culture, 99%	1 Gms	1060			500 Gms	12000
[200 11 0]	(N-Methylphenazonium Methyl	5 Gms	4910	17083	Phenyl Isothiocyanate (PITC) pure,	25 ml	1500
	Sulphate, N-Methylphenazonium	25 Gms	20450	[103-72-0]	98%	100 ml	4000
	Methosulphate, Phenazine Methosulphate)					500 ml	17500
48914	Phenolphthalein Diphosphate	1 Gms	1800	18962	Phenyl Isothiocyanate (PITC)	25 ml	2800
[68807-90-9]	Tetrasodium Salt extrapure AR,	5 Gms	4340	[103-72-0]	extrapure AR, 99%	100 ml	6020
	95%	25 Gms	16650	15127	Phenyl Isothiocyanate (PITC) for	5 x1 ml	
	(Phenolphthalein Bisphosphate Tetrasodium Salt)			[103-72-0]	HPLC & Sequencing, 99%	5 ml	2000 1800
95444	Phenoxyacetic Acid extrapure, 99%	100 Gms	750			5 x5 ml	8200
[122-59-8]	(Glycolic Phenyl Ether)	500 Gms	3200		N.B		
19630	L-Phenylalanine-7-Amido-4-Methylc	25 Mg	11650	98152 [941-69-5]	N-Phenylmaleimide extrapure, 98%	5 Gms	800
	oumarin Trifluoroacetate Salt	50 Mg	16940	[000.0]		25 Gms	2200
	extrapure, 98%	30 Mg	10940			100 Gms	3500
	(L-Phenylalanine-AMC.TFA Salt)			89793	Phenylmercuric Acetate (PMA) pure, 98%	5 Gms	1000
79455 [2462-32-0]	L-Phenylalanine Benzyl Ester Hydrochloride extrapure, 99%	25 Gms	11710	[62-38-4]	(Mercury Phenyl Acetate)	25 Gms	4500
34351		1 Gms	1000			100 Gms	16000
[3182-93-2]	Hydrochloride extrapure, 99%	5 Gms	4110			250 Gms	37000
		25 Gms	12210	23358	Phenylmercuric Nitrate (Basic)	5 Gms	2400
78586	L-Phenylalanine Methyl Ester	1 Gms		[8003-05-2]	(PMN) pure, 98% (Mercury Phenyl Nitrate)	25 Gms	10000
78586 [7524-50-7]		5 Gms	880		(100 Gms	36000
,		25 Gms	2500			250 Gms	85000
			7700	87606	, ,	1 Gms	750
89311 • [65147-22-0]	, , ,	25 Mg	35050	[329-98-6]	(PMSF) extrapure, 99%	5 Gms	2400
[05147-22-0]	Hydrochloride Salt extrapure, 99%					25 Gms	8500
	(Z-Phe-Arg-AMC.HCl Salt)					100 Gms	28000
14059	N-Phenylanthranilic Acid	25 Gms	1250	84375	Phenylmethane Sulphonyl Fluoride	1 Gms	950
[91-40-7]	(2-Anilinobenzoic Acid) extrapure AR, 99%	100 Gms	4200	[329-98-6]	(PMSF) for molecular biology, 99%	5 Gms	3000
53993	4-Phenylazophenol (Solvent Yellow	25 Gms	1200			25 Gms	12000
	7, 4-HAB) extrapure, 98%	100 Gms	3400	90365	Phenylphosphate Disodium Salt	25 Gms	2140
	(p-Hydroxyazobenzene)(C.I. No.		0.00	[66778-08-3]	Dihydrate (High Purity) extrapure	100 Gms	6410
00000	11800)	05.0	1000		AR, 98%	250 Gms	16010
92890 [98-80-6]	Phenylboronic Acid extrapure, 95%	25 Gms	1900	50478	Phenyl Salicylate (Salol) extrapure,	100 Gms	1030
		100 Gms	7000	[118-55-8]	99%	500 Gms	3900
70291 [1821-12-1]	4-Phenyl Butyric Acid pure, 99%	25 Gms	2400	21726	Phenyl ß-D-Thioglucopyranoside	25 Mg	
[1021-12-1]		100 Gms	6500	[2936-70-1]	extrapure, 98%	50 Mg	4510 7870
27644	•	5 Gms	2400	40-0-	N Discoulisticana automorphis 070/	-	7870
[95-54-5]	(OPD) extrapure AR, 99%	25 Gms	8000	16795 [103-85-5]	N-Phenylthiourea extrapure, 97%	10 Gms	2140
		100 Gms	18000			25 Gms	3800
73229	•	5 Gms	3800	30746	Phleomycin (PLM) Solution (20mg/mL in 20mM HEPES)	1 ml	7500
[615-28-1]	Dihydrochloride (OPD.2HCI) extrapure AR, 99%	25 Gms	10790	69353	Phloroglucinol Anhydrous	25 Gms	1300
59576	2-Phenyl Ethylamine pure, 99%	250 ml	800	[108-73-6]	extrapure AR, 99%	100 Gms	4500
[64-04-0]	, Emplement pare, 55/5	500 ml	1400			500 Gms	19000
0	Phonyl o D Colostonymons -1-1-			00500	Dhlavin D		
27861 [2871-15-0]	Phenyl-a-D-Galactopyranoside extrapure, 98%	250 Mg	10950	99529 [18472-87-2]	Phloxin B	25 Gms	400
77334	Phenyl-B-D-Galactopyranoside	1 Gms	6830	0, 2]		100 Gms 500 Gms	1400
[2818-58-8]	extrapure, 97%					500 GIIIS	6000

Code	Name	Packing	Price	Code	Name	Packing	Price
95131	1X Phosphate Buffered Saline (PBS) for molecular biology	100 ml	530 1290	58924 [554-62-1]	Phytosphingosine Hydrochloride extrapure, 98%	1 Gms 5 Gms	6800 18000
70500	10V Dhaanhata Duffarad Calina			07400	Dieleven sytuanys 05%		
78529	10X Phosphate Buffered Saline (PBS) for molecular biology	100 ml 500 ml	660	67432 [1918-02-1]	Picloram extrapure, 95% (4-Amino-3,5,6-Trichloropicolinic Acid,	1 Gms 5 Gms	1600
			1520	. ,	4-Amino-3,5,6-Trichloropyridine-2-Carb	25 Gms	4000 12000
13435	10X Phosphate Buffered Saline Tween-20 (PBST) for molecular	200 ml	600		oxylic Acid)		
	biology	1000 ml	2500	41238 [98-98-6]	a-Picolinic Acid pure, 98%	25 Gms	500
40083	Phosphoenolpyruvate	100 Mg	710	[00 00 0]		100 Gms 500 Gms	1200
[10526-80-4]	Monocyclohexylammonium Salt (PEP MCHA Salt) extrapure, 98%	250 Mg	1420				4000
	(Car morar cany oxinapare, cox	1 Gms	3410	93418 [124-87-8]	Picrotoxin pure, 98%	1 Gms	2200
		5 Gms	16610			5 Gms	6000
81145	' ''	50 Gms	180000	90670 [111-16-0]	Pimelic Acid (Heptanedioic acid) extrapure, 98%	25 Gms	3290
[10526-80-4]	Monocyclohexylammonium Salt (PEP MCHA Salt) PrimeDx, 98%			[111-10-0]	extrapare, 50/5	100 Gms	11650
31569	,	100 Mg	1180	99487		25 Gms	800
[35556-70-8]	Tricyclohexylammonium Salt (PEP	250 Mg	1770	[76-09-5]	(2,3-Dimethyl-2,3-Butanediol, Tetramethylethylene Glycol)	100 Gms	2500
	TCHA Salt) extrapure, 98%	1 Gms	5290			500 Gms	9000
36257	Phosphoenolpyruvate	25 Gms		31826	Piperonylamine pure, 97%	5 ml	7000
	Tricyclohexylammonium Salt (PEP	25 dilis	150000	[2620-50-0]	(1,3-Benzodioxole-5-Methylamine, 3,4- (Methylenedioxy)Benzylamine)		
	TCHA Salt) PrimeDx, 98%			70375	PIPES Buffer extrapure, 99%	25 Gms	1000
	Phospholipase D (Lecithinase D)	200 Units	17960	[5625-37-6]	(Piperazine-1,4-bis(2-Ethanesulphonic,	100 Gms	3100
[9001-87-0]	ex. Streptomyces chromofuscus, 40U/mg powder	400 Units	28730		Acid))	500 Gms	10710
84122	Phosphomycin Disodium Salt	1 Gms	3570	49159	PIPES Buffer for molecular biology,	100 Gms	3470
[26016-99-9]	(Fosfomycin Disodium Salt)	5 Gms	7140	[5625-37-6]	99%	500 Gms	12500
	extrapure, 99%				(Piperazine-1,4-bis(2-Ethanesulphonic,	ooo ams	12300
	((-)-(1R,2S)- (1,2-Epoxypropyl)Phosphonic Acid,				Acid))		
	Phosphonomycin)			48112 [5625-37-6]	PIPES Buffer for tissue culture, 99%	25 Gms	1470
65312 [9012-69-5]	Phosphorylase B ex. Rabbit Muscle, 50U/mg powder	10 Mg	6000	[0020 07 0]	(Piperazine-1,4-bis(2-Ethanesulphonic, Acid))	100 Gms	4200
27329	o-Phthalaldehyde (OPA) extrapure	5 Gms	940	86180	PIPES Buffer PrimeDx, 99%	1 Kg	30000
[643-79-8]	AR, 99% (Phthaldialdehyde)	25 Gms	4030	[5625-37-6]		5 Kg	140000
89886	Phthalamide (Phthalic Acid	25 Gms	1260	58842	PIPES Dipotassium Salt Buffer	25 Gms	8630
[88-96-0]	Diamide) pure, 98%	100 Gms	2310	[108321-27-3]	extrapure, 99%		
62747	Phthalimide extrapure, 99%	500 Gms		55025	PIPES Disodium Salt Buffer	25 Gms	4810
[85-41-6]	(Phthalic Dicarboximide,	5 Kg	580 5570	[76836-02-7]	extrapure, 99%	100 Gms	12190
	1,3-Dihydro-1,3-Dioxoisoindole,	3 Ng	5570			500 Gms	35710
	1,3-Dioxoisoindoline)	,		44033	PIPES Sesquisodium Salt Buffer	25 Gms	3580
45501 [87-41-2]	Phthalide pure, 98% (1-Iso-Benzofuranone)	100 Gms	530	[100037-69-2]	extrapure, 99%	100 Gms	12320
		500 Gms	2210			250 Gms	30170
	N-Phthaloyl-L-Alanine extrapure,	1 Gms	1080	94348	PIPES Sodium Salt Buffer	25 Gms	2940
[4192-28-3]	98%	5 Gms	4890	[10010-67-0]	extrapure, 99%	100 Gms	7880
44729	N-Phthaloyl-L-Glutamic Acid	5 Gms	4450			250 Gms	15960
[340-90-9]	extrapure, 98% N-Phthaloyl-L-Methionine	4.0	1000	72328	Piperazine Anhydrous pure, 98%	250 Gms	900
19971	extrapure, 98%	1 Gms	1830	[110-85-0]		500 Gms	1600
n	•	5 Gms	7690			5 Kg	13500
15187 [5123-55-7]	N-Phthaloyl-L- Phenylalanine extrapure, 99%	1 Gms	910	15861	Pivaloyl Chloride extrapure, 99%	100 ml	480
	-	5 Gms	3170	[3282-30-2]		250 ml	850
64073	N-Phthaloyl-L-Valine extrapure,	1 Gms	1670			500 ml	1650
	98%	5 Gms	7690	20924	Polyadenylic Acid Potassium Salt	25 Mg	2000
92486	Phthalyl Hydrazide pure, 98%	25 Gms	1200		(POLY A Potassium) extrapure	100 Mg	5500
[1445-69-8]	(Phthalic Hydrazide)	100 Gms	3500			1 Gms	35000
		500 Gms	15000				

Code	Name	Packing	Price	Code	Name	Packing	Price
44196 [26936-40-3]	Polycytidylic Acid Potassium Salt (POLY C Potassium) extrapure	25 Mg	5250	28008 [19423-77-9]	Praseodymium (III) Chloride Hydrate extrapure, 99.9%	25 Gms 100 Gms	3500 8500
62995 [26936-41-4]	Polyinosinic Acid Potassium Salt (POLY I Potassium) extrapure	10 Mg	5250	83218	Praseodymium (III) Nitrate	25 Gms	3800
	Poly-L-Lysine Hydrobromide (PLL	25 Mg	6500	[15878-77-0]	Hexahydrate extrapure, 99.9% (Praseodymium Trinitrate Hexahydrate)	100 Gms	11000
[25988-63-0]	HBr), 70-150kDa (L-Lysine Homopolymer	100 Mg	23000	99350	Praseodymium (III)	5 Gms	4100
	Hydrobromide)	250 Mg	50000	[52093-27-3]	Trifluoromethanesulfonate extrapure, 98%	25 Gms	15330
	Poly-D-Lysine Hydrobromide (PDL	25 Mg	6500		(Praseodymium Triflate,		
[27964-99-4]	HBr), 70-150KDa (D-Lysine Homopolymer Hydrobromide)	100 Mg	18000		Trifluoromethanesulfonic Acid Praseodymium Salt)		
22107	Poly-e-L-Lysine Hydrochloride (PLL	25 Gms	9000	63639 [12037-29-5]	Praseodymium (III, IV) Oxide extrapure, 99.9%	10 Gms	740
[28211-04-3]	HCI), 3500-4500Da	100 Gms	31000		•	50 Gms	2940
	(e-Poly-L-Lysine HCl, N6- [(Phenylmethoxy)carbonyl]-L-Lysine			10693 • [57-83-0]	Progesterone extrapure, 97-103% (4-Pregnene-3,20-Dione)	5 Gms	1310
	Homopolymer)			[07 00 0]	(· · · · · · · · · · · · · · · · · · ·	25 Gms 100 Gms	4000 14000
	r-Polyglutamic Acid technical	1 Gms	800		Describin Detection Cell		
[25513-46-6]	grade, 20%	5 Gms	3000	54236 [21087-77-4]	Progoitrin Potassium Salt Reference Standard Grade, 75%	10 Mg	30000
	Polyguluronic Acid extrapure, 80%	1 Gms	14500		(R)-2-Hydroxy-3-Butenylglucosinolate		
[36562-70-6]		5 Gms	62000		Potassium Salt)	400.14	
	Polymyxin B Sulphate (Aerosporin,	250 Mg	1400		Prohexadione Calcium technical grade, 95%	100 Mg 1 Gms	2000 9000
[1405-20-5]	PXNS), 6000U/mg	1 Gms	4000				
22810	Polyoxyethylene (5)	100 Gms	1100	31651 [72556-74-2]	Phosphocholine Chloride Calcium Salt Tetrahydrate pure, 97%	5 Gms 25 Gms	2530
[68412-54-4]	Nonylphenylether Branched (IGEPAL CO-520) for molecular	500 Gms	3700		(Calcium phosphorylcholine chloride,	100 Gms	5420 15650
	biology				Choline chloride phosphate calcium salt, Choline phosphate chlo	100 dilis	15050
20659 ✓ [68412-54-4]	Polyoxyethylene (9) Nonylphenylether Branched	100 Gms	1200	74152	L-Proline-7-Amido-4-Methylcoumari	10 Mg	4540
[00412-34-4]	(IGEPAL CO-630) for molecular biology	500 Gms	4000	[115388-93-7]	n Hydrobromide Salt extrapure, 98%	25 Mg	7560
47380	Polyoxyl 40 Hydrogenated Castor	500 Gms	2520	79380	(L-Proline-AMC.HBr Salt) Z-Proline-Arginine-7-Amido-4-Meth	10 Mg	71280
[61788-85-0]	Oil extrapure (Macr(Macrogolglycerol				ylcoumarin Hydrochloride	•	152720
	Hydroxystearate, PEG-40				extrapure, 99% (Z-Pro-Arg-AMC-HCI)		
14749	hydrogenated castor oil) Polyuridylic Acid Potassium Salt	25 Mg	3000	16110	L-Proline Benzyl Ester	5 Gms	2200
[27416-86-0]	(POLY U Potassium) extrapure		3000	[16652-71-4]	Hydrochloride extrapure, 99%	25 Gms	8000
38610 [6226-79-5]	Ponceau S	25 Gms	790		L-Proline-ß- Naphthylamide	100 Mg	4440
14092	Ponceau S Staining Solution	100 Gms 100 ml	3050 1750	16680	Hydrobromide extrapure, 99% Proline Specific Endopeptidase ex.	50 Units	9800
44465	DODOO D.#	07.0		31798	Flavobacterium Sp., 5U/mg powder Propargyl Alcohol pure, 99%	250 ml	1125
41186 [68189-43-5]	POPSO Buffer extrapure, 99% (Piperazine-1,4-bis	25 Gms	2000	[107-19-7]	,	500 ml	2100
[(2-Hydroxypropanesulphonic Acid)	100 Gms 500 Gms	5000 20000			2500 ml	10200
04000	DODGO Saguiandium Salt Buffer			90557	D-Prolinamide extrapure, 98%	5 Gms	4750
81800 [108321-08-0]	POPSO Sesquisodium Salt Buffer extrapure, 98%	25 Gms	6000	[62937-45-5]	((R)-Pyrrolidine-2-Carboxamide)	25 Gms	17790
20883	Potassium Gluconate extrapure,	100 Gms	300	35981	L-Prolinamide extrapure, 98%	5 Gms	900
[299-27-4]	99% (D-Gluconic Acid Potassium Salt,	500 Gms	1260	[7531-52-4]	((2S)-2-Pyrrolidinecarboxamide, (-)	25 Gms	2500
	Potassium-D-Gluconate)				-Prolinamide, (2S) -2-Carbamoylpyrrolidine)	100 Gms	9000
48320	Potassium tert-Butoxide pure, 98%	100 Gms	750) i y ()	500 Gms	42000
[865-47-4]		500 Gms	3200		D-Prolinol extrapure, 98%	1 ml	2050
95056	Potassium Sorbate pure, 99%	500 Gms	900	[68832-13-3]	((R)-(-)-2-(Hydroxymethyl)pyrrolidine,	5 ml	8010
[24634-61-5]		1 Kg	1600		(R)-(-)-2-Pyrrolidinemethanol)	25 ml	13790
14884	Potassium Stannate pure, 37% Sn	100 Gms	3000		L-Prolinol extrapure, 98%	5 ml	2000
[12142-33-5]	·	500 Gms	9500	[23356-96-9]	((S)-(+)-2-(Hydroxymethyl)pyrrolidine, (S)-(+)-2-Pyrrolidinemethanol)	25 ml	5500

Code	Name	Packing	Price	Code	Name	Packing	Price
41622	Propiophenone pure, 99%	100 ml	600	45073	Proteinase K ex. PichiaPastoris	25 Mg	2110
[93-55-0]		500 ml	2000	[39450-01-6]	(Type E - Recombinant) for molecular biology & PCR, 40U/mg	100 Mg	7310
84215	n-Propyl Bromide pure, 98%	100 ml	480		protein		
[106-94-5]		500 ml	1600		(Endopeptidase K)		
		2500 ml	6200	36331	Proteinase K Solution (20 mg/ml)	1 ml	2400
45799	Propylene Carbonate pure, 99%	500 ml	600			5 x1 ml	5000
[108-32-7]		2500 ml	2660			5 x5 ml	17000
56082	n-Propyl lodide extrapure, 99%	25 ml	2300		Pullulan (Polymaltotriose, PULL)	5 Gms	3000
[107-08-4]		100 ml	8400	[9057-02-7]	extrapure	25 Gms	6000
		250 ml	20200			100 Gms	18000
25034	Propyl Propionate extrapure, 99%	250 ml	1130		Puromycin Dihydrochloride (PRM),	10 Mg	3280
[106-36-5]		1000 ml	4240	[58-58-2]	98%	25 Mg	6400
11195	Propidium Iodide (PI) for molecular	10 Mg	2700			100 Mg	18000
[25535-16-4]	biology, 95%	25 Mg	4800		☐ Putrescine free base extrapure,	25 Gms	1700
	(3,8-Diamino-5-[3-	100 Mg	14000	[110-60-1]	99% (1,4-Diaminobutane,	100 Gms	5300
	(diethylmethylammonio)propyl] -6-Phenylphenanthridinium Diiodide)				1,4-Butanediamine,	500 Gms	25000
78349	Protamine Sulfate for molecular	1 Gms	3000		Tetramethylenediamine)		
[9009-65-8]	biology, 90-110%	5 Gms	11000	0.0.0	Putrescine Dihydrochloride	1 Gms	470
	(Protamine Sulphate)	10 Gms	20000	[333-93-7]	extrapure, 99%	5 Gms	1430
79546 ■	Protein A soluble	2 Mg	12190			25 Gms	5940
	·					100 Gms	21350
	Propidium Iodide Solution (1mg/ml	10 ml	3000		Putrescine Dihydrochloride for	1 Gms	940
	•	05.0		[333-93-7]	tissue culture, 99%	5 Gms	3280
84589 • [9036-06-0]	Protease ex. AspergillusOryzae (Fungal) (Type 1 - Acidic),	25 Gms	4860			25 Gms	8650
. ,	500kHUT/g powder			57322	Pyrazinamide extrapure, 98%	5 Gms	1500
	(Subtilisin A)			[98-96-4]	(Pyrazinecarboxamide, Pyrazinamide, Pyrazinoic Acid Amide)	25 Gms	3200
38207 • [9036-06-0]	Protease ex. Bacillus Licheniformis (Type 4 - Neutral), 10U/mg powder	25 Mg	3890	31412	Pyrazole extrapure, 98%	5 Gms	1000
[0000 00 0]	(Subtilisin A)	100 Mg	12500	[288-13-1]	(1,2-Diazole)	25 Gms	2100
81525	Protease ex. Bacillus Sp. (Type 5 -	100 Gms	730			100 Gms	5600
[9036-06-0]	Neutral, granules), 8kNPU/g (Subtilisin A)	500 Gms	3160	32357	Pyrene Actin (10%) ex. Rabbit	1 Mg	88920
66789 •	,	250 Gms	3890		Skeletal Muscle extrapure, 99%		
[9036-06-0]	2 - Alkaline, granules), 100kAPU/g	200 ams	3690	39433	1-Pyrenebutanol extrapure, 99%	500 Mg	4450
	(Subtilisin A)			[67000-89-9]		1 Gms	8540
23434		500 Gms	2190	81284	1-Pyrenecarboxylic Acid pure, 97%	500 Mg	4390
[9036-06-0]	3 - Alkaline, granules), 1000kAPU/g (Subtilisin A)			[19694-02-1]		1 Gms	7830
34244	,	100 Gms	3530			5 Gms	34390
[9036-06-0]	6 - Neutral), 100kNPU/g powder			59503	1-Pyrenemethylamine	500 Mg	4090
	(Subtilisin A)			[93324-65-3]	Hydrochloride (PyNH2) pure, 95%	1 Gms	7480
19936 39450-01-6]	Proteinase K ex. Tritirachium Album (Type A) for molecular	25 Mg	1100	67172	Pyridazine pure, 98%	5 Gms	2730
00400 01 0]	biology, 30U/mg protein	100 Mg	3600	[289-80-5]		25 Gms	12600
	(Endopeptidase K)	500 Mg	16000	31129	Pyridine-d5 For NMR	10 ml	24000
		1 Gms 5 Gms	28000	[7291-22-7]	Spectroscopy, 99.5 Atom%D		
	Ductainage V err Bistis-Bass		98000	73512	3-Pyridineboronic Acid extrapure,	1 Gms	2040
32 753 39450-01-6]	Proteinase K ex. PichiaPastoris (Type D - Recombinant) for	25 Mg	1300	[1692-25-7]	98%	5 Gms	8480
0070U-U1-U]	molecular biology & PCR, 30U/mg	100 Mg	4200			25 Gms	37300
	protein	500 Mg	19000	16539	Pyridine-2,6-Dicarboxylic Acid	25 Gms	850
	(Endopeptidase K)	1 Gms	34000	[499-83-2]	extrapure, 99%	100 Gms	2500
		5 Gms	115000			500 Gms	11000

Code	Name	Packing	Price	Code	Name	Packing	Price
12644	Pyridine-3-Sulphonic Acid (P3SA)	25 Gms	2000	56826	Pyrroloquinoline Quinone	100 Mg	3000
[636-73-7]	extrapure, 98% (3-Pyridinesulfonic Acid)			[122628-50-6]	Disodium Salt (PQQ Disodium) extrapure, 98%	1 Gms	6000
52928	Pyridoxal-5-Phosphate	1 Gms	1020		(4,5-Dihydro-4,5-Dioxo-1H-Pyrrolo[2,3-f	5 Gms	12000
[41468-25-1]	Monohydrate extrapure, 98%	5 Gms	4630]quinoline-2,7,9-Tricarboxylic Acid		
		25 Gms	14820	63884	Disodium, Methoxatin Diso Pyruvate Dehydrogenase ex.	10 Units	10320
88205 🗸	Pyridoxine Hydrochloride (Vitamin	25 Gms	510	[9014-20-4]	Microorganism, 2.0U/mg powder	10 011113	10320
[58-56-0]	B6) pure, 98%	100 Gms	1400	29986	Pyruvate Kinase ex. Rabbit Muscle,	2000 Units	6000
		500 Gms	5400	[9001-59-6]	300U/mg powder	4000 Units	11500
47330 🗸	3(2-Pyridyl)	1 Gms	2850	59150	Pyruvic Acid pure, 98%	25 ml	900
[1046-56-6]	-5,6-Diphenyl-1,2,4-Triazine (PDT)	5 Gms	12450	[127-17-3]		100 ml	2400
16315	extrapure AR, 99% 3-(2-Pyridyldithio)propionic Acid	100 Mg	0400	71923	Quercetin Dihydrate extrapure, 98%	25 Gms	2000
[68181-17-9]	N-Hydroxysuccinimide Ester (SPDP	1 Gms	2400 7000	[6151-25-3, 849061-97-8]		100 Gms	5000
	Crosslinker) extrapure, 95%	5 Gms	21000	049001-97-0]		500 Gms	22000
	(N-Succinimidyl 3- (2-Pyridyldithio)Propionate, 3-	5 3 5	21000	97899	Quinaldine Red	1 Gms	1430
	(2-Pyridyldithio)-Propionic Acid-OSu)			[117-92-0]		5 Gms	6650
77504	Ferene Disodium Salt extrapure,	1 Gms	5500	81076	Quinic Acid extrapure, 98%	5 Gms	1130
[79551-14-7]	98%	10 Gms	33200	[77-95-2]		25 Gms	3560
	(3-(2-Pyridyl)-5,6-di(2-Furyl) -1,2,4-Triazine-5,5-Disulfonic Acid					100 Gms	11980
	Disodium Salt)			32648	Quinoline pure, 97%	500 ml	1840
	L-Pyroglutamic Acid extrapure, 99%	100 Gms	800	[91-22-5]		2500 ml	8800
[98-79-3]		500 Gms	2000	51649	D-Raffinose Pentahydrate	25 Gms	1800
36306	L-Pyroglutamic	10 Mg	10010	[17629-30-0]	extrapure	100 Gms	6800
[66642-36-2]	Acid-7-Amido-4-Methylcoumarin extrapure, 98%	25 Mg	19450	21719	Ramage Linker (FMOC-Suberol)	1 Gms	4000
	(L-Pyroglutamic Acid-AMC)			[212783-75-0]	extrapure, 98%	5 Gms	13000
97079	Pyromellitic Dianhydride (PMDA)	25 Gms	1370	24527	Rapeseed Glucosinolate Mixture	10 Mg	9450
[89-32-7]	extrapure, 98% (Benzene-1,2,4,5-Tetracarboxylic	100 Gms	2210		Reference Standard Grade, 90%		
	Dianhydride)	500 Gms	7040	36474	Reactive Blue 19 (Remazol Brilliant	25 Gms	2490
75612	Pyronin G (Pyronin Y), 50%	1 Gms	940	[2580-78-1]	Blue R) (Reactive Blue 19)	100 Gms	8500
[92-32-0]	(C.I. No. 45005)	5 Gms	3350	95238	Reactive Blue 21 (Remazol	25 Gms	800
		25 Gms	16000	[12236-86-1]	Turquoise Blue G-133)	100 Gms	2500
71692	Pyrrole extrapure, 99%	25 ml	700	12176	Reactive Orange 16 (Remazol	25 Gms	2000
[109-97-7]		100 ml	2200	[12225-83-1]	Brilliant Orange 3R)	100 Gms	4000
		500 ml	9000		(C.I. No. 17757)	05.0	
91402	Pyrrolidine pure, 99%	25 ml	250	65637 [12220-08-5]	Reactive Orange 107 (Remazol Golden Yellow RNL)	25 Gms 100 Gms	3000
[123-75-1]		100 ml	550	. ,	,	500 Gms	3000 8000
		500 ml	2500	15001	Reactive Red 21 (Personal Red RP)		
88543	Pyrrolidine extrapure AR, 99.5%	25 ml	320	15034 [11099-79-9]	Reactive Red 21 (Remazol Red BB)	25 Gms 100 Gms	1200
[123-75-1]		100 ml	800		Penetive Ped 25 (Penedal Pellings		3200
		250 ml	1600	35832 [12226-12-9]	Reactive Red 35 (Remazol Brilliant Red 5B)	25 Gms	600
73694	2-Pyrrolidone pure, 99%	250 ml	700			100 Gms	2000
[616-45-5]		500 ml	1250	79740 [61951-82-4]	Reactive Red 120 (Reactive Brilliant Red HE3B) (C.I.	25 Gms	1400
		2500 ml	5500	52 1	292775)	100 Gms	4000
13558	Pyrroloquinoline Quinone (PQQ)	100 Mg	2050	23176	Reactive Red 180 (Remazol	5 Gms	700
[72909-34-3]	extrapure, 98% (4,5-Dihydro-4,5-Dioxo-1H-Pyrrolo[2,3-f	1 Gms	4600	[98114-32-0]	Brilliant Red F3B)	25 Gms	1400
]quinoline-2,7,9-Tricarboxylic Acid,	5 Gms	10500			100 Gms	4000
	Methoxatin)			80539	Reactive Violet 5 (Remazol Brilliant	25 Gms	1400
				[12226-38-9]	Violet 5R)	100 Gms	4000

Code	Name	Packing	Price	Code	Name	Packing	Price
67074 [20317-19-5]	Reactive Yellow 17 (Remazol Golden Yellow G)	25 Gms 100 Gms	2000 6000	81319 [80621-81-4]	Rifaximin (RFX) extrapure, 98%	1 Gms 5 Gms	1800 7000
55200	(C.I. No. 18852) Resazurin Sodium extrapure AR,	1 Gms	1200	23311	Rink Amide Linker Resin (Knorr	1 Gms	1400
[62758-13-8]		5 Gms	5500	[145069-56-3]		5 Gms	4200
42650	Resazurin Sodium extrapure AR,	1 Gms			(4-[(2,4-Dimethoxyphenyl) (Fmoc-amino)Methyl]phenoxyacetic	25 Gms	15000
[62758-13-8]	· · · · · · · · · · · · · · · · · · ·	5 Gms	1400 6200		Acid)		
		25 Gms	29000		Rink Amide MBHA Resin (100-200	1 Gms	2000
42817	Resazurin Sodium extrapure AR,	1 Gms		[431041-83-7]	mesh), Loading 0.3-0.8mmol/g	5 Gms	7000
	ExiPlus, Multi-Compendial, 85%	5 Gms	1500 6500		(2,4-Dimethoxyphenyl-FMOC-Aminom	25 Gms	30000
		25 Gms	31000		ethyl)		
	meets compendial specs of USP	25 55	01000		Phenoxyacetamido-Norleucyl-MBHA Resin)		
46861 🗸	Reserpine extrapure, 99%	1 Gms	3450	90780	p-Rosaniline Hydrochloride	25 Gms	900
[50-55-5]	• • •	5 Gms	11500	[569-61-9]	(Pararosaniline Hydrochloride,	100 Gms	3000
39798	Resorcinol ACS, 99%	100 Gms	500		Pararosaniline Chloride, Basic Parafuchsin) (C.I. No. 42500)	500 Gms	13000
[108-46-3]	110001011101 200, 00%	500 Gms	1800	60549	Rose Bengal	10 Gms	1100
00170	Resorcinol ACS, ExiPlus,	100 Gms		[632-69-9]	(Acid Red 94) (C.I. No. 45440)	25 Gms	2200
22173 [108-46-3]	Multi-Compendial, 99%	500 Gms	550 2000			100 Gms	8200
	meets compendial specs of BP	300 GIII3	2000	10641	Rose Oil extrapure	10 ml	1400
69040	L-Rhamnose Monohydrate	5 Gms	650	[8007-01-0]		25 ml	2600
[10030-85-0]		25 Gms	1500			100 ml	8000
		100 Gms	5000	66412	p-Rosolic Acid	25 Gms	900
59652	Rhenium Powder extrapure,	1 Gms	1000	[603-45-2]	(Aurin)	100 Gms	3000
[7440-15-5]	99.99%, -325mesh	5 Gms	3500			500 Gms	13000
45165	Rhodium (III) Chloride Trihydrate	250 Mg		18325	Rutin Trihydrate pure, 95%	25 Gms	1400
[20765-98-4]		1 Gms	8500 29000	[250249-75-3]		100 Gms	2600
	(Rhodium Trichloride Hydrate)	1 dillo	29000		Quercetin-3-Rutinoside)	500 Gms	8000
	Rhodium (II) Octanoate Dimer	250 Mg	3000	16281	Safranine 0.5 w/v Aq. Solution	125 ml	220
[/3482-96-9]	extrapure, 97%	1 Gms	9800	10201		500 ml	700
34392	Riboflavin pure, 98%	25 Gms	600	16593	Safranine O	25 Gms	530
[83-88-5]	(Vitamin B2)	100 Gms	2000	[477-73-6]	(Basic red 2) (C.I. No. 50240)	100 Gms	1870
57443	Riboflavine-5-Phosphate Disodium	25 Gms	660			500 Gms	9000
[130-40-5]	Salt extrapure, 73-79%	100 Gms	2400	10673	D-(-)-Salicin extrapure	5 Gms	1800
	Ribonuclease A (RNase A) ex.	25 Mg	1200	[138-52-3]	2 () canon oxuaparo	25 Gms	4800
[9001-99-4]	Bovine Pancreas for molecular biology, 50Kunitz/mg	100 Mg	3500	57467 ✓	Salicylaldehyde Azine extrapure,	1 Gms	
	biology, cortaintz/mg	500 Mg	15000	57467 ✓ [959-36-4]	97%	5 Gms	950 2000
	Ribonucleic Acid (RNA) Free Acid	25 Gms	1400		(2-Hydroxybenzaldehyde azine)	25 Gms	7500
[63231-63-0]	ex. Yeast, 85%	100 Gms	4000	77296	Salicylamide pure, 98%	500 Gms	
61866	Ribonucleic Acid Sodium Salt (RNA	10 Gms	1580	77386 [65-45-2]	Janeyiannue pure, 30/8	500 Giris 5 Kg	1550 14000
[73049-77-1]	Sodium, Sodium Nucleinate) ex.	25 Gms	2800		Call Minture Developed Temperaturalli		
	Yeast for molecular biology, 85%	100 Gms	9800	45549	Salt Mixture Bernhart Tommarelli (Dietary Mineral Mix acc to	500 Gms	1250
48259	D-Ribose extrapure	25 Gms	550		Bernhart-Tommarelli)	1 Kg 5 Kg	2400 11500
[50-69-1]		100 Gms	900		Cold Mindows II M W (one to Hubble		
		1 Kg	7000	13464	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman)	500 Gms	1250
76538	D-Ribose for tissue culture	5 Gms	350		(Dietary Mineral Mix acc to HMW)	1 Kg 5 Kg	2400 11500
[50-69-1]		25 Gms	700	7400-	Solt Mixture on max HSD VIV		
		100 Gms	2200	71637	Salt Mixture as per USP XIV (Dietary Mineral Mix acc to USP XIV)	500 Gms	1500
72377	D-Ribose-5-Phosphate Barium Salt	100 Mg	4600		,	1 Kg 5 Kg	2850 13500
[15673-79-7]	Hexahydrate extrapure, 98%					Jily	10000
12310 [13292-46-1]	Rifampicin (RFP) (Rifampin),	1 Gms	720				
[13282-40-1]	J1-102/0	5 Gms	2400				

Code	Name	Packing	Price	Code		Name	Packing	Price
93538	Samarium (III) Chloride	10 Gms	2500	12585	ı	Seralose® 6B (6% Beaded Agarose	100 ml	4500
[13465-55-9]	Hexahydrate pure, 99.9% (Samarium trichloride hydrate)	50 Gms	9800			Susp., 45-165micron)	500 ml	18000
92082	Samarium (III) Nitrate Hexahydrate	5 Gms	1500	81862		Seralose® CL-2B (2% Beaded	100 ml	6000
[13759-83-6]	ultrapure, 99.95%	25 Gms	4000			Agarose Cross-Linked Susp.,	500 ml	24000
	(Trinitric Acid Samarium (III)		1000	11974	n	60-200micron) Seralose® CL-4B (4% Beaded	100 ml	6000
04070	Hexahydrate)	5.0	4500	11974	9	Agarose Cross-Linked Susp.,	500 ml	24000
31372 [12060-58-1]	Samarium (III) Oxide ultrapure, 99.95%	5 Gms 25 Gms	1500			45-165micron)	300 1111	24000
	(Samaria)	25 GITIS	4000	22264		Seralose® CL-6B (6% Beaded	100 ml	6000
54043	Samarium (III)	1 Gms	1600			Agarose Cross-Linked Susp., 45-165micron)	500 ml	24000
[52093-28-4]	Trifluoromethanesulfonate extrapure, 98%	5 Gms	4200	85165		DL-Serine Hydrazide Hydrochloride	5 Gms	15690
	(Samarium (III) Triflate,			[55819-71-		pure, 98%		
	Trifluoromethanesulfonic Acid				•	(DL-Serinohydrazide Hydrochloride)		
	Samarium (III) Salt)			17017 [5680-80-8		L-Serine Methyl Ester Hydrochloride extrapure, 99%	25 Gms	1800
68580 [144026-79-9]	Scandium (III) Trifluoromethanesulfonate	1 Gms	1500	[5000-00-6	oj	nyurocinoriue extrapure, 99%	100 Gms	4000
[144020700]	extrapure, 98%	5 Gms	5200				500 Gms	16000
	(Scandium Triflate,			18472		Sieber Linker (3-Hydroxyxanthone)	1 Gms	2000
	Trifluoromethanesulfonic Acid Scandium Salt)			[3722-51-8	8]	extrapure, 99%	5 Gms	5000
80967	Saponin ex. Quillaja for molecular	25 Gms	6000				25 Gms	12000
[8047-15-2]	biology, 9% Sapogenin	100 Gms	11000	77996		Silica Cysteine-Functionalized	5 Gms	19970
00474	Saponin ex. Gypsophila Roots for	5 Gms				extrapure (Particle Size — 40-63µm, Pore Size -	10 Gms	33270
99474 [8047-15-2]	molecular biology, 25% Sapogenin	25 Gms	1800			(Particle Size — 40-05μπ, Pore Size - 60A)		
. ,		100 Gms	4500	46400	ı	Silica DMT-Functionalized	5 Gms	11230
			12000			extrapure	25 Gms	46740
10147 [9029-22-5]	Sarcosine Oxidase (SOX) ex. Recombinant E.coli, 20U/mg	500 Units	5940	31156	ı	Silica Imidazole-Functionalized	5 Gms	3000
[9029-22-3]	powder	1 K.Units	11270	01100	Ĭ	extrapure		0000
21032	Scandium Oxide, 99.99%	1 Gms	2630	39343		Silica Thiol-Functionalized (STF)	5 Gms	8030
[12060-08-1]		5 Gms	7000			extrapure	25 Gms	33410
17386	Schiff's Reagent	500 ml	530	45570		Silica TEMPO Catalyst extrapure	5 Gms	18510
	·						10 Gms	30850
32380	Scopoletin extrapure, 98%	25 Mg	3000	78339		Silica C18 (17%) Bonded	5 Gms	5260
[92-61-5]		100 Mg	7000			monomeric extrapure	25 Gms	15190
		1 Gms	22000	43139	ı	Silica Carbonate Bonded extrapure	5 Gms	9260
62330	Sebacic Acid pure, 98%	500 Gms	1080	40103	٠	Cinca Carbonate Bonaca extrapare	25 Gms	38570
[111-20-6]	(Decanedioic acid)			25000	Ω	Silica Cyano Bonded extrapure		
19182 [563-41-7]	Semicarbazide Hydrochloride extrapure, 98%	100 Gms	670	35228	8	Silica Cyano Bonded extrapure	5 Gms	5870
[505-41-7]	extrapare, 50%	500 Gms	3100		n		10 Gms	11450
44779	Selenium Dioxide pure, 98%	100 Gms	2000	30753	ı	Silica Diol Bonded extrapure	5 Gms	5780
[7446-08-4]		500 Gms	8000				25 Gms	24040
90945	Selenium Metal Powder extrapure,	25 Gms	700	92868	ı	Silica TMA Acetate Bonded	5 Gms	8240
[7782-49-2]	99.9%, 100 mesh	100 Gms	2500			non-endcapped extrapure	25 Gms	34300
		500 Gms	7500	79427		Silicon Metal powder, 98.5%, -4	500 Gms	1300
51200	Selenium Metal Powder ultrapure,	25 Gms	3570	[7440-21-3	3]	mesh	40- 5	
[7782-49-2]	99.999%, 100 mesh	100 Gms	11000	73081 [7440-21-3	31	Silicon Metal powder, 98.5%, -200 mesh	100 Gms	320
77855	Selenium Metal Granular ultrapure,	25 Gms	3780	[/440-21-0	o]		500 Gms	980
[7782-49-2]	99.999%, 1-6mm	100 Gms	14180				5 Kg	9450
29815	Seliwanoff`s Reagent	100 ml	290	90677 [16411-05-		Sinalbin Potassium Salt Reference Standard Grade, 98%	10 Mg	33600
64088	Seralose® 2B (2% Beaded Agarose	100 ml	4500			(p-Hydroxybenzylglucosinolate Potassium Salt, Glucosinalbin		
3-300 8	Susp., 60-200micron)	500 ml	18000			Potassium Salt)		
E4540 0	Covalance AB /49/ Bandad America							
54540	Seralose® 4B (4% Beaded Agarose Susp., 45-165micron)	100 ml	4500					
	• *	500 ml	18000					

Code	Name	Packing	Price	Code	Name	Packing	Price
28945	Sinigrin Potassium Salt Hydrate	25 Mg	6300		Sodium Glycochenodeoxycholate	1 Gms	8000
[3952-98-5, 64550-88-5]	Reference Standard Grade, 97%	100 Mg	10290	[16564-43-5]		5 Gms	25000
04330-00-3]	(2-Propenyl Glucosinolate Potassium Salt, Sinigroside Potassium Salt)				(Glycochenodeoxycholic Acid Sodium Salt)	25 Gms	105000
94846	Simazine extrapure,98%	5 Gms	2500		,	100 Gms	280000
[122-34-9]	(2,4-Bis(ethylamino)	25 Gms	4000	31287	Sodium Glycocholate Dried (SGC	500 Mg	3690
	-6-chloro-1,3,5-triazine)	20 01113	4000	[863-57-0]	Dried) extrapure, 98%	1 Gms	5500
56226	b-Sitosterol ex. Rice Bran, 98%	5 Gms	2000			5 Gms	17000
[83-46-5]	(Beta Sitosterol)	25 Gms	9400			25 Gms	80000
13728	b-Sitosterol ex. Glycine Max	25 Gms	4440				
[83-46-5]	(Soyabean), 95%	100 Gms	17410		Sodium Glycocholate Hydrate (SGC Hydrate) extrapure, 98%	1 Gms	4000
	(Beta Sitosterol)			[336930-61-3]	(GGO Trydrate) extrapure, 30%	5 Gms	15000
89658	Sodium Bifluoride pure, 98%	500 Gms	1430			25 Gms	68000
[1333-83-1]						100 Gms	180000
53713	Sodium Biselenite pure, 98%	100 Gms	4330	43453	Sodium Gluconate pure, 99%	500 Gms	260
[7782-82-3]	2 " 2			[527-07-1]		5 Kg	2400
22308 [156-54-7]	Sodium Butyrate Reagent Grade, 98.5%	25 Gms	1100	54565	Sodium Malonate extrapure, 99%	100 Gms	900
[150-54-7]	30.376	100 Gms	1800	[141-95-7]	Codium Maionate extrapure, 33 /6	500 Gms	
		500 Gms	6800	[,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		500 Gms	3290
41059	Sodium Caseinate extrapure	100 Gms	1200	81020	Sodium DL-Mandelate extrapure,	5 Gms	900
[9005-46-3]	(Casein Sodium Salt)	500 Gms	4500	[114-21-6]	99% (DL-Mandelic Acid Sodium Salt)	25 Gms	4200
43624	Sodium Chromate pure, 98%	500 Gms	640	18444	Sodium Metavanadate extrapure,	25 Gms	050
[7775-11-3]	Coulum Cinomate pare, 55%	ooo ame	040	[13718-26-8]	99%		950
17296 [△]	Sodium Dichloroisocyanurate	100 Gms	600	[(Sodium Trioxovanadate, Sodium	100 Gms	2400
[51580-86-0]	Dihydrate extrapure, 98%	500 Gms	1500		Vanadium Oxide, Sodium Vanadium	500 Gms	10000
	(Dichloroisocyanuric Acid Sodium Salt		1000		Trioxide)		
•	Dihydrate, NaDCC)				Sodium-2-Naphthyl Phosphate	1 Gms	980
	Sodium Dihydro-bis- Methoxyethoxy Aluminate	100 Gms	2000	[31681-98-8]	Disodium Salt extrapure AR, 99%	5 Gms	4740
[22722-98-1]	(VITRIDE) pure, 68-71%	500 Gms	9250	86766	Sodium Orthovanadate pure, 45%	10 Gms	2000
46288	Sodium Diphenylamine-4-Sulfonate	10 Gms	420	[13721-39-6]	(Sodium Vanadium Oxide)	50 Gms	8000
[6152-67-6]	extrapure AR, ACS	25 Gms	850			250 Gms	18000
		100 Gms	3000	14215	Polyanetholesulphonic Acid	5 Gms	3000
				[55963-78-5]	Sodium Salt (Sodium	25 Gms	8000
25818 • [5137-46-2]		15 ml	960		Polyanetholesulphonate, SPS)	20 01113	0000
[5157-40-2]	(Godiam Diphenyi Complex)	10 x15 ml	8900		extrapure		
67516	Sodium Diphenyl Reagent ExiPlus,	15 ml	1430		(Sodium PolyanetholSulphonate)		
[5137-46-2]	Multi-Compendial	10 x15 ml	10440	23569	Sodium Pyruvate (Pyruvic Acid	25 Gms	400
	(Sodium Biphenyl Complex)	100.0		[113-24-0]	Sodium Salt) extrapure AR, 99%	100 Gms	800
55083 [25155-30-0]	Sodium Dodecylbenzenesulfonate (SDBS) pure, 80%	100 Gms	450			500 Gms	2600
[20100 00 0]	(Dodecylbenzenesulfonic Acid Sodium	500 Gms	825	19099 🌡	Sodium Rhodizonate Dibasic	1 Gms	580
	Salt)	5 Kg	7200	[523-21-7]	extrapure AR, 99%	5 Gms	1380
23819	Sodium 2-Ethylhexyl Sulfate 40%	500 ml	1500		Rhodizonic Acid Sodium Salt, 3,4,5,6-Tetraoxocyclohexene-1,2-diol	25 Gms	6340
[126-92-1]	aq. Solution	1000 ml	2700		disodium salt, Rhodizonic acid dis		
	(2-Ethylhexyl Sulfate Sodium Salt)			95335	Sodium Selenite Anhydrous	25 Gms	780
36511	Sodium Fucidate (Na-FC), 97.5% (Fucidic Acid Sodium Salt)	1 Gms	3000		extrapure, 98%	100 Gms	2610
[751-94-0]	(Fuciale Acid Sodium Sait)	5 Gms	6000			500 Gms	10210
55655	Sodium Fumarate extrapure AR,	100 Gms	400		On diama Onlanda China		
[17013-01-3]	99.5%	500 Gms	1800	80451	Sodium Selenite Anhydrous extrapure AR, 99%	25 Gms	820
15331	Sodium-ß-Glycerophosphate	5 Gms	2000	[10102-10-8]	CANAPAIE AII, 33 /0	100 Gms	2950
[55073-41-1,	Hydrate extrapure AR, 99%	25 Gms	4500			500 Gms	11120
154804-51-0]	(Sodium-ß-Glycerol Phosphate	100 Gms		17169	Sodium Selenite Anhydrous for	25 Gms	960
	Hydrate, ß-GP, ß-Glycerolphosphate,	100 GIIIS	15000	[10102-18-8]	tissue culture, 99%	100 Gms	2840
	Disodium β-glycerol phosphate)					500 Gms	

Code	Name	Packing	Price	Code	Name	Packing	Price
58529	Sodium Taurochenodeoxycholate	250 Mg	5000	22310	•	1 Gms	3460
[6009-98-9]	(STCDC) extrapure, 95% (Taurochenodeoxycholic Acid Sodium	1 Gms	12000	[306-67-2]	extrapure, 99%	5 Gms	8980
	Salt)					10 Gms	17270
63703	Sodium Taurocholate Hydrate (STC	1 Gms	2370			25 Gms	31080
[345909-26-4]		5 Gms	6200	26413	Sphingomyelin (Type I) ex. Bovine	10 Mg	6000
	(Taurocholic Acid Sodium Salt Hydrate)	25 Gms	27000	[85187-10-6]	Brain Sphingolipids extrapure, 99%	100 Mg	25000
	Tydidio	100 Gms	85000	95852	Sphingomyelin (Type II) ex. Bovine	10 Mg	6500
57861	Sodium Taurodeoxycholate Dried	1 Gms	3500	[85187-10-6]	Heart Sphingolipids extrapure, 99%	100 Mg	28000
[1180-95-6]	(STDC Dried) extrapure, 95%	5 Gms	10000	77061	S-Phos	1 Gms	1250
		25 Gms	42000	[657408-07-6]	(2-Dicyclohexylphosphino-2,6-Dime	5 Gms	4200
40391	Sodium Taurodeoxycholate	1 Gms	2500		thoxybiphenyl) extrapure, 98%	25 Gms	18000
[207737-97-1]	Hydrate (STDC Hydrate) extrapure,	5 Gms	8000	63056	3-(2`-Spiroadamantane)	5 Mg	20920
	95%	25 Gms	34000	[122341-56-4]		· ·	
		100 Gms	120000		Phenyl-1,2-Dioxetane (AMPPD)		
31102	Sodium Tauroursodeoxycholate	1 Gms	3000	67715	extrapure, 98% Spironolactone extrapure, 97%	1 Gms	3600
[35807-85-3]	(TUDCA Sodium) extrapure, 98%	5 Gms	12000	[52-01-7]	opironolacione extrapare, 57 %	5 Gms	9800
	(Tauroursodeoxycholic Acid Sodium Salt)			40-00	00V 000 Potton all 0 0 7 4 for		
78786	Sodium Thioglycolate Reagent	100 Gms	1200	12590	20X SSC Buffer pH 6.9-7.1 for molecular biology	200 ml	330
[367-51-1]	Grade, 99%	250 Gms	2500			500 ml	740
	(Sodium Mercaptoacetate)	500 Gms	4600	78305	20X SSPE Buffer pH-7.4 suitable for molecular biology	200 ml	900
40050 4	Sadium Trianatavybarahydrida				molecular biology	1000 ml	2500
	Sodium Triacetoxyborohydride (STAB) pure, 98%	25 Gms 100 Gms	600	80268	StachyoseTetrahydrate extrapure,	25 Mg	3150
. ,			1800	[10094-58-3]	96%	100 Mg	12450
		500 Gms	8000			250 Mg	28690
69128 [2926-29-6]	Sodium Trifluoromethanesulfinate (Langlois reagent) extrapure, 95%	5 Gms	3800	31384	Stearic Acid pure, C18-98%	500 Gms	1200
[2020 20 0]	(Sodium Trifluoromethylsulfinate,	25 Gms	12000	[57-11-4]		5 Kg	10000
	Trifluoromethanesulfinic Acid Sodium			73878	Stearic Acid extrapure, C18-99%	5 Gms	300
00057	Salt, Sodium Triflinate)	10 Ma	4500	[57-11-4]		25 Gms	1150
99957 [20311-51-7]	a-Solamargine extrapure, 98% (Solasodine-L-Rhamnosido-D-Glucosi	10 Mg	4500			100 Gms	4400
	de)	25 Mg	9000	73439	Stearic Acid ExiPlus,	5 Gms	510
53771	Solasodine extrapure, 98%	10 Mg	4500	[57-11-4]	Multi-Compendial, C18-99%	25 Gms	2200
[126-17-0]	(Purapuridine, Solancarpidine)	25 Mg	9000			100 Gms	7000
89725	Solasonine extrapure, 98%	25 Mg	9000		meets compendial specs of Ph.Eur		
[19121-58-5]	(Solasodamine)			61609	•	5 Gms	3500
	Somatostatin extrapure, 97%	5 Mg	2000	[112-61-8]	Reference Standard, 99% (GC)	25 Gms	9800
[38916-34-6]		25 Mg	8000	61600	(Methyl Stearate) STET Lysis Buffer	500 ml	2000
62468	L-(-)-Sorbose extrapure, 99%	5 Gms	2000	61600	O.E. Lysis bullet	500 ml	3000
[87-79-6]		25 Gms	5200	39895	Stigmasterol extrapure, 95%	1 Gms	1170
		100 Gms	20000	[83-48-7]		5 Gms	3500
51719	Spectinomycin Dihydrochloride	1 Gms	1200			25 Gms	12000
[22189-32-8]	Pentahydrate extrapure, 98%	5 Gms	4000	87610	Streptavidin (SA) ex. Streptomyces	5 Mg	8120
		25 Gms	13000	[9013-20-1]		10 Mg	14930
17030	Spermidine extrapure, 99%	250 Mg	1100		15U/mg Protein		
[124-20-9]		1 Gms	3500	54224 [9013-20-1]	r-Streptavidin (r-SA) ex. Streptomyces Acidinii in E.Coli -	5 Mg	44390
		5 Gms	15000	[8010-20-1]	Type 1, 17U/mg protein		
91710	Spermine Free Base extrapure,	250 Mg	2000	91014		5 Gms	410
[71-44-3]	99%	1 Gms	4500	[3810-74-0]		25 Gms	1350
						100 Gms	2810

Code	Name	Packing	Price	Code	Name	Packing	Price
62463	Streptomycin Sulphate for tissue	5 Gms	930	13674	Sulpholane Anhydrous extrapure	500 ml	1025
[3810-74-0]	culture	25 Gms	1860	[126-33-0]	AR, 99% (Sulfolane Anhydrous)	2500 ml	5050
		100 Gms	3380	31249	Superoxide Dismutase (SOD) ex.	20 K.Units	12450
14653 [18883-66-4]	Streptozotocin (STZ) extrapure, 98%	100 Mg	1850	[9054-89-1]	Bovine Erythrocytes, 3000U/mg powder	100	40310
		500 Mg 1 Gms	8500 16000	47400	<u> </u>	K.Units 1 Gms	4500
		5 Gms	65000	47406 [14414-32-5]	Syringaldazine pure, 95%	i dilis	4500
28065	Styrene Monomer (Stab w/ tBC)	500 ml	950	41719	Syringaldehyde extrapure, 99%	5 Gms	550
[100-42-5]	extapure, 99.5%	2500 ml	4400	[134-96-3]		25 Gms	1500
	(Phenylethylene, Vinylbenzene)					100 Gms	5500
48142 [108-30-5]	Succinic Anhydride extrapure, 99.5%	100 Gms 500 Gms	380	64614	Syringic Acid pure, 96%	5 Gms	1600
	N Over the best deal		1500	[530-57-4]	(3,5-Dimethoxy-4-Hydroxybenzoic Acid, Gallic Acid 3,5-Dimethyl Ether)	25 Gms	3000
72368 1115223-09-11	N-Succinimidyl Ferrocenecarboxylate pure, 97%	1 Gms	4000		· · · · · · · · · · · · · · · · · · ·	100 Gms	9000
. ,	(Ferrocenecarboxylic Acid	5 Gms	18000	71989	10X TAE Buffer pH-8.3 for	100 ml	590
0	N-Succinimidyl Ester)				molecular biology	500 ml	1040
24088 (64987-85-5)	Succinimidyl-4-(N- (N-maleimidomethyl)	50 Mg	2620	83170	10X TBE Buffer pH-8.3 for	200 ml	660
[0.00, 00 0]	cyclohexane-1-carboxylate	250 Mg	10680		molecular biology	500 ml	1130
0	(SMCC), 98%			51782	10X TE Buffer pH-8.0 for molecular	100 ml	1260
20721	Sucrose Heptasulphate Potassium Salt pure, 80%	5 Mg	24000		biology	500 ml	4200
[300229-09-2]	(1,3,4,6-Tetra-O-Sulfo-b-D-Fructofuran osyl-a-DGlucopyranoside-2,3,4-Tris(Hy	25 Mg	85000	89528 [7440-25-7]	Tantalum Metal Sheet (Type 1), 99.9%	1 piece	7000
0	drogen Sulfate)Potassium)			27101	Tantalum Metal Sheet (Type 2), 99.9%	1 piece	12000
47973 [54182-58-0]	Sucrose Octasulphate Aluminium Salt (Sucralfate) extrapure, 30-36%	5 Gms	3000	[7440-25-7] 70040	Tantalum Metal Sheet (Type 3),	1 piece	6000
[34102-30-0]	(Sucrose Octasulfate-Aluminum	25 Gms	8000	[7440-25-7]	99.9%	1 pioco	0000
37654	Complex) Sucrose Octasulphate Potassium	5 Gms	8000	10964 [29915-38-6]	TAPS Buffer extrapure, 99% (N-Tris (hydroxymethyl)	25 Gms	1190
[73264-44-5]	Salt extrapure, 95% (Sucrose Octasulfate-Potassium	25 Gms	37500	[20013-00-0]	Methyl-3-Aminopropane Sulphonic Acid)	100 Gms	3140
	Complex, Potassium Sucrose			44194	TAPSO Buffer extrapure, 99%	25 Gms	2440
69538	Octasulfate) Sucrose Palmitate extrapure, 90%	25 Gms	2200	[68399-81-5]	(3-[Tris-(hydroxymethyl) Methylamino] -2- Hydroxypropane Sulphonic Acid)	100 Gms	8070
[26446-38-8]	(b-D-Fructofuranosyl-a-D-Glucopyrano	100 Gms	6700	28682	D-(-)-Tartaric Acid extrapure, 99%	100 Gms	540
	side Monohexadecanoate)			[147-71-7]	•	250 Gms	1310
67787	Sudan III	100 Gms	510	60301	L-(+)-Tartaric Acid extrapure AR,	500 Gms	600
[85-86-9]		500 Gms	2200	[87-69-4]	ACS, ExiPlus, Multi-Compendial,	5 Kg	5400
81329	Sulfacetamide Sodium Monohydrate extrapure, 99%-101%	5 Gms	2750		99.7% (L-Threaric Acid)	· ·	
[6209-17-2]	(N-Acetylsulfanilamide Sodium Salt	50 Gms	8000		meets compendial specs of USP, BP,		
	Monohydrate)				Ph.Eur		
16775	Sulfadiazine (SFD) extrapure,	50 Gms	2630	63904	DL-Tartaric Acid extrapure, 99%	500 Gms	530
[68-35-9]	99-101% (4-Amino-N-	100 Gms	4990	[133-37-9]		5 Kg	5000
	(2-Pyrimidinyl)Benzenesulfonamide)			15711	Taurine extrapure CHR, 99%	100 Gms	1000
28277	Sulfadiazine Sodium Salt (SFD	25 Gms	2900	[107-35-7]	(2-Aminoethanesulfonic Acid)	1 Kg	7000
[547-32-0]	Sodium) extrapure, 99% (4-Amino-N-	100 Gms	9100			5 Kg	26000
	(2-Pyrimidinyl)Benzenesulfonamide			47064	TBTU extrapure, 98%	25 Gms	1100
	Sodium Salt)			[125700-67-6]		100 Gms	3400
69181 [7704-34-9]	Sulfur Precipitated pure, 98%	500 Gms	230			500 Gms	12000
86684	Sulphamethoxazole (SMX), 99%	5 Gms	2350	92481	Tellurium Dioxide ultrapure,	5 Gms	2500
[723-46-6]		25 Gms	6410	[7446-07-3]	99.999%	25 Gms	5000
72701	Sulpholane Anhydrous pure, 99%	500 ml	800	59479	Tellurium Metal powder, 99.9%,	10 Gms	1580
	, y = ==== p===0, 00 /0	230 1111	500	[12404 80 0]	-200 mesh	100 Gms	8190

Code	Name	Packing	Price	Code	Name	Packing	Price
67813	Terbium (III) Chloride Hexahydrate	5 Gms	4200		(S)-(-)-1,2,3,	1 Gms	900
[13798-24-8]	extrapure, 99.9%	25 Gms	15000	[74163-81-8]	4-Tetrahydroisoquinoline-3-Carbox ylic Acid pure, 98%	5 Gms	2000
52633	Terbium (III) Nitrate Hexahydrate	2 Gms	4180		((S)	25 Gms	6250
[13451-19-9]	ultrapure, 99.99%	10 Gms	15400		-1,2,3,4-Tetrahydro-3-Isoquinolinecarb oxylic Acid)		
52313	Terbium (III) Nitrate Pentahydrate	5 Gms	4400	55633	Tetrakis(Triphenylphosphine)	1 Gms	3200
[57584-27-7]	extrapure, 99.9%	25 Gms	19250	[14221-01-3]	Palladium (0) extrapure, 97%	5 Gms	12000
99186	Terbium (III)	1 Gms	3150			25 Gms	50000
[148980-31-8]	Trifluoromethanesulfonate extrapure, 98%	5 Gms	11550	76265	1-Tetralone pure, 98%	100 ml	1300
	(Terbium(III) Triflate,			[529-34-0]		500 ml	5250
	Trifluoromethanesulfonic Acid			98500	Tert-Dodecylmercaptan (mix. of	100 ml	1200
62369	Terbium(III) Salt) Terbium (III,IV) Oxide ultrapure,	1 Gms	3680	[25103-58-6]	isomers) extrapure, 98.5%	500 ml	2400
	99.99%	5 Gms	10290		(tert-Dodecanethiol,		
00104	Terephthaloyl Chloride pure, 99%			19028	tert-Laurylmercaptan) Tetramethylammonium Chloride	100 Gms	670
96104 [100-20-9]	rereprimatoyi Chioride pure, 99%	100 Gms 500 Gms	1300	[75-57-0]	pure, 98%	500 Gms	3160
			5400	00774	Total and the down and it was be dide		
14676 [7365-44-8]	TES Buffer extrapure, 99% (N-Tris(Hydroxymethyl)	5 Gms	800	82774 [75-58-1]	Tetramethylammonium lodide extrapure, 99%	100 Gms	4100
[, 000 0]	Methyl-2-Aminoethane Sulphonic Acid)	25 Gms	2800		3,3,5,5-Tetramethyl Benzidine	1 Gms	1950
		100 Gms	10500	[54827-17-7]	(TMB) pure, 98%	5 Gms	5000
51318 [70331-82-7]	TES Buffer Sodium Salt extrapure,	25 Gms	5900			25 Gms	18000
[70001-02-7]		100 Gms	17930	69860	3,3,5,5-Tetramethyl Benzidine	1 Gms	2400
19914	Testosterone (free base) extrapure, 99%	1 Gms	1800		(TMB) extrapure AR, 98%	5 Gms	6400
[58-22-0]	(17B-Hydroxy-4-Androsten-3-one)	5 Gms	3500			25 Gms	24000
		25 Gms	12000	68738	3,3,5,5-Tetramethylbenzidine (TMB)	1 Gms	3200
83651	Testosterone Enanthate extrapure,	1 Gms	2000		extrapure AR, ExiPlus,	5 Gms	8000
[315-37-7]	99% (17B-Hydroxy-4-Androsten-3-one	5 Gms	5000		Multi-Compendial, 98%		
	17-Enanthate)	25 Gms	13000	55597	meets compendial specs of BP, Ph.Eur	100 M=	0700
71344	Testosterone Propionate extrapure,	5 Gms	1670	55597 [64285-73-0]	3,3,5,5-Tetramethylbenzidine Dihydrochloride anhydrous	100 Mg 1 Gms	2730
[57-85-2]	98% (17ß-Hydroxy-4-Androsten-3-one	25 Gms	7420		(TMB.diHCl anhy) extrapure AR,	5 Gms	5820 18980
	17-Propionate)				99%		
	1,2,3,5-Tetra-O-Acetyl-b-D-Ribofura	5 Gms	2620		3,3,5,5-Tetramethyl Benzidine Dihydrochloride Hydrate	500 Mg	3000
[13035-61-5]	nose extrapure, 98% (beta-D-Ribofuranose-1,2,3,5-Tetraacet	25 Gms	9490	[20,700 00 7]	(TMB.2HCl.xH2O) extrapure, 98%	1 Gms	5760
	ate)				(TMB DiHCl)	5 Gms	19610
76333 Ū	1,1,2,2-Tetrachloroethane extrapure	500 ml	1750	64407	TMB Solution A (1% TMB in DMSO)	100 ml	1560
[79-34-5]	AR, 99%	1000 ml	3430	38783	TMB Solution B (30% H2O2)	100 ml	910
82175	Tetracycline Hydrochloride (TC) for	5 Gms	1050				
[64-75-5]	tissue culture, 95%	25 Gms	4000		N,N,N,N-Tetramethylbenzidine	100 Mg	1520
		100 Gms	11100	[366-29-0]	extrapure, 95%	1 Gms	3000
38614	Tetracycline Hydrochloride (TC),	5 Gms	440			5 Gms	8800
[64-75-5]	95%	25 Gms	2170		2,2,4,4-Tetramethyl-1,3-Cyclobutan	5 Gms	5250
		100 Gms	7950	[3010-96-6]	ediol (CBDO) (mixture of isomers) extrapure, 99%	25 Gms	15500
58128	Tetradecyl Sulphate Sodium Salt	100 Mg	1500	88001	1,1,3,3-Tetramethyldisiloxane	25 ml	1230
[1191-50-0]	(Tergitol-4), 95%	500 Mg	5800	[3277-26-7]	(TMDS) extrapure, 98%	100 ml	3740
	(Sodium Myristyl Sulfate, Sodium Tetradecyl Sulfate, STDS)			53180 Ü	1,1,3,3-Tetramethylguanidine	100 ml	2100
64090	Tetraethylammonium lodide	25 Gms	1700	[80-70-6]	extrapure AR, 99%	500 ml	8190
[68-05-3]	extrapure, 99%	100 Gms	5100		N,N,N',N'-Tetramethylguanidine	550 1111	
		500 Gms	23600	52300	N,N,N,N-Tetramethyl-p-phenylenedi	5 Gms	1240
				[637-01-4]	amine Dihydrochloride (Wursters Reagent, TMPPD) extrapure AR,	25 Gms	5600
					99%		

Code	Name	Packing	Price	Code	Name	Packing	Price
91902	2,2,6,6-Tetramethylpiperidine-1-Oxy	5 Gms	500		Thidiazuron (TDZ) extrapure, 97%	1 Gms	4500
[2564-83-2]	I (TEMPO) pure, 98%	25 Gms	2200	[51707-55-2]		5 Gms	8000
		100 Gms	7000			25 Gms	26000
33379	Tetramethyl Silane (TMS) for NMR	25 ml	4910	88098	Thidiazuron (TDZ) for tissue	250 Mg	3000
[75-76-3]	spectroscopy, 99.8%	100 ml	14020	[51707-55-2]	culture, 97%	1 Gms	5500
77204	Tetrapropylammonium Bromide	100 Gms	700			5 Gms	12000
[1941-30-6]	extrapure, 99%	500 Gms	2500	10083	Thioacetic Acid pure, 97%	100 ml	900
84990	Tetrapropylammonium Hydroxide	100 ml	1580	[507-09-5]		500 ml	2400
[4499-86-9]	(TPAH) 10% Aq. Solution	500 ml	4200	94066	Thiocolchicoside extrapure, 98%	50 Mg	2000
98078	Tetrapropylammonium Hydroxide	100 ml	2000	[602-41-5]	(2-Demethoxy-2-Glucosidoxythiocolchi	250 Mg	3200
[4499-86-9]	(TPAH) 20% Aq. Solution	500 ml	8400		cine)	1 Gms	8000
50446	Tetranganylammanium Hydravida	100 ml		46913	DL-6,8-Thioctic Acid extrapure	5 Gms	2540
58146 [4499-86-9]	Tetrapropylammonium Hydroxide (TPAH) 40% Aq. Solution	500 ml	3840	[1077-28-7]	(a-Lipoic Acid), 98%	25 Gms	6000
			16280			250 Gms	9000
75311 [288-94-8]	1-H-Tetrazole sublimed extrapure, 99%	1 Gms	300	45487	Thiomalic Acid (Mercaptosuccinic	25 Gms	
[200-34-0]		5 Gms	1350	[70-49-5]	Acid) pure, 99%	100 Gms	840 1370
		25 Gms	5090			500 Gms	6090
	Tetrazolium Violet extrapure, 95%	1 Gms	2950	05000	Thiomercal (Thimercas) Becaut		
[1719-71-7] 62183	Tetrazolium Violet (high purity)	100 Mg	1300	85090 [54-64-8]	Thiomersal (Thimerosal) Reagent Grade, 98%	5 Gms	4300
[1719-71-7]	extrapure AR, 98%	1 Gms	4110		,	10 Gms 25 Gms	8250
		5 Gms	16010			100 Gms	20000 75000
44000	I Theonine outronure 90%				This was all (This was all) Points Pos		
44826 [3081-61-6]	L-Theanine extrapure, 99%	5 Gms	1000	27662 [54-64-8]	Thiomersal (Thimerosal) PrimeDx ExiPlus, Multi-Compendial, 98%	10 Gms	9000
. ,		25 Gms 100 Gms	2500 8000	[0.0.0]	,,,,	25 Gms	22000
	- (- T)				masta compandial areas of DD. Db Cur	100 Gms	82000
83155 [326-91-0]	3(2-Thenoyl)-1,1,1- Trifluoroacetone (TTFA) extrapure	10 Gms	1260	40440	meets compendial specs of BP, Ph.Eur	1.0	010
[0200.0]	AR, 99%	100 Gms	8000	40413 [6165-68-0]	Thiophene-2-Boronic Acid extrapure, 98%	1 Gms 5 Gms	810
	(2-Thenoyltrifluoroacetone, TTA			. ,	(2-Thienylboronic Acid,	25 Gms	2220 9980
71001	(extractant), TTB) Thiamine Hydrochloride pure,	OF Cma	500		Thien-5-ylboronic Acid)		
71081 [67-03-8]	98.5%	25 Gms 100 Gms	500 2000	57589 [527-72-0]	Thiophene-2-Carboxylic Acid pure, 98%	5 Gms	1640
	(Vitamin B1)	500 Gms	7500	[321-12-0]		25 Gms	5430
00500	Thismine Undreehleride for tienne					100 Gms	16160
82500 [67-03-8]	Thiamine Hydrochloride for tissue culture, 98.5%	25 Gms	800	00410	Thionicotinamide Adenine Dinucleotide (Thio-NAD) extrapure,	25 Mg	3470
	(Vitamin B1)	100 Gms	2500	[4090-29-3]	90%	100 Mg	12980
39427	Thiamine Hydrochloride ExiPlus,	25 Gms	1250	35020	Thionicotinamide Adenine	25 Mg	2400
[67-03-8]	Multi-Compendial, 98.5%	100 Gms	3850	[1921-48-8]	Dinucleotide Disodium Salt	100 Mg	6500
		500 Gms	9500		Reduced (Thio-NADH) extrapure, 93%		
	meets compendial specs of USP, BP & Ph.			29808	Thiophene-2-Acetic Acid pure, 98%	5 Gms	930
	Eur			[1918-77-0]	· · · · · · · · · · · · · · · · · · ·	25 Gms	3000
79903 [15318-45-3]	Thiamphenicol (TMP), 98%	1 Gms	1200			100 Gms	10130
		5 Gms	3000	14055	2-Thiophenecarboxaldehyde pure,	25 ml	900
33611 [298-93-1]	Thiazolyl Blue Tetrazolium Bromide (MTT) extrapure AR, 98%	100 Mg	480	[98-03-3]	98%	100 ml	2800
[280-83-1]	(miri) extrapare Art, 30/6	500 Mg	1600		(Thiophene-2-Carboxaldehyde,	250 ml	6800
		1 Gms	3000	28033	Thenaldehyde, Thiophene-2-Aldehyde) L-Thioproline extrapure, 98%	10 Gms	600
		5 Gms	11000		(L-4-Thiazolidinecarboxylic Acid)	25 Gms	1200
58945	Thiazolyl Blue Tetrazolium Bromide (MTT) for tissue culture, 98%	500 Mg	2000	92000	Thiosoliculia Asid pure 200/		
[298-93-1]	(Willy 101 tissue culture, 30%	1 Gms	3600	83203 [147-93-3]	Thiosalicylic Acid pure, 98% (2-Mercaptobenzoic Acid)	25 Gms	840
58910	Thiazolyl Blue Formazan (MTT	250 Mg	4600			100 Gms	2210
[57360-69-7]	Formazan) extrapure AR, 98% (1-(4,5-Dimethylthiazol-2-yl)	1 Gms	11300	96768 [141-90-2]	2-Thiouracil extrapure, 98% (2-Mercaptopyrimidine-4-ol)	25 Gms	1050
	(. (., o =o ,o.eo = y)			[171-80-2]	(=	100 Gms	3890

Code	Name	Packing	Price	Code	Name	Packing	Price
41862	Thorin extrapure AR	1 Gms	2700	59844	•	5 Gms	360
[3688-92-4]		5 Gms	12100	[7695-91-2]	Acetate) for tissue culture, 98%	25 Gms	1250
50444	D-Threonine (allo-free) extrapure,	5 Gms	1800			100 Gms	4770
[632-20-2]	99%	25 Gms	6580		Togni`s Reagent (3,3-Dimethyl-1-	250 Mg	6100
		100 Gms	23910	[887144-97-0]	(trifluoromethyl)-1,2-benziodoxole) extrapure, 97%	1 Gms	15700
75164	DL-Threonine extrapure CHR, 99%	5 Gms	510		(1-Trifluoromethyl-3,3-Dimethyl-1,2-Ben	5 Gms	26900
[80-68-2]		25 Gms	1890		ziodoxole)		
		100 Gms	7030		o-Tolidine extrapure AR, 98%	25 Gms	690
		1 Kg	67780	[119-93-7]	(3,3- Dimethyl Benzidine)	100 Gms	2100
88355	L-Threonine extrapure CHR, 99%	25 Gms	330			500 Gms	3780
[72-19-5]		100 Gms	650		o-Tolidine extrapure AR, ExiPlus,	25 Gms	790
		500 Gms	3000	[119-93-7]	Multi-Compendial, 98% (3,3- Dimethyl Benzidine)	100 Gms	2520
		1 Kg	5500			500 Gms	4200
		5 Kg	25000		meets compendial specs of USP, BP,		
62667	L-Threonine for tissue culture, 99%	25 Gms	500		Ph.Eur	250	
[72-19-5]		100 Gms	1800	82897 ✓ [118-90-1]	o-Toluic Acid pure, 99.5%	250 Gms	500
		500 Gms	7500			500 Gms	890
24815	D-Threoninol extrapure, 98%	500 Mg	6130		m-Toluic Acid pure, 98%	250 Gms	550
[44520-55-0]		1 Gms	10550	[90-04-7]		500 Gms	900
20724	Thymidine extrapure, 99%	5 Gms	900		p-Toluic Acid pure, 98%	250 Gms	480
[50-89-5]	(2-Deoxythymidine, B-Thymidine,	25 Gms	3200	[90-94-5]		500 Gms	850
	Thymine Deoxyriboside, 5-Methyldeoxyuridine)			12358 ✓ [106-49-0]	p-Toluidine pure, 98%	500 Gms	750
	Thymidine-5-Monophosphate	100 Mg	1680	86003	p-Toluidine specially purified	500 Gms	1250
[33430-62-5]	Disodium Salt (TMP-Na2) extrapure, 98%	250 Mg	3570	[106-49-0]	extrapure, 99%		
57046	Thymine extrapure, 98%	10 Gms	630		Toluidine Blue O, 90%	10 Gms	340
[65-71-4]		25 Gms	1320	[92-31-9]	(Basic Blue 17, Blutene Chloride, Methylene Blue T50, Tolonium	25 Gms	770
		100 Gms	4020		Chloride)	100 Gms	2660
47110 🗸	Thymol Crystal pure, 99%	100 Gms	550	37699	Toluidine Blue O for tissue culture,	10 Gms	910
[89-83-8]		500 Gms	2200	[92-31-9]	90% (Basic Blue 17, Blutene Chloride,	25 Gms	2050
		5 Kg	20000		Methylene Blue T50, Tolonium		
77675	Thymolphthelexone	1 Gms	3050		Chloride)		
[1913-93-5]	mymorphinelexone	5 Gms	11620		p-Toluenesulfonyl Hydrazide pure,	25 Gms	900
	Thomas I Mista			[1576-35-8]	98% (p-Toluenesulfonic Acid Hydrazide,	100 Gms	3400
86637 [7512-38-1]	Thymol Violet	5 Gms	470		p-Toluenesulphonyl Hydrazide, Tosylhydrazide)	500 Gms	11000
90196 [80-59-1]	Tiglic Acid extrapure, 98%	25 Gms	1310	68913	meta-Topolin (mT) for molecular	25 Mg	2000
[60-59-1]		100 Gms	4620		biology, 98%	100 Mg	4800
	Tiotropium Bromide Monohydrate	50 Mg	3250		(6-(3-Hydroxybenzylamino)purine)	1 Gms	18000
[411207-31-3]	(TioBr) extrapure, 98%	1 Gms	35000	56521	TOOS extrapure, 98%	1 Gms	
87347		100 ml	1080	[82692-93-1]		5 Gms	4500 18000
[7550-45-0]	Dichloromethane (Titanium (IV) Chloride in MDC)	500 ml	4990	05505	TOTU system use 00%		
83692 🗸	(Titanium (IV) Chloride in MDC) Titanium Tetrachloride 1M in	100 ml	1080	95595 [136849-72-4]	TOTU extrapure, 99%	5 Gms	2100
[7550-45-0]	Toluene	500 ml		,		25 Gms	6000
•	(Titanium (IV) Chloride in Toluene)	300 1111	4990			100 Gms	22000
84161	TNTU extrapure, 99%	10 Gms	4090		TPTZ extrapure AR (2,4,6-Tri- (2-pyridyl)-5-triazine), 99%	1 Gms	1200
[125700-73-4]		25 Gms	8040	[0002-00-7]	(- Flial) o marmol, 00/0	5 Gms	4500
56183	Tobramycin (TBM)	50 Mg	1200			25 Gms	16000
[32986-56-4]		500 Mg	4000		Triacontanol (TRIA) extrapure, 90%	500 Mg	8000
				[593-50-0]		1 Gms	14000

Code	Name	Packing	Price	Code	Name	Packing	Price
68084	trans,trans-Muconic acid (ttMA)	1 Gms	2380		Trilaurin Reference Standard, 99%	100 Mg	2200
[3588-17-8]	extrapure, 98%	5 Gms	11150	[538-24-9]	(GC)	1 Gms	6000
	(trans,trans-2,4-Hexadienedioic Acid, trans,trans-1,3-Butadiene-1,4-Dicarbox				(Glycerol Trilaurate, Glyceryl Trilaurate, Glyceryl Tridodecanoate)	5 Gms	13000
	ylic Acid)			57355	Trimesic Acid extrapure, 98%	5 Gms	740
42618	1,2,4-Triazole pure, 98%	100 Gms	290	[554-95-0]	(Benzene-1,3,5-Tricarboxylic acid,	25 Gms	2630
[288-88-0]		500 Gms	1300		1,3,5-Benzenetricarboxylic Acid)	100 Gms	4200
93572	1,2,4-Triazole Sodium extrapure,	25 Gms	760	00400	Trimethal Chlevesilers (TMCC)		
[41253-21-8]	98%	100 Gms	2800	20139 [75-77-4]	Trimethyl Chlorosilane (TMCS) extrapure, 98%	250 ml	700
	(Sodium-1,2,4-Triazolide)	500 Gms	5000	[]	• '	1000 ml	1800
70444	1.2.5 Tribromohonzono nuro 000/					2500 ml	4400
78411 [626-39-1]	1,3,5-Tribromobenzene pure, 98%	25 Gms	3700			25 Ltr	40000
76074	Tribulus Terrestris Extract, 45% FS	5 Gms	2600		N,N,N-Trimethylethylenediamine	5 Gms	3200
[90131-68-3]		25 Gms	5000	[142-25-6]	pure, 97%	25 Gms	11000
				18879	Trimethoprim (TMP), 98.5%	5 Gms	750
99486 [108-70-3]	1,3,5-Trichlorobenzene (1,3,5-TCB) pure, 99%	100 Gms	2800	[738-70-5]		25 Gms	2400
[100-70-0]	pa.0, 00 /8	500 Gms	9500	66069	3,4,5-Trimethoxy Benzaldehyde	25 Gms	900
94076	2,2,2-Trichloroethanol pure, 98%	25 ml	2200	[86-81-7]	pure, 98%	100 Gms	3000
[115-20-8]	(Trichloroethyl alcohol, B,B,B-Trichloroethyl alcohol,	100 ml	7500	44500	4.0.5 Trimethannahannana nuna 200/		
	2,2,2-Trichloroethan-1-ol)	250 ml	12000	41569 [621-23-8]	1,3,5-Trimethoxybenzene pure, 99%	25 Gms	3020
27740	TRICINE Buffer Reagent Grade,	25 Gms	1100	40017	3,4,5-Trimethoxybenzoic Acid	25 Gms	950
[5704-04-1]	99%	100 Gms	4400	[118-41-2]	extrapure, 99%	100 Gms	3150
	(N-Tris-(hydroxymethyl) Methylglycine)	500 Gms	20000		(Gallic Acid Trimethyl Ether,		0100
67490	Tricyclohexylphosphine (Cy3P)	5 Gms			Trimethylgallic Acid)		
[2622-14-2]	extrapure, 94%	25 Gms	1500	49601	N-(3-Trimethoxysilylpropyl) Diethylenetriamine (TMSPD) pure,	100 ml	5000
	(P(Cy)3, PCy3)	100 Gms	6500	[35141-30-1]	95%	500 ml	20000
			25000		(2-[2-		
63437	Tricyclohexylphosphine Tetrafluoroborate extrapure, 98%	1 Gms	2170		(3-Trimethoxysilylpropylamino)ethylami		
[58656-04-5]	retrantioroporate extrapure, 96%	5 Gms	6490		no]ethylamine, 3-[2- (2-Aminoethylamino)ethylamino]propyl		
80184	Triethanolamine Hydrochloride	100 Gms	430	90265	Trimethyl Chlorosilane (TMCS)	250 ml	800
[637-39-8]	extrapure AR, 99%	500 Gms	1500	[75-77-4]	extrapure, 99%	1000 ml	2400
80058	2,2,2-Trifluoroethanol pure, 99%	25 ml	420			2500 ml	4800
[75-89-8]		100 ml	1050		Tribusathad Ohlawasillaria (TMOO) 4M		
		500 ml	4400	67883 [75-77-4]	Trimethyl Chlorosilane (TMCS) 1M Solution in THF	100 ml	3500
14428	N-6-Trifluoroacetyl-L-Lysine	5 Gms	1640	41020	Trimethyloctylammonium Chloride	25 Gms	2000
	extrapure, 98%	25 Gms	3300		(TMOACI) extrapure, 98%	100 Gms	6500
	(H-Lys(Tfa)-OH)	20 Gillo	3300		(Octyltrimethylammonium Chloride)	100 41113	0300
12631	3-Trifluoromethyl Phenylboronic	1 Gms	1340	68989	Trimethyl Orthoformate (TMOF)	500 ml	640
[1423-26-3]	Acid extrapure, 97%	5 Gms	2500	[149-73-5]	pure, 98%	2500 ml	2900
		25 Gms	12450			25 Ltr	27000
79009	5-Trifluorothymidine extrapure,	100 Mg	4200	49901	N-(Trimethylsilyl)diethylamine	25 ml	5110
[70-00-8]	99%	1 Gms	32000	[996-50-9]	(TMSDEA) extrapure, 97%	100 ml	14580
37758	2,3,5-Triiodobenzoic Acid (TIBA)	5 Gms	600		((Diethylamino)trimethylsilane,		
[88-82-4]	extrapure AR, 98%	10 Gms	1200	45000	N,N-Diethyltrimethylsilylamine) N-Trimethylsilylimidazole (TMSIM)	F!	700
-		25 Gms			N-Trimethylsilylimidazole (TMSIM) extrapure, 98%	5 ml	700
			2500	[.0.00740]	((1-	25 ml	2100
35241 8 [6893-02-3]	3,3,5-Triiodo-L-Thyronine extrapure, 95%	100 Mg	4500		(Trimethylsilyl)imidazole)N-Trimethylsily	100 ml	6800
[0093-02-3]	(3,3,5-Triiodothyronin)	1 Gms	26000		limidazole, TSIM)		
14219	Trilaurin pure, 98%(GC)	5 Gms	1500	97039	3-Trimethylsilylpropionic Acid	1 ml	5470
[538-24-9]	(Glycerol Trilaurate, Glyceryl Trilaurate,	25 Gms	3700	[5683-30-7]	(TMSPA) extrapure, 95%	5 ml	17620
	Glyceryl Tridodecanoate)	100 Gms	8600		Trimethylsulfoxonium lodide	25 Gms	1000
		. 30 Gillo		[1774-47-6]	(TMSI) extrapure, 99%	100 Gms	2300

Code	Name	Packing	Price	Code	Name	Packing	Price
18779	Trimyristin pure, 95%(GC)	5 Gms	2000		Tris(2,2-bipyridyl)dichlororutheniu	250 Mg	3800
[555-45-3]	(Glyceryl Trimyristate, Glycerol Trimyristate)	25 Gms	4600	[50525-27-4]	m (II) Hexahydrate (Ru(BPY)3), 98%	1 Gms	7000
83676	Trimyristin Reference Standard,	1 Gms	4000		(Ruthenium-tris(2,2'-bipyridyl)		
[555-45-3]	99%(GC)	5 Gms	12000		dichloride, Tris(2,2'-bipyridyl)ruthenium(II) chloride		
	(Glyceryl Trimyristate, Glycerol Trimyristate)	25 Gms	21000		hexahydrate)		
84050	Trioctylamine (Tri-n-Octylamine)	100 ml	1050		Tris(2-carboxyethyl) Phosphine	1 Gms	1200
[1116-76-3]	pure, 95%	500 ml	3680	[51805-45-9]	Hydrochloride (TCEP) extrapure AR, 98%	5 Gms	2800
37958	Triolein Reference Standard, 99%	500 Mg	3600		,	25 Gms	8000
[122-32-7]	(GC)	1 Gms	6000		Tris(dibenzylideneacetone)dipallad ium(0) (Pd2(dba)3) extrapure,	500 Mg	3600
		5 Gms	28000	[51304-51-3]	22-25% Pd	1 Gms	6000
59708	Tripalmitin pure, 85% (GC)	25 Gms	5000			5 Gms	24000
[555-44-2]	(Glycerol Tripalmitate, Glyceryl Tripalmitate)	100 Gms	12000				105000
75700	Tripalmitin Reference Standard,	100 Mg	1200	96455 [52522-40-4]	Tris(Dibenzylideneacetone)Dipalla dium-Chloroform Adduct extrapure,	250 Mg	2500
[555-44-2]	99% (GC)	500 Mg	3500	[02022 40 4]	20% Pd	1 Gms	5000
	(Glycerol Tripalmitate, Glyceryl Tripalmitate)	1 Gms	6000		(Dipalladium-tris(Dibenzylideneacetone	5 Gms	20000
38015	N-Triphenyl Methyl Glycine	25 Gms	19920)Chloroform Complex, Pd2(dba)3.CHCl3)		
[5893-05-0]	extrapure, 98%	25 5,5	19920	87326	10X Tris-Glycine pH-8.3 Tank Buffer	200 ml	840
24651	Triphenylphosphine pure, 98%	100 Gms	800		for molecular biology	1000 ml	3150
[603-35-0]		500 Gms	3800	57806	10X Tris-Glycine-SDS Buffer for	200 ml	480
		1 Kg	7200		molecular biology	1000 ml	1070
	Triphenylphosphinegold(I)	500 Mg	4800	00474	(TG-SDS Running Buffer) 10X Tris Buffered Saline (TBS) for	500 ml	1000
	Chloride ((Ph3P)AuCl), 98% (Chloro(triphenylphosphine)Gold(I))	1 Gms	9500	83471	molecular biology (10X TBS Buffer)	500 ml	1960
95474 [6399-81-1]	Triphenylphosphine Hydrobromide pure, 98%	5 Gms	1240	63825	10X Tris Buffered Saline Tween-20	500 ml	520
		25 Gms	3110		(TBST) for molecular biology		
32098 [791-28-6]	Triphenylphosphine Oxide (TPPO) pure, 98.5%	25 Gms	350	79091	1M Tris Hydrochloride Buffer (1M	100 ml	1110
[/91-20-0]	(Triphenyl Phosphorus Oxide)	100 Gms	1200		Tris HCl) pH-7.2 for molecular biology	500 ml	4680
		500 Gms	3000		(Tris(hydroxymethyl)aminomethane,		
70874 ✓ [1034-39-5]	Triphenylphosphonium Dibromide pure, 98%	5 Gms	2400		Hydrochloric Acid)	400 1	
[.00.000]	,	25 Gms 100 Gms	5100	55904 ✓	1M Tris Hydrochloride Buffer (1M Tris HCl) pH-8.0 for molecular	100 ml	1640
0			14000		biology	500 ml	4910
53730 [531-52-2]	1,3,5-Triphenyltetrazolium Formazan (TTC Formazan)	1 Gms	1600		(Tris(hydroxymethyl)aminomethane, Hydrochloric Acid)		
[]	extrapure, 95%	5 Gms 25 Gms	4700	37852	10X Tris-Tricine-SDS Buffer for	500 ml	1210
05500	O O F Trimboundhatronalium Chlorida		8500	0,002	molecular biology		1210
65599 • [298-96-4]	2,3,5-Triphenyltetrazolium Chloride (TTC) extrapure, 99%	10 Gms 25 Gms	2000		(TT-SDS Running Buffer)		
	· · · ·	50 Gms	4000 7000	62850 [6850-28-8]	Tris(Hydroxymethyl) Aminomethane Acetate extrapure	100 Gms	1400
		100 Gms	13000	[0030-20-0]	AR (Tris Acetate Buffer), 99%	500 Gms	6530
98635	10X Tris Acetate-SDS Buffer pH-8.3	500 ml		34969	Tris(Hydroxymethyl)	100 Gms	1900
30000 0	for molecular biology (TA-SDS Running Buffer)	1000 ml	800 1500	[6850-28-8]	Aminomethane Acetate for molecular biology (Tris Acetate	500 Gms	8900
47804	20X Tris Acetate-SDS Buffer pH-8.3	500 ml	1500	00047	Buffer), 99% Tris(Hydroxymethyl)-	100 Gms	0070
	for molecular biology (TA-SDS Running Buffer)	1000 ml	2850	23017 [68123-29-5]	Aminomethane Carbonate extrapure (Tris Carbonate), 99%	100 GIIIS	2070
	Tris(2,2-bipyridine)ruthenium(II)	250 Mg	4200	32119	Tris(Hydroxymethyl)-	100 Gms	1550
[60804-74-2]	Hexafluorophosphate ((Ru(BPY)3(PF6)2), 97% (Puthonium trio(2 3) biguridul)	1 Gms	15000	[72200-76-1]	Aminomethane Maleate extrapure (Tris Maleate), 99.5%	500 Gms	7000
	(Ruthenium-tris(2,2'-bipyridyl) dihexafluorophosphate)			25913 [41521-38-4]	Tris(Hydroxymethyl)- Aminomethane Nitrate extrapure	100 Gms	2070

Code	Name	Packing	Price	Code	Name	Packing	Price
55088 [108321-13-7]	Tris(Hydroxymethyl)- Aminomethane Oxalate	100 Gms	1450	17472 [7783-03-1]	Tungstic Acid pure, 98%	100 Gms 250 Gms	1200 2800
	extrapure(Tris Oxatlate), 99%			55401	Tungstic Acid extrapure AR, 99%	100 Gms	1350
68353 [108321-11-5]	Tris(Hydroxymethyl)- Aminomethane Phosphate Dibasic	100 Gms	1640	[7783-03-1]	rungsilo Adia extrapare Ari, 55%	500 Gms	6400
	extrapure (Tris Phosphate Dibasic), 98%			98328	Turpentine Oil extrapure	500 ml	350
43235	Tris(Hydroxymethyl)-	100 Gms	1640	[8002-64-2]		2500 ml	1600
[6992-39-8]	Aminomethane Phosphate		1040			25 Ltr	15000
	Monobasic extrapure (Tris			33541	Tyramine Hydrochloride extrapure,	25 Gms	1600
63291	Phosphate Monobasic), 98% Tris(Hydroxymethyl)-	100 Gms	1640	[60-19-5]	98%	100 Gms	4000
[85169-32-0]	Aminomethane Succinate extrapure	100 GIIIS	1640			500 Gms	9500
	(Tris Succinate), 99%	400.0			Tyrosinase (Polyphenol Oxidase)	25 K.Units	7500
47952 [6992-38-7]	Tris(Hydroxymethyl)- Aminomethane Sulphate extrapure	100 Gms	1090	[9002-10-2]	ex. Mushroom, 600U/mg powder (Catechol Oxidase, Monophenol	100	28500
[0002 00 7]	(Tris Sulphate), 98%				Monooxygenase,	K.Units	
50615	Tristearin pure, 90%(GC)	25 Gms	2380		Dihydroxyphenylalanine:Oxygen		
[555-43-1]	(Glycerol Tristearate, Glyceryl	100 Gms	8660	40404	Oxidoreductase) Umbelliferone	10.0	0100
44005	Tristearate) Tristearin Reference Standard, 99%	500 M-	0500	46121 8 [93-35-6]	(7-Hydroxycoumarin) extrapure,	10 Gms	2100
11085 J [555-43-1]	(GC)	500 Mg 1 Gms	2500	[]	98%	25 Gms	4500
,	(Glycerol Tristearate, Glyceryl	5 Gms	4000	46487	Undecylenic Acid	100 Gms	650
	Tristearate)		16000	[112-38-9]	extrapure,C11-99% (GC)	500 Gms	2810
48445 [2799-07-7]	S-Trityl-L-Cysteine extrapure, 98%	1 Gms	4510	23622	Uracil extrapure, 99%	25 Gms	430
58026	Trypan Blue	25 Gms	1200	[66-22-8]		100 Gms	1550
[72-57-1]	(Direct blue 14) (C.I. No. 23850)	100 Gms	4500			1 Kg	12000
31591	Trypan Blue for tissue culture	25 Gms	1670			5 Kg	50000
[72-57-1]	(Direct blue 14) (C.I. No. 23850)	20 01113	1070	81405	Uranyl Acetate Dihydrate ACS, 98%	1 Gms	3300
12788	Trypan Blue 0.4% Solution	50 ml	500	[6159-44-0]		5 Gms	12500
[72-57-1]		125 ml	1100			25 Gms	60000
60484	Trypsin (3x cryst.) ex Bovine	250 Mg	1180	70780	Uranyl Magnesium Acetate	1 Gms	4000
[9002-07-7]	Pancreas, 7500 BAEE U/mg	1 Gms	2380	[20596-93-4]	extrapure, 98%	5 Gms	17000
	(2500NF U/mg) powder	5 Gms	10600	74495 ✓	Uranyl Nitrate Hexahydrate	1 Gms	4000
42657 ■	Trypsin Inhibitor ex. Soyabean,	25 Mg	3500	[13520-83-7]	extrapure, 98%	5 Gms	17000
[9035-81-8]	10000 BAEE U/mg	100 Mg	9000			25 Gms	75000
		250 Mg	18000	64807	Urease ex. Jack Beans, 200U/mg	3000 Units	1250
		500 Mg	28000	[9002-13-5]		10000	2800
		1 Gms	51000			Units	2000
16406	Trypsin Inhibitor (Ovomucoid) ex.	100 Mg	5000			25 K.Units	6530
[9035-81-8]	Chicken Egg White	1 Gms	14000			100 K.Units	11270
	(Trypsin Inhibitor ex. Gallus Gallus Domesticus)			64632	r-Urease (Thermostable) ex. E.	10000	13140
12094	Tryptamine Hydrochloride	1 Gms	610		Coli, 150U/mg powder	Units	
[343-94-2]	extrapure, 98%	5 Gms	2000		Uric Acid extrapure AR, 99%	25 Gms	3750
		25 Gms	9000	[69-93-2]		100 Gms	14000
67654	L-Tryptophan Methyl Ester	5 Gms	2140			500 Gms	60000
[7524-52-9]	Hydrochloride extrapure, 99%	25 Gms	9250	95410 [9002-12-4]	r-Uricase (Thermostable) ex. Yeast, 3U/mg powder	500 Units	6490
	TSTU extrapure, 98%	1 Gms	1100		Uridine extrapure, 99%	5 Gms	600
[105832-38-0]	(N,N,N`,N`-Tetramethyl-O-	5 Gms	2080	[58-96-8]	• • •	25 Gms	2400
	(N-succinimidyl)uronium tetrafluoroborate, O-(N-Succinimidyl)	25 Gms	5500			100 Gms	7000
	-N,N,N',N'-tet	100 Gms	15000	20964	Uridine 5`-Diphosphoglucose	25 Mg	1400
51335	Tungsten Metal Powder, 99.9%,	100 Gms	2580	[28053-08-9,	· · ·	100 Mg	3200
[7440-33-7]	-325 mesh	500 Gms	9800	117756-22-6]	(UDPG.2Na Hydrate), 98%	1 Gms	12000
						i Gilis	1200

Code	Name	Packing	Price	Code	Name	Packing	Price
48301	· .	5 Gms	1300	77472	Vitamin B12 for molecular biology,	250 Mg	770
[3387-36-8]	Disodium Salt Hydrate (5-UMP-Na2) extrapure, 98.5%	25 Gms	5500	[68-19-9]	97% (Cyanocobalamin)	1 Gms	1800
56613	, , , ,	100 Mg	2000		,	5 Gms	7000
[19817-92-6]	Salt Dihydrate (UTP-Na3)	500 Mg	5000			25 Gms	24000
	extrapure, 90%	1 Gms	9000		Vitamin B12 for tissue culture, 97%	250 Mg	1100
50178	Ursodeoxycholic Acid (UDCS)	1 Gms	950	[68-19-9]	(Cyanocobalamin)	1 Gms	2400
[128-13-2]	extrapure, 99%	5 Gms	1500			5 Gms	8800
		25 Gms	6000		Vitamin B12a (B12 Analog) ExiPlus, Multi-Compendial, 98%-102%	1 Gms	3200
24436	(+)- Usnic Acid, 98%	1 Gms	1500	[13422-55-4]	(Methylcobalamin,	5 Gms	5600
[7562-61-0]		5 Gms	3000		Methyl-5,6-Dimethylbenzimidazolylcob	25 Gms	28000
		25 Gms	9000		alamin, Methyl Vitamin B12) Meets compendial specs of USP		
44762	Valeraldehyde pure (Pentanal),	100 ml	470	54911	· · · · · · · · · · · · · · · · · · ·	1 Gms	1580
[110-62-3]	98%	500 ml	1200	[84-80-0]	(Phytonadione, Phyllaquinone,	5 Gms	7140
04.477	(Pentanal) n-Valeric Acid pure, C5-99% (GC)	500 ml	1000		2-Methyl-3-phytyl-1,4-Napthoquinone,		7110
31477 [109-52-4]	ni-valenc Acid pure, C5-99% (GC)	1000 ml	1060	E0340	3-Phytylmenadione) Vanadyl Acetylacetonate pure, 98%	25 Gms	950
	W		1990	50342 [3153-26-2]	(Vanadyl Acetoacetate, Vanadium(IV)	100 Gms	850 3000
22128 [110-59-8]	Valeronitrile (Butyl Cyanide) pure , 99%	100 ml 500 ml	400		oxide acetylacetonate, VO(acac)2,	100 Gills	3000
. ,	(Butyl Cyanide)	500 1111	1350		Vanadium(IV)-oxy acetylacetona	05.0	700
80634	Valerophenone pure, 98%	100 ml	500	23761 [123334-20-3]	Vanadyl Sulphate Hydrate pure, 97%	25 Gms 100 Gms	700
[1009-14-9]		500 ml	1800		(Vanadium (IV) Oxide Sulfate Hydrate,	500 Gms	2300 10500
		2500 ml	8000		Oxysulphato Vanadium (IV) Hydrate, Vanadium Oxysulphate)	500 GIIIS	10500
95091	Valeroyl Chloride pure, 98%	100 ml	700	40996		100 Mg	3000
[638-29-9]		500 ml	2800	[83480-29-9]	(Basen, Glustat, N-	500 Mg	9000
21562	D-Valine extrapure CHR, 99%	5 Gms	600		(1,3-Dihydroxy-2-propyl)valiolamine)		
[640-68-6]		25 Gms	1900	66532	Wang Resin, 1% DVB, 0.4-2mmol/g, 100-200 mesh	5 Gms	3210
		100 Gms	6500	[201058-08-4]	(p-Benzyloxybenzyl Alcohol Resin, DVB	25 Gms	12600
14159	DL-Valine extrapure CHR, 99%	25 Gms	800		cross linked)	100 Gms	28350
[516-06-3]		100 Gms	2900		Weinreb Linker extrapure, 98%	1 Gms	8310
		500 Gms	13500	[24/021-90-5]	(N-FMOC-N-Methoxy-3-Aminopropioni c Acid)		
		1 Kg	25000	13111	Wright Stain	25 Gms	600
	L-Valine Benzyl Ester	25 Gms	10520	[68988-92-1]	•	100 Gms	2340
	Hydrochloride extrapure, 98% L-Valine Methyl Ester	1.0			according to Wright)	500 Gms	11000
	Hydrochloride extrapure, 99%	1 Gms	360	72465	WST-8, 95%	50 Mg	8000
		5 Gms 25 Gms	960 2850	[193149-74-5]	(2-(2-Methoxy-4-Nitrophenyl)-3-		
		100 Gms	8310		(4-Nitrophenyl)-5-(2,4-Disulfophenyl) -2H-Tetrazolium Sodium Salt)		
40652 [2001-95-8]	Valinomycin, 95%	10 Mg	4500	52714	X-Gal Solution (20mg/ml)	1 ml	2140
45344	Vanadium Metal Powder, 99.7%	5 Gms	1700	20748	Xanthine extrapure CHR, 99%	5 Gms	820
[7440-62-2]		25 Gms	7000	[69-89-6]		25 Gms	3280
61078	Vancomycin Hydrochloride (VNC),	1 Gms	3000	39607	Xanthine Oxidase Suspension ex.	5 Units	4500
[1404-93-9]	90%	5 Gms	7000	[9002-17-9]	Butter Milk, 1-4 U/mg protein	25 Units	9000
72241	Vanillylmandelic Acid extrapure,	250 Mg	1300	62965 [9002-17-9]	Xanthine Oxidase ex. Microorganism, 15U/mg powder	250 Units	14610
[2394-20-9]	(VMA, DL-4-Hydroxy-3-Methoxy Mandelic Acid)	1 Gms 5 Gms	4360 15640		Xanthohumol ex. Hop (Humulus Lupulus), 94%	5 Mg	18690
11547	n-Veratraldehyde pure, 98%	100 Gms	1050	62630	Xanthurenic Acid extrapure, 90%	500 Mg	3200
[120-14-9]		250 Gms	2200	[59-00-7]		1 Gms	5500
96011	Veratrole pure, 98%	100 ml	350				
-	(1,2-Dimethoxy Benzene)						

Code	Name	Packing	Price	Code	Name	Packing	Price
	XantPhos	1 Gms	1200	44716	Yttrium Metal Ultrapure, 200 mesh,	5 Gms	9000
[161265-03-8]	(4,5-Bis(Diphenylphosphino) -9,9-Dimethylxanthine) extrapure,	5 Gms	3500	[7440-65-5]	99.9%	25 Gms	17000
	98%	25 Gms	13500	51515	Yttrium (III) Nitrate Hexahydrate	25 Gms	1100
		100 Gms	50000	[13494-98-9]	extrapure AR, 99.9%	100 Gms	2800
	X-Phos	1 Gms	1200	21412	Yttrium (III)	5 Gms	3000
[564483-18-7]	(2-Dicyclohexylphosphino-2,4,6-Trii sopropylbiphenyl) extrapure, 98%	5 Gms	2600	[52093-30-8]	Trifluoromethanesulfonate	25 Gms	9800
	Sopropyimphenyi) extrapure, 30%	25 Gms	9000		extrapure, 98% (Yttrium triflate,		
91186	Xylan from Beechwood	5 Gms	2700		Trifluoromethanesulfonic Acid Yttrium		
[9014-63-5]		10 Gms	5000		Salt)		
		25 Gms	9000	37482	Z-L-Amino Acids Kit	1 Kit	25870
		100 Gms	40000	60000	7 h Alanina avtranura 99%	1 Gms	500
30565	Xylan from Corn Cob, 95%	10 Gms	1200	68280 • [2304-94-1]	Z-b-Alanine extrapure, 99%	1 Gms 5 Gms	580
[9014-63-5]		25 Gms	2500	,		25 Gms	1480
		100 Gms	7000				5870
		500 Gms	24000	15701 [26607-51-2]	Z-D-Alanine extrapure, 99%	1 Gms	600
13814	Xylanase ex. Aspergillus Niger,	25 Gms	1230	[20007-31-2]		5 Gms	2430
[37278-89-0]	60MU/g powder	100 Gms	4000			25 Gms	11080
		500 Gms	18000		Z-DL-Alanine extrapure, 99%	5 Gms	2410
64949 🗸	Xylitol extrapure	100 Gms	500	[4132-86-9]	Z-L-Alanine extrapure, 99%	5 Gms	F40
[87-99-0]		500 Gms	1200	[1142-20-7]	2-L-Alainne extrapure, 35%	25 Gms	540 2220
		1 Kg	1800			100 Gms	7970
84974	D-(+)-Xylose extrapure	100 Gms			7.0 Anning by the state of the		
[58-86-6]	D-(+)-Aylose extrapure	500 Gms	420 1100	30211 [42918-86-5]	2-2-Aminobutyric Acid extrapure, 99%	1 Gms	950
				[12010 00 0]		5 Gms	4200
29426 [58-86-6]	D-(+)-Xylose ExiPlus, Multi-Compendial	100 Gms	510			25 Gms	20330
[00 00 0]	•	500 Gms	1300	94475 [6382-93-0]	Z-D-Arginine extrapure, 99%	1 Gms	6080
	meets compendial specs of USP, BP			[0302-93-0]		5 Gms	20240
98468 [609-06-3]	L-(-)-Xylose extrapure, 99%	5 Gms	1500			25 Gms	73570
[000 00 0]		25 Gms	6000		Z-L-Arginine extrapure, 99%	25 Gms	4210
31832	Yohimbine Hydrochloride extrapure, 99%	1 Gms	2400	[1234-35-1]	7.1 Avaining HOLoutronium 000/	25 Gms	5000
[65-19-0]	extrapure, 99%	5 Gms	8000	55237 [56672-63-0]	Z-L-Arginine HCI extrapure, 99%	25 Gms	5230
36744	Ytterbium (III) Chloride anhydrous,	5 Gms	4000				19600
[10361-91-8]		10.0		92873 [4474-86-6]	Z-D-Asparagine extrapure, 99%	1 Gms	1090
24099 [10035-01-5]	Ytterbium (III) Chloride Hexahydrate extrapure, 99.9%	10 Gms	2500	[4474-00-0]		5 Gms	4490
[(Ytterbium Trichloride Hexahydrate)	50 Gms	5500			25 Gms	18710
20435	Ytterbium (III) Nitrate Pentahydrate	10 Gms	3000		Z-DL-Asparagine extrapure, 98%	1 Gms	1520
[35725-34-9]	extrapure, 99.9%	50 Gms	6400	[29880-22-6]		5 Gms	4980
58985	Ytterbium (III) Oxide extrapure,	10 Gms	2500		Z-L-Asparagine extrapure, 99%	1 Gms	310
[1314-37-0]	99.9%	50 Gms	5500	[2304-96-3]		5 Gms	990
61813	Ytterbium (III)	1 Gms	950			25 Gms	2590
[252976-51-5]	Trifluoromethanesulfonate Hydrate	5 Gms	2200			100 Gms	8630
	extrapure, 98%	25 Gms	8500		Z-D-Aspartic Acid extrapure, 99%	1 Gms	640
	(Ytterbium triflate, Trifluoromethanesulfonic Acid			[78663-07-7]		5 Gms	2660
	Ytterbium Salt)					25 Gms	11080
63190	Yttrium (III) Chloride anhydrous	10 Gms	3400	84275	Z-DL-Aspartic Acid extrapure, 99%	5 Gms	700
[10361-92-9]	ultrapure, 99.99% (Yttrium Trichloride)	50 Gms	9000	[4515-21-3]		25 Gms	2400
63390	Yttrium (III) Chloride Hexahydrate	5 Gms	800	63143	Z-L-Aspartic Acid extrapure, 99%	5 Gms	460
[10025-94-2]	extrapure AR, 99.9%	25 Gms	1300	[1152-61-0]		10 Gms	860
•		100 Gms				25 Gms	2060
		100 GITIS	4000				

Code N	Name	Packing	Price	Code	Name	Packing	Price
	-L-Aspartic Acid-4-Benzyl Ester	10 Gms	13560	55768	Z-L-Methionine extrapure, 99%	1 Gms	690
	extrapure, 98% Z-L-Asp(OBzI)-OH)	25 Gms	23730	[1152-62-1]		5 Gms	2850
,	Z-L-ASP(OBZI)-OTI)	10 Gms	14130			25 Gms	9350
	extrapure, 98%	25 Gms	24720	21200	Z-4-Nitro-L-Phenylalanine	10 Gms	10840
73971 ● Z	'-D-Glutamic Acid extrapure, 98%	1 Gms	760		extrapure, 99% ((S)-2-(((Benzyloxy)Carbonyl)Amino)-3-	25 Gms	18970
[63648-73-7]	-B-Giatainio Acid extrapare, 30%	5 Gms	2660		(4-Nitrophenyl) Propanoic Acid,		
07074	/ L Clutomic Acid outronure 009/				Cbz-L-4-nitrophenylalanine)		
67271 ■ Z [1155-62-0]	'-L-Glutamic Acid extrapure, 99%	5 Gms 25 Gms	360 1460	00020	Z-D-Norleucine extrapure, 99%	500 Mg	4610
		100 Gms	5220	[15027-14-2]		2.5 Gms	20700
00000 • 7	'-D-Glutamine extrapure, 99%	1 Gms			Z-DL-Norleucine extrapure, 99%	1 Gms	3150
83309 ■ Z [13139-52-1]	-b-Giutanine extrapure, 99%	5 Gms	1230 5110	[15027-13-1]	7.1 Naviausina autramura 000/	1.0	4400
		25 Gms	21270	90175 [39608-30-5]	Z-L-Norleucine extrapure, 99%	1 Gms 5 Gms	4130
	/ L. Chutamina autramura 200/						18790
44096 ■ Z	-L-Glutamine extrapure, 99%	5 Gms	750	34201	Z-D-Norvaline extrapure, 99%	1 Gms	2790
[2000 0 . 0]		25 Gms	2590			5 Gms	12660
		100 Gms	8630		Z-DL-Norvaline extrapure, 99%	1 Gms	2310
86632 ■ Z	'-Glycine extrapure, 99%	5 Gms	700	[21691-43-0]		5 Gms	10480
[1100 00 0]		25 Gms	1420		Z-L-Norvaline extrapure, 99%	1 Gms	2790
		100 Gms	4320	[21691-44-1]		5 Gms	12660
21793 ■ Z [19728-57-5]	Z-DL-Histidine extrapure, 99%	1 Gms	3480	72850	Z-L-Ornithine extrapure, 99%	1 Gms	5010
[18720-37-3]		5 Gms	16560	[3304-51-6]		5 Gms	22760
	-L-Histidine extrapure, 99%	1 Gms	1200	24317	Z-D-Phenylalanine extrapure, 99%	1 Gms	640
[14997-58-1]		5 Gms	5430	[2448-45-5]		5 Gms	2660
		25 Gms	21290			25 Gms	11040
	-L-Hydroxyproline extrapure, 99%	1 Gms	1400	32900	Z-DL-Phenylalanine extrapure, 99%	5 Gms	2310
[13504-85-3]		5 Gms	6330	[3588-57-6]		25 Gms	10480
		25 Gms	24720	42182	Z-L-Phenylalanine extrapure, 99%	25 Gms	2240
	-L-Isoleucine extrapure, 95%	5 Gms	2010	[1161-13-3]		100 Gms	7910
[3160-59-6]		25 Gms	6280	27486	Z-L-Phenyalanine Methyl Ester	10 Gms	12240
	'-D-Leucine extrapure, 99%	1 Gms	1090		extrapure, 98%	25 Gms	21410
[28862-79-5]		5 Gms	4510	41739	Z-Phenylalanine-p-Nitroanilide	1 Gms	7590
		25 Gms	18800		extrapure		7550
76353 ● Z	-DL-Leucine extrapure, 99%	5 Gms	1830	16881	Z-L-Phenylalanine-4-Nitrophenyl	1 Gms	3000
[3588-60-1]		25 Gms	8700	[2578-84-9]	Ester extrapure, 98%	10 Gms	11020
85612 • Z	-L-Leucine extrapure, 98%	5 Gms	1520	12399	Z-D-Phenylglycine extrapure, 98%	10 Gms	7400
[2018-66-8]		25 Gms	4330	[17609-52-8]		25 Gms	12940
39218 ● Z	-D-Lysine extrapure, 99%	1 Gms	5000	74157	Z-L-Phenylglycine extrapure, 99%	10 Gms	6490
[70671-54-4]		5 Gms	12000	[53990-33-3]		25 Gms	11360
54420 ● Z	'-L-Lysine extrapure, 99%	1 Gms	1280	24037	Z-D-Proline extrapure, 99%	500 Mg	930
[2212-75-1]	· · · · · · · · · · · · · · · · · · ·	5 Gms	5900	[6404-31-5]	•	1 Gms	1570
71691 ● Z	'-N-e-Lysine Dicyclohexyl	5 Gms	5950			5 Gms	6040
	Ammonium Salt extrapure, 98%	o dillo	3330			25 Gms	30180
,	Z-Lysine(BOC)-OH.Dicyclohexylamine			31688	Z-L-Proline extrapure, 99%	5 Gms	1260
	Calt)	4.0	4500	[1148-11-4]		25 Gms	3780
91642 ■ Z [28862-80-8]	Z-D-Methionine extrapure, 99%	1 Gms	1500	63073	Z-D-Serine extrapure, 99%	500 Mg	
		5 Gms	3000	63273 [6081-61-4]	2-D-Jeilie extrapure, 33/6	1 Gms	2180 3360
11751 ■ Z [4434-61-1]	Z-DL-Methionine extrapure, 99%	1 Gms	740			5 Gms	14030
[1-1001-1]		5 Gms	3480			Janis	14030

Code

Name

Packing

Price

I		Ĭ Ĭ		Ĭ
Code	Name		Packing	Price
75675	Z-L-Serine extrapure, 99%		1 Gms	420
[1145-80-8]			5 Gms	1100
			25 Gms	5000
52287	Z-D-Threonine extrapure, 9	9%	1 Gms	1300
[80384-27-6]			5 Gms	5200
11228 • [19728-63-3]	Z-L-Threonine extrapure, 99	9%	5 Gms	1300
39868	Z-D-Tryptophan extrapure,	99%	1 Gms	1800
[2279-15-4]			5 Gms	5500
57591 • [7432-21-5]	Z-L-Tryptophan extrapure,	99%	25 Gms	2100
59268	Z-D-Tyrosine extrapure, 99	%	1 Gms	3700
[64205-12-5]			5 Gms	10000
31078	Z-L-Tyrosine extrapure, 999	6	5 Gms	1950
[1164-16-5]			25 Gms	4980
39463 • [16677-29-5]		apure,	10 Gms	7580
74556	(Z-L-Tyr(Bzl)-OH) Z-D-Valine extrapure, 99%		1 Gms	1200
74556 [1685-33-2]	2-D-vailile extrapure, 95%		5 Gms	1320 3000
			25 Gms	10000
17500	Z-DL-Valine extrapure, 99%			
17520 • [3588-63-4]	2-DL-vaime extrapure, 99%		5 Gms 25 Gms	2790 13250
	7 I. Valina autronoma 000/			
73743 • [1149-26-4]	Z-L-Valine extrapure, 99%		25 Gms 100 Gms	1800 4680
00400	7 Iooninoostia Asid sytrani	009/		
	Z-Isonipecotic Acid extrapu (1-Carbobenzoxy-4-Piperidine c Acid)	-	10 Gms 25 Gms	4000 6000
88291 • [78190-11-1]	Z-Nipecotic Acid, 95%		10 Gms	6470
	Z-OSu (Z-ONSu) extrapure,	99%	25 Gms	1200
[13139-17-8]	(Z-ONSu)		100 Gms	4500
81055	Zeatin mixed Isomers for tis	ssue	25 Mg	2200
[13114-27-7]	culture, ~95%		100 Mg	6000
67299	Zeatin mixed Isomers, ~95	%	25 Mg	1800
[13114-27-7]			100 Mg	5000
			250 Mg	10500
80440	Zeatin Riboside extrapure,	99%	10 Mg	2000
[6025-53-2]			25 Mg	3200
			100 Mg	8200
			500 Mg	36000
25910	Zinc Bromide Anhydrous, 9	9%	100 Gms	1100
[7699-45-8]	(Zinc Dibromide)		500 Gms	2420
86849	Zincon Sodium Salt ACS, 9	8%	1 Gms	380
[62625-22-3]			5 Gms	1300
52049	Zirconium Dioxide pure, 99	%	100 Gms	840
[1314-23-4]	(Zirconia, Zirconium (IV) Oxide		500 Gms	3000
14722	2-Naphthoyl Chloride pure,	98%	5 Gms	2000
[2243-83-6]	(2-Naphthalenecarbonyl Chlo		25 Gms	6000
			100 Gms	18000
				.5000

	83721 [124-09-4]	Hexamethylenediamine (HMDA) pure, 98% (1,6-Diaminohexane, 1,6-Hexanediamine)	100 Gms 500 Gms	1200 3000
_				
_				
_				
_				
-				
_				
_				
-				



Formalin-Free Tissue Fixative Concentrate

A safe and advanced alternative. SeraPreserve[™] is a revolutionary formalin-free tissue fixative designed to deliver superior preservation, hardening, and staining enhancement of biological tissues. It is the ideal choice for histology, cytology, pathology, and immunohistochemistry, ensuring clear, detailed tissue analysis with a focus on lab safety and diagnostic accuracy.

Why Choose SeraPreserve™?

- Formalin-Free Safety: Non-carcinogenic formulation contains no formalin or formaldehyde
- Optimal Preservation: Glycols and pH-adjusted organics maintain tissue integrity and clarity
- Reliable Stability: Consistent performance at room temperature and neutral pH
- Staining Enhancement: Improves dye uptake and cellular detail visibility
- Easy Handling & Extended Storage: Facilitates sample preparation, slicing, and long-term storage
- Versatile Use: Suitable for IHC, histopathology, diagnostics, forensics, biobanking & research

Applications:

- Histology & Pathology
- Immunohistochemistry (IHC)
- Cytology (smear preparations)
- Clinical & Research Laboratories
- · Biobanks & Forensic Labs



Available In:

Concentration	Prdt. Code	Pack Size
10×	15776	5 Ltr
25×	40148	5 Ltr
50×	21569	5 Ltr



Microcentrifuge Tube and Screw Cap

Our gamma irradiated microcentrifuge tubes are highly recommended in the areas of Life Science, Industry or Chemistry for use in research and critical reagent packaging requirements.

Our tubes are designed with conical bottoms allowing for complete sample retrieval. Screw caps with Orings guard against leakage by forming a positive seal against the rim of the tube. External ribs on the free standing microcentrifuge tubes allow for single-handed opening and closing when placed in racks with serrated holes. Screw Cap Microcentrifuge Tubes work with many automated systems. The O-ring is manufactured from durable ethylene polypropylene dimonomere compound.

Product Features:

- · Capacity: 0.5 ml & 1.5ml sizes
- Plastic (Polypropylene) clear colorless tube
- Self Standing Tubes with Screw Cap & O-Ring
- Sterile
- Operating range: -196°C to +121°C
- Autoclavable at 121°C
- Withstands maximum RCF of 20000× G
- No Graduations
- DNase & RNase Free



Prdt. Code	Product Name	Packing Unit
31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical, O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade	500 Nos.

* Bulk packs available on request

Nucleic Acid Purification Aids:

Spin Column Set

A purification aide utilizing silica membrane in a column form which is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as store-brought ones.

Applications:

- · Purification of Gel / PCR products
- Extraction of Genomic DNA
- · Extraction of Plasmid DNA

Prdt. Code	Product Name	Packing Unit
39738	Mini Silica Spin Column Set A (2ml SC w/CT each)	50 Nos, 100 Nos
89887	Mini Silica Spin Column Set B (2ml SC w/CT each)	50 Nos, 100 Nos
69516	Mini Silica Spin Column Set C (2ml SC w/CT each)	50 Nos, 100 Nos
37351	RNA Mini Spin Column Set (2ml SC w/CT each)	50 Nos, 100 Nos

Collection Tubes

Collection tube of 2ml capacity to be used in purification of DNA / RNA samples. They are used along with mini silica spin column sets A/B/C & RNA spin column sets.

Prdt. Code	Product Name	Packing Unit
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 Nos, 500 Nos

* Bulk packs available on request

Code	Name	Packing	Price	Code	Name	Packing	Price
68161 [7365-82-4]	ACES Buffer for cell culture, 99.5%, Endotoxin (BET) 1EU/mg	25 Gms 100 Gms	5200 12250	81395 [11028-71-0]	Canavalia Ensiformis Type 1 for	25 Mg 40 Mg	3680 5460
23568	N-Acetyl-DL-Tryptophan for cell	5 Gms	3000		cell culture, 64ug/ml, (BET) 0.05EU/mg		
[87-32-1]	culture, 99%, Endotoxin (BET)	25 Gms	9000		(Con A) (Jack bean)		
52937	0.05EU/mg Acid Fuchsin for cell culture,	25 Gms	1600		Concanavalin A Lectin ex.	25 Mg	2670
[3244-88-0]	Endotoxin (BET) 0.05EU/mg (Acid Violet 19, Fuchsin S, Fuchsin	25 GIII5	1000	[11028-71-0]	Canavalia Ensiformis Type 2 for cell culture, 20 ug/ml, (BET) 0.05EU/mg	100 Mg	6010
75250	acid, Rubine S) (C.I. No. 42685) L-Alanine for cell culture, 99%,	25 Gms	1050		Creatinine for cell culture, 99%,	25 Gms	1370
[56-41-7]	Endotoxin (BET) 0.05EU/mg	100 Gms	2490	[60-27-5]	Endotoxin (BET) 0.05EU/mg	100 Gms	4350
96409	Albumin Bovine (pH 7) fraction V	5 Gms	900			1 Kg	42000
[9048-46-8]	for cell culture (Bovine Serum	25 Gms	3500	67133	Cresyl Violet Acetate for cell	5 Gms	10000
	Albumin,BSA), 98%, (BET)	100 Gms	11500	[10510-54-0] 29751	culture, Endotoxin (BET) 0.5EU/mg Crystal Violet for cell culture,	25 Gms	1750
	0.05EU/mg (Bovine Serum Albumin, BSA)	500 Gms	51000	[548-62-9]	Endotoxin (BET) 1EU/mg	100 Gms	5800
31539	Alcian Blue for cell culture,	5 Gms	5500		(Methyl Violet 10B) (C.I. No.42555)		3000
[33864-99-2]	Endotoxin (BET) 0.05EU/mg	25 Gms	24000	70134 [7048-04-6]	L-Cysteine Hydrochloride Monohydrate for cell culture, 99%,	25 Gms 100 Gms	1150 3250
68860 [7784-24-9]	Aluminium Potassium Sulphate Dodecahydrate for cell culture,	500 Gms	1350	54676	Endotoxin (BET) 0.05EU/mg Dextrose for cell culture, Endotoxin	100 Gms	500
	99.5%, Endotoxin (BET) 0.05EU/mg	1 Kg	2500	[50-99-7]	(BET) 0.05EU/mg (D-Glucose Anhydrous)	500 Gms	1450
15875 [1397-89-3]	Amphotericin B (AMT) Solution (250ug/ml) for cell culture, Endotoxin (BET) 1EU/ml	20 ml 100 ml	1860 5360	28525 [3483-12-3]	DL-Dithiothreitol (DTT) for cell culture, 98%, Endotoxin (BET)	1 Gms	2000
20969	L-Arginine (free base) for cell	25 Gms	1150	[1EU/mg	5 Gms	7000
[74-79-3]	culture, 99%, Endotoxin (BET)	100 Gms	3550		(Clelands reagent)		
	0.05EU/mg	50000		81614 [17372-87-1]	Eosin Yellow (water soluble) for cell culture, Endotoxin (BET)	25 Gms	2250
33468 • [1405-87-4]	Bacitracin (BCT) ex. Bacillus Licheniformis for cell culture,	50000 Units	1400	[1EU/mg	100 Gms	4500
	Endotoxin (BET) 0.05EU/mg	250000 Units	4500	74516 [122-99-6]	Ethylene Glycol Monophenyl Ether for cell culture, 99%, Endotoxin	100 ml 500 ml	2400 4500
36884	BES Buffer for cell culture, 99%,	25 Gms	1650		(BET) 0.05EU/ml (Phenyl Cellosolve, 2-Phenoxyethanol)		
[10191-18-1]	Endotoxin (BET) 0.05EU/mg (N,N-bis(2-Hydroxyethyl)2- Aminoethane Sulphonic Acid)	100 Gms	5400	11324 [7782-63-0]	Ferrous Sulphate Heptahydrate for cell culture, 99.5%, Endotoxin	500 Gms	1200
92370	Blasticidin S Hydrochloride for cell	10 Mg	6120	[]	(BET) 2.0 EU/mg		
[3513-03-9]	culture, 98%, Endotoxin (BET)	25 Mg	14470		(Iron (II) Sulphate Heptahydrate)		
	0.05EU/mg			98131 [518-47-8]	Fluorescein Sodium Salt (C.I. No. 45350) for cell culture, Endotoxin	100 Gms	2500
55594 [3513-03-9]	Blasticidin S HCl Solution in HEPES Buffer (10mg/ml) Sterile for cell culture, Endotoxin	1 ml 5 x1 ml	7000 25000	[510-47-0]	(BET) 0.05EU/mg (Acid Yellow 73)		
	(BET)1EU/ml			76611	Folic Acid for cell culture, 98%,	5 Gms	1200
81642	Cephotaxime Sodium Salt (CFT) for	100 Mg	2500	[59-30-3]	Endotoxin (BET) 0.05EU/mg (Vitamin B9, Vitamin M,	25 Gms	5000
[64485-93-4]	cell culture, 916-964ug/mg, Endotoxin (BET) 0.20EU/mg	1 Gms	6000		Pteroyl-L-Glutamic acid)		
84483	Cetyltrimethyl Ammonium Bromide	25 Gms	2500	20596	Fuchsin Basic for cell culture,	25 Gms	2200
[57-09-0]	(CTAB) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Gms	6000	[632-99-5]	Endotoxin (BET) 0.05EU/mg (Basic Fuchsin) (C.I. No. 42510)	100 Gms	8000
17796	Chloramphenicol cell culture, 99%,	5 Gms	2600	77469	Giemsa Stain for cell culture,	5 Gms	4000
[56-75-7]	Endotoxin (BET) 0.2 EU/mg	25 Gms	7000	[51811-82-6]	Endotoxin (BET) 0.05EU/mg	25 Gms	15500
		100 Gms	18000	75931	L-Glutamic Acid Monosodium Salt	100 Gms	900
97900	Cholesterol ex. Sheep Wool	5 Gms	2400	[6106-04-3]	Monohydrate (MSG) for cell culture, 99%, Endotoxin (BET)	500 Gms	2750
[57-88-5]	(Lanolin) for cell culture, 99%, Endotoxin (BET) 0.05EU/mg	25 Gms	10500		0.05EU/mg		
	LINGSLOXIII (DE1) 0.03E0/IIIg	100 Gms	30000		(Monosodium Glutamate, Monosodium		
70553	•	1 Gms	690	80952	L-Glutamate) L-Glutamine for cell culture, 99%,	10 Gms	950
[86393-32-0]	Hydrate (CPFX) for cell culture, 98-102%, Endotoxin (BET) 0.05EU/mg	5 Gms	2300	[56-85-9]	Endotoxin (BET) 0.05EU/mg	25 Gms	1800

Code	Name	Packing	Price	Code	Name	Packing	Price
74693	, \	100 Mg	2000	55311	MES Monohydrate Buffer for cell	25 Gms	3800
[27025-41-8]	cell culture, 99%, Endotoxin (BET) 1EU/ma	250 Mg	3700	[145224-94-8]	culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Gms	8500
	,g	1 Gms	7000		(2-Morpholineethane Sulphonic Acid	500 Gms	36000
		5 Gms	32500		Hydrate)		
65542	Glycerol (Glycerine) Anhydrous for	500 ml	1300	42125	L-Methionine for cell culture, 99%,	25 Gms	1100
[56-81-5]	cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg			[63-68-3]	Endotoxin (BET) 0.05EU/mg	100 Gms	4000
34268	Glycine for cell culture, 99.5%,	100 Gms	1700	13908	MOPS Buffer for cell culture, 99%,	25 Gms	3200
[56-40-6]	Endotoxin (BET) 1EU/mg			[1132-61-2]	Endotoxin (BET) 0.05EU/mg (3-Morpholinopropane Sulphonic Acid)	100 Gms	7800
	(Aminoacetic Acid)					500 Gms	17000
39149 [7365-45-9]	HEPES Buffer for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	25 Gms	1950	69599	• • •	5 Gms	800
[1000+0001]	(N-(2-Hydroxyethyl)	100 Gms	6400	[1405-10-3]	culture, Endotoxin (BET) 0.05EU/mg	25 Gms	1900
	piperazine-N(2-Ethane Sulphonic Acid)	500 Gms	26500	64257	6-Nicotinamide Adenine	100 Mg	1010
16509	L-Histidine (base) for cell culture,	25 Gms	1250	[53-84-9]	Dinucleotide (β-NAD,DPN) for cell	1 Gms	4680
[71-00-1]	99%, Endotoxin (BET) 1EU/mg	100 Gms	3500		culture, 98%, Endotoxin (BET) 0.05EU/mg	5 Gms	17250
86877	L-Histidine Hydrochloride	25 Gms	1100	10581	6-Nicotinamide Adenine	100 Mg	2010
[5934-29-2]	Monohydrate for cell culture, 99%, Endotoxin (BET) 1EU/mg	100 Gms	3500	[606-68-8]	Dinucleotide Disodium	1 Gms	10290
54661 ■	N-Hydroxycytidine (EIDD-1931) for	10 Mg	7000		Salt(Reduced)	5 Gms	37830
[3258-02-4]	cell culture, 98%, Endotoxin (BET)	25 Mg	14000		(B-NADH.Na2,DPNH.Na2) for cellculture,98%	o dino	37030
	0.05EU/mg			88722	6-Nicotinamide Adenine	100 Mg	3680
75054 ✓ [99011-02-6]	Imiquimod for cell culture, 98%, Endotoxin (BET) 1EU/mg	250 Mg	13500	[24292-60-2]	Dinucleotide Phosphate Disodium	1 Gms	21140
77379	Inositol for cell culture, 99%,	25 Gms	1000		Salt for cell culture,95%, (BET)		
[87-89-8]	Endotoxin (BET) 0.05EU/mg	100 Gms	3200	28771	0.05EU/mg B-Nicotinamide Adenine	100 Mg	3560
	(Vitamin B8)			[1184-16-3]	Dinucleotide Phosphate	1 Gms	13350
	r-Insulin ex. Human for cell culture,	50 Mg	7000		Monosodium Salt for cell culture,	i dilis	13330
[11061-68-0]	25 USP U/mg, Endotoxin (BET) 1.0EU/mg	100 Mg	13000		98%, (BET) 0.05EU/mg		
	(Recombinant Insulin)			93517 [98-92-0]	Nicotinamide for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	100 Gms	1250
11894	L-Isoleucine for cell culture, 99%,	25 Gms	1300	[00 02 0]	(Niacinamide, Pyridine-3-Carboxylic	500 Gms	3750
[73-32-5]	Endotoxin (BET) 1EU/mg	100 Gms	4300		Acid Amide)		
95793	Jenners Stain (Eosin-methylene	25 Gms	3100	63509 [1094-61-7]	β-Nicotinamide Mononucleotide (β-NMN) for cell culture, 99%,	25 Mg	500
[62851-42-7]	blue) for cell culture, Endotoxin (BET) 0.05EU/mg	100 Gms	9800	[1094-01-7]	Endotoxin (BET) 0.05EU/mg	1 Gms	2500
95419	L-Leucine for cell culture, 99%,	100 Gms	3000			5 Gms	9000
[61-90-5]	Endotoxin (BET) 1EU/mg	500 Gms	8000	50275 [59-67-6]	Nicotinic Acid (Pyridine-3-Carboxylic Acid) for cell	100 Gms	950
95173	L-Lysine (free base) Anhydrous for	25 Gms		[59-07-0]	culture, 99%, Endotoxin (BET)	500 Gms	3000
[56-87-1]	cell culture, 98%, Endotoxin (BET)	100 Gms	4000 12000		0.05EU/mg		
	0.05EU/mg	100 GIIIS	12000	n	(3-Picolinic Acid, Niacin, Vitamin B3)		
	Lysozyme (3x cryst) ex.Egg white	1 Gms	3000	16828 [1400-61-9]	Nystatin (Mycostatin) for cell culture, 85%, Endotoxin (BET)	250 Mg	670
[12650-88-3]	(Muramidase) for cell culture, 15000U/mg, Endotoxin (BET)	5 Gms	13500	[0.05EU/mg	1 Gms	2340
	0.05EU/mg	25 Gms	40000		(Fungicidin)	5 Gms	8900
22352	Magnesium Chloride Anhydrous for	100 Gms	1800		Nystatin (Mycostatin) Solution (10000U/ml) for cell culture,	20 ml	1240
[7786-30-3]	cell culture, 98%, Endotoxin (BET) 0.05EU/mg			[1400-61-9]	Endotoxin (BET) 10.0EU/ml		
13546	Magnesium Chloride Hexahydrate	500 Gms	3000		(Fungicidin)		
[7791-18-6]	for cell culture, 99.5%, Endotoxin	550 Gillo	0000	56341	L-Ornithine Monohydrochloride for	25 Gms	1600
	(BET) 0.05EU/mg			[3184-13-2]	cell culture, 99%, Endotoxin (BET) 0.05EU/mg	100 Gms	4500
36502	Magnesium Sulphate Dried for cell	500 Gms	1750	30917	Oxalacetic Acid for cell culture,	1 Gms	2200
[7487-88-9]	culture, 62-70% MgSO4, 99%, Endotoxin (BET) 0.05EU/mg			[328-42-7]	98%, Endotoxin (BET) 0.05EU/mg	5 Gms	7200
12493	D-Maltose Monohydrate for cell	100 Gms	1000		(Oxaloacetic Acid, Ketosuccinic Acid,		
[6363-53-7]	culture, 92%, Endotoxin (BET)	500 Gms	4000		Oxobutanedioic Acid, 2-Oxosuccinic Acid)		
	0.05EU/mg						
20490 [60-24-2]	2-Mercaptoethanol for cell culture, 99%, Endotoxin (BET) 0.05EU/ml	100 ml	1300				
	· - , - · · · · · · · · · · · · · ·	250 ml	2650				

www.srlchem.com

Code	Name	Packing	Price	Code	Name	Packing	Price
79311	Phenol Red Sodium Salt (water	5 Gms	1100	27621	Sodium Phosphate Monobasic	100 Gms	2000
[34487-61-1]	soluble) for cell culture, 95%,	25 Gms	4000	[7558-80-7]	Anhydrous for cell culture, 99%,	500 Gms	5500
	Endotoxin (BET) 0.05EU/mg				Endotoxin (BET) 0.05EU/mg		
	(Phenolsulfonephthalein Sodium Salt)	05.0			(Sodium Dihydrogen Phosphate Anhydrous)		
68793 [63-91-2]	L-Phenylalanine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	1100	68350	Streptozotocin (STZ) for cell	100 Mg	2800
[03-91-2]	55%, Endotoxiii (BET) TES/ilig	100 Gms	3000	[18883-66-4]	culture, 98%, Endotoxin (BET)	•	
77839	Phenylmethane Sulphonyl Fluoride	1 Gms	1300	[,	0.05EU/mg	1 Gms	19000
[329-98-6]	(PMSF) for cell culture, 99%,	5 Gms	4400	68250	Sucrose for cell culture, Endotoxin	500 Gms	3000
0	Endotoxin (BET) 0.05EU/mg			[57-50-1]	(BET) 0.05EU/mg	1 Kg	5500
62374	Phleomycin (PLM) ex. Streptomyces verticillus for cell	5 Mg	3700			5 Kg	22000
[11006-33-0]	culture, Endotoxin (BET) 1.0EU/mg	25 Mg	9000		I. Thursday for sell sultime 2007		
	(Zeocin)	100 Mg	24000	88726 [72-19-5]	L-Threonine for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	2500
52819	Polymyxin B Sulphate (Aerosporin,	250 Mg	2200	[72-19-5]	Endotoxiii (BET) TEO/mg	100 Gms	7500
[1405-20-5]	PXNS), 6000U/mg for cell culture,	1 Gms	4870	53073	Ticarcillin Disodium Salt extrapure,	1 Gms	1950
	Endotoxin (BET) 1.0EU/mg		4070	[4697-14-7]	85%, Endotoxin (BET) 0.05EU/mg	5 Gms	8860
67209	Polysorbate 80 (Tween 80) for cell	500 Gms	3000	24000	Toluidine Blue O for cell culture,	10 Gms	3300
[9005-65-6]	culture, Endotoxin (BET)			[92-31-9]	90%, Endotoxin (BET) 0.05EU/mg	25 Gms	
	0.05EU/mg			. ,	(Basic Blue 17, Blutene Chloride,	25 GITIS	6200
	(Polyoxyethylene Sorbitan Monoleate)				Methylene Blue T50, Tolonium		
47425	Potassium Chloride for cell culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	3450		Chloride)		
[7447-40-7]	. , ,	05.0	1050	30766	TRICINE Buffer for cell culture,	25 Gms	2400
65897 [147-85-3]	L-Proline for cell culture, 99%, Endotoxin (BET) 1.0EU/mg	25 Gms	1050	[5704-04-1]	99%, Endotoxin (BET) 0.1EU/mg	100 Gms	5500
[147-03-3]	Endotoxiii (BET) 1.020/mg	100 Gms	3350		(N-Tris(Hydroxymethyl) Methylglycine)		
82361	Puromycin Dihydrochloride (PRM)	10 Mg	5000	35416	Triptolide ex. Tripterigium Wilfordii for cell culture, 98%	5 Mg	15000
[58-58-2]	for cell culture, Endotoxin (BET)	25 Mg	9000	[36/46-32-2]	(PG 490)		
	10EU/mg			12695	Tris Buffer for cell culture, 99.9%,	100 Gms	950
14050		10 Gms	1500	[77-86-1]		500 Gms	
[58-56-0]	B6) for cell culture, 99%, Endotoxin (BET) 1EU/mg	25 Gms	3500	. ,	(Tris(hydroxymethyl)aminomethane,	500 GITIS	4000
77007	Riboflavin for cell culture, 98%,	25 Gms	4450		Tromethamine)		
77387 [83-88-5]	Endotoxin (BET) 0.05EU/mg		1150	65972	■ r-Trypsin - Type Standard ACF ex.	100 Mg	5090
[00 00 0]	(Vitamin B2)	100 Gms	3500	[9002-07-7]	Porcine for cell culture, 800U/mg,	1 Gms	28000
46143	Rifampicin (RFP) (Rifampin) for cell	1 Gms	4200		Endotoxin (BET) 0.05EU/mg	5 Gms	125000
[13292-46-1]		5 Gms	15000		(Recombinant Trypsin)		
	0.05EU/mg			74055 [9002-07-7]	Trypsin 1:250 ex. Bovine Pancreas for cell culture, 1000BAEE U/mg,	25 Gms	2400
31904	Safranine O for cell culture,	25 Gms	5300	[9002-07-7]	Endotoxin (BET) 10.0EU/mg	100 Gms	7500
[477-73-6]	Endotoxin (BET) 0.05EU/mg	100 Gms	9500		. ,	500 Gms	36000
	(Basic Red 2)			23560	r-Trypsin 1x w/ EDTA Soln in	100 ml	3340
59260	L-Serine for cell culture, 99%,	25 Gms	2500		Phosphate Buffer for cell culture		
[56-45-1]	Endotoxin (BET) 1EU/mg	100 Gms	5300		(AOF),150U/ml,Endotoxin (BET)		
16670	Sodium Butyrate for cell culture,	5 Gms	3000		1EU/ml	100.0	050
[156-54-7]	99%, Endotoxin (BET) 1.0EU/mg	100 Gms	13000	52682 [9002-07-7]	Trypsin ex. Bovine Pancreas for cell culture 0.2 Anson U/g	100 Gms	950
	(Butyric Acid Sodium Salt)			[8002-01-1]	(2000U/g), Endotoxin (BET)	500 Gms	4640
89360	Sodium Chloride for cell culture,	500 Gms	2000		10.0EU/mg	1 Kg	8550
[7647-14-5]	99.9%, Endotoxin (BET) 0.05EU/mg	1 Kg	3900	20374	Trypsin ex. Porcine Gastric Mucosa	100 Gms	990
		5 Kg	12750	[9002-07-7]	for cell culture, 0.2 Anson U/g	500 Gms	4580
66003	Sodium Phosphate Dibasic	500 Gms	3500		(2000U/g),(BET) 0.05EU/mg powder	1 Kg	8930
[7558-79-4]	Anhydrous for cell culture, 99.5%,	5 Kg	32000				
	Endotoxin (BET) 0.05EU/mg	51.9	32000	80149	L-Tyrosine for cell culture, 99%,	25 Gms	1300
	(Disodium Hydrogen Phosphate			[60-18-4]	Endotoxin (BET) 1EU/mg	100 Gms	4800
	Anhydrous)			78168	Urea for cell culture, 99.5%,	500 Gms	2000
16120	Sodium Phosphate Dibasic	500 Gms	1700	[57-13-6]	Endotoxin (BET) 0.05EU/mg	5 Kg	9500
[10028-24-7]	·	5 Kg	10000	20451	L-Valine for cell culture, 99%,	25 Gms	
				[72-18-4]	Endotoxin (BET) 1EU/mg		850
				[]	(,,	100 Gms	3000
				12540	Vitamin B12 for cell culture, 97%,	250 Mg	1570
				[68-19-9]	Endotoxin (BET) 0.05EU/mg		

Code	Name	Packing	Price		Code
CO4 A	VTT Sodium for call culture 00%	OF Ma	050	_	0
	XTT Sodium for cell culture, 90%,	25 Mg	6500		
[111072-31-2]	Endotoxin (BET) 5.0EU/mg	100 Mg	15000		
30108	Zinc Chloride for cell culture, 98%,	500 Gms	2700		
[7646-85-7]	Endotoxin (BET) 0.05EU/mg				
92647	Zinc Sulphate Heptahydrate for cell	100 Gms	1600		
[7446-20-0]	culture, 99.5%, Endotoxin (BET) 0.05EU/mg	500 Gms	3400		



Part C

Nanopowders & Carbon Nanotubes (CNTs)

(Carbon Nanotubes, Nanodispersants and Nanodispersions, Nanowires, Nanofilms and Nanopowders)

Code	Name	Packing	Price	Code	Name	Packing	Pric
75964	Alumina (Alpha) Nanopowder,	25 Gms	2400	69126	CdSe/ZnS Core Shell Quantum	10 Mg	22400
[1344-28-1]	20-30nm, 99.9%	100 Gms	5900		Dots, Fluorescence 560nm,		
		250 Gms	10700		(Hydrophobic) (CdSe/ZnS560) (Hydrophobic)		
25536	Alumina (Gamma) Nanopowder,	25 Gms	9700	33618	CdSe/ZnS Core Shell Quantum	10 Mg	22400
[1344-28-1]	15nm, 99.5%	100 Gms	14500		Dots, Fluorescence 600nm,	J	
	(Hydrophilic)				(Hydrophobic)		
96202	Aluminium Nanopowder (Type 1),	1 Gms	12700		(CdSe/ZnS600) (Hydrophobic)	40.14	
[7429-90-5]	40nm, 99%	5 Gms	33900	15377	CdSe/ZnS Core Shell Quantum Dots, Fluorescence 630nm,	10 Mg	22400
18412	Aluminium Nanopowder (Type 2),	1 Gms	12700		(Hydrophobic)		
[7429-90-5]	70 nm, 99.9%	5 Gms	33900		(CdSe/ZnS639) (Hydrophobic)		
41892	Aluminium Oxide (Boehmite)	25 Gms	3000	50439	CdTe Core Type COOH	10 Mg	23000
[1318-23-6]	Nanodispersion (50nm), 20% in	100 Gms	9000		Functionalized Quantum Dots, Fluorescence 510 nm (Hydrophilic)		
	water			37909	CdTe Core Type COOH	10 Mg	23000
29603 [12004-39-6]	Aluminium Titanate Nanopowder, 25nm, 98.5%	2 Gms	14000	07303	Functionalized Quantum Dots,	10 Mg	20000
38818	Aminated Graphene Amino-PEG	10 Mg	5200		Fluorescence 610 nm (Hydrophilic)		
[7782-42-5]	covalently linked (GnAmPG)	50 Mg	16700	19960	CdTe Core Type COOH	10 Mg	23000
	Nanopowder	30 Wig	10700		Functionalized Quantum Dots,		
	(Reduced Graphene Oxide-NH2)			37194	Fluorescence 710 nm (Hydrophilic) Carbon Porous Nanopowder,	1 Gms	1300
19158	Aminated Graphene	10 Mg	5200	37 194 [7440-44-0]	5000-8000nm	10 Gms	
[7782-42-5]	Octadecylamine covalently linked (GnAm18d) Nanopowder	50 Mg	16700	. ,			4200
	(Reduced Graphene Oxide-NH-					50 Gms	18800
67801	(CH2)17-CH3) Antimony Trioxide Nanopowder,	5 Gms	1400	28186	CNT Dispersant AC	20 ml	12000
[1309-64-4]	80-200nm, 99.9%	25 Gms	4100	35210	CNT Dispersant AQ	20 ml	12000
	(Diantimony Trioxide, Antimony (III)	20 01110	4100				
	Oxide)			59800	TCNT Type 1- Carbon Nanotubes	25 Mg	12900
10842 [12047-27-7]	Barium Titanate Nanopowder, 100nm, 99.5%	25 Gms	3300	[30808-56-6	Thin Walled, Length 5-30μm, OD 2-5nm, 90%	100 Mg	33200
[12047-27-7]	1001111, 00.070	100 Gms	8800	73953	SWCNT Type 1 Carbon Nanotubes	250 Mg	12500
78768	Bis(2`,4`-Bis(Hexyloxy)Biphenyl-4-	25 Mg	13400	[308068-56-6	Single- Walled, Length 5-30μm, OD	1 Gms	33300
[1403674-49- 6]	yl)Amine extrapure, 95% (Z-907 Modified Red Dye)				1-2nm, 99%		
14683	Bismuth (III) Oxide Nanopowder,	25 Gms	6600	20770	SWCNT Type 2 Carbon Nanotubes Single- Walled (Short), Length	100 Mg	7500
[1304-76-3]	200nm, 99.8%	100 Gms	18600	[308068-56-6	1-3µm, OD 1-2nm, 90%	1 Gms	70000
	(Dibismuth Trioxide)		10000	29129	SWCNT Type 3 Carbon Nanotubes	25 Mg	5200
21772	Boehmite Nanopowder, 20nm,	5 Gms	3000	[308068-56-6	Single- Walled COOH	100 Mg	9400
[1318-23-6]	99.9%	25 Gms	11200		Functionalized, Length 0.5-2.0μm,	J	0.00
62554	Boron Carbide Nanopowder, 50nm,	10 Gms	8400		OD 1-2nm, 90%		
[12069-32-8]	99%	25 Gms	17700	18989 [308068-56-6	SWCNT Type 4 Carbon Nanotubes Single-Walled, Length 5-30µm, OD	50 Mg	6300
50943	Boron Nitride (hBN) Aerosol Spray	1 piece	13300	[000000 00 0	1-2nm, 90%	250 Mg	25000
[10043-11-5]		·			(-COOH Functionalized)		
	(hexagonal Boron Nitride)			55024	SWCNT Type 5 Carbon Nanotubes	50 Mg	11200
75454	Boron Nitride Nanopowder, 70nm,	25 Gms	3300	[308068-56-6	Single-Walled	250 Mg	30400
[10043-11-5]	99%	100 Gms	8800	27404	(-OH Functionalized) SWCNT Type 6 Carbon Nanotubes	50 Mg	10000
45882 [10043-11-5]	Boron Nitride Nanotubes (C) Cylindrical, 50-100nm	50 Mg	33300	27404 [308068-56-6		250 Mg	16900 65200
74899	Calcium Carbonate Nanopowder,	25 Gms	1100		(-NH2 Functionalized)		
[471-34-1]	80nm, 98%	100 Gms	4000	95425	SWCNT Type 7 Carbon Nanotubes	5 ml	12000
		500 Gms	18800	[308068-56-6		20 ml	40000
72893	Calcium Titanate Nanopowder,	1 Gms	15100		in Water, Length 1-3μm, OD 1-2nm, 90%		
[12049-50-2]	90nm, 99.9%				(Semiconducting)		
12918	Calcium Zirconium Oxide Nanopowder, 50nm, 99.5%	1 Gms	14900	52710	SWCNT Type 8 Carbon Nanotubes	5 ml	10000
[12013-47-7]	nanopowaer, John, 33.376	5 Gms	47500	[308068-56-6] Single-Walled, 1mg/100ml in Water, Length 5-30µm, OD 1-2nm, 90%	20 ml	38000

Code	Name	Packing	Price	Code	Name	Packing	Pric
36078	DWCNT Type 1 Carbon Nanotubes	100 Mg	22500	28658	MWCNT Type 13 Carbon	500 Mg	2500
308068-56-6]	Double Walled, Length 50μm, OD	500 Mg	56200	[308068-56-6]	Nanotubes Multi-Walled, Length	1 Gms	4500
	2-4nm, 60%				10-30μm, OD 30-50nm, 95% (-COOH Functionalized)	5 Gms	9000
85143	DWCNT Type 2 Carbon Nanotubes	100 Mg	23600		(-COOTT unclionalized)	25 Gms	29300
308068-56-6]	Double Walled (Short), Length 0.5-2µm, OD 2-4nm, 60%			65875	MWCNT Type 14 Carbon	50 Mg	
45565	DWCNT Type 3 Carbon Nanotubes	50 Mg	12400	[308068-56-6]	Nanotubes Multi-Walled, Length	_	11300
	Double-Walled (-COOH Functionalized)	g	12400		10-30μm, OD 30-50nm, 95% (-NH2 Functionalized)	100 Mg	16900
69072	DWCNT Type 4 Carbon Nanotubes	50 Mg	12400	24968	MWCNT Type 15 Carbon	500 Mg	2500
	Double-Walled	250 Mg	38600	[308068-56-6]	Nanotubes Multi-Walled, Length~	1 Gms	3200
	(-OH Functionalized)				10-30μm, OD 30-35nm, 95%	5 Gms	7300
34528	HMWCNT Type1- Carbon	250 Mg	12900		(-OH Functionalized)		
308068-56-6]	Nanotubes Multi Walled Helical,	1 Gms	17400	33670	MWCNT Type 16 Carbon	500 Mg	4700
	Length 10µm, OD 100-200nm,(C) 90%			[308068-56-6]	Nanotubes Multi-Walled Short, Length 0.5-2µm, OD 8nm, 95%	1 Gms	7300
57743		1 Gms	0000		Length 0.5-2µm, 0.5 omm, 50%	5 Gms	28100
	MWCNT Type 1 Carbon Nanotubes Multi Walled, Length 10-30µm, OD		3800	28174	MWCNT Type 17 Carbon	500 Mg	3200
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	8nm, 95%	5 Gms	12900	[308068-56-6]	Nanotubes Multi-Walled Short,	1 Gms	5500
		25 Gms	37200		Length 0.5-2μm, OD 10-20nm, 95%	5 Gms	20800
88440	MWCNT Type 2 Carbon Nanotubes	5 Gms	5200				
308068-56-6]	Multi Walled, Length 10-30μm, OD	25 Gms	13600	90797	MWCNT Type 18 Carbon	1 Gms	5700
	8-15nm, 95%			[308068-56-6]	Nanotubes Multi-Walled Short, Length 0.5-2.0µm, OD 30-50nm,	5 Gms	19100
68465	MWCNT Type 3 Carbon Nanotubes	1 Gms	2100		95%		
308068-56-6]	Multi Walled, Length 10-30μm, OD 10-20nm, 95%	5 Gms	5200	42927	MWCNT Type 19 - Carbon	1 Gms	20300
	10 2011111, 00%	25 Gms	20800	[308068-56-6]	Nanotubes Multi Walled	5 Gms	67400
41067	MWCNT Type 4 Carbon Nanotubes	5 Gms	3700		(Conducting), Length 3-6micron,OD	5 C 5	07 400
308068-56-6]	Multi Walled, Length 10-30µm, OD	25 Gms	10400		10nm		
	20-30nm, 95%			58908	MWCNT-Ni Type 1 Carbon	1 Gms	9400
41335	MWCNT Type 5 Carbon Nanotubes	5 Gms	3200	[308068-56-6]	Nanotubes Multi Walled, Nickel	5 Gms	35400
308068-56-6] I	Multi Walled, Length 10-30μm, OD	25 Gms	6300		coated, Length 10-30 micron, OD 5-20nm, 98%		
	30-50nm, 95%	100 Gms	22900	53105	MWCNT-Ni Type 2 Carbon	1 Gms	11800
96390	MWCNT Type 6 Carbon Nanotubes	5 Gms	3400		Nanotubes Multi Walled , Nickel	5 Gms	
	Multi Walled, Length 10-30µm, OD	25 Gms			coated	5 Gills	43800
•	50nm, 95%		6800	90500	MWCNT-Ni Type 3 Carbon	1 Gms	11800
		100 Gms	24000	[308068-56-6]	Nanotubes Multi Walled , Nickel	5 Gms	43800
35203	MWCNT Type 7 Carbon Nanotube	1 Gms	8400		coated		
308068-56-6]	Multi Walled (Graphitized), 99.9%	5 Gms	27800	75288	MWCNT-Ni Type 4 Carbon	1 Gms	11800
73235	MWCNT Type 8 Carbon Nanotubes	500 Mg	4000	[308068-56-6]	Nanotubes Multi Walled , Nickel	5 Gms	43800
308068-56-6]	Multi-Walled, Length 20µm, OD	1 Gms	6300		Coated		
	10-20nm, 99.9%	i dillo	0300	65468	Chitosan Nanopowder, 80-100nm, 99%	5 Gms	3600
	(Graphitized, -COOH Functionalized)			[9012-76-4]		25 Gms	10700
46918	MWCNT Type 9 Carbon Nanotubes	500 Mg	4000	44316	Chromium (III) Oxide Nanopowder,	10 Gms	14600
308068-56-6]	Multi-Walled, Length 20μm, OD 10-20nm, 99.9%	1 Gms	6300	[1308-38-9]	90nm, 99%		
	(Graphitized -OH Functionalized)				(Chromia)		
58255	MWCNT Type 10 Carbon	1 Gms	2500		C106 Dye, 90%	25 Mg	9600
	Nanotubes Multi-Walled, Length	5 Gms		[1152310-69- 4]	(Cis-Bis(Isothiocyanato) (2,2Bipyr-4,4-Dicarboxylato)		
•	10-30µm, OD 10-20nm, 95%	5 Gills	5200	-1	(4,4bis(5(Hexylthio)thiophen2yl)2,2-Bip		
	(-COOH Functionalized)				y)Ru(II))		
29466	MWCNT Type 11 Carbon	50 Mg	3400	35347	K19 Dye (Sensitizer), 85%	25 Mg	9700
308068-56-6]	Nanotubes Multi-Walled, Length	100 Mg	5100	[847665-45-6]	(cis-Bis(Thiocyanato)	-	
	10-30µm, OD 20nm, 95%	1 Gms	16900		(2,2-Bipyr-4,4-Dicarboxylic Acid)-		
	(-NH2 Functionalized)	5 Gms	50600		(4,4-bis(Phexyloxystyryl)		
20000	MWCNT Type 12 Carbar			74070	-2,2-Bipyr)Ru(II))	F 0	
32903 308068-56-61	MWCNT Type 12 Carbon Nanotubes Multi-Walled, Length	500 Mg	2900	74373 [1332-58-7]	Clay Nanopowder, 80-150nm, 99%	5 Gms	7100
JJUUUUO-30-0]	10-30µm, OD 10-20nm, 95%	1 Gms	5100	[1002-00-7]		25 Gms	10700
	(-OH Functionalized)	5 Gms	10200	31570	Cobalt Iron Oxide Nanopowder,	1 Gms	1300
				[12052-28-7]	50nm, 99.9%	5 Gms	4200

Code	Name	Packing	Price	Code	Name	Packing	Price
74613	Cobalt Zinc Iron Oxide	5 Gms	6300	27944	Single Layer Graphene (SLG)	10 Mg	6300
[12052-28-7]	Nanopowder, 50nm, 99.9%	25 Gms	16700	[7782-42-5]	Nanopowder, 98%	100 Mg	18800
74343	Copper Nanopowder, 50nm, 99.9%	5 Gms	30800	73949	Single Layer Graphene Factory	100 Mg	5500
[7440-50-8] 73612	Copper Nanowires	10 Mg	36400	[7782-42-5]	(SLGF) Nanopowder, 98%	250 Mg	13700
[7440-50-8]		10 Mg		89922 [7782-42-5]	Graphene Carboxyl (GCOOH) Nanopowder, 1000-5000nm, 99%	25 Mg	12500
28954 [1317-38-0]	Cupric Oxide Nanopowder, 40nm, 99%	5 Gms	2000	60703	Graphene Carboxyl (GCOOHW)	20 ml	45800
[1317-36-0]	(Copper (II) Oxide)	25 Gms	5700	[7782-42-5]	Nanodispersion, 5mg/ml in water		
404544	Diamond Nananawday 4 7am	100 Gms	10400	88398 [7782-42-5]	Graphene Film (Super Paper) (GFSP), 20000nm, 98%	1 piece	156000
19151 ✓ [7782-40-3]	Diamond Nanopowder, 4-7nm	1 Gms	22600	87185	Graphene Nitrogen-doped (GNdp)	50 Mg	6400
	Diisobutyl	100 Mg	13400	[7782-42-5]	Nanopowder, 500-5000nm	250 Mg	29200
[1141011-53- 1]	2,2-Bipyridine-4,4-Dicarboxylate extrapure, 95%			90251	Graphene Oxide Film (Super	1 piece	116700
91287	Ferric Oxide (Alpha) Nanopowder,	5 Gms	2000	[7782-42-5]	Paper) (GOFSP),20000nm, 98%	5.0	
[1309-37-1]	30nm, 99%	25 Gms	5400	55093 [7782-42-5]	Graphene Platelet Nanopowder (GPN Type 1), 6-8nm, 99.5%	5 Gms 25 Gms	5800 20800
	(Iron (III) Oxide (Alpha))	100 Gms	17200	20500			
		250 Gms	24800	36529 [7782-42-5]	Graphene Platelet Nanopowder (GPN Type 2), 11-15 nm, 99.5%	1 Gms 5 Gms	1400 4400
51744	Ferric Oxide (Gamma)	5 Gms	1700	98585	Graphene Platelet Nanopowder	5 Gms	3200
[1309-37-1]	Nanopowder, 20-50nm, 99.9% (Iron (III) Oxide (Gamma))	25 Gms	4300	[7782-42-5]	(GPN Type 3), 2-10nm, 99%	25 Gms	9400
		100 Gms 250 Gms	12700	53927	Graphene Quantum Dots (1mg/ml)	5 ml	5500
10700	Formers Fermin Ovide Nanonesuder		22600	[7440-40-0]	(GQD), 15nm, 80%	25 ml	20000
16708 [1317-61-9]	Ferrous Ferric Oxide Nanopowder (Type 1), 20-50nm, 99.9%	5 Gms 25 Gms	1800 3300	49888	Single Layer Graphene Oxide	25 Mg	4700
	(Iron (II, III) Oxide)	100 Gms	11000	[7782-42-5]	(SLGO) Nanopowder, 0.8-1.2nm,	100 Mg	11500
85993	Formamidinium Bromide extrapure,	1 Gms	4500		99%	500 Mg	43700
[146958-06-7]	99%	5 Gms	10500	58531	Single Layer Graphene Oxide	10 ml	21700
	(Methanimidamide Bromide, Formamidine Hydrobromide,			[7782-42-5]	(SLGOE) Nanodispersion, 5mg/ml in ethanol		
	Iminomethylamine Hydrobromide)			72536	Single Layer Graphene Oxide	10 ml	10800
67537	Formamidinium lodide extrapure,	1 Gms	2600	[7782-42-5]	(SLGOW) Nanodispersion, 5mg/ml	25 ml	18200
[879643-71-7]	99% (Formamidine Hydroiodide,	5 Gms	8400	68908	in water Graphite Nanopowder (Type 2),	1 Gms	10300
	Methanimidamide Hydroiodide)			[7440-44-0]	1-18nm, 87%	5 Gms	38600
37461	Fullerene C60, 99.5%	250 Mg	16000	85833	Graphite Nanopowder (Type 1),	5 Gms	2600
	- u	1 Gms	40000	[7782-42-5]	400nm, 98%	25 Gms	9400
44170	Fullerene C70, 99%	100 Mg 500 Mg	12500	69869	Graphite Nanopowder Lubricant	5 Gms	6800
04500	Gold Nanopowder, 90nm, 99.99%		41600	[7782-42-5]	Grade, 50nm, 99.5%	25 Gms	26000
84500 [7440-57-5]	Gold Nanopowder, 30mm, 33.33%	1 Gms	97400	38058	Graphite Fluoride (Carbon	1 Gms	2800
73225	Gold Nanoparticles Dispersion	10 ml	5800	[51311-17-2]	Monofluoride) Nanopowder, 1000-10000nm	5 Gms	7800
[7440-57-5]	(Spherical) (AU05), 0.05mg/ml Citrate, 0.1mM in PBS	25 ml	12000	39525	Graphite Oxide Nanopowder, Dia	100 Mg	2800
36848	Gold Nanoparticles Dispersion	10 ml	5800	[7782-42-5]	500-1500nm	500 Mg	9900
[7440-57-5]	(Spherical) (AU10), 0.05mg/ml Citrate, 0.1mM in PBS	25 ml	12000			1 Gms	17700
72123	Gold Nanoparticles Dispersion	10 ml	5800	11934	Graphite Pyrolytic Micronpowder,	5 Gms	8800
[7440-57-5]	(Spherical) (AU20), 0.05mg/ml	25 ml	12000	[7782-42-5]	50micron Hydroxyanatite Micronnowder	F C	6100
60074	Citrate, 0.1mM in PBS Gold Nanoparticles Dispersion	10 ml		69895 [12167-74-7]	Hydroxyapatite Micronpowder, 12micron, 99%	5 Gms 25 Gms	6100 12700
60974 [7440-57-5]	(Spherical) (AU40), 0.05mg/ml	10 ml 25 ml	5800 12000		(Calcium Hydroxyapatite, Calcium	25 61116	12700
	Citrate, 0.1mM in PBS			13616	Phosphate Tribasic) Hydroxyapatite Nanopowder,	5 Gms	6300
91082 [7440-57-5]	Gold Nanoparticles Dispersion (Spherical) (AU60), 0.05mg/ml	10 ml	5800	[12167-74-7]	20nm, 99%	25 Gms	15900
11-10-01-0	,-,g, ,,	25 ml	12000		(Calcium Hydroxyapatite, Calcium		

Code	Name	Packing	Price	Code	Name	Packing	Pri
66614 [1312-43-2]	Indium (III) Oxide Nanopowder ultrapure, 50nm, 99.99%	1 Gms	34400	69691 [12645-50-0]	Nickel Zinc Iron Oxide (NZFO) Nanopowder, APS 10-30nm, 98.5%	5 Gms 25 Gms	320 1360
45974	Lanthanum Oxide Nanopowder	5 Gms	3900		(Nickel Zinc Ferrite)		
	ultrapure, 90nm, 99.99%	25 Gms	13700	74380	450), Fluorescence 450nm	50 Mg	1970
5 2726	Lithium Iron (II) Phosphate Micronpowder, 2micron, 98%	5 Gms	4500		(Hydrophobic)		
13303-14-7]	(Ferrous Lithium Phosphate, Iron Lithium Phosphate, LFP, Triphylite)	25 Gms	9000	15360	Perovskite Quantum Dots (pQD 480), Fluorescence 480nm (Hydrophobic)	50 Mg	1970
53768	Lithium Titanate (LTO) (Spinel)	25 Gms	8000	77345	Perovskite Quantum Dots (pQD	50 Mg	1970
[12031-95-7]	Nanopowder, 200nm, 99% (Tetralithium Titanate)	100 Gms	14000	7.0.0	510), Fluorescence 510nm (Hydrophobic)		1070
69667	Magnesium Aluminate (Spinel)	1 Gms	4300	23300	Perovskite Quantum Dots (pQD	50 Mg	1970
12068-51-8]	Nanopowder, 50nm, 99%	2 Gms	7500		550), Fluorescence 550nm		
1829	Magnesium Oxide Nanopowder,	5 Gms	2600		(Hydrophobic)		
[1309-48-4]	50nm, 99.5%	25 Gms	7800	22116 [7440-05-3]	Palladium Nanopowder (Type I), 30nm, 99.9%	100 Mg	630
56176	Magnetic Iron Oxide Nanocrystals	20 Mg	124500	[7440-03-3]	33.370	500 Mg	2290
73905-81-4]	Powder, 20nm, 99%			41341	Palladium Nanopowder (Type II)	100 Mg	3640
35918	Manganese (III) Oxide	10 Gms	11500	[7440-05-3]	Distinguish Names and a Source		
[1317-34-6]	Nanopowder, 30nm,99% (Manganese Sesquioxide)			14387 [7440-06-4]	Platinum Nanopowder, 50nm, 99.9%	250 Mg	5720
9543	Methylammonium Bromide	1 Gms	6100	65469	Polyethylene Nanospheres - Type 1, 740nm-4990nm	25 Mg	680
[6876-37-5]	extrapure, 99% (Methanamine Hydrobromide,	5 Gms	15600	[9002-88-4]	1, 7401111-43301111	100 Mg	1300
	Methylamine Hydrobromide)			50349	Polyethylene Nanospheres - Type	25 Mg	700
5334	Methylammonium lodide extrapure,	1 Gms	2400	[9002-88-4]	2, 200nm-9900nm	100 Mg	1630
14965-49-2]	98%	5 Gms	4300	64798	Poly(Methyl Methacrylate)	100 Mg	470
	(Methanamine Hydriodide)	25 Gms	11500	[9011-14-7]	(pMMAC) Nanospheres,	500 Mg	1890
31562	Methyl 4,4``-Dimethyl-	50 Mg	12200	28699	1500nm-11500nm Selenium Nanopowder in aq.	2 ml	12360
247058-06-6]	[2,2`:6`,2``-Terpyridine] -4`-Carboxylate extrapure, 95%	100 Mg	18900	[7782-49-2]	media, 0.1mg/ml, 50nm		
33005	Molybdenum Disulfide	5 Gms	11700	26112 [7440-21-3]	Silicon Nanopowder, 40nm, 98%	1 Gms	550
[1317-33-5]	Nanopowder Lubricant Grade,	10 Gms	22100	[/440-21-0]		5 Gms	2500
	90nm, 99%	100 M=	10000	43362	Silicon Carbide Nanopowder,	25 Gms	580
)5822 12316-56-2]	MXene Nanoflakes, Multilayer, 100-200nm	100 Mg 500 Mg	18800	[409-21-2]	50nm, 98%	100 Gms	2030
			62400	69294	Silicon Dioxide Nanopowder, 15nm,	25 Gms	240
2701	MXene Nanoflakes, 1-10 layers (few-layer MXene Ti3C2Tx nanoflakes)	25 Mg	18800	[7631-86-9]	99.5%	100 Gms	740
12303-09-2]	(lew layer where ribez in harollanes)	100 Mg	36400	22806	Silicon Dioxide (Silica)	25 Gms	210
	N3 Red Dye, 95%	100 Mg	8200	[7631-86-9]		100 Gms	620
41460-19-7]	(N-3 Red Dye, Bis(Isothiocyanato)Bis(2,2-Bipyridyl-4,4			00475	40% in water	1.0	00/
	-Dicarboxylato) Ruthenium(II))			38475 [10097-28-6]	Silicon Monoxide Nanopowder, 400nm, 99.99%	1 Gms	890
30786	N719 Dye, 95%	50 Mg	6100			5 Gms	3500
207347-46-4]	Di-Tetrabutylammonium	250 Mg	12100	63338	Silicon Nitride Nanopowder, 20nm, 99%	5 Gms	520
	cis-Bis(Isothiocyanato)Bis(2,2-Bipyridyl -4,4-Dicarboxylato) Ruthenium(II), N-7	1 Gms	35000	[12033-89-5]		25 Gms	1250
2716	N749 Dye (Black Dye), 95%	50 Mg	21700	44416	Silver Nanopowder (Type I),	1 Gms	440
	(Triisothiocyanato-	J		[7440-22-4]	100nm, 99.9%	5 Gms	1360
	(2,2:6,6-Terpyridyl-4,4,4-Tricarboxylato)					10 Gms	2500
	Ruthenium(II) Di(Tetra-Butylammonium))			36214	Silver Nanopowder (Type II), 20nm,	1 Gms	320
5001	Nickel Nanopowder, 20nm, 99.9%	5 Gms	30100	[7440-22-4]	99.9%	5 Gms	1150
7440-02-0]	. , ., .,		20100			10 Gms	1880
2293	Nickel (II) Oxide Nanopowder,	25 Gms	7300	53941	Silver Nanowires	10 Mg	610
1313-99-1]	50nm, 99.5% (Nickel Monovide)			[7440-22-4]		50 Mg	2400
	(Nickel Monoxide)			46912	Silver Nanoparticles Dispersion	10 ml	580
73985	Nickel Titanium Alloy Nanopowder,	250 Mg	19300	46912	Oliver Natioparticles Dispersion	10 1111	300

Code	Name	Packing	Price	Code	Name	Packing	Price
	Silver Nanoparticles Dispersion	10 ml	5800		FK 102 Co(III) PF6 Salt Complex,	1 Gms	5000
[7440-22-4]	(Spherical) (AG40), 0.02mg/ml in Citrate (2mM)	25 ml	12000	[1346416-71- 4]	(Tris(2-	5 Gms	16400
58322 [7440-22-4]	Silver Nanoparticles Dispersion (Spherical) (AG60), 0.02mg/ml in	10 ml	5800		(1H-Pyrazol-1-yl)pyridine)cobalt(III) Tri[Hexafluorophosphate])		
[7440-22-4]	Citrate (2mM)	25 ml	12000	66142	FK 102 Co(II) TFSI Salt Complex,	1 Gms	3900
15669 [18282-10-5]	Stannic Oxide Nanopowder, 60nm, 99.5%	5 Gms	4400		98% (Tris(2-	5 Gms	13200
[10202 10 0]	(Tin (IV) Oxide)	25 Gms	12600		(1H-Pyrazol-1-yl)pyridine)cobalt(II) Di[bis(Trifluoromethane)sulfonimide])		
27873 [7440-25-7]	Tantalum Nanopowder, 70nm, 99.9%	250 Mg	12500	84076	FK 102 Co(III) TFSI Salt Complex,	1 Gms	2800
·	Tectomer 2-Tailed	1 Gms	33300	[2057441-94- 6]	98% (Tris(2-	5 Gms	9300
74708	(C8H16(CH2NHGLY4)2.2HCl), 90%	5 Mg	13700	OJ	(1H-pyrazol-1-yl)pyridine)cobalt(III)		
73330	Tectomer 3-Tailed (CH3C(CH2-NH-Gly7)3.3CF3CO2H) , 90%	5 Mg	13700		Tri[bis(Trifluoromethane)sulfonimide) Triethyl [2,2`:6`,2``-Terpyridine] -4,4`,4``-Tricarboxylate extrapure,	50 Mg	11100
27570	Tectomer 4-Tailed	5 Mg	13700	7]	95%		
	(C(CH2-NH-Gly7)4.4HCl), 90%			88917	Tungsten Nanopowder, 50nm,	1 Gms	4700
72951 [7440-32-6]	Titanium Nanopowder, 50nm, 99.9%	1 Gms	10000	[7440-33-7]	99.9%	5 Gms	14600
74629	Titanium Dioxide Photocatalyst	25 Gms	4300	51456 [12070-12-1]	Tungsten Carbide Nanopowder, 200nm, 99%	25 Gms 100 Gms	7500 27800
[13463-67-7]	Nanopowder, 7nm, 95% (Titanium (IV) Oxide)	100 Gms	11000	23882	Tungsten Disulfide (WS2) Aerosol	1 piece	13600
90885	Titanium Dioxide Catalyst	25 Gms	3600	[12138-09-9]	Spray (130z/369g)	. p.000	10000
[13463-67-7]	Nanopowder, 50nm, 98% (Titanium (IV) Oxide)	100 Gms	10700	53032 [12138-09-9]	Tungsten Disulfide Micronpowder, 0.6micron, 99.9%	25 Gms	3700
94632	Titanium Dioxide	25 Gms	9900	[12.00 00 0]	(Tungsten (IV) Sulphide)	100 Gms 500 Gms	7000 32500
[13463-67-7]	AnataseNanodispersion (15nm), 15% in water			78519	Tungsten Disulfide Nanopowder,	1 Gms	3300
	(Titanium (IV) Oxide)			[12138-09-9]	90nm, 99%	5 Gms	11900
40566 [13463-67-7]	Titanium Dioxide Ultrapure Nanopowder, 250nm, 99.97%	25 Gms 100 Gms	4200	23851	Tungsten Trioxide Nanopowder,	5 Gms	2300
	(Titanium (IV) Oxide)		11700	[1314-35-8]	60-90nm, 99.5% (Tungsten (VI) Oxide, Tungstic	25 Gms	9900
35299 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 20nm, 92%	25 Gms	4100		Anhydride)		
	(Titanium (IV) Oxide)				Z907 Dye, 95% cis-Bis(Isothiocyanato)	50 Mg 250 Mg	6100 17000
10161 [13463-67-7]	Titanium Dioxide Rutile Nanopowder, 50nm, 99%	25 Gms	4200		(2,2-Bipyridyl-4,4-Dicarboxylato) (4,4-Di-Nonyl-2-Bipyridyl)	230 Wg	17000
86729 [13463-67-7]	Titanium Dioxide Rutile Nanopowder (Hydrophilic), 50nm,	25 Gms	4100	10000	Ruthenium(II), Mo	100 Ma	10700
[99%	100 Gms	12000	19366	Zeolite - Mesoporous Carbon Nanopowder (CMK-3 Type),Dia.	100 Mg 250 Mg	13700 20800
64394	(Titanium (IV) Oxide) Titanium Dioxide Rutile	25 Gms	8200	04755	3-6nm Zeolite - Mesoporous Silica		
[13463-67-7]	Nanodispersion (30nm), 40% in		5255	31755	Molecular Sieve KIT-5	1 Gms	13200
	water (Titanium (IV) Oxide)			65276	Zeolite - Mesoporous Silica Molecular Sieve Kit-6	1 Gms	13200
16547 [13463-67-7]	Titanium Dioxide Nanowires (Type	50 Mg	13000	83881	Zeolite - Mesoporous Silica	250 Mg	3300
[10400-07-7]	(Titanium (IV) Oxide)			[7631-86-9]	Nanopowder (SBA-15 Type), Dia. 6-11nm	1 Gms	9900
22091	Titanium Dioxide Nanowires (Type	50 Mg	13000	97621	Zeolite - Mesoporous Silica	250 Mg	15200
[13463-67-7]	(Titanium (IV) Oxide)			[7631-86-9]	Nanopowder (1D-Hexagonal SBA-41 Type)	500 Mg	22300
52163 [25583-20-4]	Titanium Nitride Nanopowder, 20nm, 97%	5 Gms	6000	63876	Zeolite - Mesoporous Silica	250 Mg	15200
[2000-20-4]	(Titanium (III) Nitride)	10 Gms	11500	[7631-86-9]	Nanopowder (3D-Cubic MCM-48 Type)	500 Mg	22300
75513 ✓ [1392221-69-	FK 102 Co(II) PF6 Salt Complex, 98%	1 Gms	3900	79132	Zeolite - Molecular Sieve SAPO-11	5 Gms	10200
0]	(Tris(2- (1H-Pyrazol-1-yl)Pyridine)Cobalt(II)	5 Gms	13200	52201	Zeolite - Ultrastable Y	5 Gms	10800
	Di[hexafluorophosphate])			74601	Zinc Nanopowder, 50nm, 99.9%	5 Gms	5800

www.srlchem.com

				 _			
Code	Name	Packing	Price	Code	Code Name	Code Name	Code Name Packing
50841 [12063-19-3]	Zinc Iron Oxide Nanopowder, 50nm, 98.5% (Zinc Ferrite)	10 Gms	8900				
91148	Zinc Oxide Nanopowder (Type I),	10 Gms	2300				
[1314-13-2]	30nm, 99.9%	25 Gms	4600				
		100 Gms	6900				
		500 Gms	28400				
60345	Zinc Oxide Nanopowder (Type II),	5 Gms	2300				
[1314-13-2]	240nm, 99.999%	25 Gms	4600				
		100 Gms	6900				
		500 Gms	28400				
64168 [1314-13-2]	Zinc Oxide Nanodispersion Type A-Nonionic (70nm), 50% in water	10 Gms	10600				
80467 [1314-13-2]	Zinc Oxide Nanodispersion Type B-Anionic (70nm), 50% in water	10 Gms	10200				
74963 [1314-13-2]	Zinc Oxide Nanodispersion Type C-Cationic (70nm), 50% in water	10 Gms	10200				
99997 [12036-43-0]	Zinc Titanate Nanopowder, 90 nm, 99.5%	1 Gms	17500				
38501	Zirconium Dioxide Nanopowder,	25 Gms	3700				
[1314-23-4]	45nm, 99.5% (Zirconia, Zirconium (IV) Oxide)	100 Gms	9400				



We take pride in introducing a select range of pharmacopoeial grade products according to IP/BP/USP/NF to meet the critical requirements of the pharmaceutical and biotech industries for drug manufacture and diagnostics use.

These products have stringent limits of purity and impurities, often more critical than specified in the pharmacopoeial standards. This will enable the niche pharmaceutical manufacturers to obtain very high quality raw material ingredients indigenously.



A4P392	6-Aminocaproic Acid IP
A4P393	6-Aminocaproic Acid BP
A4P394	6-Aminocaproic Acid USP
G4P100	Glycine IP
G4P101	Glycine BP
G4P102	Glycine USP
P4P328	L-Proline BP
P4P329	L-Proline USP
P4P330	Propyl Gallate IP
P4P331	Propyl Gallate BP
P4P332	Propyl Gallate NF
S4P306	Salicylic Acid IP
S4P307	Salicylic Acid BP
S4P308	Salicylic Acid USP
S4P304	Sodium Caprylate BP
S4P305	Sodium Caprylate NF
S4P312	Sodium Lauryl Sulphate IP
S4P313	Sodium Lauryl Sulphate BP
S4P309	Sucrose IP
S4P310	Sucrose BP
S4P311	Sucrose USP
T4P289	Tris (Hydroxymethyl) Aminomethane USP (Tromethamine)(Tris Buffer)



Part D

Dehydrated Culture Media Products

- Product Listing Media Supplements
- ChroMed[™]
 Media Kits



Harmonized Culture Media

In recent years, much of the focus has started shifing to newer methods of microbiological testing, led by the leading international pharmaceutical bodies across the world, namely European Pharmacopoeia, Japanese Pharmacopoeia and US Pharmacopoeia. These new methods include harmonization in microbiological testing and this will greatly simplify drug manufacturing norms.

SRL Harmonized Culture Media are manufactured, formulated, labelled and performance tested in compliance with the new harmonized standards.

SRL is ready to face the challenges of the future, be in Biotech, Pharmaceutical R & D, Diagnostics, or any application or research in Microbiology. We offer this new range of products to cater to the new demands that we will be fulfilling through this range.

Important highlights of our Harmonized Media:

- The usage of only the Finest Quality of Bacteriological ingredients
- · Strict quality control of Raw Material testing
- Highly trained microbiologists ensure that our Harmonized media are comparable to the best international products
- Very sensitive and precise instrumentation and media manufacturing equipments make sure that each batch is consistent in quality
- Constant R & D and customer interaction helps us to design appropriate products

With our dedicated team of highly skilled microbiologists, an ISO 9001-2008 quality management system and our CE certification.



All **SRL** culture media products are CE certified and now meet EU consumer safety, health and environmental requirements.

All the manufacturing, testing parameters and packaging are done according to the CE norms.

Code		Name	Packing	Price	Code		Name	Packing	Price
38515	•	' A1 Broth (A-1 Medium)	100 Gms 500 Gms	1600 6800	59640	~	A. K. Agar No. 2 (Sporulating Agar, Arret & Kirshbaum Medium)	100 Gms 500 Gms	1500 5000
		For the detection of faecal coliforms in foods, treated wastewater and seawater by					Used for production of spores of Bacillus subtilis ATCC 6633.		
26408	V	Most Probable Number (MPN) Method. AATCC Bacteriostasis Agar (FDA	100 Gms	1600	55418	~	Aeromonas Isolation Medium Base	100 Gms 500 Gms	1800 6000
		Agar) (FDA Agar, ATCC Medium 182) APHA, FDA recommended medium for detecting plate counts of microorganisms in food, water and waste water.	500 Gms	4600			For the selective differentiation and isolation of Aeromonas hydrophila and other Aeromonas species from clinical specimens and foods.	ood Gillio	0000
49025	~	Broth)	100 Gms 500 Gms	1300 4500	63013	¥.	Aeromonas Selective Supplement (2.5mg/vl) For the selective isolation and cultivation of	5 vl	1400
59235	_	For testing antibacterial activities of antiseptics and disinfectants. * Acetamide Agar	100 Gms	1300	34609	~	Aeromonas species. Aero Pseudo Selective Agar (GSP Agar)	100 Gms 500 Gms	1400
		For the differentiation of non-fermentative gram negative bacteria especially Pseudomonas aeruginosa.	500 Gms	4700			Used for detection of Aeromonas and Pseudomonas in food, as well as in equipments and water supplies of food industry.	500 GIIIS	5500
20605	•	Acetamide Broth For the confirmation of Pseudomonas	100 Gms 500 Gms	1200 4400	77981 [9002-18-0	0]	Agar powder BactoBio for microbiology	100 Gms 500 Gms	2100 7900
		aeruginosa in bottle water.					Specially manufactured to provide clear,	2.5 Kg	37600
64773	~	' Acetate Differential Agar (Sodium Acetate Agar)	100 Gms 500 Gms	1400 4500			high gel strength agar, suitable for use in preparation of microbiological media.		
		For the differentiation of Shigella species from those of the Escherichia genus.			35799	~	Aleksandrow Agar	100 Gms 500 Gms	1400 5100
31257	~	Acetobacter Agar (Glucose)	100 Gms 500 Gms	1400 4800			Widely used media for isolation and identification of Potassium solubilizing bacteria from soil samples.		
		Used for the cultivation and maintenance of glucose positive Acetobacter species.			72439	~	Algae Culture Broth	100 Gms	1100
85514	•	Acid Broth	100 Gms 500 Gms	1300 4200			Used for the isolation and cultivation of algae from soil, water and sewage.	500 Gms	4500
		For the isolation of acid tolerant bacteria from canned foods.	100.0	1700	36191	~	Algae Culture Agar	100 Gms 500 Gms	1200
76557	•	Vactidione Agar Base w/o Actidione Used for the enumeration and detection of	100 Gms 500 Gms	1700 5400			Used for isolation and cultivation of algae from soil, water and sewage.	300 dilis	4600
		bacteria in specimens containing large numbers of yeasts and moulds.			45712	~	Alicyclobacillus Detection Agar (Alicyclobacillus Agar)	100 Gms 500 Gms	2500 8700
15126	9	Actinomyces Broth	100 Gms 500 Gms	1300 4200			Used for detection of Alicyclobacillus in fruit juices.		
		Used for the maintenance and cultivation of Actinomyces species.			80501	•	Alkaline Peptone Water	100 Gms 500 Gms	900 3100
24729	~	Actinomycete Isolation Agar	100 Gms 500 Gms	1400 4600			For the cultivation of Vibrio species from sea foods and clinical specimens.		
		Used for the isolation and cultivation of Actinomyces species from soil and water.			84893	~	Alkaline Peptone Water (ISO Basis)	100 Gms 500 Gms	900 3100
31047	~	Adams Agar	100 Gms	1200			Used for the enrichment of Vibrio species.		
		Used for examining sporulation in yeasts.	500 Gms	4400	83863	~	Alkaline Peptone Water (BIS Basis)	100 Gms 500 Gms	900 3100
							Used for the enrichment of Vibrio species.		

Code	Name		Packing	Price	Code		Name	Packing	Price
58784	Basis) Used for th	line Peptone Water (ISO e enrichment of Vibrio species and water samples.	100 Gms 500 Gms	1100 3800	50747	•	Ampicillin Dextrin Broth Base Recommended for the selective isolation, differentiation and quantitative enumeration	100 Gms 500 Gms	1200 4900
44860		II Culture Agar)	100 Gms 500 Gms	1100 4500			of Aeromonas species from water, food and environmental samples by the membrane filter method.		
	microaerop for sterility	of aerobic, anaerobic and obilic organisms. Recommended testing of solutions and ot containing mercurial			24891	ı	Ampicillin Dextrin Selective Supplement Used for selective isolation and differentiation of Aeromonas species.	5 vl 5 x5 vl	1200 4000
87091	✓ AC Broth (A	All Culture Broth) ion and isolation of aerobic,	100 Gms 500 Gms	1000 4100	78162	ı	Ampicillin Supplement (10mg/vl) For the selective isolotaion of Aeromonas species.	5 vl	1600
	Recommer solutions a	and microaerophilic organisms. nded for sterility testing of nd materials not containing oreservatives.			12213	~	Anaerobic Agar For the cultivation of anaerobic bacteria,	100 Gms 500 Gms	1300 5100
52023	✓ Alternative (IP, USP Ba (NIH Thiogly For the ste	Thioglycollate Medium	100 Gms 500 Gms	600 1800	20911	•	especially Clostridium species. Anaerobic Agar (Brewer) For the isolation and sensitivity testing of	100 Gms 500 Gms	1500 5100
39422	mentioned ✓ Alternative Sterile	in pharmacopeia. Thioglycollate Medium, adiated sterile powder used for	100 Gms 500 Gms	700 2600	97394	~	facultative and obligatory anaerobes. Anaerobic Blood Agar Base Recommended for isolation and cultivation	100 Gms 500 Gms	1500 5200
98349	sterility test are turbid o	ting of biological products which	100 Gms	1300	59821	~	of Group A and Group B Streptococci from throat cultures and other clinical samples. Anaerobic Agar w/o Dextrose	100 Gms	1400
		nsport of swab specimens to e survival of microorganisms,	500 Gms	3900			For cultivation of variety of anaerobic bacilli, especially Clostridium species.	500 Gms	4800
24193	✓ Amies Tran Charcoal	Neisseria gonorrhoeae. Isport Medium w/o Insport of swab specimens to	100 Gms 500 Gms	1300 3900	19422	•	Anaerobic Egg Yolk Agar Base For the detection of Clostridium species, especially from food samples.	100 Gms 500 Gms	1500 5300
90600	prolong the ✓ Ammonium	e survival of microorganisms. Phosphate Agar ection of microorganisms that	100 Gms 500 Gms	1400 6200	85198	•	Anaerobic Tryptone Soya Agar Used for screening of anaerobes in cosmetics (Talcum powder).	100 Gms 500 Gms	1400 4600
69084	can use an source.	nmonium phosphate as nitrogen	100 Gms	1400	47702	~	Andrade Lactose Peptone Water For the study of fermentation reactions of	100 Gms 500 Gms	900 3400
09084	Recommer differentiati of Aeromor and enviror	nded for the selective isolation, ion and quantitative enumeration has species from water, food nmental samples by the	500 Gms	1400 5600	41449	~	For the study of fermentation reactions of members of Enterobacteriaceae. Andrade Peptone Water A basal medium to study fermentation reactions by adding various carbohydrates	100 Gms 500 Gms	1000 4500
	membrane	filter method.			90295	•	Andrade Peptone Water BioVeg A basal medium to study fermentation reactions by adding various carbohydrates.	100 Gms 500 Gms	1200 4800

Code		Name	Packing	Price	Code		Name	Packing	Price
70197		Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/ Yeast Extract) For antibiotic assay testing. For the streptomycin assay using Bacillus subtilis as the test organism. Antibiotic Assay Medium No. 8	100 Gms 500 Gms	1300 5500	22599	•	Aqua Test E.Coli Medium Aqua Test Ecoli Medium, is used for detection of faecal indicator bacteria in drinking water, especially in low-income countries and outside controlled laboratory settings.	100 Gms	8300
		(Base Agar w/Low pH) For microbiological assay testing of Tetracycline, Vancomycin, Oxytetracycline, et c.	500 Gms	5500	41524	•	Arabinose Agar Base Used for selective isolation of Enterococcus faecium from faeces,	100 Gms 500 Gms	1400 5400
52812	•	Antibiotic Assay Medium No. 9 (Polymyxin Base Agar) Used as base agar for the plate assay of Carbenicillin, Colistimethate and Polymixin B.	100 Gms 500 Gms	1200 4500	85908	•	sewage and water samples. Arginine Dihydrolase Broth Used for the detection of arginine dihydrolase producing microorganisms.	100 Gms 500 Gms	1200 4800
26751	•	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar) Used as seed agar for plate assay of Carbenicillin, Colistimethate and Polymixin B.	100 Gms 500 Gms	1500 4500	15577		Aseptic Commissioning Medium (Aseptic Packing Line Medium) It is an ideal medium used for validation of aseptic packing and filling lines. Ascospore Agar	100 Gms 500 Gms 500 Gms	1300 4600 4600
87878	~	Antibiotic Assay Medium No. 1 (Seed Agar) (Penassay Seed Agar, Seed Agar, Agar Medium A) For antibiotic assay testing, detection of antibiotics in milk and determination of the	100 Gms 500 Gms	1200 5300			Ascospore Agar is a solid medium recommended for use in qualitative procedures for the cultivation of ascomycetous yeasts.	ood ame	4000
50741	~	antimicrobial effectiveness of antibiotics. Antibiotic Assay Medium No. 2 (Base Agar, Penassay Base Agar)) (Penassay Base Agar, Base Agar) For use as a base layer in antibiotic assay	100 Gms 500 Gms	1300 5500	88277		Ashby's Glucose Agar For the cultivation of Azotobacter species that can utilize glucose as carbon and atmospheric nitrogen as nitrogen source.	100 Gms 500 Gms	1400 5000
66729	•	testing. Antibiotic Medium No. 3 (Assay Broth, Penassay Broth) (USP, IP Basis) For microbiological assay of antibiotics.	100 Gms 500 Gms	1100 3500	26569	•	Ashby's Mannitol Agar For the cultivation of Azotobacter species that can utilize mannitol as carbon and atmospheric nitrogen as nitrogen source.	100 Gms 500 Gms	1400 5000
10892		Antifungal Assay Agar For assaying antifungal activity.	100 Gms 500 Gms	1400 4600	75830	~	ASLA Agar Used for isolation and cultivation of	100 Gms 500 Gms	1300 4700
12797	·	APRY Agar Base For the cultivation of acid resistant yeasts.	100 Gms 500 Gms	1200 4500	54470	ı	Propionibacterium species from foods. ASLA Enrichment Supplement	5 vl	950
26126	~	APT Agar (APHA) 1	100 Gms 500 Gms	1300 4700	57624	~	Aspergillus Differentiation Medium Base Recommended for detection of aflatoxin producing Aspergillus species from food samples.	100 Gms 500 Gms	1600 6000
31990	~	APT Broth (APHA) Used for the cultivation of	100 Gms 500 Gms	1300 4500	53903	•	Asparagine Nitrate Medium Recommended media for isolation and	100 Gms	3500
		heterofermentative lactobacilli requiring high thiamine content.			69318	~	cultivation of denitrifying bacteria. Asparagine Proline Broth For the cultivation of Pseudomonas aeruginosa by membrane filter technique.	100 Gms 500 Gms	1300 4700

	Name	Packing	Price	Code	Name	Packing	Price
•	Asparagine Proline Broth BioVeg For cultivation of Pseudomonas aeruginosa by membrane filter technique.	100 Gms 500 Gms	1400 5200	21748	Paird-Parker Agar Base w/Sulpha Recommended medium for isolation and enumeration of coagulase-positive	100 Gms 500 Gms	1600 5600
•	Ayers and Johnson Agar (Stock Culture Agar)	100 Gms 500 Gms	1400 5000		staphylococci from food and other specimens.		
	Used for maintaining stock cultures of bacteria, particularly streptococci.			26267	B.C. Motility Medium	100 Gms 500 Gms	1200 4000
~	Azide Blood Agar Base	100 Gms 500 Gms	1400 4800		Used for enumeration of motility of Bacillus cereus strains.		
	Used for isolation of Streptococcus sps.i and Staphylococcus sps., with added blood may be used for determination of hemolytic reactions.			97676	(Bromocresol Purple-Deoxycholic Acid-Citrate-Lactose-Sucrose Agar) Used for the selective isolation of	100 Gms 500 Gms	1400 5100
~	Bacillus Differentiation Agar	100 Gms 500 Gms	1800 5600	69574		100 Gms	1100
	Used for the differentiation between Bacillus cereus and Bacillus subtilis based				For the cultivation and maintenance of a wide variety of microorganisms.	500 Gms	4400
~		100 Gms 500 Gms	1000	39359		100 Gms 500 Gms	1000 3800
	Used for the cultivation of Bacillus licheniformis.				microorganisms.		
~	<u> </u>	100 Gms 500 Gms	1200 4800	00000		500 Gms 5 Kg	2100 18400
~	Bacillus cereus.	100 Gms	3400		generally to compliment the nutritive properties of peptone. It is source of pitrogen vitamins amino acids and		
	Agar Base	500 Gms	13600		carbon.		
	identification and cultivation of Bacteroides fragilis group.			57542	•	100 Gms 500 Gms	1400 5400
	Bacteroides Selective Supplement (50mg/vI) Used for the selective isolation of	5 vl	1300	29141	· · · · · · · · · · · · · · · · · · ·	100 Gms 500 Gms	1200 5000
~	Bacteroides species. Baird-Parker Agar Base (USP, IP,	100 Gms	1100		For the detection and isolation of Candida species.		
	ISO Basis) Used as a selective and diagnostic	500 Gms	4500	49319		100 Gms 500 Gms	1400 5500
	of coagulase-positive staphylococci in				with suspected enteric fever.		
	supplements;egg yolk emulsion and			66013	✓ Bile Esculin Agar w/o azide (ISO Basis)	100 Gms 500 Gms	3700 13900
	formulation and performance criteria mentioned in ISO 6888 parts 1 and 3 and				For the isolation and presumptive identification of group D Streptococci.	400 0	
~	ISO 11133 :2014. Baird-Parker Agar Base (BIS Basis)	100 Gms	1100	005/2	one Esculli Agar Base	100 Gms 500 Gms	2500 10800
		500 Gms	4500		For the isolation and presumptive identification of group D Streptococci.		
	Recommended medium for isolation and enumeration of coagulase positive			34963	Bile Esculin Azide Agar	100 Gms 500 Gms	2600 9500
	3	For cultivation of Pseudomonas aeruginosa by membrane filter technique. ✓ Ayers and Johnson Agar (Stock Culture Agar) Used for maintaining stock cultures of bacteria, particularly streptococci. ✓ Azide Blood Agar Base Used for isolation of Streptococcus sps.i and Staphylococcus sps., with added blood may be used for determination of hemolytic reactions. ✓ Bacillus Differentiation Agar Used for the differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation. ✓ Bacillus Cereus Agar Used for the cultivation of Bacillus licheniformis. ✓ Bacillus Cereus Agar Used for the isolation and enumeration of Bacillus cereus. ✓ Bacteroides Bile Esculin (BBE) Agar Base Used for the selective isolation, identification and cultivation of Bacteroides fragilis group. В Bacteroides Selective Supplement (50mg/vl) Used for the selective isolation of Bacteroides species. ✓ Baird-Parker Agar Base (USP, IP, ISO Basis) Used as a selective and diagnostic medium for the isolation and enumeration of coagulase-positive staphylococci in foods. When used with added supplements; egg yolk emulsion and potassium tellurite, this medium meets the formulation and performance criteria mentioned in ISO 6888 parts 1 and 3 and ISO 11133:2014. ✓ Baird-Parker Agar Base (BIS Basis) Recommended medium for isolation and	✓ Asparagine Proline Broth BioVeg 100 Gms For cultivation of Pseudomonas aeruginosa by membrane filter technique. 100 Gms ✓ Ayers and Johnson Agar (Stock Cultures of bacteria, particularly streptococci. 100 Gms ✓ Azide Blood Agar Base 100 Gms Used for isolation of Streptococcus sps.i and Staphylococcus sps., with added blood may be used for determination of hemolytic reactions. 100 Gms ✓ Bacillus Differentiation Agar 100 Gms Used for the differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation. 100 Gms ✓ Bacillus Medium 100 Gms Used for the cultivation of Bacillus licheniformis. 100 Gms ✓ Bacillus Cereus Agar 100 Gms Used for the isolation and enumeration of Bacillus cereus. 100 Gms ✓ Bacillus Cereus Agar 100 Gms Used for the isolation and enumeration of Bacillus cereus. 500 Gms ✓ Bacteroides Bile Esculin (BBE) 100 Gms Agar Base 500 Gms Used for the selective isolation, identification and cultivation of Bacteroides fragilis group. 5 vl Вacteroides Selective Supplement (somg/v) 5 vl Used for the selective isolation of Bacteroides species. 5 vl ✓ Baird-Parker Agar Base (USP, IP, IP	For cultivation of Pseudomonas aeruginosa by membrane filter technique. Ayers and Johnson Agar (Stock Culture Agar) Used for maintaining stock cultures of bacteria, particularly streptococci. Azide Blood Agar Base Used for isolation of Streptococcus sps.i and Staphylococcus sps., with added blood may be used for determination of hemolytic reactions. Bacillus Differentiation Agar Used for the differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation. Bacillus Medium Used for the cultivation of Bacillus licheniformis. Bacillus Cereus Agar 100 Gms 3800 Used for the solation and enumeration of Bacillus cereus. Bacillus Cereus Agar 100 Gms 3800 Used for the solation and enumeration of Bacillus cereus. Bacillus Cereus Agar 100 Gms 3800 Used for the solation and enumeration of Bacillus cereus. Bacteroides Bile Esculin (BBE) Agar Base 100 Gms 3400 Agar Base 500 Gms 13600 Used for the selective isolation, identification and cultivation of Bacteroides fragilis group. Bacteroides Selective Supplement (50mg/vl) Used for the selective isolation of Bacteroides species. Baird-Parker Agar Base (USP, IP, ISO Basis) Used as a selective and diagnostic medium for the isolation and enumeration of coagulase-positive staphylococci in foods. When used with added supplements; egg yolk emulsion and potassium tellurite, this medium meets the formulation and performance criteria mentioned in ISO 6888 pats 1 and 3 and ISO 11133:2014. Baird-Parker Agar Base (BIS Basis) 100 Gms 4500 Recommended medium for isolation and	✓ Asparagine Proline Broth BioVeg 100 Gms 1400 21748 № For cultivation of Pseudomonas aeruginosa by membrane filter technique. 500 Gms 5200 ✓ Ayers and Johnson Agar (Stock Cultures of bacteria, particularly streptococci. 100 Gms 1400 ✓ Azide Blood Agar Base 100 Gms 1400 Used for isolation of Streptococcus sps. i and Staphylococcus sps., with added blood may be used for determination of hemolytic reactions. 97676 № ✓ Bacillus Differentiation Agar 100 Gms 1800 Used for the differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation. 500 Gms 5600 ✓ Bacillus Medium 100 Gms 1000 Gms 39359 № ✓ Bacillus Cereus Agar 100 Gms 1000 Gms 39359 № ✓ Bacillus Cereus Agar 100 Gms 1000 Gms 4800 Used for the isolation and enumeration of Bacillus cereus. 500 Gms 3400 ✓ Bacteroides Bile Esculin (BBE) Agar Base 100 Gms 1300 Used for the selective isolation, identification and cultivation of Bacteroides fragilis group. 500 Gms 4500 ✓ Baird-Parker Agar Base (USP, IP, ISO Basis) 500 Gms 4500 4500 Used for the selective isolation and e	✓ Apparagine Proline Broth BioVeg For cutilwation of Pseudomonas acruginosa by membrane filter technique. ✓ Ayers and Johnson Agar (Stock Cutture Agar) Used for maintaining stock cultures of bacteria, particularly streptopococi. ✓ Azide Blood Agar Base Used for isolation of Streptopococus sps. i and Stapthylocococus sps. with added blood may be used for determination of hemotylor reactions. ✓ Bacillius Differentiation Detween Bacillius cereus and Bacillius subtilis based on amanited formonatation. ✓ Bacillius Cereus Agar ✓ Bacilliu	✓ Apparagine Profile Broth Biolog 100 Gms 1400 21748 ✓ Baird-Parker Ager Base wiSulpha 100 Gms 500 Gms

Code	Name	Packing	Price	Code		Name	Packing	Price
79630	▼ B.D.G.Broth, Hajna For the selective enrichment and cultivation of enteric bacilli from food and in treated drinking water.	100 Gms 500 Gms	1300 4200	55785	•	Bio Peptone (Mixture of Casein & Meat Peptone) BactoBio for bacteriology Biopeptone is a mixture of enzymic digest of casein and meat peptone. It is	500 Gms 5 Kg 10 Kg	3100 24300 46400
64104	✓ Bile Salts Agar For the isolation and cultivation of bile tolerant enteric bacilli.	100 Gms 500 Gms	2100 8200			recommended for the cultivation of fastidious microorganisms in Columbia Broth Base, Dextrose Agar and Casman Agar Base.		
50362	 Bile Salts BactoBio for bacteriology Used in microbiological culture media as a selectively inhibitory agent. 	100 Gms 500 Gms	5700 20800	55369	•	Bismuth Sulphite Agar (ISO Basis) (Bismuth Sulfite Agar (I)) For the selective isolation and identification of Salmonella typhi and other enteric	100 Gms 500 Gms	1000 3900
18276	 ✔ Bile Salts No. 3 BactoBio for bacteriology Bile salts No. 3 is a refined bile salt for use 	100 Gms 500 Gms	8600 39900	48794	~	bacilli. Blood Agar Base (Infusion Agar) For the preparation of blood agar by the	100 Gms 500 Gms	1000 3900
69577 ✔	as a selective inhibitory agent in bacteriological culture media. It consist of a specially modified fraction of bile acid salts (comprising mainly of sodium cholate and sodium deoxycholate).			90935	~	addition of sheep blood. Blood Agar Base (w/o sheep blood)	100 Gms 500 Gms 5 Kg	1000 3900 36300
69577	 ✔ Bile Salts Brilliant Green Starch Agar Used for isolation and identification of 	100 Gms 500 Gms	2400 6100			For the isolation, cultivation and detection of haemolytic activity of streptococci and other fastidious microorganisms.		
	Aeromonas hydrophila from food and environmental samples.			67644	~	Blood Agar Base No.2 (w/ 1.2% Agar)	100 Gms 500 Gms	1100 3900
56175	 ✔ Bile Salts Mixture BactoBio for bacteriology Used as an inhibitory agent for gram positive organisms in microbiological 	100 Gms 500 Gms	8200 23700			For the isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci and other particularly fastidious microorganisms.		
18037	media. ✓ Bile Salts Technical for bacteriology It is used in bacteriological culture media as an inhibitory agent for gram positive bacteria, making it selective for isolation	100 Gms 500 Gms	1500 5700	74999	•	Blood Agar Base w/ Low pH (w/o sheep blood) For the isolation and growth of a wide variety of microorganisms. The slightly acid pH of this medium enhances distinct hemolytic reactions.	100 Gms 500 Gms	1100 4000
79665	and identification of pathogens. Bile Tolerant Gram negative bacteria Test Kit (Pre-Weighed Media) Used for isolation, identification and cultivation of Bile tolerant gram negative bacteria.	1 Kit	1300	81083	•	Blood Free Campylobacter Selectivity Agar Base Used for the selective isolation and differentiation of Campylobacter species from food and animal feeding stuffs. This medium is recommended by ISO 10272-1&2:2017.	100 Gms 500 Gms	1600 5700
92875	✓ Biochemical Test Kit - I (Pre-Weighed Media) Used for biochemical identification of gram negative enteric bacteria based on tests like Carbohydrate utilization, H2S production, Phenylalanine deaminase and Urease production.	1 Kit	2800	71476 85308		BG-11 Broth (Blue-Green Medium) For culture and maintenance of cyanobacteria. Bordet - Gengou Agar Base (w/o Rabbit Blood)	100 Gms 500 Gms 100 Gms	1600 5300 1400
65896	Biochemical Test Kit - II (Pre-Weighed Media) Used for biochemical identification of microorganisms based on tests - Nitrate reduction, Malonate utilisation, Gelatin	1 Kit	2600			For the detection and isolation of Bordetella species from clinical specimens.	500 Gms	5300

liquefaction and Starch hydrolysis.

Code	Name	Packing	Price	Code		Name	Packing	Price
15097		5 vl	1300	25357	~	Brain Heart Infusion Broth w/6.5% NaCl (BHI Broth w/6.5% NaCl) Nutritive medium used for cultivation of salt	100 Gms 500 Gms	1100 4000
91661	Base. BPL Agar (Brilliant Green Phenol Red Agar)	100 Gms 500 Gms	1400 4800	33355	~	tolerant micro-organisms. Brewer Thioglycollate Medium For sterility testing of biological products	100 Gms 500 Gms	800 3000
	For isolation and identification of Salmonellae with the exception of S.typhi in faeces, urine, milk,meat and other materials.			65774	~	and other materials. Brilliant Green Agar	100 Gms 500 Gms	1000 3700
46530	✓ Brain Heart CC Agar (BHI CC Agar) Recommended for isolation and cultivation	100 Gms 500 Gms	2400 10000			For the selective isolation of Salmonella other than S.typhi from faeces, food and dairy products.		
	of fastidious pathogenic fungi and saprophytic fungi from specimens heavily contaminated with bacteria.			22374	•	Brilliant Green Agar w/ 1.2% Agar Recommended as an enrichment medium	100 Gms 500 Gms	1100 4600
64944	✓ Brain Heart Infusion Powder (BHI Powder) BactoBio for bacteriology	500 Gms 5 Kg	3200 29700			for isolation of Salmonellae, from faeces, urine and pathological samples.		
	Used for cultivation of highly fastidious microorganisms like Streptococci, Pneumococci, Meningococci, Haemophilus, Neisseria sp. and pathogenic fungi. A highly nutritious mixture of calf brain infusion and beef heart			14980	•	Brilliant Green Agar, Modified (Brilliant Green Agar Base w/ Phosphates) (ISO Basis) For the selective isolation of Salmonellae from faeces, water, food and dairy products.	100 Gms 500 Gms	1000 3700
94124	infusion.	100 Gms	1000	18545	~	Lactose Bile Brilliant Green Broth 2% (ISO, BIS Basis)	100 Gms 500 Gms	1200 5200
87864	Agar) For the cultivation of wide variety of fastidious bacteria, yeasts and molds from clinical and non-clinical specimens. Brain Heart Infusion Broth (BHI)	500 Gms 5 Kg	3700 34200			Recommended medium for detection and confirmation of coliforms from water, wastewater, foods, milk and dairy products. This medium conforms to specifications given by ISO 4831:2006, ISO 4832: 2006, BIS committee under the specifications IS:5401-1:2012.		
	For the cultivation of variety of fastidious and non-fastidious aerobic and anaerobic microorganisms.	500 Gms 5 Kg	3400 31000	98383	~	For the detection and enumeration of coliform bacteria in water, sewage and foods.	100 Gms 500 Gms	1100 4500
82856	 ✓ Brain Heart Infusion Agar, Modified (BHI Agar, Modified) 	100 Gms 500 Gms 5 Kg	1100 4100 36900	39284	~	Brilliant Green Sulfa Agar (B.G. Sulpha Agar) For the selective isolation of Salmonella	100 Gms 500 Gms	1100 4800
	For the cultivation of wide variety of fastidious bacteria, yeast and molds from clinical and non-clinical specimens.					species, other than Salmonella typhi from food, dairy products, eggs, egg products and feed.		
84560	 ✔ Brain Heart Infusion w/ 0.1% Agar (BHI w/ 0.1% Agar) For the cultivation of fastidious pathogenic 	100 Gms 500 Gms	1200 4100	32445	~	Bolton Broth Base A medium for the selective pre-enrichment	100 Gms 500 Gms	1200 5200
26671	microorganisms. ✓ Brain Heart Infusion w/ PABA and	100 Gms	1300			of Campylobacter species in food samples.		
	Agar (BHI Agar w/PABA) Used for the examination of blood samples from patients who have recieved sulfonamide therapy, Improved growth of anaerobes is seen on addition of agar.	500 Gms	5100	55582	ı	Used for the selective enrichment of Campylobacter species from food samples.	5 vl 5 x5 vl	1900 8200

Code		Name	Packing	Price	Code		Name	Packing	Price
66006	Į.	Bordetella Selective Supplement (20mg/vI) Used for the selective isolation of Bordetella species.	5 vl	1500	72993	•	Buffered Peptone Water A pre-enrichment medium for the isolation of Salmonella appoint appoin	100 Gms 500 Gms	800 3100
26384	ı	Bromocresol Purple Supplement (15mg/vl) Used for isolation and identification of faecal streptococci.	5 vl	1000	88680	~	of Salmonella species, especially injured microorganisms from food sources. Buffered Peptone Water (ISO, BIS Basis)	100 Gms 500 Gms	900
49977	~	Bromocresol Purple Azide Broth For the confirmation tests for presence of faecal streptococci in water and waste water.	100 Gms 500 Gms	1200 4400			Recommended medium for pre-enrichment of injured Salmonella species from foods, before selective enrichment and isolation. This medium is in accordance to specifications given by ISO 6579-1:2017, ISO 21528-1:2004 and ISO 22964-4:2017.		0100
19202 53213	•	Bromocresol Purple Lactose Broth (BCP Lactose Broth, Yeast Fermentation Broth Base) Used as presumptive medium for the detection of coliform bacteria in water. Bromocresol Purple Lactose Broth	100 Gms 500 Gms 100 Gms	1100 4000 1100	12995	•	Buffered Peptone Water w/ NaCl An isotonic agent recommended for use as a diluent in performing microbial examination of non-sterile products.	100 Gms 500 Gms	1100 3100
46172	ı	w/o Sodium Chloride Bromothymol Blue Supplement (20mg/vI) Used for differentiating microflora from urine sample.	500 Gms 5 vl	700	22197	•	A pre-enrichment medium, manufactured from animal free bases for the isolation of Salmonella, especially injured	100 Gms 500 Gms	900 3100
68035	•	For detection and enumerating spores of lactate fermenting Clostridium species in milk and dairy products.	100 Gms 500 Gms	1300 4800	93439	~	microorganisms from various food sources. Buffered Peptone Water w/ Casein A pre-enrichment medium, for the isolation of Salmonella, especially from cocoa	100 Gms 500 Gms	1000 3700
61882	•	For the detection and enumeration of lactate fermenting Clostridial species in milk and dairy products.	100 Gms 500 Gms	1200 4500	85268	~	(chocolates and confectionary). Buffered Tryptone Glucose Yeast Extract Broth Used for the isolation of Clostridium perfringens from food samples.	100 Gms 500 Gms	1200 4100
19814	~	B.T.B. Lactose Agar (Bromothymol Blue Lactose Agar) For the isolation and cultivation of pathogenic Staphylococci.	100 Gms 500 Gms	1300 4700	70054	•	Buffered Yeast Agar For the cultivation of yeast and molds and for controlling bottle washing operations in	100 Gms 500 Gms	1100 4100
28540		· - · · ·	100 Gms	1900	89637	•	the soft drinks and related industries. Buffered Sodium Chloride-Peptone Solution pH 7.0,Harmonized Used as diluent in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms	900 3100
79328		B12 Inoculum Broth (USP Basis) For the preparation of inoculum cultures of Lactobacillus leichmannii ATCC 7830, which is used as the test organism in the	100 Gms 500 Gms	1800 7600	73461	•	Burk`s Medium Used for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species from soil.	100 Gms 500 Gms	1400 4400
21700	~	vitamin B12 assay. Buffered Glycerol Saline Base With addition of glycerol is used in the collection and transportation of faecal specimens.	100 Gms	1000	32639	•	For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	100 Gms 500 Gms	1100 4500

Code	Name	Packing	Price	Code	Name	Packing	Price
14509	For examining fuels for microbial contamination and for studying hydrocarbon utilization by microorganisms.	100 Gms 500 Gms	900 3800	24715 🗸	Cary-Blair Transport Medium Base (w/o Charcoal) For maintenance as a holding medium or transport medium of clinical specimens during collection or shipment.	100 Gms 500 Gms	1200 4700
16574	Enterococcus) Used for identification of Enterococci in meat, dairy and other food products.	100 Gms 500 Gms	1200 4500	68806 ✓ [65072-00-6]	Acicase (Casein Acid Hydrolysate, Casamino Acids) BactoBio for bacteriology Acid digest of casein, a rich source of nitrogen recommended for use in	500 Gms 2 Kg	6900 23100
35512	CAL Agar (Cellobiose Arginine Lysine Agar) Used for the isolation and characterization of Yersinia enterocolitica from faecal	100 Gms	7800	95305 🗸	microbiological culture media that require a completely hydrolyzed protein as a nitrogen source. Acicase (Casein Acid	500 Gms	5300
95845	specimens. ✓ Calcium Caseinate Agar For the detection and enumeration of	100 Gms 500 Gms	1600 5200	[65072-00-6]	•	2 Kg	18900
	proteolytic microorganism in foodstuff and other materials.	100.0		68211	Casein Magnesium Broth (NZM Broth)	100 Gms 500 Gms	1500 5800
25867	✓ Campylobacter Agar Base Used with addition of blood and antibiotics	100 Gms 500 Gms	1400 5300	61796 Y	Used in the cultivation of recombinant strains of Escherichia coli. Casein Peptone BactoBio for	500 Gms	2600
	in isolation and cultivation of Campylobacter species.				bacteriology An enzymatic digest of casein, rich in	5 Kg	23700
16092	Campylobacter Supplement-I (Blaser-Wang)	5 vl	1400		amino acids and peptides. Used as a nitrogen source in microbiological media.		
32048	(Skirrow) ✓ Candida BCG Agar Base For use with added Neomycin for isolation	5 vl 100 Gms 500 Gms	1400 1400 5100	72689 Y	Casitone (Casitose) BactoBio for bacteriology A hydrolyzed casein used as an ingredient in microbiological culture media requiring free amino acids, especially for toxin and vaccine production.	500 Gms	2600
95160	Agar)	100 Gms 500 Gms	1400 5100	49946	Casitose Agar w/ 1.5% Agar Used as a general purpose medium for	500 Gms 5 Kg	4400 39800
45568	For the isolation and differentiation of Candida albicans. Candida Albicans Test Kit (Pre-Weighed Media) Used for isolation, identification and	1 Kit	1300	79033 🗸	Cultivation of microorganisms. Casitose Soya Agar, Modified (Casein Soya Agar, Modified) For the growth of wide variety of organisms.	100 Gms 500 Gms	1400 4500
92558	cultivation of Candida albicans. Carbohydrate Fermentation Test Kit - I (Pre-Weighed Media) For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.	1 Kit	4000	13927	Casitose Soya Blood Agar Base (Casein Soya Blood Agar Base) (Trypticase Soya Blood Agar Base) Recommended for the cultivation of fastidious microorganisms and detection of their hemolytic activity.	100 Gms 500 Gms	1400 4800
40071	✓ Carbohydrate Fermentation Test Kit - II (Pre-Weighed Media) For the differentiation of microorganisms on the basis of various carbohydrate fermentation reactions.	1 Kit	7700	91254 🗡	Used with addition of blood, for isolation and cultivation of fastidious microrganisms	100 Gms 500 Gms	1200 4500
54951	✓ Carbon Utilisation Agar Used for characterization of Streptomyces on the basis of carbon utilization studies.	500 Gms	2500	18871	from clinical specimes. CBI Supplement Used for selective isolation of Clostridium botulinum.	5 vl	1600

Code		Name	Packing	Price	Code		Name	Packing	Price
90465	•	Cetrimide Agar Base, Harmonized	100 Gms 500 Gms	1000 3800	27880		ChroMed Aureus Agar	100 Gms 500 Gms	2400 10400
		Used for the selective isolation and identification of Pseudomonas aeruginosa					A chromogenic medium used for the identification of Staphylococcus aureus.		
		in pharmaceutical testing according to harmonized methods.			78355	ı	ChroMed Bacillus Cereus Agar	100 Gms 500 Gms	1500 5800
45470	•	Cetrimide Agar Base For the selective isolation, cultivation and identification of Pseudomonas aeruginosa.	100 Gms 500 Gms	1000 3800			A chromogenic medium used for the isolation of Bacillus species from a mixed culture in foods, clinical and non-clinical samples.		
93927	~	Cetrimide Agar BioVeg	100 Gms 500 Gms	1000 3800	98478	ı	ChroMed Candida Agar Base	100 Gms 500 Gms	5200 21000
		Made from Veg.based ingredients; it is used for the selective cultivation and identification of Pseudomonas aeruginosa.					Chromogenic medium for the isolation and identification of major clinical significant Candida species.		
31199	✓ Cetrimide Broth (USP Basis)		100 Gms 500 Gms	1000 3500	42436		ChroMed Chromogenic Coliform Agar (CCA) (ISO Basis)	50 Gms 100 Gms	3300 6100
		Used for the cultivation of Pseudomonas aeruginosa.					For detection of Escherichia coli and	500 Gms	28700
94532	532 8	Cetrinix Supplement	5 vl 5 x5 vl	2000 4800		0	coliforms in water samples as per ISO standards 9308-1:2014.		
				- 1000	19440	¥	ChroMed Chromogenic Coliform Agar w/ SLS (CCA w/ SLS)	50 Gms 100 Gms	2700 4800
70984	ı	CFC Supplement	5 vl 5 x5 vl	1800 5300			For detection of Escherichia coli and	500 Gms	18400
		Used for selective isolation of Pseudomonas species.			96599	ı	coliforms in water samples. ChroMed ECC Agar	100 Gms	4500
11507	•	Chapman Stone Agar	100 Gms 500 Gms	1200 4100			Differential medium recommended for	500 Gms	17000
		For the isolation of staphylococci from a variety of specimens.					presumptive identification of Escherichia coli and other coliforms in food and		
58323	•	Charcoal Agar	100 Gms 1300 500 Gms 4500	75955	ı	environmental samples. ChroMed E.coli Agar	100 Gms 500 Gms	3100	
		For the cultivation and maintenance of fastidious microorganisms, especially Bordetella pertussis, for production of vaccines.					Recommended chromogenic medium, used for the detection and enumeration of Escherichia coli and coliforms from food	300 GIIIS	13600
53641	•	Charcoal Agar w/ Niacin	100 Gms 500 Gms	1500 5200	46706	ı	samples. ChroMed Klebsiella Selective Agar Base	100 Gms	2300
		Used for cultivation and isolation of Bordetella pertussis and Haemophilus influenzae.					Used for the selective isolation and detection of Klebsiella species from water	500 Gms	9100
52057	•	China Blue Lactose Agar	100 Gms 500 Gms	1200 4800			and other sources. This medium can also be used in membrane filtration procedure.		
		Used for differentiating lactose fermenters and non fermenters and also in enumeration of bacteria in milk.		·	45615	¥.	ChroMed Listeria Agar (ISO Basis) A selective and differential chromogenic	100 Gms 500 Gms	1900 8100
52665		Chloramphenicol Yeast Glucose Agar BioVeg	100 Gms 500 Gms	900		medium recommended for rapid and direct identification of listeria species.			
		Agar BioVeg 500 Gms 380 Used for the isolation and enumeration of molds in milk and milk products.		38284	•	ChroMed Listeria Agar Base, Modified For the selective identification and	100 Gms 500 Gms	1900 7800	
							For the selective identification and differentiation of Listeria monocytogenes.		

Code		Name	Packing	Price	Code		Name	Packing	Price
19589 65621		A chromogenic media recommended for	100 Gms 500 Gms 100 Gms 500 Gms	2200 10500 2700 8400	45553	•	Cholera Medium Base Used for selective isolation of Vibrio species from specimens grossly contaminated with Enterobacteriaceae.	100 Gms 500 Gms	1300 4900
		the isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical isolates.			93008	~	Cholera Medium Base BioVeg	100 Gms 500 Gms	1400 5100
75213		Chromed M-Lauryl Sulfate Agar (MLGA) (Membrane Lactose Glucuronide Agar) For the differentiation and enumeration of Escherichia coli and other coliforms by	100 Gms 500 Gms	5500 22000	14602		Veg. based (non-animal based) medium, used for selective isolation of Vibrio species from specimens grossly contaminated with Enterobacteriaceae. Chloramphenicol Selective	5 vl	1300
90219	ı	membrane filter technique. ChroMed OGYE Agar Base (ISO Basis)	100 Gms 500 Gms	4000 17500			Supplement (50mg/vI) Used for the selective isolation and cultivation of yeasts and moulds.	5 x5 vl	3700
		Selective and differential medium for isolation of yeasts and moulds from milk and milk products.			60822	~	Chloramphenicol Yeast Glucose Agar (ISO Basis) For selective enumeration of fungi, yeasts	100 Gms 500 Gms	900 3900
92671	ı	ChroMed Salmonella Agar A chromogenic medium used for the	100 Gms 500 Gms	10900 50900	93306	~	and molds in milk and milk products. Christensen Citrate Agar	100 Gms 500 Gms	1100 4700
52496	ı	differentiation of Salmonella species. ChroMed TBX Agar (E.coli Agar Modified)	100 Gms 500 Gms	1900 6900			For the differentiation of enteric pathogens based on their ability to utilize citrate as a carbon source.	Joo Gills	4700
		A selective chromogenic medium used for the detection and enumeration of Escherichia coli in food samples, animal feeds and water.			55769	~	CLED Agar (Brolacin Agar) For the isolation, enumeration and	100 Gms 500 Gms	1100 3900
42979	1		100 Gms 500 Gms	3200 15100			presumptive identification of microorganisms from urine.	100 0	
		A chromogenic medium used for the presumptive identification and differentiation of microorganisms causing urinary tract infections.			88366	•	CLED Agar w/ Andrade Indicator For differentiating various microorganisms depending on their colony characteristics.	100 Gms 500 Gms	1100 3900
42308	ı	•	100 Gms 500 Gms	2300 10500	40980	•	Clostridium Botulinum Isolation Agar Base	100 Gms 500 Gms	1200 4700
		Recommended medium for detection of Vancomycin Resistant Enterococci (VRE) from clinical specimens.					For the isolation, cultivation and differentiation of Clostridium botulinum from food samples.		
96238	ı	Chromogenic Listeria Lipase-C Supplement (ISO basis)	5 vl	8200	26836	~	Clostridium Difficile Agar Base	100 Gms 500 Gms	1500 5200
80559	•	CHO Medium Base (Carbohydrate Medium Base) Used as a basal medium to which	100 Gms 500 Gms	1100 4000			Recommended for selective isolation of Clostridium difficile from food and certain pathological specimens		
		carbohydrates are added for fermentation studies of anaerobic bacteria.			93834	ı	Clostridium Difficile Supplement	5 vl 5 x5 vl	1400 4100
28850	•	Chocolate Agar Base	100 Gms 500 Gms	1300 4500			Used for the selective isolation of Clostridium difficile.		
		For the isolation and identification of a variety of fastidious microorganisms.			12655	•	Clostridium Test Kit (Pre-Weighed Media) Used for isolation, identification and	1 Kit	1300

Code	Name	Packing	Price	Code		Name	Packing	Price
64078	& CNA Supplement	5 vl	1900	65165		CPC Supplement	5 vl	2500
	Recommended for the selective isolation of anaerobic gram-positive cocci.					For isolation and enumeration of Vibrio species from foods		
19156	✓ Coagulase Mannitol Agar Base	100 Gms	1200	48743	~	Craigs Medium	100 Gms	1400
		500 Gms	5000				500 Gms	4100
	For the cultivation, differentiation of Staphylococcus aureus from other			70952	~	CRAMP Agar Base	100 Gms	5600
	Staphylococcus species, based on coagulase production and mannitol					For the cultivation of Yersinia species with plasmids.		
	fermentation.			41775	~	Cystine Tellurite Agar Base	100 Gms	1400
52655	✓ Coliform Medium (CM, Coliform Broth)	100 Gms	1100				500 Gms	4700
	•	500 Gms	3800			Recommended for selective isolation and		
	For the isolation & cultivation of coliform organisms from raw milk, cream, yoghurt.					differentiation of Corynebacterium diphtheriae types.		
21493	✓ Columbia Agar Base, Harmonized	100 Gms	1000	27793	~	Cystine Tryptone Agar	100 Gms	1100
		500 Gms	3900			(Cystine Tryptic Agar)	500 Gms	3900
	Used for the isolation of fastidious and					Used for the maintenance, subculturing		
	non-fastidious microorganisms in pharmaceutical testing according to					and detection of motility of various bacteria.		
	harmonized methods.			77853	~	Crystal Violet Agar	100 Gms	1300
45481	✓ Columbia Agar Base	100 Gms	1000			(Crystal Violet Lactose Agar)	500 Gms	4600
		500 Gms	3900			For the differentiation of pathogenic and		
	For the isolation and cultivation of					non- pathogenic staphylococci.		
	fastidious and non-fastidious microorganisms.			57485	~	Crystal Violet Lactose Broth	100 Gms	1500
97789	✓ Columbia C.N.A. Agar Base	100 Gms	2700				500 Gms	4000
000	<u>.</u>	500 Gms	10700			For the detection of coliforms in water filtration control works.		
	For selective isolation and cultivation of			91022	_	Crystal Violet Tetrazolium Agar	100 Gms	1200
	pathogenic Gram-positive cocci from					Base	500 Gms	4800
00500	clinical and non-clinical specimens.	100 Gms	0.400			Used for the detection of gram-negative		
23588	✓ Conn`s Agar	500 Gms	2400 9600			psychrotrophic bacteria causing food		
	Used for the cultivation of fungi.	ooo amo	9000	29212		spoilage. Czapek - Dox Agar	100 Gms	1000
16340	✓ Corn Meal Agar w/ Dextrose	100 Gms	1100	29212	·	Czapek - Box Agai	500 Gms	3500
	<u>-</u>	500 Gms	4600			For the cultivation of fungi and bacteria	000 00	0300
	Cultivation of phytopathological and other					capable of utilizing sodium nitrate as the		
	fungi.					sole source of nitrogen.		
26998	✓ Corn Meal Agar	100 Gms	1100	93812	~	Czapek - Dox Agar Modified	100 Gms	1300
		500 Gms	4600			For the cultivation and maintenance of	500 Gms	4500
	For the chlamydospore production by Candida albicans and maintenance					numerous fungal species, also for		
	medium for fungal stock cultures.					chlamydospore production by Candida		
60277	✓ Corn Meal Peptone Yeast Agar	100 Gms	1300			albicans.		
		500 Gms	4500	74367	~	Czapek - Dox Broth	100 Gms	900
73398	✓ Cooke Rose Bengal Agar Base	100 Gms	1800			For the could have	500 Gms	3100
		500 Gms	6200			For the cultivation of fungi and bacteria capable of utilizing sodium nitrate as the		
	Used for the selective cultivation and					sole source of nitrogen.		
45455	isolation of fungi. ✓ CPC Agar Base	100 Gms	6700	95417	~	Czapek Malt Agar	100 Gms	1000
-0-00	· 		5700				500 Gms	3900
	For cultivation and differentiation of Vibrio					For the isolation and cultivation of		
	species from food samples.					saprophytic fungi.		

Code	Name	Packing	Price	Code	Name	Packing	Price
61195	Dairy samples Testing Kit (Pre-Weighed Media) Used for identification and enumeration of microorganisms from dairy products.	1 Kit	2300	83607	 ✓ Dextrose Mannitol Agar (Gillies Agar No.1) Recommended medium for primary isolation of Salmonella and Shigella 	100 Gms 500 Gms	1400 5000
96640	✓ Decarboxylase Test Medium Base (Falkow) (Decarboxylase Basal Medium,	100 Gms 500 Gms	1100 3900		species, by detection of urease production, dextrose and mannitol fermentation.		
	Decarboxylase Media, Falkow) For the differentiation of bacteria based on their ability to decarboxylate the amnio			98009	Dextrose Proteose Peptone Agar Base Used in combination with blood and	100 Gms 500 Gms	1200 4100
47129	acid. ✓ Deoxycholate Agar	100 Gms	1000		tellurite for the isolation of Corynebacterium diphtheriae.		
	Differential medium for direct counts of coliforms from dairy products and for the isolation of enteric microorganisms from	500 Gms	4100	11581	 ✓ Dextrose Salt Agar For the enumeration of yeasts and molds in butter and dairy products. 	100 Gms 500 Gms	1200 4600
20023	clinical and non-clinical specimens. ✓ Deoxycholate Citrate Agar (IP Basis)	100 Gms 500 Gms	1500 6700	87461	✓ Dextrose Salt Broth For the enumeration of yeasts and molds	100 Gms 500 Gms	1100 3800
	Used for the selective isolation and cultivation of enteric pathogens, especially Salmonella and Shigella species.			44486	in butter and dairy products. ✓ Dextrose Starch Agar	100 Gms	1300
38695	✓ Deoxycholate Lactose Agar For the isolation and differentiation of	100 Gms 500 Gms	1300 4600		For the cultivation and maintenance of Neisseria gonorrhoeae and other fastidious microorganisms.	500 Gms	4500
	Gram-negative enteric bacilli and for enumeration of coliforms from water, waste water, milk and dairy products.			50223	✓ Dextrose Tryptone Agar (Dextrose Casein Peptone Agar) For the isolation and cultivation of	100 Gms 500 Gms	1200 4400
18752	 ✓ Dermatophyte Test Agar Base (D.T.M. Agar Base) For the isolation and cultivation of 	100 Gms 500 Gms	1300 4800		mesophilic and thermophilic aerobic microorganisms related to food spoilage.		
68650	dermatophytic fungi. DEV Nutrient Agar	100 Gms	1200	78209	✓ Dey-Engley Neutralizing Broth Recommended for the testing and	100 Gms 500 Gms	1300 4700
	To determine total germ count in water acc. To the "Deutschen Einheitsverfahren"	500 Gms	4100	73318	neutralization of antiseptics and disinfectants. ✓ Diamalt Agar	100 Gms	1500
22438	regulations of drinking water. ✓ DEV Tryptophan Broth	100 Gms	900			500 Gms	5500
	Used for sub-cultivation for coliform	500 Gms	3100	29412	✓ Dichloran Glycerol Medium Base	100 Gms 500 Gms	1000 4800
	differentiation and for indole testing in the bacteriological examination of water as per German Standard methods.			63110	Dichloran Medium Base w/ Rose Bengal Used for isolation and enumeration of	100 Gms 500 Gms	1500 6300
15923	✓ Dextrose Agar	100 Gms 500 Gms	1000 4000		yeasts and moulds associated with food spoilage.		
	For the cultivation of a wide variety of microorganisms and used as a base for blood agar and for general laboratory purposes.			66473	 ✔ Differential Reinforced Clostridial Agar For the cultivation of Clostridia from water samples. 	100 Gms 500 Gms	1300 4500
64098	✓ Dextrose Broth For the isolation and enrichment of	100 Gms 500 Gms	900 2900	27548	✓ Differential Reinforced Clostridial Broth Base For the cultivation of Clostridia from water	100 Gms 500 Gms	900
	fastidious microorganisms and for the study of glucose (dextrose) fermentation.				samples.		

Code		Name	Packing	Price	Code	١	Name	Packing	Price
52978	V		100 Gms	1000	76861	& C	Doyle`s Antibiotic Supplement	5 vl	1200
		Broth Base (ISO Basis)	500 Gms	3500				5 x5 vl	4200
		For the cultivation of Clostridia from water samples.					Used for enrichment of Campylobacter species.		
88167	~	2	100 Gms	1000	26609	✓ [Doyle`s Enrichment Broth Base	100 Gms	1300
		Broth Base BioVeg	500 Gms	3700				500 Gms	4900
		For the cultivation of Clostridia from water samples.				S	Jsed for enrichment of Campylobacter species		
63899	~	Dihydrolase Broth Base	100 Gms	1400	80907		Doyle`s Enrichment Broth Base	100 Gms	1500
			500 Gms	4400			BioVeg	500 Gms	5200
		Used for studying dihydrolase reaction of Vibrio parahaemolyticus.					Jsed for enrichment of Campylobacter species		
14912	~	Diluting Fluid A	100 Gms	900	49763		E. Coli Test Kit (Pre-Weighed	1 Kit	1500
			500 Gms	3200			Media) Jsed for isolation, identification and		
		Used for sterility testing of					cultivation of Escherichia coli.		
00404	<u></u>	pharmaceuticals. Diluting Fluid D	100 Gms	1000	25549	✓ E	EC Medium (EC Broth)	100 Gms	1000
23121	•	Didding Fluid D	500 Gms	1000 3600				500 Gms	3800
		Used for sterility testing of pharmaceutical	500 GIII5	3000		F	or the differentiation and enumeration of		
		products in accordance with USP.					coliforms in water, wastewater, shellfish		
53277	~	Diluting Fluid K	100 Gms	1100	00000		and foods. EC Medium w/MUG	100 Gms	1500
			500 Gms	3200	66389	* [EC Medium w/MOG	500 Gms	1500 5900
		Used as diluting or rinsing fluid, when				1	Used for the fluorogenic detection of	300 Gilis	5900
		performing, sterility testing of					Escherichia coli in water, food and milk		
		pharmaceuticals.	100.0			S	samples.		
82965	•	Disinfectant Test Broth, AOAC	100 Gms 500 Gms	1100	54723	✓ E	Elliker Broth (Lactobacilli Broth)	100 Gms	1100
		For the determination of phenol coefficient	300 GITIS	4000				500 Gms	4000
		of disinfectants.					Jsed for cultivation of streptococci and		
82359	~	DNase Test Agar Base	100 Gms	3900	44000		actobacilli, especially in dairy procedures.	100.0	1000
			500 Gms	16300	11983		Eijkman Lactose Medium (Eijkman Lactose Broth)	100 Gms 500 Gms	1200 3800
		Used for differentiation of microorganisms				F	For the cultivation and differentiation of	300 Gill3	3000
		based on their production of					Escherichia coli from other coliform		
		deoxyribonuclease.	100.0	4500		C	organisms based on their ability to ferment		
78317	•	DNase Test Agar w/Methyl Green	100 Gms 500 Gms	4500 17000			actose and produce gas.		
		Used for differentiation of microorganisms	300 GITIS	17000	95514		EMB Agar Eosin Methylene Blue Agar)	100 Gms	900
		based on deoxyribonuclease activity.					·	500 Gms	3700
88941	~	Drakes Medium 10	100 Gms	1600			For the isolation, cultivation and differentiation of gram negative enteric		
			500 Gms	5400			pacteria based on lactose fermentation.		
		Recommended for isolation of			46675	✓ E	EMB Agar, Levine	100 Gms	900
		Pseudomonas species from water				(Eosin Methylene Blue Agar, Levine)	500 Gms	3700
		samples.				F	For the isolation, cultivation and		
53292	~	DRBC Agar (Dichloran Rose Bengal Chloramphenicol Agar)	100 Gms	1600			differentiation of Gram-negative enteric		
		Base	500 Gms	5700			pacteria based on lactose fermentation.	100.0	
		Used for the selective isolation and			51207		EMB Broth (Eosin Methylene Blue Broth)	100 Gms 500 Gms	900
						,		500 GIIIS	3400
		enumeration of yeasts and moulds of significance in food spoilage					For the differentiation of gram pogative		
84127	_	enumeration of yeasts and moulds of significance in food spoilage. Drigalski Lactose Agar	100 Gms	1800			For the differentiation of gram negative enteric bacteria from clinical and non		
84127	•	significance in food spoilage.	100 Gms 500 Gms	1800 5300		€			
84127 56107		significance in food spoilage.				€	enteric bacteria from clinical and non		

Code		Name	Packing	Price	Code	Name	Packing	Price
65512	•	Used for isolation and cultivation of Actinomycetaceae, Streptomycetaceae,	100 Gms 500 Gms	1400 4600	69404	 ✓ Ethyl Violet Azide Broth (E.V.A. Broth) For isolation, cultivation and enumeration of Enterococci from water and other 	100 Gms 500 Gms	1200 3700
85046	~	For the selective isolation, cultivation and differentiation of coliforms and other enteric microorganisms based on their ability to ferment lactose.	100 Gms 500 Gms	1000 3600	48357	specimens. ✓ Eugonic Agar (BIS Basis) Used cultivation and maintenance of a variety of fastidious microorganisms. ✓ Eugonic Broth	100 Gms 500 Gms 100 Gms 500 Gms	1300 4800
81496	~	Used for selection and differentiation of E.coli acc. To the "Deutschen Einheitsverfahren" regulations for drinking	100 Gms 500 Gms	1200 4100	78507	Used cultivation and maintenance of a variety of fastidious microorganisms. FGTC Antibiotic Supplement (2.5mg/vI) Used for the selective isolation and	5 vl	1300
95904	~	water. Enriched Thioglycollate Broth (Thioglycollate Medium, Enriched, Thioglycollate Medium, Base) For the isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	100 Gms 500 Gms	900 3900	93466	cultivation of Enterococci. Fluid Sabouraud Medium For the cultivation of yeasts, molds and aciduric microorganisms. Fluid Thioglycollate Medium, Clear	100 Gms 500 Gms	700 2400
33945	~		100 Gms 500 Gms	1100 3100	42917	(USP Basis) Fluid Thioglycollate Medium (USP, IP Basis) Used for the cultivation of anaerobic, microaerophilic and aerobic organisms.	500 Gms 100 Gms 500 Gms	2000 700 2000
71611	~	Enterobacteria Enrichment Broth Mossel (EE Broth Mossel), Harmonized Used for the selective enrichment of Enterobacteriaceae in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms	1400 6000	46990	For use in sterility testing of a variety of samples. Fluid Thioglycollate Medium, Harmonized Used for sterility testing of variety of samples in pharmaceutical testing	100 Gms 500 Gms	700 2000
		For the identification of enterococci from water supplies and other sources by the confirmatory test.	500 Gms	4200	76037	according to harmonized methods. FNA Medium (Fluorescein Denitrification Agar) Used for differentiation of Pseudomonas sps. from other bacilli by their ability to	100 Gms 500 Gms	1200 4400
64819	•	For the identification of enterococci from water by the confirmatory test.	100 Gms 500 Gms	1000 3900		reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment.		
47082		Enterococcus Selective Supplement Used for the selective isolation and cultivation of Enterococci.	5 vl 5 x5 vl	1800 5800	33696	✓ Forget Fredette Agar ✓ Formate Ricinoleate Broth	100 Gms 500 Gms 100 Gms 500 Gms	1300 4800 1300 5100
60312	~		100 Gms 500 Gms	4400 18800	37593 97539	 ✓ Fraser Broth Base Recommended selective and enrichment medium for the isolation of Listeria species. Fraser Supplement (250mg/vl) 	100 Gms 500 Gms	1100 4500
27131	ı	Esculin Supplement (0.5gm/vl) Used for detection of group D streptococci on the basis of esculin hydrolysis.	5 vl	3000				

Code		Name	Packing	Price	Code	ı	Name	Packing	Price
52071		Fraser Selective Supplement Used for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens.	5 vl	1600	43172 [9000-70-8	3]	Gelatin Powder Special ex. Porcine (Type B), 120g Bloom BactoBio for bacteriology Gelatin is a collagenous protein which finds its application for the solidification of	500 Gms	1600
83831	~	Fuchsin Lactose Broth	100 Gms 500 Gms	1100 4100			cultural media. It is also used for detection and differentiation of certain proteolytic bacteria. A bacteriological grade, readily		
37346	~	Fungal Agar (Mycological Agar)	100 Gms 500 Gms	1300 5000	24426		soluble in water. Gelatin Powder Special Clear ex.	500 Gms	2400
93411	~	Fungal Agar w/ low pH (Mycological Agar with Low pH)	100 Gms 500 Gms	1300 5000	[9000-70-8	3]	Bovine (Type B), 200-250g Bloom BactoBio for bacteriology		2400
68653	~	Fungal Agar with Low pH (Mycological Agar w/ low pH)	100 Gms 500 Gms	1300 5100			Gelatin for bacteriology is a special bacteriological grade product, readily soluble in water to give a clear solution.		
		For the selective isolation, cultivation and maintenance of pathogenic fungi.	500 0	4000	78334		Gentamicin Selective Supplement (20mg/vI) Used for the isolation and dectction of	5 vl	1100
62729	•	Fungal Broth (Mycological Broth)	500 Gms	4600	50084	_	Clostridium perfringenes. Genta-Oxy Selective Supplement	5 vl	1800
90195	~	For cultivation and maintenance of fungi. Fungi Cultivation Kit (Pre-Weighed Media) Used for cultivation and isolation of	1 Kit	1500	30004		Used for the selective isolation and enumeration of yeasts and moulds.	5 x5 vl	4000
94016	~	fungi,yeast and moulds. Gassner Lactose Agar	100 Gms 500 Gms	1200 4700	39238		General Purpose Kit - I (Pre-Weighed Media) Nutrient agar cultivates a wide variety of	1 Kit	1200
72464	~	GC Agar Base	100 Gms 500 Gms	1000			microorganism and MacConkey agar is used in isolation of gram negative enteric bacteria.		
		Used for isolation and cultivation of Gonococci.			84905		General Purpose Kit - II (Pre-Weighed Media)	1 Kit	1500
10474	•	Used in water and waste water testing for the determination of total microbial count and for the detection of gelatin liquefying	100 Gms 500 Gms	1100 4000		i :	Nutrient agar cultivates a wide variety of microorganisms, MacConkey agar aids in isolation of gram negative enteric bacteria and Blood Agar Base is used in detecting hemolytic of fastidious microorganisms.		
		microorganisms according to the German methods for the examination of water and the German drinking water regulations			15628		Giollotti Cantoni Broth Base	100 Gms 500 Gms	1400 4200
		(1990).					Used for the cultivation and enrichment of Staphylococcus aureus from foods.		
23942	•	Gelatin Iron Agar	100 Gms 500 Gms	1100 4600	68382	•	Gluconate Test Medium	100 Gms 500 Gms	1000 3800
		For the detection of gelatin liquefaction and H2S production.			35070		Glucose Salt Teepol Broth (Twin Pack)	100 Gms 500 Gms	1100 4600
75750 [91079-43-	✓ -5]	bacteriology	500 Gms 5 Kg	2100 20300			. Liquid medium,used for the detection of Vibrio parahemolyticus in foodstuffs.	300 GIIIS	4600
		Gelatin peptone, prepared by enzymatic digest of Gelatin; is used as an ingredient in media for fermentation studies and to support growth of non-fastidious microorganisms. It is characterised by low			58174		Glucose Yeast Extract Agar For the cultivation of lactobacilli, especially in pharmaceutical preparations.	100 Gms 500 Gms	1300 4700
		Cystine,Tryptophan and Carbohydrate content.			17991		Glucose Yeast Peptone Agar	100 Gms 500 Gms	1300 4700
							For the isolation of yeasts from soil specimens.		

Code	Name	Packing	Price	Code	Name	Packing	Price
79127	✓ GN Broth, Hajna (Gram-Negative Broth, Hajna)	100 Gms 500 Gms	900 3100	20852	✓ Hemmes Medium Base	100 Gms 500 Gms	2500 7600
	For the selective cultivation of gram negative microorganisms.		0100	52740	✓ Hofers Alkaline Medium	100 Gms	1600
30963	GTC Supplement (1.25mg/vl)	5 vl	1000	67658	✓ Horie Arabinose Ethyl Violet Broth	100 Gms	1400
	Used for the selective isolation and cultivation of Enterococci.			46946	✓ Hoyle Medium Base	500 Gms 100 Gms	1100
11266	✓ Glutamate Starch Phenol Red Agar Base	100 Gms	1300		For the isolation and differentiation of	500 Gms	4200
	Used for detection of Pseudomonas and	500 Gms	4200	70005	Corynebacterium diphtheriae.	100.0	1000
	Aeromonas in foodstuffs, wastewater and equipment in food industry.			79035	✓ High Plate Count Agar	100 Gms 500 Gms	1300 5100
61655	✓ Gum Listeria Medium	100 Gms 500 Gms	1200 4600	64068	✓ High Salt Nutrient Agar (ISO Basis)	100 Gms 500 Gms	1100 4100
	Recommended for the isolation of Listeria monocytogenes from clinical and non-clinical samples.			37353	✓ High Salt Nutrient Agar (BIS Basis)	100 Gms 500 Gms	1100 4100
72275	✓ H Broth	100 Gms 500 Gms	1300	39147	✓ High Salt Peptone Yeast Extract Agar (ISO Basis)	100 Gms 500 Gms	1100 4000
	For the preparation of H agglutination antigen used in the differentiation and	300 dilis	4200	77707	✓ HS Medium (Hydrosulphite of Sodium Medium)	100 Gms 500 Gms	1100 3500
	identification of Salmonella species types and subtypes.				Used for the cultivation of aerobic and anaerobic bacteria. It is also used for		
85012	✓ Hartley`s Digest Broth	100 Gms 500 Gms	1000 3800	26221	sterility testing. ✓ Hugh Leifson Medium (BIS Basis)	100 Gms	1200
41861	Haemoglobin Powder Haemoglobin powder is used as an enrichment supplement . 2% w/v solution	50 Gms	1500		Used to distinguish between anaerobic and aerobic breakdown of carbohydrate (Dextrose).	500 Gms	4600
	of this supplement is autoclavable. Used with G.C.Agar base ,in preparation of Chocolate Agar.			79544	✓ HYA Agar	100 Gms 500 Gms	1800 6700
47704	✓ Heart Infusion Agar (HI Agar)	100 Gms 500 Gms	1200 4800	21128	 Hydrolysate BioVeg BactoBio for bacteriology 	500 Gms 5 Kg	2700 20800
75134	✓ Heart Infusion Broth (HI Broth)	100 Gms 500 Gms	1100 4400		Prepared by enzymatic hydrolysis of vegetable proteins under controlled conditions. Used as a nutritive source for		
	Used for isolation and cultivation of a wide variety of fastidious microorganisms. Also used as a base for preparation of Blood Agar in determining haemolytic reactions.			36873	growth of bacteria and fungi. ✓ IMViC Test Kit (Pre-Weighed Media) Used for biochemical identification of gram	1 Kit	1300
28551	 ✓ Heart Infusion Powder (HI Powder) BactoBio for bacteriology It is rich in amino acids, peptides and other 	500 Gms 2.5 Kg	2700 11700		negative enteric bacteria based on Indole production, Methyl Red and Voges Proskauer reactions and Citrate Utilization		
	nutrients required by highly fastidious microorganisms like Streptococci,			68788	test. ✓ IMViC Test Kit (Pre-Weighed Media) w/ Reagents	1 Kit	5300
	Pneumococci, Meningococi and Brucella species.			12139	✓ Indole Nitrate Medium (Tryptone Nitrate Medium)	100 Gms 500 Gms	1000 3400
68100	✓ Hektoen Enteric Agar	100 Gms 500 Gms	1300 5800		For the identification of microorganisms by means of nitrate reduction and indole tests.		5 100
	Used for the isolation and cultivation of gram negative enteric microorganisms from a variety of clinical and non clinical			54336	✓ ISP Medium No. 1 (Tryptone Yeast Extract Broth)	100 Gms 500 Gms	1400 5900
	specimens.			76920	✓ ISP Medium No.4	100 Gms	1600

Code		Name	Packing	Price	Code		Name	Packing	Price
91875	~	ITC Broth	100 Gms	1400	11411	~	King`s Medium A Base	100 Gms	1000
			500 Gms	5200				500 Gms	4100
42882	~	IUT Medium Base	100 Gms	1500			For the non selective isolation, cultivation		
			500 Gms	6700			and pigment production of Pseudomonas.		
70916	~	Jensen`s Medium (Jensen`s Agar)	100 Gms	1100	21694	~	King's Medium B Base	100 Gms	1000
			500 Gms	4100			For the control of the latter will be a selected as	500 Gms	4100
		Used for the cultivation of nitrogen fixing					For the non-selective isolation, cultivation and pigment production of Pseudomonas		
		bacteria.					species.		
87806	~	Jensens Broth	100 Gms	1400	29760		Klebsiella Selective Supplement	5 vl	1400
		Decomposed of far the detection and	500 Gms	5000			(25mg/vI) Used for the selective isolation and		
		Recommended for the detection and cultivation of nitrogen fixing bacteria.					detection of Klebsiella species.		
55686	V	Jensen Seedling Agar	100 Gms	1200	33943	~	Kligler Iron Agar	100 Gms	1000
			500 Gms	4400				500 Gms	3700
		Used for growing plants for collection of					For the differentiation and identification of		
		root exudates and to study the nodulating					gram-negative bacilli based upon the		
		ability of Rhizobium isolates.					fermentation of dextrose and lactose and		
44485	~	Kanamycin Esculin Azide Agar	100 Gms	3100	61860	J	production of H2S. Kligler Iron Agar (ISO Basis)	100 Gms	1000
			500 Gms	7900	61000	Ť	Kilgler Holl Agai (150 basis)	500 Gms	4100
		Used for the isolation of enterococci in foodstuffs.					For the differentiation and identification of	ooo amo	4100
50136	_	Kanamycin Esculin Azide Broth	100 Gms	4000			gram-negative bacilli based upon the		
		Base					fermentation of dextrose and lactose and		
		Recommended for selective isolation and					production of H2S. For identification of		
		identification of group D Streptococci in foodstuffs			25844	J	Pseudomonas species. Kligler Iron Agar BioVeg	100 Gms	1000
60649	ı	Kanamycin Sulphate Selective	5 vl	1400	25044	Ť	Kligier Holl Agui Bloveg	500 Gms	3700
		Supplement (10mg/vI)					For the differentiation and identification of		0,00
		Used for the selective isolation and cultivation of Enterococci.					gram-negative bacilli based upon the		
96343	_	Kaper`s Medium	100 Gms	1300			fermentation of dextrose and lactose and		
30040			500 Gms	5200		. 4	production of H2S.	400.0	
33613	_	Kenknight and Munaier`s Medium	100 Gms	1300	44000	•	Kohn Two Tube Medium No. 1 Base	100 Gms 500 Gms	2700 7100
00010			500 Gms	5100			Kohn Two Tube Medium No. 2		
		Used for the isolation of Actinomyces			58578	•	Base	100 Gms 500 Gms	6700 24600
		species from soil samples.			05070		Koser Citrate Medium		
75772	~	Ketogluconate Broth	100 Gms	1300	65373	•	Roser Citrate Medium	100 Gms 500 Gms	1000 3600
			500 Gms	3800			For the differentiation of Escherichia coli	300 ams	3000
64342	~	KF Streptococcus Agar Base (100 Gms	1100			and Enterobacter aerogenes based on		
		АРНА)	500 Gms	4500			citrate utilization.		
		For the selective cultivation and			77760	•	Kundrat Agar	100 Gms	1400
00047	<u> </u>	enumeration of faecal streptococci.	100 Cma	1000				500 Gms	5000
66947	•	KG Agar Base	100 Gms 500 Gms	1600 5600	70663		KV Supplement	5 vl	1900
		Recommended medium for promoting fast			52911	~	Lachica`s Medium Base	100 Gms	4400
		and free sporulation to differentiate							
		between Bacillus cereus and Bacillus					Lactalbumin Hydrolysate BactoBio	500 Gms	4600
41004		thuringiensis . Kimmig Agar Base	100 0~~	1200	[91079-44-	6]	for bacteriology A hydrolysate obtained by enzymatic		
41924	•	(Fungi Agar Base Kimmig)	100 Gms 500 Gms	1300 5100			digestion of protein, Lactalbumin. It is used		
40000							primarily in the preparation of tissue culture		
42820	5	Kimmig Selective Supplement	5 vl	2400			media, fermentation media, media for the growth of Lactobacilli, Campylobacter sps,		
							DIDWID OF ACTODACIII. CAMPVIODACTEL SDS		

Code	Name		Packing	Price	Code		Name	Packing	Price
24806	L-Lactic Acid (10ml/vl)		5 vl 5 x5 vl	1200 3700	97354	~	Lactose Broth	100 Gms 500 Gms	700 2700
37985	✓ Lactic Agar	usting pH in acidic range.	100 Gms	1800			For the detection of lactose fermenting gram-negative coliforms, as pre-enrichment broth for Salmonella		
	identification	of lactic Streptococci and by pour plate method.			77121	~	species. Lactose Gelatin Medium (ISO Basis)	100 Gms 500 Gms	1100 4100
68888	✓ Lactic Bacter	ia Differential Agar	100 Gms 500 Gms	1300 4800			For the cultivation of Clostridium perfringens.		
84282	Lactic Supple	ement	5 vl	1500	24171	~	Lactose Lecithin Agar	100 Gms 500 Gms	1500 5100
39785	An antibiotic	supplement (50mg/vl) supplement recommended for isolation of Lactobacilli from	5 vl 5 x5 vl	1800 5300	88539 [10039-26 64044-51-		Lactose Monohydrate sterile (gamma irradiated) Lactose monohydrate, Sterile (Gamma Irradiated) is used for Media Fill Runs in dry	500 Gms 5 Kg	1100 9600
79562	Basis)	MRS Agar (ISO isolation and enumeration of	100 Gms 500 Gms	1100 3900	62367	~	injectable in pharmaceutical industry. Lactose Peptone Broth	100 Gms 500 Gms	1100 3700
	lactic acid ba products.This	acteria from meat and meat s medium is in accordance to s given by ISO 13721 : 1995.			71135		Lactose Sulphite Broth Base (ISO Basis)	100 Gms 500 Gms	1100 3800
50871	✓ Lactobacillus Used for the	isolation and enumeration of acteria from meat and meat	100 Gms 500 Gms	1100 4600	70637	•	Lactose TTC Agar (w/ Tergitol 7) (ISO Basis) (Lactose Triphenyltetrazolium Chloride Agar) Selective differential medium for the detection and enumeration of Escherichia coli and coliform bacteria in water using	100 Gms 500 Gms	1100 3900
46812	Dextrose	MRS Broth w/o selective isolation and	100 Gms 500 Gms	1000 3700	92343	~	the membrane filtration method. Lauryl Sulfate Broth w/MUG	100 Gms 500 Gms	1300 4800
47192		of lactobacilli from various uding feces and dairy.	100 Gms	2100	44956	~	Lauryl Sulfate Broth (Lauryl Tryptose Broth) (ISO, BIS Basis) For the selective enrichment and	100 Gms 500 Gms	900
10050	stock culture assays of vita	ation and maintenance of s used in microbiological amins and amino acids.	500 Gms	6100			presumptive detection of coliform bacteria from food, animal feed,water and other materials. This culture medium is in accordance with the specifications given		
18659	Used for isola	ation, cultivation and of lactobacilli.	500 Gms	1300 5000	94906	~	by ISO 4831, ISO 7251 and APHA. Lauryl Tryptose Mannitol Broth w/Tryptophan	100 Gms 500 Gms	1300 4400
66749	✓ Lactobacillus Base (LBS O	Selection Oxgall Agar	100 Gms 500 Gms	1400 4800	10517	~	For the detection of Escherichia coli in water samples. Lead Acetate Agar	100 Gms	1200
49190	lactobacilli.	MRS Broth (MRS	100 Gms 500 Gms	1000 3700			For the cultivation and differentiation of gram negative coliform bacteria based on H2S production.	500 Gms	4400
27750		ation of lactobacilli.	100 Gms 500 Gms	1000	82632	~	Leptospira Medium Base	100 Gms 500 Gms	1100 4200
	Used for the	cultivation of lactobacilli.							

Code	Name	Packing	Price	Code	Name	Packing	Price
59326	✓ Letheen Agar To determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538. ✓ Listeria Enrichment Medium Base	500 Gms	5600	81322	✓ Liver Hydrolysate BactoBio for bacteriology (Peptone from Liver, Liver Peptone) Used as source of nutrients in microbiology culture media.Water soluble; being derived from liver contains relatively high levels of iron.	500 Gms	3100
28685	(UVM Medium) Recommended medium for use in	500 Gms	1600 7300	68861	✓ Liver Infusion Agar (LI Agar)	100 Gms 500 Gms	1100 4000
	qualitative procedures for the isolation of Listeria monocytogenes from food samples.			96453	✓ Liver Infusion Broth (LI Broth)	100 Gms 500 Gms	1000 3400
96310	✓ Listeria Identification Agar Base (PALCAM)	100 Gms 500 Gms	1800 7900	98858	Used for cultivation of Brucella and other pathogenic anaerobic bacteria. ✓ Liver Meat Glucose Cysteine Broth	100 Gms	1300
	Used for isolation of Listeria sp. from clinical and non-clinical samples.				· •	500 Gms	5000
96155	✓ Listeria Motility Medium (ISO Basis)	100 Gms 500 Gms	1200 4600	79612	✓ LM Agar (Meat Liver Agar) Used for the cultivation of anaerobic	500 Gms	4500
15650	& Listeria Moxalactum Supplement	5 vl	1800		microorganisms, specially for the sulphite reducing Clostridia and Clostridium		
76366	✓ Listeria Oxford Medium Base (Oxford Agar) Used for isolation of Listeria species from	100 Gms 500 Gms	1200 5400	69741	perfringens in water and milk. Lowenstein-Jensen Medium Base (LJ Medium)	100 Gms 500 Gms	900
90345	pathological samples. Listeria Selective Supplement (PALCAM) Used for the isolation of Listeria monocytogenes and other species of Listeria from food products.	5 vl	1300		For the cultivation and differentiation of Mycobacterium species. This medium is also used for cultivation and maintenance of Gordona species, Nocardia species, Rhodococcus species and Tsukamurella paurometabolum.		
51864	Listeria UVM Supplement I	5 vl	1200	27888	✓ LPM Agar Base	100 Gms	3500
72547	& Listeria UVM Supplement II	5 vl	1200		Used for isolation and cultivation of Listeria monocytogenes from food and dairy products.		
59797	✓ Litmus Lactose Agar For the differentiation of lactose fermenting and non-lactose fermenting bacteria.	100 Gms 500 Gms	1200 4500	46502	 ✓ Luria Bertani Agar, Lennox (Luria Agar, LB Agar, Lennox) Used for maintaining and cultivating 	100 Gms 500 Gms	1100 4200
96658	✓ Litmus Milk (Litmus SM Broth) For the maintenance of Lactobacilli and the differentiation of several bacteria, based on their action on milk.	100 Gms 500 Gms	1200 4200	47436	recombinant strains of Escherichia coli. Luria Bertani Agar, Miller Used for maintaining and propagating Escherichia coli in molecular microbiology	100 Gms 500 Gms	1000 4000
50037	✓ Liquoid Broth	100 Gms 500 Gms	1300 4400	14593	procedures. ✓ Luria Bertani Broth, Lennox (Luria	100 Gms	1000
54004	✓ Littman Oxgall Agar Base	100 Gms 500 Gms	1300 4600		Broth) (Luria Broth, LB Broth, Lennox) Used for maintaining and propagating	500 Gms 2 Kg	3600 11500
87566	✓ Liver Extract Powder BactoBio for bacteriology	500 Gms 5 Kg	2000 16400		Escherichia coli in molecular biology procedures.		
	Nutritive characteristic are good in Liver extract so used for cultivation of anaerobic bacteria such as Brucellae and Clostridia, also used for cultivation of pathogenic bacteria.			29817	✓ Luria Bertani Broth, Miller (LB Broth, Miller) Used for maintaining and propagating Escherichia coli in molecular microbiology	100 Gms 500 Gms 2 Kg	1000 3600 11500

Code	Name	Packing	Price	Code	Name	Packing	Price
40826 17320	✓ Luria Bertani Agar, Miller BioVeg (LB Agar, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures. ✓ Luria Bertani Broth, Miller BioVeg	100 Gms 500 Gms	1000	76875	For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on the ability to ferment lactose.	100 Gms 500 Gms	900 3500
	(LB Broth, Miller BioVeg) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	500 Gms 2 Kg	3600 11500	96871	✓ MacConkey Agar BioVeg For the selective isolation, cultivation and differentiation of coliforms and enteric pathogens based on ability to ferment lactose.	100 Gms 500 Gms	900 3500
97970 22006	✓ Luria Bertani Agar w/o Sodium Chloride Used for maintaining and propagating Escherichia coli in molecular microbiology procedures. ✓ Luria Bertani Broth w/o Sodium	100 Gms 500 Gms	1400 4800	37775	✓ MacConkey Agar, Harmonized Used for the selective isolation and differentiation of Escherichia coli and coliform bacteria in pharmaceutical testing	100 Gms 500 Gms	900 3500
22006	Chloride (LB Growth Medium w/o Sodium Chloride) Used for maintaining and propagating Escherichia coli in molecular microbiology procedures.	500 Gms	4000	80302 71117	according to harmonized methods. ✓ MacConkey Agar w/ MUG ✓ MacConkey Agar (BIS Basis)	100 Gms 500 Gms 100 Gms	1600 6500 900
90769	✓ Lysine Arginine Iron Agar (LAI Agar) For the cultivation and differentiation of bacteria based on their ability to decarboxylate lysine, arginine and produce H2S.Recommended by APHA for isolation and identification of Yersinia from milk and	100 Gms 500 Gms	1000 3600	83870 26823	✓ MacConkey Agar Base ✓ MacConkey Agar Medium For the isolation and differentiation of enteric bacteria on the basis of lactose	500 Gms 100 Gms 500 Gms 100 Gms 500 Gms	900 3500 1000 3600
16624	milk products. ✓ Lysine Decarboxylase Broth w/o Peptone (ISO Basis)	100 Gms 500 Gms	900 3400	95199	fermentation and also for isolation of Faecal streptococci. MacConkey Agar, Modified	100 Gms	3200
	For distinguishing Salmonella serotype Arizonae from the Bethesda Ballerup group of Enterobacteriaceae.			98384	✓ MacConkey Agar w/ Bromothymol Blue	100 Gms 500 Gms	1100 3900
71125	For the differentiation of enteric organisms, especially Salmonella, based upon lysine decarboxylation/ deamination and H2S production.	100 Gms 500 Gms	1000 3400	58370	 ✓ MacConkey Agar w/ 0.15% Bile salts, C.V. and NaCl (USP Basis) Selective medium for gram-negative organisms by suppressing the growth of a number of gram positive bacteria. 	100 Gms 500 Gms	900 3800
82502	 ✓ M2 Agar A semisynthetic culture medium, used as a general purpose plate count agar. 	100 Gms 500 Gms	1200 4500	33759	✓ MacConkey Agar w/o C.V., w/ 1.2% Agar For the selective isolation and differentiation of enteric bacteria on the basis of lactose fermentation.	100 Gms 500 Gms	1100 4100
13297	✓ M17 Agar Base For improved growth of lactic streptococci and their bacteriophages. ✓ M17 Broth Base	100 Gms 500 Gms	1200 4400 1000	50372	✓ MacConkey Agar w/o C.V., NaCl w/ 0.5% Sodium Taurocholate Differential medium for detection and isolation of enteric organisms by restricting the swarming of Proteus species.	100 Gms 500 Gms	1300 4100
	For improved growth of lactic streptococci and their bacteriophages.	500 Gms	4000	79447	✓ MacConkey Agar w/o C.V. w/ 0.15% Bile Salts	100 Gms 500 Gms	900 3100

Code		Name	Packing	Price	Code	Nam	ne	Packing	Price
64300	•	MacConkey Agar w/o C.V. w/ 0.5% Bile Salts	100 Gms 500 Gms	900 3600	98664	✓ Mac Agar	Conkey Sorbitol Agar (Sorbitol ')	100 Gms 500 Gms	1400 4600
		For isolation and detection of coliforms and enteric pathogens.					the isolation and identification of ogenic Escherichia coli.		
64024	~	MacConkey Agar w/o C.V., NaCl, w/ 0.0075% NR, 1.2% Agar BioVeg	100 Gms 500 Gms	1000 3500	57340		Conkey Sorbitol Agar Base Basis)	100 Gms 500 Gms	1300 4500
64030	~	MacConkey Agar w/o C.V., NaCl w/ 0.5% Bile Salts	100 Gms 500 Gms	900 3600		Esch	the selective isolation and detection of nerichia coli 0157:H7 from food and nal feeds stuff.		
72074	~	MacConkey Agar No.3	100 Gms 500 Gms	1300 4200	99130		nchite Green Broth	100 Gms 500 Gms	1100 3500
		For the selective isolation, cultivation and differentiation between coliforms and non -lactose fermentors.					d for cultivation of Pseudomonas ginosa.	300 dilis	3300
74726	~	MacConkey Broth (MacConkey Broth w/ Neutral Red)	100 Gms 500 Gms	900	51517	✓ M-Bı	rilliant Green Broth	100 Gms 500 Gms	1300 4200
		For the selective isolation and cultivation of coliforms in milk and water.				diffe	the selective isolation and rentiation of Salmonella from polluted by the membrane filter method.		
44448	•	MacConkey Broth, Harmonized	100 Gms 500 Gms	900 3000	10054	✓ МсВ	ride Listeria Agar Base	100 Gms 500 Gms	1300 5100
		Used for the identification of coliforms in pharmaceutical testing according to harmonized methods.				of Li	lerately selective medium for isolation steria monocytogenes.		
54056	~	MacConkey Broth w/ Neutral Red (BIS Basis)	100 Gms 500 Gms	900	70317		ride Listeria Supplement	5 vl	1500
20309	~	MacConkey Broth Double Strength w/ Neutral Red	100 Gms	800	50642	♥ IVICC	lung Toabe Agar Base	100 Gms 500 Gms	1300 5200
		For the selective isolation and cultivation of coliforms in milk and water from large	500 Gms	2800	87015	✓ M-E	C Test Agar	100 Gms 500 Gms	1200 4200
		samples.			66805	✓ M-Er	ndo Agar LES	100 Gms 500 Gms	1100 4000
92933	•	,	100 Gms 500 Gms	900 3500			the enumeration of coliform in water by membrane filter method.	300 3 5	4000
		For detecting and enumerating lactose fermenting enteric bacteria from milk and water by the membrane filter method.			57906	✓ M-Er	ndo Broth	100 Gms 500 Gms	1100 4100
42944	~	MacConkey Broth Purple	100 Gms 500 Gms	900 3100	33919	✓ M-Er	nrichment Broth	100 Gms 500 Gms	1100 4100
		Selective medium for isolation and cultivation of coliforms in milk and water.			52295	✓ M-FO	C Agar Base	100 Gms 500 Gms	1300 5100
38989	~	MacConkey Broth Purple w/BCP (ISO Basis)	100 Gms 500 Gms	800 2800			the cultivation and enumeration of all coliforms by membrane filter		
90084	~	MacConkey Broth Purple w/BCP (IP Basis)	100 Gms 500 Gms	800 2800	76439		nique at elevated temperatures. C Broth Base	100 Gms	1300
51545	V	MacConkey Broth Purple w/BCP	100 Gms	800				500 Gms	4200
		(BIS Basis) For presumptive identification of coliforms	500 Gms	2800	51072		PC Agar Base erotrophic Plate Count Agar, Base)	100 Gms 500 Gms	1100 4500
57608	•	'	100 Gms	1000		hete	the cultivation and enumeration of rotrophic organisms from potable		
		Strength w/ BCP For the primary isolation of coliforms from	500 Gms	3400			er sources, swimming pools and other er specimens by the membrane filter		
		large water and wastewater samples.			14750		auryl Sulfate Broth (ISO Basis)	100 Gms	1300

Code		Name	Packing	Price	Code	Name	Packing	Price
21051	~	M-Staphylococcus Broth	100 Gms	1100	48939	✓ Mannitol Nitrate Motility Medium	100 Gms	1100
			500 Gms	3700			500 Gms	3800
		Used for detection and isolation of				Used for the rapid identification of		
		Staphylococci by memebrane filter				Enterobacteria based on motility, mannitol		
F141C	<u> </u>	technique. MLCB Agar Mannitol Lysine Crystal	100 Cms	1000	00000	utilization and nitrate reduction. ✓ Mannitol Salt Agar (USP Basis)	100 Gms	000
51416	•	Violet Brilliant Green Agar	100 Gms 500 Gms	1300 5000	60062	wallillor Salt Agai (USF Basis)	500 Gms	900
		(Mannitol Lysine Agar)	500 GITIS	5000		Lload for the coloctive isolation, cultivation	500 GIIIS	3100
99505	•	Malonate Broth	100 Gms	4400		Used for the selective isolation, cultivation and enumeration of staphylococci from		
		Lload for differentiation Enterphanter and				clinical and non-clinical specimens. This		
		Used for differentiating Enterobacter and Escherichia coli based on malonate				medium is recommended in U.S.P. for use		
		utilization.				in the performance of microbial limit test.		
76507	~	Malt Agar	100 Gms	1500	23626	✓ Mannitol Salt Agar, Harmonized	100 Gms	900
			500 Gms	5800			500 Gms	3100
		For the cultivation of yeasts and molds.				Used for the isolation and cultivation of		
84980	V	Malt Extract Agar	100 Gms	1300		staphylococci in pharmaceutical testing		
0.000			500 Gms	5000		according to harmonized methods.		
		For the isolation, cultivation and		5555	55066	✓ Mannitol Salt Broth	100 Gms	1000
		enumeration of yeasts and molds.					500 Gms	3400
42936	~	Malt Extract Agar Base, Modified as	100 Gms	1400		Used for the selective isolation and		
		per Thom and Church	500 Gms	5300	05511	cultivation of staphylococci. ✓ Marine Agar 2216 (Zobell)	100 Gms	1000
		Used for isolation, detection and			25511	waine Agai 2216 (20bell)	500 Gms	1300
		enumeration of yeast and molds				Used for cultivation of heterotrophic marine	500 GIIIS	5100
83358	~		500 Gms	1300		bacteria.		
[8002-48-	-0]	bacteriology	5 Kg	12000	54174	✓ Marine Broth 2216 (Zobell)	100 Gms	1200
		Malt extract contain high concentration of					500 Gms	4800
		carbohydrates particularly maltose. It also				Used for cultivation of heterotrophic marine		
		provides an acidic environment, carbon, protein and nutrients for the isolation and				bacteria.		
		cultivation of yeasts and molds, restricting			34832	✓ Maximum Recovery Diluent	100 Gms	1100
		the growth of bacteria and also for the					500 Gms	3600
		cultivation of yeasts and molds.				Physiologically isotonic and protective		
67973	~	Malt Extract Broth Base	100 Gms	1400		medium for maximum recovery of		
			500 Gms	5500		microorganisms from a variety of sources.		
40828		D-Mannitol Sterile (Gamma	500 Gms	3800	78784	✓ Meat Extract BactoBio for	500 Gms	3000
[69-65-8	3]	Irradiated)	5 Kg	34900	[100085-61	-8] bacteriology	5 Kg	25600
		For use in microbiological applications				Meat extract,manufactured from lean meat		
		using D-Mannitol (gamma irradiated) and				used to complement nutritive properties of		
		in Media Fill Runs in dry injectables.				peptone.		
48330	~	Mannitol Agar w/ Prilion	100 Gms	5100	70117	✓ Meat Extract Powder BioVeg BactoBio for bacteriology	500 Gms	2700
			500 Gms	19700			5 Kg	20800
75485	~	Mannitol Lysine Agar	100 Gms	1200		Meat extract, (animal free) manufactured from vegetable/plant source, is used to		
			500 Gms	4700		complement nutritive properties of		
62331	~	Mannitol Selenite Broth Base	100 Gms	1300		peptone. It is equivalent to animal based		
		(Selenite Mannitol Broth)	500 Gms	5100		Meat extract. Its distribution of various		
92493	~	Mannitol Motility Test Medium	100 Gms	1200		peptides meets the requirements for		
50		•	500 Gms	3900		replacing Meat extract (animal based) to		
		Used for the determination of motility and			47505	yield optimum growth of microorganisms.	100 0	1000
		mannitol fermentation.			17585	✓ Meat Extract w/ Peptone (Pepted Meat Broth)	100 Gms	1200
						(p.100 mout 5.0m)	500 Gms	4400

Code		Name	Packing	Price	Code		Name	Packing	Price
11980	•	bacteriology A highly nutritious, enzymatic digest of lean meat. Used as a ingredient in various general purpose media for cultivation and	500 Gms	3100	88736	•	MIO Medium (Motility Indole Ornithine Medium) For differentiation of Enterobacteriaceae based on their motility, indole production and ornithine decarboxylase activity.	100 Gms 500 Gms	1100 4200
91980	~	isolation of wide variety of microorganisms. Meat Peptone Type P BactoBio for bacteriology It is obtained by proteolytic digestion of meat with pepsin to retain nutritive properties of peptone. Suitable for growth of fastidious microorganisms.	500 Gms	4100	16309		Mitis Salivaris Agar Base Selective medium for the isolation of streptococci and enterococci from clinical specimens. MIU Medium Base (Motility Indole	500 Gms	4800 1300
11828	~	-	500 Gms	4200			Used for detecetion of motility, urease and indole production.	500 Gms	4700
28238	~	cultivation of microorganisms for production of antibiotics, vitamins, enzymes etc.	100 Gms 500 Gms	1200 5500	79667	•	M-TEC Agar Recommended medium for isolation, differentiation and enumeration of Escherichia coli from water by membrane filtration.	100 Gms 500 Gms	1300 4500
63261		For the preparation of inocula in microbiological assay and cultivation of lactobacilli. Microbial Content Test Agar	100 Gms	1600	62811	~	M-Nutrient Broth For enumerating bacteria by membrane	100 Gms 500 Gms	1300 4000
61200		Milk Agar (Modified Plate Count Agar) For differentiation of Enterobacteriaceae based on their motility, indole production	500 Gms 100 Gms 500 Gms	1600 6500 1400 5200	85769	~	filter technique. Modified Rappaport Vassiliadis Medium Used as a selective enrichment medium for the isolation of Salmonella species from food and environmental specimens.	100 Gms 500 Gms	1400 5000
18789	~	and ornithine decarboxylase activity.	100 Gms 500 Gms	1400 5700	82453	~	Modified Skim Milk Agar (Modified SM Agar) For cultivation and enumeration of microorganisms encountered in dairy industries.	100 Gms 500 Gms	1900 5600
93957	V	samples. Milk Medium w/Reducing Agent (Modified Litmus Medium	100 Gms	1100	89414	~	Modified Tergitol-7 Agar Base (ISO Basis) (Tergitol-7 Agar Base Modified)	100 Gms 500 Gms	1400 5200
17595 20767		w/Reducing Agent) Milk Salt Agar Base (Modified Salt Agar Base for Staphylococci) Minimal Agar, Davis	500 Gms 100 Gms 500 Gms 100 Gms 500 Gms	1400 5000 1400 5400	30066	•	(Decarboxylase Broth Base, Moeller) With the addition of L-Lysine/ L-Arginine/ L-Ornithine used for the differentiation of bacteria on the basis of their ability to	100 Gms 500 Gms	2300 8900
39821	~	Minimal Broth, Davis For the isolation, cultivation and characterization of nutritional mutants of Escherichia coli.	100 Gms 500 Gms	1200 3900	18124	~	decarboxylate the amino acid. Moeller Decarboxylase Broth w/ Lysine Hydrochloride Used for differentiation of bacteria on the basis of their ability to decarboxylate L-lysine hydrochloride.	100 Gms 500 Gms	3100 14700
24911	•	Minimal Broth, Davis w/o Dextrose	100 Gms 500 Gms	1200 3900	27510	~	Moeller Decarboxylase Broth w/ Ornithine Hydrochloride	100 Gms 500 Gms	3200 15200
		Used for isolation and characterization of nutritional mutants of Escherichia coli and Bacillus subtilis.			69483	~	Arginine Hydrochloride	100 Gms 500 Gms	3100 14700
							Used for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.		

Code		Name	Packing	Price	Code		Name	Packing	Price
34452	•	Monsur Medium Base	100 Gms 500 Gms	1100	76135	•	Mueller Kauffman Tetrathionate Novobiocin Broth Base (MKTTn)	100 Gms 500 Gms	1200
68957	•	✓ M9CA Medium	100 Gms	2900			Used for selective enrichment for the isolation of Salmonella, when used with	Joo Gills	4200
		For the cultivation of recombinant strains of	500 Gms	11500			MKTT Novobiocin supplement.		
		Escherichia coli.			29465	•	Mucate Broth	100 Gms	7000
23184	V	M9 Minimal Salts 5X	100 Gms	2000				500 Gms	32300
			500 Gms	6700	38800	~	Mucate Control Broth	500 Gms	3800
		For the cultivation of recombinant strains of Escherichia coli.					Used for identification of enteropathogenic Escherichia coli and Salmonella species		
42853	~	Motility GI Medium	100 Gms	2600			from milk and milk products.		
			500 Gms	10000	49550	V	Mueller Hinton Broth (MH Broth)	100 Gms	1000
90174	~	•	100 Gms	1000				500 Gms	3500
		(Motility Nitrate Medium)	500 Gms	3800				2 Kg	10400
		For the determination of bacterial motility by means of TTC reduction.					For the cultivation of a wide variety of organisms and for antimicrobial		
21740	~	Motility Sulphide Medium	100 Gms	1100			susceptibility testing.		
			500 Gms	4200	24698	ı	MUG EC Broth	100 Gms	2600
		For the determination of bacterial motility						500 Gms	7200
		and the ability of bacteria to produce H2S from L- Cystine.					For detection of Escherichia coli in water and food samples by fluorogenic method.		
64421	V	Motility Test Medium	100 Gms	1100	26834	ı	MUG Supplement (50mg/vI)	5 vl	2300
			500 Gms	4000					
		For the determination of bacterial motility.					A fluoregenic substrate, used for the detection of Escherichia coli.		
17624	~	MPH Agar (Milk Protein	100 Gms	1500	26706	•	Mycological Peptone BactoBio for	500 Gms	3100
		Hydrolysate Agar)	500 Gms	6000			bacteriology	5 Kg	22200
		For the enumeration of bacteria in water and dairy products.					Used as a nutritive source for the isolation,		
14833	_	/ MR-VP Medium (Glucose	100 Gms	800			cultivation and indentification of		
		Phosphate Broth, Buffered Glucose	500 Gms	3000			saprophytic, dermatophytic fungi-yeast and moulds.		
		Broth) (MRVP Broth)			66739	~		100 Gms	1200
		For the differentiation of bacteria based on					Yolk Polymyxin Agar Base) (BIS	500 Gms	4500
		acid production (Methyl Red test) and					Basis) For the isolation and identification of		
		acetoin production (Voges-Proskauer reaction).					pathogenic staphylococci and bacilli.		
14443	~	·	1 Kit	4200	74997	V	MYP Agar Base (Phenol Red Egg	100 Gms	1200
		(Pre-Weighed Media)					Yolk Polymyxin Agar Base) (ISO Basis)	500 Gms	4500
		Used for isolation, idetification and cultivation of a wide variety of					For isolation and identification of		
		microorganism.					pathogenic staphylococci and bacilli.		
24756	~	✔ Mueller Hinton Agar (MH Agar)	100 Gms	1000	67124	ı	Nalidixic Selective Supplement (15mg/vl)	5 vl	1300
			500 Gms	3800			Used for the selective isolation of		
			2 Kg	12400			Pseudomonas aeruginosa.		
		For antimicrobial susceptibility testing of a			77316	ı	Neomycin Supplement (30mg/vl)	5 vl	1300
		variety of microorganisms. For the cultivation and maintenance of Moraxella					Used for selective isolation of various		
		osloensis and Neisseria meningitidis.					microorganisms.		
26351	~	Mueller Kauffman Tetrathionate	100 Gms	1000					
		Broth Base	500 Gms	3000					
		An improved enrichment medium for the isolation of Salmonellae and the							
		suppression of Proteus species.							
		suppression or riotous species.							

Code	Name		Packing	Price	Code		Name	Packing	Price
44697	bacteriolog	••	500 Gms	2600	18876	•	Nutrient Agar 1.5% (ISO Basis)	100 Gms 500 Gms	1200 4200
	(Peptone Sp Neopeptor	ne, an enzymatic digest of			84955	~	Nutrient Agar 1.5%	100 Gms	1000
		vell suited for the growth of						500 Gms	4000
	,	cate and fastidious bacteria like					For the cultivation of fastidious		
	-	treptococci. It also facilitates the ent of mucoid colonies of the					microorganisms on addition of appropriate enrichment.		
		Streptococci.			48275	~	Nutrient Agar for Oxidase (ISO	100 Gms	1200
79989	✓ Neutral Re	d Chalk Lactose Agar	100 Gms	1100			Basis)	500 Gms	4200
			500 Gms	4800			For confirmation of presence of oxidase in		
65466	✓ NIH Agar		100 Gms	1000			microorganisms in water.	400.0	
			500 Gms	4200	75435	•	Nutrient Agar w/ Manganese	100 Gms 500 Gms	1100
23527	✓ Nitrate Aga	ar	100 Gms	1500			Notation American (MIII)		4100
	For the diff	ferentiation of aerobic and	500 Gms	6300	73153	•	Nutrient Agar w/MUG	100 Gms 500 Gms	2300
		Gram-negative organisms					Used for the detection of Escherichia coli	500 GIIIS	8900
		their ability to reduce nitrate.					by fluorogenic procedure especially from		
48541	✓ Nitrate Bro	th (ISO, BIS Basis)	100 Gms	1100			water and food samples.		
			500 Gms	4200	50427	~	Nutrient Agar w/ 1% Peptone	100 Gms	1000
	For the diff	ferentiation of aerobic and						500 Gms	3500
		gram negative organisms based					A general purpose medium used for the		
		ility to reduce nitrate.The in accordance to ISO 7932					cultivation of a wide variety of		
	:1993.	in addordando to 100 7002					microorganisms, by addition of blood or other biological fluids.		
44388	✓ Nitrofurant	oin Broth Base	100 Gms	1200	70955		Nutrient Agar No. 2 (BIS Basis)	100 Gms	1000
			500 Gms	4700				500 Gms	3900
	Pseudomo	ne enrichment and isolation of onas species.					Used for the cultivation and maintenance of a wide variety of bacteria.		
34350	Non-Spore	Anaerobic Supplement	5 vl	1600	17137	•	Nutrient Agar No. 2	100 Gms	1000
	Used for	selective isolation of non-sporing						500 Gms	3900
	anaerobic	bacteria.					For the cultivation and maintenance of a		
31601	Novobioci		5 vl	2000	58561		wide variety of bacteria. Nutrient Agar, pH 6.8	100 Gms	1100
	Supplemer	nt(40mg/vi) nded for selective enrichment			30301	·	Nutrient Agai, pri 0.0	500 Gms	3900
		on of Salmonellae.					For the cultivation and enumeration of	500 Gm3	3900
18352	Novobioci	n Supplement(5mg/vl)	5 vl	1400			organisms in water, sewage, faeces and		
			5 x5 vl	3800			other materials.		
	Used to er	nhance inhibition of			96434	~	Nutrient Agar, pH 7.0 (ISO Basis)	100 Gms	1100
	Gram-pos	itive organisms.						500 Gms	4100
63971	✓ Nutrient Aç	gar	100 Gms	900			For the cultivation of a wide variety of		
			500 Gms	3500			microorganisms,including Salmonella species. This medium is in accordance to		
		Itivation and maintenance of a by of microorganisms.					specifications given by ISO 6579, ISO		
18953	✓ Nutrient Aç	gar (ISO Basis)	100 Gms	1000			10273 and ISO 21528.	40	
			500 Gms	3700	38009	•	Nutrient Agar, pH 7.0 (BIS Basis)	100 Gms	1100
	For the cul	ltivation and maintenance of a						500 Gms	4100
		y of microorganisms.			67948	•	Nutrient Agar pH 6 w/ 0.8 % NaCl	100 Gms	1100
73478	✓ Nutrient Aç	gar BioVeg	100 Gms	900			Nichtona Dunale	500 Gms	4000
	Canari	urnana (animal aziain fi)	500 Gms	3500	55427	•	Nutrient Broth	100 Gms	800
		urpose (animal origin free)						500 Gms	2800
	•	or the cultivation of micro					For the cultivation and maintenance of a		

Code		Name	Packing	Price	Code	Name	Packing	Price
39905	•	Nutrient Broth BioVeg An animal origin free media, for the	100 Gms 500 Gms	800 2800	14427	 ✔ Orange Serum Agar Used for the isolation and enumeration of 	100 Gms 500 Gms	1300 4700
		cultivation and maintenance of a wide variety of microorganisms .				spoilage organisms of citrus products and for examining fruit beverages.		
97327	~	Nutrient Broth No. 2	100 Gms	800	57925	✓ Orchid Agar	100 Gms	1300
			500 Gms	3000			500 Gms	5200
		For the cultivation and maintenance of less fastidious bacteria.			34235	✓ Ornithine Decarboxylase Broth	100 Gms	3500
63679	~	Nutrient Broth w/ 1% Peptone (BIS Basis)	100 Gms	800		Recommended medium for the differentiation of		
		Used as a general purpose culture medium.	500 Gms	3000		gram-negative enteric bacilli based on ornithine decarboxylation.		
93063	•	Nutrient Broth w/ 1% Peptone (IP, BP Basis)	100 Gms	800	14792	✓ L-Ornithine Decarboxylase Broth (ISO Basis)	100 Gms	3600
		For microbial limit test and sterility testing.	500 Gms	3000	42167	Ottaviani-Agosti Selective Supplement (ISO basis)	5 vl	2400
66363	~	Nutrient Broth, pH 6.9 w/o NaCl	100 Gms	800	57253	Oxacillin Resistant Selective Supplement	5 vl	1500
		A general purpose medium for cultivation	500 Gms	3000		Recommended for screening of oxacillin resistant microorganisms.		
94007	_	of a wide variety of microorganisms. Nutrient Broth w/ 1% Yeast Extract	100 Gms	1100	99455	✓ Ox Bile (Ox Gall) Powder BactoBio	100 Gms	4500
34007			500 Gms	4000		for bacteriology	500 Gms	21300
		For the cultivation and maintenance of a wide variety of microorganisms.				Dehydrated ox bile, used is preparation of microbiological culture media as a selectively inhibitory agent.lt inhibits		
22583	V	Nutrient Gelatin	100 Gms	1000		bacteria not growing in enteric environment		
		For detection of gelatin liquefaction by	500 Gms	3400		and favours growth of enteric microorganisms.		
		proteolytic microorganisms			42116	Oxford Listeria Supplement	5 vl	1900
50540	~	N Z Broth	100 Gms 500 Gms	6000		Used for selective isolation of Listeria		
73438	_	Oatmeal Agar	100 Gms	10200		species.		
73436	•	<u>.</u>	500 Gms	1200 5500	51521	Oxytetra Selective Supplement (50mg/vi)	5 vl 5 x5 vl	1100 3400
		Used for the cultivation of fungi,particularly for macrospore formation.				Used for the selective isolation of yeasts and moulds.		
		Oatmeal Powder BactoBio for bacteriology	100 Gms 500 Gms	1100 5200	35973	✓ Pagano Levin Base (Pagano Levin Candida Test Medium)	100 Gms	1000
		Oatmeal powder is obtained from oat		3233			500 Gms	3600
		grains and manufactured under controlled			39992	✓ Pantothenate Culture Agar	100 Gms 500 Gms	1800 7900
		conditions. It is highly nutritious source for growth of fungi in media.			50769	✓ PE 2 Medium	100 Gms	1300
83951	V	OF Basal Medium	100 Gms	1000	55.55		500 Gms	4500
			500 Gms	3800	89858	PEMBA Supplement (10KU/vI)	5 vl	1100
		For use with added carbohydrate for			05000	✓ Dentone RectoDie for heaterislam	E00 C	1000
		differentiation of gram negative microorganisms based on			95292 [73049-73-	✓ Peptone BactoBio for bacteriology7]	500 Gms 5 Kg	1900 16400
		oxidation-fermentation patterns.					25 Kg	71900
13566	•	OGYE Agar Base (Oxytetracycline Glucose Yeast Extract Agar Base)	100 Gms 500 Gms	1500 4200		Used in various general and diagnostic media, also for large-scale production of		
		With added Oxytetracycline used for selective isolation of yeast and molds in foods.				enzymes, vaccines, antibiotics, etc. Peptic digest of animal tissue also used in microbiological culture media.		

Code		Name	Packing	Price	Code	N	Name	Packing	Price
51960	~	Peptone BioVeg BactoBio for bacteriology	500 Gms 5 Kg	2400 18800	70376		Peptonized Milk (Peptonized SM Powder) BactoBio for microbiology	100 Gms 500 Gms	1100 3500
		Peptone derived from vegetable/plant source; is alternative to traditional animal based peptones. It contains polypeptides and amino acids which provides readily available source of nitrogen and minerals for the growth of bacteria and fungi.	10 Kg	36300		fa p fr c is	Peptonized milk is an enzymatic digest of at free milk solids. It contains peptones, polypeptides and amino acids derived from milk protein as well as other nutritive components of skim milk. Used for solation and cultivation of Lactobacilli and Streptococci, especially in dairy products.		
29002	~	Peptone BioVeg Sterile for bacteriology (Gamma Irradiated)	100 Gms 500 Gms	900 3400	17511		Peptonized Milk Agar (Peptonized BM Agar)	100 Gms 500 Gms	1400 5500
		Peptone, derived from vegetable source of protein, which is gamma irradiated (Sterile). Recommended for use in manufacturing of vaccines, enzymes, antibiotics, etc.			66916	F	Perfringens Agar Base (O.P.S.P.) For presumptive identification of Clostridium perfringens in foods.	100 Gms 500 Gms	1400 5200
23136	~	Peptone Granulated BactoBio for	500 Gms	3000	11976	å P	Perfringens Supplement-I (50mg/vI)	5 vl	1100
		bacteriology A peptic digest of animal tissue used in	5 Kg	28200			Used for selective isolation of Clostridium perfringens	5 x5 vl	2800
	f 672 ✓ I	various general and diagnostic media also for large scale production of enzyme, vaccines, antibiotics, etc.			62598		Perfringens Supplement-II	5 vl 5 x5 vl	1400 3700
95672	~	Peptone Special BactoBio for bacteriology	500 Gms 5 Kg	2700 24300			Jsed for selective isolation of Clostridium perfringens.		
	1	Peptic digest of animal tissue used in	10 Kg	45000	92096		Perfringens S.F.P. Supplement(6.F.P. Supplement)	5 vl 4 x5 vl	1300 4200
		microbiological culture media.	400.0				Used for the selective isolation of clostridium perfringens.		
65059	•	Peptone Iron Agar	100 Gms 500 Gms	2500 6700	55688		Perfringens T.S.C. Supplement	5 vl	1400
		For the cultivation and differentiation of microorganisms based on their ability to produce H2S.				L	T.S.C Supplement) (200mg/vl) Used for selective isolation of Clostridium operfringens.	4 x5 vl	3900
21025	~	Peptone Sorbitol Bile Broth	100 Gms 500 Gms	1400 4700	23504	✓ P	Pikovskaya`s Agar	100 Gms 500 Gms	1200 4700
55010	~	Peptone Water	100 Gms 500 Gms	900			Used for the detection of phosphate solubilizing soil microorganism.		
		For the cultivation of non-fastidious microorganisms, for carbohydrate	300 dilis	3000	52133	✓ P	Pikovskaya`s Broth	100 Gms 500 Gms	1100 4600
		fermentation tests and also for performing the indole tests.					Used for detection of phosphate colubilizing microorganisms.		
11522	~	Peptone Water BioVeg	100 Gms 500 Gms	1000 3500	59048	✓ P	Phenol Red Agar Base	100 Gms 500 Gms	1200 4400
		General purpose growth medium and as the base of carbohydrate fermentation					For the determination of fermentation eaction.		
		media.			14517	✓ P	Phenol Red Broth Base	100 Gms	1300
56562	•	Peptone Water w/ Phenol Red	100 Gms 500 Gms	900 3500			For the study of carbohydrate	500 Gms	3700
		For cultivation of non-fastidious microorganisms and as a base for			79054		ermentations. Phenol Red Dextrose Broth	100 Gms	1100
		carbohydrate fermentation tests.						500 Gms	4200
38357	~	0.1% Peptone Salt Solution Dehydrated	100 Gms 500 Gms	1200 3100					
		Recommended as a diluent ,in certain test methods of food, dairy and water samples.		2.00					

Code	Name	Packing	Price	Code		Name	Packing	Price
35850	✓ Phenol Red Lactose Broth Used for determination of fermentation of	100 Gms 500 Gms	1200 4200	21699		Plate Count Agar (ISO Basis) (Standard Methods Agar) Recommended medium for detecting plate	100 Gms 500 Gms	1200 5000
	lactose in the differentiation of microorganisms.					counts of microorganisms in food, water and waste water .The formula conforms to		
15572	✓ Phenol Red Tartrate Agar (Jordan Tartrate Agar)	100 Gms 500 Gms	3600 16600			ISO 4833-1&2:2013, ISO 17410:2001, (APHA), (AOAC) and FDA Bacteriological Analytical Manual.		
12168	✓ Phenolphthalein Phosphate Agar	100 Gms 500 Gms	1300 5100	88393		Plate Count Agar (BIS Basis)	100 Gms 500 Gms	1200 4700
92335	 ✓ Phenylalanine Agar (Phenylalanine Deaminase Medium) For the differentiation of enteric gram- 	100 Gms 500 Gms	1200 4800			Used for determination of plate counts of microorganisms in milk and dairy products by pour plate technique or spread plate		
	negative bacilli on the basis of their ability to produce phenyl pruvic acid from phenylalanine.					technique. This medium is in accordance to specifications mentioned in BIS, IS 5402:2012.		
63532	✓ Phenylalanine Malonate Broth (Shaw and Clarke)	100 Gms 500 Gms	5100 11600	78609	•	Plate Count Agar, Special	100 Gms 500 Gms	1900 7400
	Used as a test medium to detect the utilization of malonate and phenylalanine deamination.			45218	~	Plate Count Agar w/ BCP	100 Gms 500 Gms	1300 4700
34115	✓ P.E.A. (Phenylethyl Alcohol) Agar	100 Gms 500 Gms	2700 11900	25496		PM Indicator Agar (Penicillin in Milk Indicator Agar) (Penicillin in Milk Indicator Agar)	100 Gms 500 Gms	1400 4800
	For the selective isolation of gram-positive organisms like Staphylococci and Streptococci.			35980	ı	Polymyxin B Selective Supplement (50KU/vI)	5 vl 5 x5 vl	1100 3600
21418	✓ Phosphate Buffer pH 7.2 (APHA)	100 Gms	900			Used for the selective isolation of various microorganisms.		
	Used for preparation of dilutions and	500 Gms	2500	81798	•	Polysorbate 80 Agar (Twin Pack)	100 Gms 500 Gms	1100 4100
	blanks in the examination of specimens like water, dairy products, foods, etc.			14644	ı	Potassium Lactate 50% (10ml/vl)	5 vl	1600
69049	✓ Phosphate Buffer, pH 8.0	100 Gms 500 Gms	1000 4000			Used for isolation and enumeration of yeasts		
	Recommended for preparation of dilutions and blanks as per methods specified in pharmacopoeia.			12370		Potassium Sorbate 10% (10 ml/vl) Recommended for the detection and	5 vl	1400
10453	✓ Plate Count Agar	100 Gms	1100		_	isolation of acid resistant yeasts.		1000
	For the enumeration of viable bacteria in	500 Gms	4500	91488		Potassium Tellurite 1% Supplement (1ml/vl)	5 vl 5 x5 vl	1000 3100
	milk and dairy products, heterotrophic bacteria in water by pour plate technique.					Used for Selective Isolation for Cornybacteria and Staphylococci.		
52192	✓ Plate Count Agar BioVeg	100 Gms 500 Gms	1100 4500	99482		Potassium Tellurite 3.5% Supplement (1ml/vl) Used for selective isolation of	5 vl	1000
	For the enumeration of viable bacteria in milk and dairy products, heterotrophic			45044		cornybacteria and staphylococci	100 0	1000
	bacteria in water by pour plate technique.			15344	•	Potato Carrot Agar	100 Gms 500 Gms	1300 5400
36879	✓ Plate Count Agar w/MUG	100 Gms 500 Gms	2300 9200			Used to enhance sporulation of a variety of fungi. Also recommended for sporangial production of Phytophthora species.		
				17235		Potato Carrot Broth	100 Gms 500 Gms	1200 5200
						Recommended Broth media for the reproduction of Pyronema domesticum.		

Code	Name	Packing	Price	Code	Name	Packing	Prid
71788	✓ Potato Dextrose Agar (PDA) For the isolation, cultivation and	100 Gms 500 Gms 2 Kg 5 Kg	900 3400 12400 29700	74426	 Presence - Absence Broth (PA Broth) For the detection of coliform bacteria in water from treatment plants or distribution systems using the presence-absence coliform test. 	100 Gms 500 Gms 2 Kg 100 Gms 500 Gms	1100 3800
	enumeration of yeasts and molds from dairy and food products.Used to induce sporulation in many fungi.			41406 [91079-38-	✓ Proteose Peptone BactoBio for		2700 8200
94111	Potato Dextrose Agar (PDA), Harmonized Used for the cultivation of yeasts and molds in pharmaceutical testing according to harmonized methods.	100 Gms 500 Gms	1000 3500		Enzymatic digest of protein, high in proteoses. Used in microbiological culture media and in bacterial toxin production and also in microbiological media for bacteria requiring varying nutritional	219	0201
91338	 ✓ Potato Dextrose Agar (PDA) BioVeg For the isolation, cultivation and enumeration of yeasts and molds from 	100 Gms 500 Gms	900 3400	93788	properties. ✓ Protose BactoBio for bacteriology A specially manufactured biological		1100 3200
63506	dairy and food products. Used to induce sporulation in many fungi. Potato Dextrose Agar w/	100 Gms	1200		ingredient, very high in proteoses. It's composition of various amino acids, along with proteoses and peptones, make it suitable ingredient for fermentation and		
	Chloramphenicol (0.1g/lit) (PDA w/ 0.01% Chloramphenicol) Recommended as a general purpose	500 Gms	4600	90912	vaccine manufacturing process. ✓ Pseudomonas Agar Base (ISO	100 Gms	100
	medium for cultivation and isolation of yeasts and molds from foods, dairy and cosmetics.				Basis) Used for the selective isolation of Pseudomonas species.	500 Gms	420
72704	✓ Potato Dextrose Agar w/2% Glucose and 60% Sucrose (PDA w/2% Glucose and 60% Sucrose) For the isolation of Zygosaccharomyces rouxii from chocolate syrup.	100 Gms 500 Gms	1300 5100	49698	✓ Pseudomonas Agar for Fluorescein For the cultivation and observation of fluorescein production in Pseudomonas		110 390
35208	✓ Potato Dextrose Broth (PDB)	100 Gms 500 Gms	900	80358	species. ✓ Pseudomonas Agar for Pyocyanin	100 Gms	100
	For the isolation, cultivation and enumeration of yeasts and molds from dairy and food products.		0100		(Pseudomonas Agar-P) For the isolation, cultivation and differentiation of Pseudomonas species on	500 Gms	360
74474	✓ Potato Dextrose Broth (PDB) BioVeg	100 Gms 500 Gms	1100 3500	40976	the basis of pyocyanin production. Pseudomonas Asparagine Broth	100 Gms	370
	For the cultivation and enumeration of yeasts and molds.			55523	(APHA) ✓ Pseudomonas Isolation Agar Base		1190
59190	✓ Potato Dextrose Rose Bengal Agar	100 Gms 500 Gms	1000 4400		For the isolation and cultivation of	500 Gms	450
50040	Used for promoting ascospore production. ✓ Potato Infusion Powder (PI	100 Gms	1000	36124	Pseudomonas species. ✓ Pseudomonas Isolation Agar	100 Gms	110
50040	Powder) BactoBio for bacteriology Potato infusion, is a high quality infusion	500 Gms	2900	00124	BioVeg For the isolation and cultivation of	500 Gms	450
	powder for use as an ingredient in microbiological culture media, for enhanced sporulation and growth of fungal microorganisms.			47758	Pseudomonas species. ✓ Pseudomonas Test Kit (Pre-Weighed Media) Used for isolation, identification and	1 Kit	370
13921	✓ Potato Malt Agar	100 Gms	1200	60007	cultivation of Pseudomonas species.	100 Cmc	
		500 Gms	4200	69827	✓ Purple Agar Base	100 Gms 500 Gms	140 570
				98775	✓ Purple Broth Base	100 Gms	110

Code		Name	Packing	Price	Code		Name	Packing	Price
10666	•	Pyridoxine Assay Medium	100 Gms	3900	63380	•	Ringer Salt Solution Powder	100 Gms	1800
		For the microbiological assay of pyridoxine						500 Gms	7500
		using Neurospora sitophila as the test					Used as an isotonic diluent during food,		
		organism.					milk and dairy products microbiological		
29051	~	PYR Agar	100 Gms	1500		0	examination.		
			500 Gms	5500	57672	8	Rosolic Acid Supplement (0.1gm/vl)	5 vl	1400
		Used for the isolation and identification of					Used for the selective isolation of		
		Streptococcus pyogenes.					coliforms.		
50846	~	R2A Agar	100 Gms	1400	76126	V	SA Agar Base	100 Gms	2000
			500 Gms	5000				500 Gms	6100
		Used for enumerating heterotrophic					Used for isolation and differentiation of		
		bacteria from drinking water.					Aeromonas hydrophila from foods based		
34629	~	R2A Agar BioVeg	100 Gms	1300			on starch hydrolysis (as per APHA).		
			500 Gms	5200	99752	~	S. Aureus Test Kit (Pre-Weighed	1 Kit	4200
		Used for enumeration of heterotrophic					Media) Used for isolation, identification and		
		bacteria from drinking water					cultivation of Staphylococcus aureus.		
16437	~	R3A Agar	100 Gms	1600	67506	_	SABHI Agar Base	100 Gms	1500
			500 Gms	5200	07000			500 Gms	4800
		For the cultivation and maintenance of					Used for isolation and cultivation of fungi	ooo amo	4000
		heterotrophic bacteria from potable waters.			44970		Sabouraud Chloramphenicol Agar	100 Gms	1000
39167	~	Rappaport Vassiliadis R 10 Broth	100 Gms	1100	44970	•	Sabourado Chioramphenicor Agai	500 Gms	1200
			500 Gms	4200			For the cultivation of vacate and realds	500 GIIIS	4500
		Used for the selective enrichment of					For the cultivation of yeasts and molds.	100.0	1000
		Salmonella from meat and dairy products,			55941	•	Sabouraud Chloramphenicol Agar BioVeg	100 Gms	1200
		faeces and sewage polluted water.					_	500 Gms	4500
59912	~	Rappaport Vassiliadis Salmonella	100 Gms	1000			For the cultivation of yeasts and molds.		
		Enrichment Broth, Harmonized	500 Gms	3800	19427	•	Sabouraud Dextrose Agar (USP, IP Basis)	100 Gms	900
		Used for selective enrichment of					(Sabouraud Glucose Agar)	500 Gms	3500
		Salmonella species in pharmaceutical					For the cultivation of dermatophytes,		
00440		testing according to harmonized methods.	100 0	1000			yeasts and filamentous fungi.		
22140	~	Rappaport Vassiliadis Soyabean Meal Broth (RVSM Broth)	100 Gms	1300	28055	~	Sabouraud Dextrose Agar	100 Gms	900
			500 Gms	4400				500 Gms	3400
		Used for enrichment and isolation of					Used for the cultivation of dermatophytes,		
40500		Salmonella species.	100.0	1000			yeasts & filamentous fungi.		
18530	•	Razi`s Medium	100 Gms	1300	95430	~	3	50 Gms	4500
			500 Gms	5100			Cycloheximide and Chloramphenicol (Mycobiotic Agar)	100 Gms	8200
78777	~	Reinforced Clostridial Agar	100 Gms	1000			For the selective isolation and cultivation of		
			500 Gms	3800			pathogenic fungi.		
		Used for the cultivation and enumeration of			24613	~	Sabouraud Dextrose Agar,	100 Gms	900
		Clostridium species and other anaerobes					Harmonized	500 Gms	3500
44000		from clinical specimens and foods.	100 0				For the cultivation and isolation of yeasts,		
11999	~	Reinforced Medium for Clostridia, Harmonized	100 Gms	900			molds and aciduric microorganisms in		
			500 Gms	3100			pharmaceutical testing according to		
		Used for the cultivation and enumeration of					harmonized methods.		
		Clostridia in pharmaceutical testing according to harmonized methods.			88999	~	Sabouraud Dextrose Agar BioVeg	100 Gms	900
71467	J	Rhizobium Medium	100 Gms	1500				500 Gms	3500
/ 140/	•	Lobiam mediam	500 Gms				Used for the cultivation of dermatophytes,		
		Used for the cultivation of Rhizobium	JUU GIIIS	4600			yeasts and filamentous fungi.		
		species.							
		opooloo.							

Code	Name	Packing	Price	Code		Name	Packing	Pric
24835	✓ Sabouraud Dextrose Broth, Harmonized	100 Gms 500 Gms	700 2100	79432	~	SDS Agar Base (ISO basis)	100 Gms 500 Gms	1300 5100
	For the cultivation and isolation of yeasts, molds and aciduric microorganisms in pharmaceutical testing according to harmonized methods.					Recommended for isolation and enumeration of Vibrio vulnificus from seafood samples in accordance with APHA, ISO /TS 21872-2 and ISO 11133 :		
64402	✓ Sabouraud Dextrose Maltose Broth	100 Gms	1300			2014.	500.0	
	Used for the cultivation of moulds, yeasts and aciduric organisms as well as testing of antimycotic substances.	500 Gms	5000	87213		Selenite Broth w/ Dulcitol (Twin Pack) Used for enrichment of Salmonella species.	500 Gms	7600
14506	✓ Sabouraud Glucose Broth	100 Gms	600	16709	~	Selenite Cystine Broth Base w/o Selenite	100 Gms	900
	(Sabouraud Dextrose Broth)	500 Gms	1600	38926	~	Selenite F Broth Base w/ Selenite	100 Gms	3500
	For the cultivation of dermatophytes, yeasts and filamentous fungi.			55525		(Twin Pack)	500 Gms	4700
57791	✓ Sabouraud Maltose Agar	100 Gms 500 Gms	1300 4800			With addition of selenite, used for isolation and cultivation of Salmonella species from		
	For the cultivation and maintenance of	ood amb	4000			faeces, dairy products and other specimens		
33387	yeasts, molds and a variety of fungi. ✓ Sabouraud Maltose Broth	100 Gms	1100	83179	~	Selenite F Broth Base w/o Selenite	100 Gms	900
00007		500 Gms	4400			NACH	500 Gms	350
	Used for the cultivation of a wide variety of fungi.					With addition of selenite, used for isolation and cultivation of Salmonella species from		
36370	✓ Saline Agar	100 Gms	1300			faeces, dairy products and other specimens.	500 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms 100 Gms 500 Gms	
	Used for detection of alpha -toxin in	500 Gms	4500	17458	~	Semi-Solid Nutrient Agar (ISO Basis)		120 470
39930	Clostridium perfringens ✓ SS Agar (Salmonella Shigella Agar)	100 Gms	1000	75917	~	Semi-Solid Nutrient Agar (BIS Basis)		120 470
	For the selective isolation and	500 Gms	3800	37963	~	Semi-solid Rappaport Vassiliadis	100 Gms	130
	differentiation of pathogenic enteric bacilli especially Salmonella and Shigella					(MSRV) Medium Base A semi-solid medium used for the	500 Gms	460
	species.					detection of motile Salmonella species from food and environmental samples		
36856	✓ SS Agar, Modified (Salmonella-Shigella Agar,	100 Gms 500 Gms	1200 4500	84809	~	Sensitest Agar	100 Gms	2300
	Modified) (Salmonella Shigella Agar) A modified medium, which provides better					For the performance of antibiotic sensitivity	500 Gms	900
	growth of Salmonella and Shigella species.					test.		
55521	✓ Salmonella Test Kit (Pre-Weighed Media)	1 Kit	2400	11580	•	S.F.P Agar Base (Shahidi Ferguson Perfringens Agar Base)		120 540
	Used for isolation, identification and cultivation of Salmonella species.					Used for the isolation and enumeration of Clostridium perfringens from foods.		
48589	✓ Salt Polymyxin Broth Base (ISO Basis)	100 Gms 500 Gms	1100 4100	94074	~	Shigella Broth Base		120
22887	(Polymyxin Salt Broth) ✓ Salt Polymyxin Broth Base (BIS	100 Gms	1100			Used for the isolation and cultivation of	500 GITIS	420
	Basis)	500 Gms	4100			Shigella species from food.		
58249	✓ Schaedler Agar w/o Thioglycollate (Schaedler Anaerobic Agar w/o Thioglycollate)	100 Gms 500 Gms	1800 5100	45290	¥.	Shigella Selective Supplement (0.55mg/vI) Used for the selective isolation and	5 vl	130
16164	✓ Schaedler Agar (Schaedler Anaerobic Agar)	100 Gms 500 Gms	1200 4600			cultivation of Shigella species.		
	Used for the enumeration of various aerobic and anaerobic bacterial species present in the gastrointestinal tract.	ood and	4000					

Code	Name	Packing	Price	Code	Name	Packing	Price
91694	For the detection and enumeration of enterococci by membrane filtration method.	100 Gms 500 Gms	1200 4600	47404 v	Y Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), Sterile (Gamma Irradiated) Gamma irradiated sterile powder used for the growth of wide variety of bacteria and fungi.	500 Gms	2400
49810	Medium) For the differentiation of members of the Enterobacteriaceae, based on H2S production, indole production and motility.	100 Gms 500 Gms	3700	51993 v	Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) BioVeg (Soyabean Medium BioVeg) For the cultivation of a wide variety of microorganisms.	100 Gms 500 Gms	700 2100
57309	Used for the differentiation of members of the Enterobacteriaceae, based onH2S production, indole production and motility.	500 Gms	1000 3700	44520	' Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB), BioVeg Sterile (Gamma Irradiated) A nutritious general purpose medium, prepared by replacing animal based	500 Gms	2900
59437	For the differentiation of gram-negative bacteria on the basis of citrate utilization.	100 Gms 500 Gms	1000 4100		peptones with vegetable based peptones. It is gamma irradiated sterile powder, used in evaluation of sterility in manufacturing process.		
28582	BactoBio for bacteriology Specially made from Fat free milk,high in protein.Suitable as ingredient in microbiology media.	500 Gms 1 Kg	1200 2200	28501 🔻	Soyabean Casein Digest Medium (SCDM) (Tryptone Soya Broth, TSB) A nutritious general purpose medium used for the growth of a wide variety of bacteria	100 Gms 500 Gms 2 Kg	700 1900 6200
69372	Plate Count Agar) For the enumeration of bacteria in milk and dairy products.	100 Gms 500 Gms	2600 6100	89320 ▼ [8002-43-5]	and fungi. ' Soya Lecithin (30%) BactoBio for bacteriology A natural phospholipid made from	100 Gms 500 Gms	2000 4100
77892	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA),	100 Gms 500 Gms 100 Gms 500 Gms	1500 5400 900 3500	20626 91079-46-8	non-GMO soya beans. Soyatone BactoBio for bacteriology (Soya peptone) Papaic digest of soyabean meal phytone, a	500 Gms 5 Kg	1500 12600
	For isolation and cultivation of fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.	2 Kg	12600		peptone of plant origin. Contains high concentration of carbohydrates and nitrogen constituents, hence making it suitable for growth of fastidious microorganisms.		
33291	✓ Soyabean Casein Digest Agar (SCDA) (Tryptone Soya Agar, TSA)	100 Gms 500 Gms 2 Kg	900 3500 12600		' Special YM Medium ' Spirit Blue Agar	100 Gms 500 Gms 100 Gms	1200 4400
	Used for the isolation and cultivation of fastidious & non fastidious microorganisms.	2 Ng	12000	39778 🔻	For the detection, enumeration and study of lipolytic microorganisms.	500 Gms	1400 5600
10935	(SCDM) (Tryptone Soya Broth, TSB), Harmonized Used for cultivation of a wide variety of	100 Gms 500 Gms 2 Kg	700 1900 6200	54880 🔻	Sporulation Broth Recommended medium for promoting sporulation in Bacillus subtilis.	100 Gms 500 Gms	1100 4000
	fastidious and non-fastidious microorganisms in pharmaceutical testing according to harmonized methods.			31363	For the detection and enumeration of Clostridium perfringens in foods.	100 Gms 500 Gms	1300 4500

Code		Name	Packing	Price	Code		Name	Packing	Pric
14041	•	Standard Methods Agar w /Tween 80 and Lecithin	100 Gms 500 Gms	2800 11000	77304	•	Streptomyces Agar	100 Gms 500 Gms	1200 4600
		For the determination of sterility of surfaces					For the cultivation and maintenance of		
92654	•	Standard Nutrient Agar No.1	100 Gms	1200			Streptomyces.		
			500 Gms	4700	43048	•	Stuart Transport Medium	100 Gms	1500
		Used for the cultivation of fastidious bacteria and also for the isolation and					For the preservation of Neisseria species	500 Gms	6100
		enumeration of bacteria.					and other fastidious organisms during their		
72899	~	Standard Nutrient Agar No.2	100 Gms	1400			transport from clinic to laboratory.		
			500 Gms	5800	14840	~	Sucrose Salicin Agar (Gillies Agar	100 Gms	6200
68818	~	Standard Nutrient Broth (H.S.	100 Gms	1000			No.2)	100.0	4000
		Vaccine Medium)	500 Gms	2800	69237	•	Sugar Free Agar (Count Agar Sugar-free)	100 Gms 500 Gms	1300 4500
		Recommended nutritive medium for mass					For the enumeration of psychotropic and	500 GIIIS	4500
		cultivation of bacteria for vaccine					mesophilic gram- negative rods in butter		
	0	production.					and other dairy products as per formula		
18247	8	Staph-Strepto Selective Supplement	5 vl 5 x5 vl	1800			described by the International Dairy		
		Used for the selective isolation of	5 X5 VI	4200			Federation.	100.0	
		Staphylococcus and Streptococcus.			49778	~	Sulphite Agar (Sulfite Agar)	100 Gms 500 Gms	1600
39726	~	Staphylococcus Medium 110	100 Gms	1100					5000
		(Stone Gelatin Agar, Gelatin Mannitol	500 Gms	3700	84524	•	Iron Sulphite Agar (Sulfite Iron Agar)	100 Gms 500 Gms	1100
		Salt Agar) For the isolation & enumeration of					Used for the detection of Clostridia in the	500 GIIIS	4500
		Staphylococci based on mannitol					examination of meat and meat products.		
		fermentation, pigment formation &			34050		Sulpha Supplement	5 vl	1900
		gelatinase activity.							
37547	~	Starch Agar	100 Gms	1200			Used for the selective isolation of Salmonella species.		
			500 Gms	4700	68041	_	Syncase Broth	100 Gms	1300
		For detection of starch hydrolyzing microorganisms.			00041			500 Gms	5100
78486		Starch Soluble Special (Cold Water	100 Gms	1900	23635	_	T1N1 Agar (Tryptone Salt Agar)	100 Gms	1300
[9005-84-9	9]	Soluble) BactoBio for microbiology	500 Gms	4100	20000		(Tryptone Salt Agar)	500 Gms	4800
		A special grade of Starch, suitable for			65235	_	T1N1 Broth (Tryptone Salt Broth)	100 Gms	800
		media preparations in microbiology since it					, , , , , , , , , , , , , , , , , , ,	500 Gms	3100
		is cold water soluble due to its special preparation method. The solution			15600	_	T.A.T. Broth Base	100 Gms	1000
		characteristics being clear, make it					(Tryptone-Azolectin-Tween Broth Base)	500 Gms	4400
		especially suitable for such use in labs.					Used for the cultivation of microorganisms		
76043	•	Sterility Test Kit (Pre-Weighed	1 Kit	1200			from highly viscous or gelatinous materials.		
		Media)			86626	~	TCBS Agar	100 Gms	1100
		Used for sterility testing of products as per pharmacoepial standards.					(Thiosulphate Citrate Bile Salts Sucrose Agar)	500 Gms	4400
11475		Strepto Supplement	5 vl	1400			For the selective isolation of Vibrio cholerae		
			5 x5 vl	4400			and Vibrio parahaemolyticus from a variety		
		Used for the selection of Streptococcus					of clinical specimens.	100.0	
	_	species.			50165	~	TCBS Agar (BIS Basis) (Thiosulfate Citrate Bile Salts Sucrose	100 Gms	1100
35140		Streptococcus Selective	5 vl	1900			Agar)	500 Gms	4400
		Supplement	5 x5 vl	4500			Used for selective isolation of		
		Used for the selective isolation and			60004		Enteropathogenic Vibrio species. TCBS Agar BioVeg	100 Gms	1000
31025	~	cultivation of Streptococcus species. Streptococcus Thermophilus	100 Gms	1400	68331	•	TCBS Agar BioVeg	100 Gms 500 Gms	1200 4800
1020	•	Isolation Agar	500 Gms	1400 4800			For the selective isolation of Vibrio cholerae	JUJ GIIIS	4000
		Isolation Agar 50 For determining the ratio of Streptococcus	SSS GIIIS	- 5000			and Vibrio parahaemolyticus from clinical		
	F ti	. s. astoniming the ratio of ottopicococcus					specimens.		

Code	Name	Packing	Price	Code	Name	Packing	Price
23746	✓ Tellurite Blood Agar Base	100 Gms 500 Gms	1300 5100	38136	✓ Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium)	100 Gms 500 Gms	1000 2600
	Used for the selective isolation and cultivation of Corynebacterium species.				Recommended medium for cultivation of anaerobes on large scale, especially for vaccine manufacturing.		
15297	▼ Tellurite Cefixime Supplement	5 vl	1500	91690	✓ Thioglycollate Medium w/o	100 Gms	1000
	Used for the selective isolation and cultivation of Escherichia coli 0157:H7				Indicator (Diagnostic Thioglycollate Medium) For the cultivation of anaerobic,	500 Gms	3000
30431	✓ Tellurite Glycine Agar Base	100 Gms	1100		microaerophilic and aerobic microorganisms. For use in sterility testing		
	(T. 11.1-1 D. (DIO.D.)	500 Gms	5200		of a variety of specimens.		
97630	✓ Tergitol- 7 Agar Base (BIS Basis) (T7 Agar)	100 Gms 500 Gms	1200 5400	63270	✓ Thiol Broth	100 Gms	1400
	Used for selective enumeration and	500 GIIIS	5400			500 Gms	4000
	identification of coilform organisms			67819	Ticarcillin Supplement (1mg/vI)	5 vl	1400
67662	✓ Tergitol-7 Agar H Base (T7 Agar H)	100 Gms 500 Gms	1500 6000		Used for enrichment of Yersinia enterocolitica.		
99371	✓ Tergitol-7 Broth	100 Gms	1100	29536	✓ TN Agar	100 Gms	1300
	(T7 Broth)	500 Gms	4400			500 Gms	4800
30086	✓ Terrific Broth (Tartoff-Hobbs Broth)	100 Gms	1000	11483	✓ Todd Hewitt Broth	100 Gms	1000
		500 Gms	3500			500 Gms	3900
	For the cultivation of recombinant strains of Escherichia coli.				For the cultivation of Group A Streptococci used in serological typing and for the cultivation of variety of pathogenic		
40873	Tetracycline Selective Supplement	5 vl	1600		microorganisms.		
	Used for the selective isolation and cultivation of yeasts and moulds.			95197	✓ Toluidine Blue DNA Agar (Dnase Test Agar with Toluidine Blue)	100 Gms 500 Gms	7900 37600
13112	✓ Tetrathionate Broth Base w/o lodine & BG	100 Gms	800	74398	✓ Tomato Juice Agar	100 Gms	1900
	(TT Broth Base) For the enrichment of Salmonella species.	500 Gms	2700		Used for the cultivation of lactobacilli.	500 Gms	5300
81902	✓ Tetrathionate Broth Base (ISO	100 Gms	900	57639	✓ TPEY Agar Base	100 Gms	1300
	Basis) (TT Broth Base)	500 Gms	2700			500 Gms	5100
	Recommended for enrichment of Salmonellae from samples suspected to				Used for the selective isolation and enumeration of		
	be contaminated with Salmonellae in			00544	Staphylococci from food samples.	100.0	
40-0-	accordance with IP.	100.0		33544	✓ Transport Charcoal Medium	100 Gms 500 Gms	1300 5300
13727	✓ TGB Agar (Tryptone Glucose Beef Extract Agar)	100 Gms 500 Gms	1100 4600		For transportation of clinical specimens.	000 00	3000
44521	✓ Thayer-Martin Medium Base	100 Gms	1000	87704	Tributyrin Supplement (10ml/vl)	5 vl	1900
44321	(Thayer-Martin Agar, Modified)	500 Gms	3900			5 x5 vl	7300
	For the isolation of Neisseria species from specimens containing mixed flora of				Used for the detection of lipolytic microorganisms.		
	bacteria and fungi.			30842	✓ Tributyrin Agar Base w/o Tributyrin	100 Gms	1300
86908	✓ Thiobacillus Agar	100 Gms	2000			500 Gms	5200
		500 Gms	6200		For the cultivation and enumeration of lipolytic microorganisms.		
65489	✓ Thioglycollate Agar	100 Gms 500 Gms	1200 4600	12081	✓ Triple Sugar Iron Agar (ISO Basis) (TSI Agar)	100 Gms 500 Gms	900
	Used for the growth and cultivation of				Used for the differentiation of members of	Joo Gilla	3700
	anaerobic microorganisms.				Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.		

Code	Name	Packing	Price	Code	Name Packing	Pric
55720 ✓	Used for the differentiation of Enterobacteriaceae on the basis of fermenting of glucose, lactose, sucrose and H2S production.	100 Gms 500 Gms	900 3700	53226	w/l ecithin and Polycorhate 80	1200 5000
69309 ✓	Used for the differentiation of members of Enterobacteriaceae on the basis of	100 Gms 500 Gms	900 3700		Polysorbate 80 is used for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics.	
00475	fermenting of glucose, lactose, sucrose and H2S production.	100 0	4500	18039	Sodium Chloride (Soyabean 500 Gms Casein Digest Medium (SCDM) w/	1400 2900
80175 ✓	Tryptone Agar BioVeg Used for the detection and enumeration of	100 Gms 500 Gms	1500 5200		NaCl) Used for differentiation between Salt tolerant and salt -intolerant species.	
32007 🗸	Escherichia coli in foods using a modified direct plating method Tryptone BactoBio for bacteriology	500 Gms	0000	21091	Page (ISO Pagie)	1200 4700
[91079-40-2]	••	5 Kg	2300 19800		Recommended medium with added TTC for isolation of Vibrio species.	
	cultivation of fastidious and non-fastidious bacteria and fungi.			20407	SCDA)	900 3500 12600
10396 ✓	Tryptone Bile Agar (ISO Basis)	100 Gms 500 Gms	1200 4800		For the cultivation and maintenance of a wide variety of microorganisms.	1200
	Used for rapid detection and enumeration of Escherichia coli in foods.			32068	(Soyabean Casein Digest Agar, 500 Gms	110 390
62600 ✓	For the cultivation of production of Indole by microorganisms.	100 Gms 500 Gms	800 3100		SCDA) BioVeg For isolation and cultivation of fastidious and non-fastidious microorganisms with or without addition of blood. Semisolid	
11947 ✓	Tryptone Broth BioVeg (Tryptone Water BioVeg)	100 Gms 500 Gms	900 3100		medium recommended for testing of motility of Listeria monocytogenes, as recommended by ISO committee.	
	For the cultivation of production of indole by microorganisms.	100 0		21794	(Sayahaan Casain Digast Agar	1500 6500
	Tryptone Glucose Yeast Extract Broth Tryptone Phosphate Broth	100 Gms 500 Gms 100 Gms	3900 800		Used for the cultivation of fastidious and non fastidious microorganisms by	
40227	For the cultivation of enteropathogenic	500 Gms	3000	24392	fluorogenic procedure. ✓ Tryptone Soya Broth (TSB) 100 Gms (Soyabean Casein Digest Medium, 500 Gms	700
73825 ✓	Escherichia coli. Tryptone Salt Broth	100 Gms 500 Gms	800 3100		SCDM) 2 Kg For the cultivation of a variety of	6200
	Used as diluents to prepare stock solutions of dairy products and other food products, cosmetics products for microbiological analysis.			32347	(Sayahaan Casain Digast Madium	100 370
				16684	✓ Tryptone Soya Broth (TSB) (Soyabean Casein Digest Medium, SCDM) BioVeg For the cultivation of a variety of microorganisms.	700 2100

Code	Name	Packing	Price	Code	Name	Packing	Price
45511 Y	Tryptone Soya Yeast Extract Broth	100 Gms	1100	45989	✓ Tryptose Phosphate Broth BioVeg	100 Gms	1000
		500 Gms	3700			500 Gms	3500
83009	Tryptone Tellurite Agar Base	100 Gms	1200		For the cultivation of a variety of fastidious bacteria.		
		500 Gms	5100	F7409	✓ Tryptose Sulfite Cycloserine Agar	100 Gms	1050
	Tryptone Type I (Casitose)	500 Gms	3100	57498	(TSC Agar) (ISO basis)	500 Gms	1050 5000
[91079-40-2]	BactoBio for bacteriology (Casein Enzymatic Hydrolysate (Type				Used for the detection and enumeration of	333 45	3000
	1))				Clostridium perfringens from food		
	Tryptone Type I is an enzymatic digest of				samples.It is in accordance to		
	milk protein, rich in amino nitrogen source; used in microbiological and fermentation				guidelines mentioned in ISO 7937 ,ISO 11133 and ISO 14189.		
	media.			55052	TTC Solution 1% (10ml/vl)	5 vl	1200
20483	Tryptone Type II (Casitose)	500 Gms	3100	55052	a 110 Solution 178 (TollinyVI)	5 x5 vl	1300 3800
	BactoBio for bacteriology				Used for detecting microorganisms on the	3 X3 VI	3600
	(Casein Enzymatic Hydrolysate (Type II))				basis of TTC reduction.		
	Tryptone Type II is an enzymatic digest of			18339	✓ Urea Agar Base (BIS, ISO Basis)	100 Gms	1300
	lactose free milk protein, rich in amino					500 Gms	4500
	nitrogen source used especially in				Used for the detection of urease		
20125	Antibiotic assay medium.	100 0	1100		production by Proteus species and for		
69165	Tryptone Water Broth w/BCP	100 Gms 500 Gms	1100 3500		identification of other members of		
	Recommended for the cultivation of	500 GIIIS	3500		Enterobacteriaceae.		
	Salmonella species from food samples.			88708	✓ Urea Agar Base	100 Gms	1100
79223	Tryptone Yeast Extract Agar w/BCP	100 Gms	1300		Lload for the detection of urease	500 Gms	3900
	(ISO, BIS Basis)	500 Gms	5300		Used for the detection of urease production by Proteus species and for		
	Recommended medium for isolation and				identification of other members of		
	enumeration of Enterobacteriaceae and				Enterobacteriaceae		
	Bacillus cereus.			42465	✓ Urea Agar Base (Christensen)	100 Gms	1100
15965	Tryptophan Broth (Tryptophan Medium) (ISO Basis)	100 Gms	900		BioVeg	500 Gms	4000
	, , ,	500 Gms	3000		Used for the detection of urease		
	Used for differentiation of bacteria on the basis of indole production.				production by Proteus species and for identification of other members of		
40626	Tryptophan Broth (Tryptophan	100 Gms	1000		Enterobacteriaceae.		
40020	Medium) BioVeg	500 Gms	3400	97438	✓ Urea Broth Base	100 Gms	1000
	Used for the differentiation of bacteria on		0.00			500 Gms	3900
	the basis of indole production.				For identifying bacteria on the basis of urea		
47253	Tryptose Blood Agar Base	100 Gms	1400		utilization, for the differentiation of Proteus		
		500 Gms	5400		species from Salmonella and Shigella		
	For the cultivation and maintenance of a			58028	species. ✓ Urea Indole Medium	100 Gms	1200
	wide variety of fastidious microorganisms.			56026	orea made mediam	500 Gms	4600
12514 (84843-69-6]	Tryptose BactoBio for bacteriology	500 Gms	2400		Used for the differentiation of	ooo ama	4000
[04043-09-0]	Mixed enzymatic hydrolysate of protein,				Enterobacteria on the basis of urease and		
	especially used in media to grow fastidious				indole production and the		
	microorganisms.				transdeamination of tryptophan.		
82302	Tryptose Cycloserine Dextrose	100 Gms	1400	80192	40% Urea Solution (5ml/vl)	5 vl	700
	Agar Base	500 Gms	5400			5 x5 vl	2400
	Used for isolation of mesophilic spore				Used for the detection of urease activity.		
48200 🗸	forming anaerobes in food spoilage. Tryptose Phosphate Broth	100 Gms	900	26117	Vancomycin Supplement (3mg/vl)	5 vl	1900
40200 ¥	Jp. coe i nospitate biotii	500 Gms	3400		Used for the selective isolation of		
	For the cultivation of variety of fastidious	ooo ama	0+00		Enterococci.		
	bacteria.						

Code		Name	Packing	Price	Code		Name	Packing	Price
34123	ı	VCN Supplement Used for selective isolation of Neisseria	5 vl 5 x5 vl	2700 9200	34326	ı	Vitamin K1 Supplement (10mg/vl) A vitamin growth supplement used for the isolation of anaerobic organisms.	5 vl	1300
32249		VCNT Supplement Used for selective isolation of Neisseria	5 vl 5 x5 vl	2700 9200	38907	•	Vogel and Johnson Agar Base (USP, IP Basis) (V.J. Agar, Base) For the detection of coagulase positive	100 Gms 500 Gms	900 3400
78604	~	species. V Infusion Agar (Veal Infusion	100 Gms	1500	56055	~	Staphylococcus aureus. Water Agar	100 Gms	1300
		Agar)	500 Gms	4500				500 Gms	4200
86771	~	V Infusion Broth (Veal Infusion Broth) Recommended for cultivation of fastidious	100 Gms 500 Gms	1200 4100			Used for cultivation and observation of sporulation of some fungi and also for the enumeration of fungi according to MPN method.		
67389	~	pathogenic bacteria. Veg Extract Agar BioVeg	500 Gms	4700	23892	~	Water (Faecal coliforms) Testing Kit (Pre-Weighed Media)	1 Kit	2000
55605	~	Veg Extract Broth BioVeg	500 Gms	4700			For the enumeration and identification of faecal coliforms from water and waste water samples.		
53818	~	Violet Red Bile Agar (BIS Basis)	100 Gms 500 Gms	1000 3800	19990	~	Water Plate Count Agar (ISO basis)	100 Gms 500 Gms	1100 5300
		Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products. This medium is in compliance with BIS specification IS:5401-1969.					Used for the enumeration of culturable microorganisms by colony count technique from water samples .lt is a non-selective medium; which conforms to ISO 6222:1999.		
57081	~	Violet Red Bile Agar (1.2%) (ISO Basis)	100 Gms 500 Gms	1200 3900	55014	~	Wilkins-Chalgren Agar (Anaerobic Agar)	100 Gms 500 Gms	1300 4700
		Recommended medium for selective isolation, detection and enumeration of coliforms in water, milk and other dairy products.					For cultivation and maintenance of anaerobic bacteria. In susceptibility testing to determine minimum inhibitory concentrations (MICs) of antibiotics for		
33690	~	Violet Red Bile Agar w/ MUG	100 Gms 500 Gms	1800 7600	91753	_	anaerobic bacteria. Willis and Hobbs Medium Base	100 Gms	1000
		For the differentiation of Escherichia coli from dairy products and other foods by fluorogenic procedure.		7000	91753	•	Used for isolation and identification of	500 Gms	1300 5100
88966	~	Violet Red Bile Broth	100 Gms 500 Gms	1000 3500	31560	•	Clostridium from food. WL Differential Agar	100 Gms 500 Gms	1200 4200
		For detection and enumeration of coliforms from water and foods.					Used in isolating bacteria encountered in industrial fermentation processes.		4200
43459	~	Violet Red Bile Dextrose Agar BioVeg	100 Gms 500 Gms	1300 3900	45086	•	WL Nutrient Agar (Wallerstein Laboratory Medium)	100 Gms 500 Gms	1300 4400
		Used for detection and enumeration of Enterobacteriaceae from foods.					For the detection of bacteria & yeasts in industrial fermentation processes,		
55373	~	Violet Red Bile Glucose Agar (ISO Basis)	100 Gms	1000			particularly from beer processing		
		(Violet Red Bile Glucose Agar w/o Lactose)	500 Gms	3700	78176	•	WL Nutrient Broth (Wallerstein Laboratory Nutrient Broth)	100 Gms 500 Gms	1300 3800
89912	•	Used for detection and enumeration of Enterobacteriaceae from foods. Violet Red Bile Glucose Agar,	100 Gms	1000			For cultivation of bacteria and yeasts in industrial fermentation processes, particularly from beer processing.		
		Harmonized Used for cultivation and isolation of	500 Gms	3600	47617	~	Wort Agar	100 Gms 500 Gms	1100 4700
		Enterobacteriaceae in pharmaceutical testing according to harmonized methods.					For the cultivation and enumeration of yeasts. Its low pH inhibits bacterial growth.		

Code	Name	Packing	Price	Code	Name	Packing	Price
26434 🗸	Wurtz Medium	100 Gms 500 Gms	1200 4500	52184	✓ Yeast Extract for cell culture	100 Gms 500 Gms	1300 3400
	Used for isolation and differentiation of lactose fermenting bacteria.				Water soluble portion of autolysed yeast, suitable for cell culture applications. Many		
53556	Xylose Lysine Deoxycholate Agar (XLD Agar) (USP, IP Basis)	100 Gms 500 Gms	1000 4000		media containing Yeast extract have been recommended for use in fermentations,		
	Used for the isolation and differentiation of enteric pathogens, especially Shigella and Providencia.				cell culture media, molecular genetic media, and culture media for cultivation and resuscitation of a large variety of		
70791 🗸	Xylose Lysine Deoxycholate Agar (XLD Agar)	100 Gms 500 Gms	1000 4000		fastidious microorganisms and antibiotics assays.	100 0	
	Used for the isolation and identification of Salmonellae and Shigellae.			36504	✓ Yeast Extract Agar	100 Gms 500 Gms	1800 5900
89660 🗸	XLT 4 Agar Base	100 Gms 500 Gms	1400 5800		For the enumeration of microorganisms in potable and fresh water samples.		
	Used for isolation and identification of Salmonellae from various samples.	ood ame	3000	62332	✓ Yeast Lactose Agar	100 Gms 500 Gms	2400 9500
73111 🗸	Xylose Lysine Deoxycholate Agar (XLD Agar), Harmonized	100 Gms	1200		For cultivation of soil microorganisms like Rhizobium species.		
	For cultivation and isolation of Salmonella	500 Gms	4600	49723	✓ Yeast Malt Agar (YM Agar)	100 Gms 500 Gms	1200 4800
	species in pharmaceutical testing according to harmonized methods.	100.0			For the cultivation of fungi including yeasts and other aciduric organisms.		
67146	Yeast Autolysate (Yeast Peptone) BactoBio for microbiology	100 Gms 500 Gms	900 3000	63973	✓ Yeast Malt Extract Broth (YM Broth)	100 Gms 500 Gms	1000 3800
	Water soluble portion of autolysed yeast especially rich in B-complex vitamins, used in microbiological and fermentation media.				For the cultivation of fungi, yeasts and other aciduric microorganisms.		
22176	Yeast Autolysate Supplement	5 vl 5 x5 vl	1300 4100	40965	✓ Yeast Mannitol Agar	100 Gms 500 Gms	1300 5800
	used for enrichment of Neisseria species.				For the isolation and enumeration of soil microorganisms like Rhizobium species.		
51089 🗸	Yeast and Mould Agar	100 Gms 500 Gms	1300 5000	56342	✓ Yeast Mannitol Broth	100 Gms 500 Gms	1000 4000
	Used for isolation of yeasts, molds & other aciduric microorganisms.				For the cultivation of soil microorganisms like Rhizobium species.		
	Yeast Extract BactoBio for bacteriology	100 Gms 500 Gms	1000 2700	54250	✓ YPD Agar (Yeast Peptone Dextrose Agar, YEPD Agar)	100 Gms 500 Gms	1100 4400
		5 Kg 10 Kg	25600 49000		For maintaining and propagating yeasts in molecular biology studies.		
	Water soluble portion of autolysed yeast especially rich in B-complex vitamins used			51830	✓ Yersinia Isolation Agar	100 Gms 500 Gms	1400 5000
89463 🗸	in microbiological and fermentation media. Yeast Extract for bacteriology	100 Gms	800		For the isolation of Yersinia species from	Joo Gills	3000
[8013-01-02]		500 Gms 5 Kg	1300 12100	27810	foods. ✓ Yersinia Selective Agar Base	100 Gms	1400
	Low pH, slightly turbid, extract of autolysed yeast cells used generally for technical				For the isolation of Yersinia enterocolitica from clinical specimens and food samples.	500 Gms	5000
	purposes.			15061	Yersinia Selective (C.I.N.) Supplement	5 vl	1600
					Used for isolation of Yersinia enterocolitica.	5 x5 vl	4700

е	Name	Packing	Price	Code	Name	Packing	
385	 ✓ Yeast Glucose Chloramphenicol Agar (YGC Agar, Chloramphenicol Agar) Used for the isolation and enumeration of molds in milk and dairy products. 	100 Gms 500 Gms	900 3900				
6995	,,	100 Gms 500 Gms	1000 4000				
98271	✓ YT Broth (2X YT Broth) Used for the cultivating of recombinant strains of Escherichia coli.	100 Gms 500 Gms	1100 3900				
19510	✓ YXT Agar Base Used for detection of yeasts and molds, with or without added Tetracycline.	100 Gms 500 Gms	1200 4600				



Media for Gel Filtration and Affinity Chromatography



Gel Filtration (Molecular Sieving or Size Exclusion Chromatography) and Affinity Chromatography are rapidly becoming indispensable to biochemists and molecular biologists. Gel Filtration is used for the separation of macromolecules from smaller molecules, for fractionation of mixtures of various biopolymers on the basis of molecular size, for characterizing macromolecules and determining molecular weights and molar masses, for pathological screening of body fluids and for structure determination studies. Affinity Chromatography, besides being put to many of the above uses, is mainly employed for the isolation and purification of biologically active substances like enzymes, antibodies, antigens, lectins, viruses and toxins. Affinity Chromatography has the advantage of being rapid and highly selective.

ু Seraloses™					oximate Exclusion as molecular wigh	
		Proteins	Polysaccarides	Proteins	Polysaccarides	DNA (basis pairs-bp)
Seralose [™] 2B Seralose [™] Cl-2B	60-250	7.5×10 ⁴ – 45×10 ⁶	1×10⁵ – 20×106	45×10 ⁶	20×10 ⁶	1353 bp
Seralose [™] 4B Seralose [™] CI-4B	40-190	5×10 ⁴ – 20×10 ⁶	3×10 ⁴ - 5×10 ⁶	20×10 ⁶	5×10 ⁶	872 bp
Seralose [™] 6B Seralose [™] Cl-6B	40-190	$1 \times 10^4 - 5 \times 10^6$	1×10 ⁴ – 1×10 ⁴ –	5×10 ⁶	10×10 ⁶	194 bp

Detailed literature available on request


Seralite Products

Ion Exchange Resins

Our important range of Seralite products is very critical for ion exchange applications. These are acidic/basic exchange resins consisting of different polymers and copolymers. The particle size of these resins is between 20 – 50 mesh and are excellent for cross-linking. Typical application of these resins are for water conditioning, softening and deionionisation, removal of recovery of high molecular weight anions, fractional separation of organic acids, amino acids, metals, peptides, inorganic and rare earth metals. They can also be used for th treatment of sugar solutions, amino acids and enzymes. SRL lon exchange resins are highly recommended products for critical separation work.

Product Name	Particle Size	Ion Exchange Capacity	pH Range	Ionoc Form
Seralite SRA-400	20 – 50 mesh BSS	3.0-3.5meq/g	0-14	Cl-
Seralite SRC-120	20 – 50 mesh BSS	min 4.5meq/g	0-14	H+
Seralite SRA-400	20 – 50 mesh BSS	min 10meq/g	5-14	H+

Our Seralite series is equivalent to the Amberlite series of the Rohm and Haas Company





code product name application/description unit price

BioLit® PCR Products (Tag Polymerase, Buffers & Kits)

BioLit® TAQ Polymerases

Taq DNA Polymerases (offered in different concentrations) are enzymes used in Routine PCR. They are thermostable recombinant DNA polymerases derived from thermophilic bacterium *Thermus aquaticus*. They can amplify DNA target up to 5 kb (simple template) and have a 5' to 3' polymerase activity but lack 3' to 5' exonuclease activity that result in a 3'-dA overhang PCR product.

BioLit® Routine PCR

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

61524	TAQ DNA Polymerase (1U/μl)	Includes Taq DNA Polymerase (1U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
32976	TAQ DNA Polymerase (3U/μl)	Includes Taq DNA Polymerase (3U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
82487	TAQ DNA Polymerase (5U/μl)	Includes Taq DNA Polymerase (5U/ μ I) 10X PCR Buffer (MgCl $_2$ free), 25mM MgCl $_2$	500 units 1000 units 5000 units	2280.00 4320.00 21010.00
12816	TAQ DNA Polymerase (5U/μΙ) (w/6X Buffer)	Includes Taq DNA Polymerase (5U/ μ I) 10X PCR Buffer (Mg $^{2+}$ Plus) 6X Loading Buffer	500 units 1000 units 5000 units	2840.00 4890.00 22150.00
51613	TAQ DNA Polymerase (5U/μl) (w/6X Buffer, w/dNTP)	Includes Taq DNA Polymerase (5U/µl) 10X PCR Buffer (Mg²+ Plus) 6X Loading Buffer dNTP mix (each 2.5 mM)	500 units 1000 units 5000 units	3070.00 5120.00 23280.00

A Thermostable recombinant DNA polymerase, useful in amplification of DNA fragments upto 6 kb from genomic DNA with high purity and specificity. Sources of template - plant genomic DNA, mouse cDNA, bacterial colony DNA, bacterial plasmid DNA, viral DNA and zygocity PCR templates. No loading buffers or tracking dyes required. Samples may be added directly to an agarose gel after PCR and visualized.

57694	Red TAQ DNA Polymerase (1U/μl)	Includes Red Taq DNA Polymerase (1U/ μ I) 10X Red Taq Buffer, 25 mM MgCl $_{\scriptscriptstyle 2}$	500 units 1000 units	3980.00 6930.00
12192	Roseate Taq DNA (5U/mcl)	500 units	3030.00

Roseate Taq DNA Polymerase is a thermostable recombinant DNA polymerase derived from thermophilic bacterium Thermus aquaticus. Its molecular weight is 94 kDa. Taq DNA Polymerase can amplify DNA targets up to 5 kb (simple template). The elongation velocity is 0.9~1.2kb/min (70~75°C). It has 5' to 3' polymerase activity but lacks of 3' to 5' exonuclease activity that result ion a 3'-dA overhangs PCR product.

The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a receast coloured dive enabling the researcher to load the sample.

The buffer given is 10X Rosette PCR Buffer with Mg2+. This buffer has a roseate coloured dye enabling the researcher to load the sample directly after PCR into an agarose gel for electrophoresis.

Other different polymerases described below are useful when there is a need for higher specificity for primer incorporation, high fidelity with proof reading capability, amplifying long and complex templates & need for efficient and fast elongation, and DNA Polymerase which is suitable for Hot Start PCR. The polymerases here each have one of these features and can be chosen to suit the needs of the researcher.

BioLit® Hot Start PCR

This product is a DNA Polymerase coated with antibody, which is suitable for Hot Start PCR. There is no activity of this enzyme at room temperature, and the antibody can be inactivated rapidly at 70°C or above. This ensures that the enzyme is active only during PCR and prolonged heating or denaturation steps can be avoided.

81646	Hot Start Taq	Includes Includes HotStart Taq Polymerase (5U/ μ I)	250 units	7730.00
	Polymerase (5U/ μ I)	10X HotStart buffer with Mg ²⁺ 2.5mM dNTP Mix	1000 units	29530.00

www.srlchem.com Storage: -20°C

Part E - BIOLIT DNA & Protein Tools

code	product name	application/description	unit pi	rice
------	--------------	-------------------------	---------	------

BioLit® High Specificity PCR

Can amplify DNA target up to 5 kb. The elongation velocity is $0.9 \sim 1.2$ kb/min. It has 5' to 3' polymerase activity but lacks 3' to 5' exonuclease activity that results in a 3'-dA overhang PCR product.

Applications - PCR amplification of DNA fragments as long as 5 kb, DNA labeling, DNA sequencing, PCR for cloning.

46033HSP TAQ DNAIncludes HSP Taq DNA Polymerase (5U/μl)500 units4780.00Polymerase (5U/μl)10X HSP PCR Buffer (with Mg²+)1000 units8860.00

6×Loading Buffer

BioLit® High Fidelity PCR

Pfu DNA polymerase, derived from the hyperthermophilic archae Pyrococcus furiosus, has superior thermostability and proofreading properties. It can amplify DNA target up to 2 kb (simple template), possesses 3' to 5' exonuclease proofreading activity, generates PCR fragments will have fewer errors, results in blunt-ended PCR products, which are ideal for cloning into blunt-ended vectors Applications - High-fidelity PCR and primer-extension reactions, High fidelity PCR for cloning into blunt-ended vectors, Site-directed mutagenesis.

22774	Pfu DNA Polymerase (5U/μI)	Includes Pfu DNA Polymerase (5U/ μ I) 10X Pfu Buffer (Mg $^{2+}$) 6X Loading Buffer	250 units 1000 units	6480.00 22720.00
49069	Pfu DNA Polymerase (5U/μI) (w/dNTP)	Includes Pfu DNA Polymerase (5U/µl) 10X Pfu Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	6710.00 23850.00

Taq Plus DNA Polymerase is a mixture of Taq and Pfu DNA polymerase that allows amplification of higher fidelity and longer templates Ideal for amplifying complex template, such as GC-rich template.

Applications - Amplification of long template up to 20kb, Amplification of complex template, High fidelity PCR

85737	TAQ Plus DNA Polymerase (2.5U/μl)	Includes Taq plus DNA Polymerase (2.5U/µI) 10X PCR Buffer (Mg²+ Plus) 6X Loading Buffer	250 units 1000 units	4090.00 14770.00
93561	TAQ Plus DNA Polymerase (2.5U/μl) (w/dNTP)	Includes Taq plus DNA Polymerase (2.5U/µl) 10X PCR Buffer (Mg ²⁺) 6X Loading Buffer dNTP mix (each 2.5mM)	250 units 1000 units	4320.00 15220.00

BioLit® Long PCR

Long Taq DNA Polymerase, a combination of two thermostable DNA polymerases, Taq and Pfu, is a special formulation designed for amplifying large fragments. This specially formulated Long Taq was shown to amplify long templates from λ phage genome of up to 40 kb. It is also a better choice for amplifying complex template, such as GC-rich template. Long Taq is suitable as a direct replacement for ordinary Taq Polymerase in most applications. Using Long Taq in your PCR results in PCR products with 3´-dA overhangs which can be used in TA clone.

15367	Long TAQ DNA Polymerase (5U/μΙ)	Includes Long Taq DNA Polymerase (5U/ μ I) 10X Long Taq Buffers I & II (Mg $^{2+}$) 6X Loading Buffer PCR Enhancer	250 units 1000 units	3300.00 12000.00
94126	Long TAQ DNA Polymerase (5U/μΙ) (w/dNTP)	Includes Long Taq DNA Polymerase (5U/µI) 10X Long Taq Buffers I & II (Mg²+) 6X Loading Buffer PCR Enhancer dNTP mix (each 2.5mM)	250 units 1000 units	5000.00 15000.00



code	product name	application/description	unit	price

BioLit® Fast PCR

FSP Taq DNA polymerase is the latest generation Taq-based DNA polymerase. It possesses high amplification efficiency as Taq polymerase and with fast elongation ability, it can be used in a variety of PCR. The FSP PCR Buffer, designed for FSP Taq DNA polymerase, can be used in fast amplification reactions.

The elongation rate of FSP Taq DNA polymerase is 2-fold higher than the one of regular Taq DNA polymerase, which shortens the amplification time by half.

58235	FSP TAQ DNA Polymerase (5U/μΙ)	Includes FSP Taq DNA Polymerase (5U/ μ I) 10X FSP Taq Buffer (with Mg $^{2+}$) 6X Loading Buffer	250 units 1000 units	3640.00 11360.00
70073	FSP TAQ DNA Polymerase (5U/μΙ) (w/dNTP)	Includes FSP Taq DNA Polymerase (5U/µI) 10X FSP Taq Buffer (with Mg²+) 6X Loading Buffer dNTP mix (each 2.5 mM)	250 units 1000 units	3870.00 11820.00

BioLit® PCR Mixes

Routine PCR Master Mixes

Ready-to-use solutions containing the specific DNA Polymerase, dNTP, Mg²⁺ and Reaction Buffer at optimal concentrations for efficient amplification of DNA templates by PCR. This pre-mixed formulation saves time and reduces contamination due to the fewer pipetting steps. Includes Specific DNA Polymerase Mix, Water Nuclease Free.

50900	Taq Mix (2X) (PCR Master Mix (2X))	1ml (40 rxns) 5×1ml (200 rxns) 5×2.5ml (500 rxns)	2500.00 7500.00 15000.00
24184	Taq Mix (2X) (PCR Master Mix (2X))(w/o Tracking Dye)	1ml (40 rxns) 5×1ml (200 rxns) 5×2.5ml (500 rxns)	2300.00 7100.00 14250.00
46503	Roseate PCR Master Mix (2X) (Taq Mix (2X))	1ml (40 rxns) 5×1ml (200 rxns) 5×2.5ml (500 rxns)	2700.00 8200.00 17000.00
94531	Pfu Mix (2X)	1ml (40 rxns) 5×1ml (200 rxns)	7330.00 28900.00
84729	FSP Taq Mix Direct for blood (2X)	1ml (40 rxns) 5×1ml (200 rxns)	7390.00 30660.00

		CRISPR/Cas9 Products		
90326	Cas9 Nickase (50pmol)	Suitable for in vitro gRNA-guided specific single-strand breaks in double-stranded DNA, or double-strand DNA breaks, etc.	50 mcl	10000.00
72316	Cas9 Nuclease (5mg/ml)	CRISPR-Cas9 - Clustered Regularly Interspaced Short Palindromic Repeats- associated Protein 9 is an RNA-guided endonuclease that catalyzes site- specific cleavage of double stranded DNA.	100 mcg	41000.00

Storage: -20°C

2500.00

4500.00

0.5ml (20 amps)

1ml (40 amps)

Part E - BIOLIT DNA & Protein Tools

code product name application/description unit price

Realtime PCR Master Mix (qPCR)

2X Master Mix for Real-Time PCR, contains all components, except the primer & template. This reagent is applicable for intercalation assay with FluroGreen dye which is similar to SYBR Green I. Reagent can be used in various detection devices. Also available with passive reference dye of low or high concentrations.

Includes FluroGreen qPCR Mix(2X)w/wt passive refrence dye, Nuclease Free Water .

BioLit FluroGreen qPCR Master Mix (2X)

			5×1ml (200 amps)	18000.00
78797	BioLit FluroGreen qPCR I	Master Mix (Low CAR) (2X)	0.5ml (20 amps) 1ml (40 amps) 5×1ml (200 amps)	3000.00 5000.00 19000.00
38151	BioLit FluroGreen qPCR I	Master Mix (High CAR) (2X)	0.5ml (20 amps) 1ml (40 amps) 5×1ml (200 amps)	3000.00 5000.00 19000.00
45304	One Step RT-qPCR Master	r Mix (2X)	500 mcl	6500.00
BioLit® PCF	R Accessory Reagent	S		
Ready-to-use re	eagents for PCR for the user's o	convenience.		
61318	10X PCR Buffer with KCI (I	Mg ²⁺ free)	4×1.25ml	1460.00
41212	10X PCR Buffer with 15mM Mg ²⁺		4×1.25ml	1460.00
43386	10X PCR Buffer with Mg ²⁺	set	6×1.25ml	1800.00
90508	10X Roseate PCR Buffer with Mg ²⁺	Ready-to-use reagent having two tracking dyes along with the buffer & MgCl2. After PCR, samples can be load directly onto the agarose gel for electrophoresis.	4×1.25ml ed	1410.00
86687	25mM MgCl ₂	uneony onto the agatose genior electropholesis.	4×1.25ml	1650.00
66886	DEPC-Treated Water	Suitable in any application where RNA is involved and all molecular biology applications.	100 ml 500 ml	550.00 1710.00

79326 Shrimp Alkaline 500 units 8660.00 Phosphatase (rSAP) (1U/uI) 1000 units 16230.00 Shrimp Alkaline Phosphatase (r-SAP) is a heat labile alkaline phosphatase purified from a recombinant source. rSAP is identical to the native enzyme and contains no affinity tags or other modifications. rSAP nonspecifically catalyzes the dephosphorylation of 5 ′ and 3 ′ ends of DNA

samples suitable for direct PCR techniques.

DNA polymerases.

Suitable for use in all molecular biology applications.

Useful to optimize PCR of problematic and/or GC-rich templates.

Offers higher primer specificity, and improved themostability of

Simple, all-inclusive sample preparation solutions for varied

and RNA phosphomonoesters.

60159

96370

20870

52531

48044

Water, nuclease-free

Preparation Solution

Glycogen (20mg/ml)

Aq. Solution Ultrapure

PCR Enhancer

PCR Sample

5×1ml

100ml

500 ml

0.5ml

 $4 \times 1 ml$

50 preps

200 preps

2×0.25 ml

1 ml

290.00

550.00

1710.00

800.00

2800.00

1400.00

5000.00

4500.00

8500.00



code	product name	application/description	unit pr	rice

BioLit® NTP and dNTP Sets, Mixes & Solutions

NTP Set & Solutions (100mM each)

The set and individual solutions consist of 100mM aqueous solutions of ATP, TTP, CTP and GTP each supplied in separate vials. These readyto-use solutions offer maximum flexibility for various molecular biology applications viz. in vitro transcription, RNA amplification. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

65240	NTP Set Ultrapure (100mM each)	4x0.25ml	5500.00
89889	ATP Solution Ultrapure (100mM)	0.25ml	1820.00
71636	CTP Solution Ultrapure (100mM)	0.25ml	1820.00
88705	GTP Solution Ultrapure (100mM)	0.25ml	1820.00
93633	UTP Solution Ultrapure (100mM)	0.25ml	1820.00

dNTP Sets (100mM, 10mM)

The sets consists of 10mM/100mM aqueous solutions of dATP, dTTP, dCTP and dGTP, pH 7.0, each supplied in a separate vial. The dNTP Set offers maximum flexibility in preparation of reaction mixes for different molecular biology applications. Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

94903	dNTP Set Ultrapure (100mM each)	4×0.25 ml 4×1 ml	7840.00 27260.00
69478	dNTP Set Ultrapure(10mM each)	4×0.1 ml 4×0.5 ml 5x(4x0.2ml)	1710.00 4550.00 9090.00

dNTP Mixes

dNTP Mix is an aqueous solution at pH 7.0 containing dATP, dCTP, dGTP and dTTP, each at a final concentration of 2.5 mM/10mM/25mM. They are ready-to-use solutions designed to save time, provide higher reproducibility in PCR and other applications, reduce the number of pipetting steps and the risk of reaction set-up errors.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

70596	dNTP Mix Ultrapure (2.5mM each)	1ml	2390.00
		5×1ml	8520.00
18821	dNTP Mix Ultrapure (10mM each)	1ml	3190.00
		5×1ml	9660.00
14464	dNTP Mix Ultrapure (25mM each)	1ml	3750.00
		5×1ml	14770.00

dNTP Solutions

Each individual dNTP is supplied as a 100mM solution in sterile, deionized water at pH 7.0 and is prepared from monosodium salts of the free nucleotides.

Applications - for use in PCR, long PCR, RT-PCR, cDNA synthesis, primer extension, DNA sequencing, DNA labeling.

72009	dATP (100mM Solution)	0.2 ml	2500.00
	· · · · · · · · · · · · · · · · · · ·	0.5 ml	4550.00
19809	dCTP (100mM Solution)	0.2 ml	2500.00
		0.5 ml	4550.00
47435	dGTP (100mM Solution)	0.2 ml	2500.00
		0.5 ml	4550.00
91474	dTTP (100mM Solution)	0.2 ml	2500.00
		0.5 ml	4550.00
71411	dUTP (100mM Solution)	0.25ml	11250.00
BioLit® RNA	A Accessory Reagents		

75044	Oligo (d1) 15 primer (50μM)	A synthetic single-stranded 15-mer oligonucleotide with 5'- and	50 mcl	2050.00
		3'-hydroxyl ends. Supplied as an aqueous solution. Used for first		

strand cDNA synthesis synthesis in presence of reverse transcriptase

A mixture of single-stranded random hexanucleotides with $5^{\text{\tiny I}}$ - and 53704 Random Hexamer Primer 2050.00 6-mer (50µM)

3'-hydroxyl ends. Used during cDNA synthesis to produce cDNAs randomly scattered through mRNA resulting in short strands of cDNA.

Storage: -20°C www.srichem.com

Part E - BIOLIT DNA & Protein Tools

	code	product name	application/description	unit	price
96	5710	Ribonuclease A Solution ex. Bovine Pancreas (RNAse A Soln) (10mg/ml)	RNase A is an endoribonuclease extracted from bovine pancreas that specifically degrades single-stranded RNA. (DNase, Protease Free)	3 x1 ml 10 ml	3640.00 11360.00
38	3080	Ribonuclease H (RNase H) (5U/ul)	RNase H is a recombinant endoribonuclease that hydrolyses specifically the phosphodiester bonds of RNA hybridized to DNA and produces 5´ phosphate-terminated oligoribonucleotides and	50 units 250 units single-strand	7580.00 22720.00 ded DNA.
92	2030	RNasin (RNase inhibitor) (40U/ μ I)	Ribonuclease inhibitor purified from human placenta. It inhibits ribonuclease (RNase) activity of common eukaryotic enzymes such as RNaseA, RNaseB, RNaseC. Inhibits RNA degradation in the following procedures: in vitro transcription, cDNA synthesis in vitro translation, isolation of mammalian cell fractions that contain mRNA-protein complex etc.	1000 units	4090.00
71	1969	RNA Stabilizing Solution	An aqueous tissue storage reagent that stabilizes and protects cellular RNA in intact, unfrozen tissue samples. It eliminates the need to immediately process tissue samples or to freeze samples in liquid nitrogen. It does not jeopardize the quality or quantity of RNA in the sample.	5 x1 ml 100 ml s 500 ml	2520.00 3360.00 7880.00
20	0310	RNA Loading Buffer (5X)	It is used to load RNA sample on a formaldehyde agarose gel. It consists of two tracking dyes, Bromophenol blue and Xylene cyal	1 ml nol. 5 x1ml	1200.00 5500.00
98	3343	T7 RNA Polymerase (50U/uI) (w/10X IVT Buffer)	T7 RNA polymerase is a monomeric bacteriophage encoded DNA directed RNA polymerase which catalyzes the formation of RNA in the 5'-3' direction.	1000 units 5000 units	8000.00 39000.00
76	6516	M-MLV (Recombinant) (200U/μΙ)	A Reverse Transcriptase enzyme that generates first PCR strand cDNA for use in PCR, real-time. Includes 10X Reaction Buffer	5000 units 10000 units	9000.00 16000.00
94	1837	RT-PCR Kit (First Strand cDNA Synthesis Kit)	Reverse Transcriptase -PCR Kit is optimized to synthesize first-strand cDNA from purified poly (A) + or total RNA. Includes - M-MLV (200U/ μ I), RNasin (40U/ μ I), Oligo(dT)15 (50 μ M) Random hexamer primer (50 μ M), 5X First-strand Buffer, RNase-free Water, dNTP mix (10mM each)	20 preps 40 preps ,100 preps	7100.00 11930.00 28390.00
41	1066	TRIzol-C Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. As it is differently buffered from TRIzol-T reagent, the isolated RNA may interact with these metal ions if involved in downstream processes.	20 ml 100 ml	2000.00 6700.00
99	9359	TRIzol-T Reagent	Ready-to-use reagent for the isolation of high yields of total RNA from cells and tissues. Differs in the buffer of TRIzol-T reagent, and is innocuous to all downstream processes.	20 ml 100 ml	1700.00 6500.00

BioLit® Tracking dyes & Buffers

6x Gel Loading Dyes are pre-mixed loading buffers with tracking dye/s to be added to the nucleic acid samples for agarose and non-denaturing poylacrylamide gel electrophoresis.

78591 83184 56885	6X Blue Loading Dye 6X DNA Loading Dye 6X DNA Loading Dye & SDS solution	Contains Bromophenol blue as tracking dye. Contains Bromophenol blue and Xylene Cyanol FF as tracking dy Contains Bromophenol blue and Xylene Cyanol FF as tracking dy The buffer also contains SDS which results in sharper bands as some restriction enzymes remain bound to DNA following cleavage	es.5×1 ml	2770.00 2770.00 3120.00
46200	6X Orange Loading Dye	Contains Orange G and Xylene Cyanol FF as tracking dyes	$5 \times 1 \text{ml}$	2770.00
55895	6X TriColor Loading Dye	Contains Orange G, Bromophenol Blue and Xylene Cyanol FF as tracking dyes	5×1 ml	2770.00



code	product name ap	oplication/description	unit	price
73530	20X DoubleQuick DNA Electrophoresis Buffer	An exceptionally 'swift' agarose gel tank buffer that electrophoreses the DNA samples in less than 10 minutes. Three times more effective as compared to TAE or TBE buffer.	250 ml 500 ml	4160.00 7530.00
BioLit® S	Staining Dyes for Nuclei	c Acids		
Nucleic acid	d & protein staining dyes.			
50358		A non-carcinogenic nucleic acid stain that is eco-friendly and replaces the use of ethidium bromide. Used for viewing nucleic acids on agarose gel.	50 mcl 250 mcl 1 ml	1140.00 4500.00 17000.00
		added to the gel matrix or the running buffers, but is mixed as a ucleic acid samples prior to loading onto the gel.		
21156	SafeDye Green Stain (20000X in Water)	acieic acid samples phor to loading onto the gel.	100 mcl 500 mcl 1 ml	6930.00 28350.00 50400.00
25834	BioLit SafeDye Stain	SafeDye is a new, safe nucleic acid stain for the detection of double-stranded DNA, single-stranded DNA and RNA in Agarose gels. This dye replaces Ethidium Bromide (toxic, potential mutagen) commonly used in Agarose gel electronal acids in detection to the property of t		1200.00 5000.00 16000.00
		and assists in determining the size of PCR product, insert and rescence when bound to dsDNA, ssDNA and RNA. This stain has a fluelic acid at approx. 290-320nm and emits at 490nm.		
	BioLi	t® Reference Digests/Markers		
87978	ProxiB Lambda HindIII Digest Marker Size range: 2.0 to 23kb	Lambda DNA is used routinely for measurement of restriction enzyme activities. Lambda-Hind III digestion is a useful demonstration experiment for restriction analysis and it is a substrate for checking DNA ligase. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye. (bands at 0.1 & 0.5kb although present, are very faint.)	50 mcg 100 mcg	1900.0 3600.0
90023	ProxiB Lambda-EcoRI Digest Marker Size range: 3.5 to 21kb	Lambda-EcoRl digest is a popular teaching tool to demonstrate the activity of restriction enzymes. This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg 100 mcg	1900.0 3600.0
53625	ProxiB Lambda Double Digest Marker Size range: 0.5 to 23kb	Lambda DNA double digest of Hind III/EcoRI is a popular teaching tool to demonstrate double-digests (i.e., the simultaneouse of two restriction enzymes). This is a ready-to-load marker and contains Bromophenol Blue as the tracking dye.	50 mcg us100 mcg	2300. 3800.
46658	ProxiB Lambda BstEII Digest Marker Size range: 0.1-8.4 kb		50 mcg	2600.0
93663	Lambda Pstl Digest Marker Size range: 0.25.11.5 kb		50 mcg	2600.0

Size range: 0.25-11.5 kb

code	product name	application/description	unit	price
		BioLit DNA Reagents		

		BioLit DNA Reagents		
64438	DH5 $lpha$ Competent Cells for Subcloning	·	2 x0.1 ml 4 x0.5 ml	2630.00 18900.00
67291	Lambda DNA	Lambda DNA is a double stranded linear DNA of 48,502 base pairs in length. It is isolated from bacteriophage Lambda. The Lambda Phage is a bacterial virus (bacteriophage), that infects the bacterial species E. coli. The phage is isolated fro the heat inducible lysogen <i>E. coli</i> strain. This NA is useful as size markers, in restriction enzyme assays and cloning. Concentration — 250ng/µl		4200.00 10000.00
12658	Autoinduction Medium (AIM) Solution	AIM-LB medium w/o Trace elements is used to grow IPTG-inducible expression in bacterial strains	500 ml	1600.00
69359	DNA Methylation Reagent	The modified DNA is ideal for PCR amplification for downstream analyses, including restriction endonuclease digestion, sequencing, and microarrays.	5 ml 10 ml	1600.00 3000.00
78116	DNA Quick Extraction Reagent	The isolated DNA can be used for downstream applications such as Restriction Digestion, Southern blot analysis, Polymerase chain reaction (PCR) and Molecular cloning.	20 ml 100 ml	1700.00 6000.00
56002	Uracil DNA Glycosylase (5KU/ml)	Monofunctional DNA glycosylase that catalyzes the hydrolysis of the N-glycosidic bond from deoxyuridine to release Uracil. Active on ss and dsDNA.	100 Units 500 Units	3000.00 8000.00

BioLit® Cloning Vectors

A cloning vector is a small piece of DNA into which a foreign DNA fragment can be inserted. The insertion of the fragment into the cloning vector is carried out by treating the vehicle and the foreign DNA with the same restriction vector, then ligating the fragments together. There are many types of cloning vectors. Genetically engineered plasmids are most commonly used for this purpose.

many types	of clothing vectors. defictionly engineered plasmids are most commonly used for this purpose.		
55912	pBR322	50 mcg	3800.00
	pBR322 was the first artificial plasmid. It is a 4361 bp long plasmid and was originally	100 mcg	6000.00
	developed for cloning. This low copy number plasmid contains tetracycline and ampicllin		
	resistance-conferring genes. pBR322 remains a popular teaching aid for demonstration of		
	plasmid isolation, restriction digestion and cloning.		
93116	pUC18	50 mcg	3800.00
	pUC18 vector is a circular double stranded DNA and is 2686 base pairs long.	100 mcg	6000.00
	This plasmid possesses –	· ·	
	i) ampicillin resistance gene		
	ii) the origin of replication derived from pBR322 and		
	iii) the lac Z gene derived from E. coli. Within the lac region is also found a polylinker sequer	nce	
	having unique restriction sites. It is a popular teaching aid for demonstrating plasmid DNA		
	isolation, restriction digestion and cloning.		
48402	pUC19	50 μg	3800.00
	pUC19 vector is also a circular double stranded DNA and is 2686 base pairs long.	100 μg	6000.00
	It is similar to pUC18, but possesses different restriction sites.	7.5	
	This plasmid possesses – i) ampicillin resistance gene		
	ii) the origin of replication derived from pBR322 and iii) the lac Z gene derived from E. coli.		
	", " " o " g " o " o p " o " o " o " o " o " o " o "		

Within the lac region is also found a polylinker sequence having unique restriction sites.

It is a popular teaching aid for demonstrating plasmid DNA isolation, restriction digestion and cloning.



code product name application/description unit price

BioLit® Ready-to-use DNA Molecular Weight Standards

BioLit DNA markers come in many useful ranges to cover most of the requirements of researchers and students. The markers are provided in a ready-to-use format for convenience and high reproducibility. We recommend a volume of $10 \,\mu$ L ($\sim 1 \,\mu$ g total DNA) per load to ensure that distinct, prominent DNA bands are observed even with a less sensitive UV transilluminator or in a less than optimal dark chamber. Users might be able to load a volume less than that recommended (without compromising results) if a high-sensitivity gel documentation system is available

The markers have been carefully prepared under sterile conditions and stored in 10 mM Tris-HCl, pH 7.5, 1 mM EDTA and 1 mg/ml sodium azide and are unstained markers. Stocks will be stable for several months if properly stored frozen or even refrigerated.

10344	Low-Range DNA Marker: 0.1 – 1kb	This marker range has been designed to assist in determining the size of PCR product, insert and restriction analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 103 to 1074bp	15 mcg 50 mcg 100 mcg	2050.00 5800.00 10910.00
12447	Mid-Range DNA Marker: 0.5 – 5kb	This marker range should facilitate the analysis of inserts cloned into commonly used plasmids and restriction digests. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 448 to 5024bp	15 mcg 50 mcg 100 mcg	2050.00 5800.00 10910.00
45587	Hi-Range DNA Marker: 2.0 – 25kb	This marker range is useful for experiments involving mega plasmids or genomic analysis. These ready-to-load DNA markers contain Bromophenol Blue as the tracking dye. Size range: 2.0 to 25kb	15 mcg 50 mcg 100 mcg	2050.00 3190.00 5800.00
48234	ProxiO DNA Marker 2 : 0.1-1.2kb	Size range: 100 to 1200bp These ready-to load DNA markers contain Bromophenol Blue and Xylene Cyanol as the tracking dye. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	9060.00

BioLit® DNA Ladders

These ready-to-load ladders are designed with precise DNA fragments for accurate quantification by agarose gel electrophoresis. The concentration of each band is kept uniform to give sharp bands. A single or multiple bands in the ladders are made intense to orient the user to the other bands in the ladder. Recommended Loading volume 3-5 μ l. The products are unstained DNA Ladders.

44897	ProxiO 10bp DNA Ladder	Size range: 80 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	10500.00
98628	ProxiO 20bp DNA Ladder	Size range: 60 to 300 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg	9400.00
68905	ProxiO Low DNA Ladder	Size range: 25 to 700 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	7900.00 38700.00

code	product name	application/description	unit	price
82208	ProxiO 50bp DNA Ladd	Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange	50 mcg 5X 50 mcg	7500.00 24500.00
88417	ProxiO 50bp DNA Ladde	Loading Dye. Pr Plus Size range: 50 to 1,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	7200.00 24900.00
92972	ProxiO 100bp DNA Lad		50 mcg 5X 50 mcg	6000.00 23100.00
84628	ProxiB 100bp DNA Lad		50 mcg 5X 50 mcg	6000.00 23100.00
52075	ProxiO 100bp DNA Laddo	er Plus Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	6000.00 23100.00
50255	ProxiB 100bp DNA Laddo	Plus Size range: 100 to 3,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes.	50 mcg 5X 50 mcg	6000.00 23100.00
37217	ProxiO 200bp DNA Lad		50 mcg	9200.00
93121	ProxiO 500bp DNA Lad		50 mcg	9600.00
48290	ProxiO 1kb DNA Ladde	9 ,	50 mcg 5X 50 mcg	5900.00 25000.00
93406	ProxiO 1kb DNA Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue and Xylene Cyanol as the tracking dyes. Accompanied by a vial of 6X Orange Loading Dye.	50 mcg 5X 50 mcg	5900.00 25000.00
77305	PCR Ladder	This size marker covers the most common range encountered in PCR and shows an aesthetically pleasing ladder of five bands (50, 150, 300, 500, and 800 bp) that separate uniformly as shown. Contains Bromophenol B as the tracking dye.	10 mcg 50 mcg Slue	2000.00 6300.00

BioLit® FluroBronze™ DNA Ladder Packs

The varying range of specially prepared DNA ladder packs (ready-to-load) contain in addition to the tracking dyes, a non-carcinogenic nucleic acid stain (BioLit FluroBronze Stain) for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus simplifying the preparation of agarose gel sans a potentially mutagenic dye.

97958 FluroBronze[™] **100bp Ladder** Size range: 100 to 1,500 bp 50 mcg 8700.00

Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of

6X FluroBronze Stain.



code	product name	application/des	cription	unit	price
72601	FluroBronze™	100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	8700.00
54896	FluroBronze™	500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as	50 mcg	15100.00
23416	FluroBronze™	1kb Ladder Plus	the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain. Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes along with FluroBronze stain as the fluorescent dye. Also accompanied by a vial of 6X FluroBronze Stain.	50 mcg	10800.00

BioLit[®] SafeDye[™] DNA Ladder Packs

The varying range of DNA ladder packs (ready-to-load) contain DNA ladders accompanied by the BioLit SafeDye Stain, a noncarcinogenic nucleic acid stain mixed in a 6X loading buffer, for detection of the ladder bands. This nucleic acid stain replaces ethidium bromide in agarose gel preparation thus eliminating a potentially mutagenic dye.

64935 SafeDve™ PCR Ladder Size range: 50 to 6

	Surface D	econtamination Spray		
29877	SafeDye™ 1kb Ladder Plus	Size range: 100 to 10,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10800.00
27107	SafeDye™ 500bp Ladder	Size range: 500 to 5,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	13600.00
53261	SafeDye™ 100bp Ladder Plus	Size range: 100 to 3,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	9600.00
33902	SafeDye™ 100bp Ladder	Size range: 100 to 1,500 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	11400.00
19262	SafeDye™ 50bp Ladder Plus	Size range: 50 to 1,000 bp Contains Bromophenol Blue & Xylene Cyanol as the tracking dyes. Also accompanied by a vial 6X SafeDye Stain.	50 mcg	11200.00
64935	SafeDye™ PCR Ladder	Size range: 50 to 800 bp Contains Bromophenol Blue as the tracking dye. Also accompanied by a vial of 6X SafeDye Stain.	50 mcg	10900.00

69341	DNA Decontam Surface Decontamination Spray	Eliminate unwanted DNA and DNase from glassware 250ml and plastic ware without affecting subsequent DNA	3500.00
		samples and plastic ware without affecting subsequent DNA samples. Supplied in a spray bottle	
27248	RNAse Decontam Surface	A surface decontamination solution that destroys 250ml	4000.00
	Decontamination Spray	RNases on contact. Spray the Solution onto surfaces to be decontaminated and rinse off with	

to be decontaminated and rinse off with

RNase-free-water. Supplied in a spray bottle format.

www.srlchem.com

code product name application/description unit price

BioLit® Restriction Enzymes

BioLit® Restriction Enzymes are highly purified and ensure that the integrity of your DNA is not compromised, making them the enzymes of choice for even the most demanding applications. All the Restriction Enzymes are accompanied with their specific reaction buffer to enable 100% enzyme activity.

enable 100% en	nzyme activity.		
85844	Alul (10U/μl)	100 unit	5500.00
51914	BamHI (10U/μI)	2500 unit	3300.00
32338	BgII (10U/μΙ)	10000 unit 1500 unit	11000.00 6420.00
24848	BgIII (10U/μΙ)	250 unit	2200.00
		500 unit	4000.00
78895	BspTl (MspCl,AflII) (10U/μl)	250 unit	2800.00
23203	Eco91I (BstEII) (10U/μI)	500 unit	3300.00
99402	Dral (10U/ μ I)	1000 unit	8500.00
91290	EcoRI (10U/µI)	4000 unit	3500.00
		10000 unit	8400.00
90279	EcoRV (Eco321) (10U/μI)	500 unit	3000.00
64000	Health (Pay Pl. Pak Fl) (4011/vi)	1500 unit	7500.00
61338	Haelll (BsuRl, BshFl) (10U/μl)	3000 unit 10000unit	10000.00 32000.00
44261	Hincll (Hindll) (10U/µl)	250 units	3500.00
44201		1000 units	12500.00
77976	HindIII (10U/ μ I)	2500 units	3800.00
11910	Πιταιτί (100/μι)	5000 units	7500.00
36322	Hinfl (10U/μl)	750 unit	3600.00
30322	ΠΙΙΙΙΙ (100/μι)	750 tiriit	3000.00
15100	KspAl (Hpal) (10U/μl)	200 unit	4900.00
	πορτι (πραι) (ποσημή)	500 unit	11500.00
47167	KpnI (10U/μI)	1000 unit	2200.00
	· · · · · · · · · · · · · · · · · · ·	5000 unit	10000.00
65301	Mbol (10U/ μ l)	300 unit	12000.00
	(11 7	1100 unit	40000.00
79971	Ncol (10U/μl)	125 unit	2900.00
	που (100/μ1)	300 unit	6250.00
75760	Ndel (10U/µI)	500 unit	2200.00
10100	πασι (100/μι)	2500 unit	9000.00
97361	NotI (10U/μI)	100 unit	4800.00
	(, -, -, -, -, -, -, -, -, -, -, -, -, -	250 unit	11000.00
94651	PstI (10U/μI)	1500 unit	3000.00
34031	ι στι (100/μι)	4500 unit	8000.00
72649	PvuII (10U/μI)	500 unit	1850.00
		2000 unit	5800.00
97505	Rsal (10U/μl)	250 unit	3300.00
		1000 unit	12000.00
27301	SacI (10U/μI)	750 unit	6000.00
		1250 unit	9000.00
10190	Sall (10U/μl)	500 unit	3600.00
		750 unit	5200.00

code	product name applicati	on/description unit	price
74952	Sau3Al (Bsp143l) (10U/μl)	300 unit 1500 unit	3600.00 17000.00
15231	Smal (10U/ μ l)	500 unit	6000.00
49365	Spel (Bcul) (10U/ μ l)	200 unit	3700.00
		400 unit	6800.00
40653	Sspl (10U/ μ l)	250 unit	3700.00
		500 unit	7000.00
96600	Xbal (10U/ μ l)	750 unit	3100.00
		1250 unit	4600.00
71245	Xhol (Slal) (10U/μl)	4000 unit 1000 unit	13500.00 3000.00
71245	And (siai) (100/ μ i)	5000 unit	12000.00
46448	Universal Restriction Enzyme		1200.00
	BioLit [®] Qui	ckRxn Restriction Enzymes	
These restr	iction enzymes reduce digestion time an	d speed up the downstream processes.	
81536	QuickRxn BamHI (20U/mcl)	250 units	600.00
	,	1000 units	1700.00
15918	QuickRxn EcoRI (20U/mcl)	250 units	500.00
		1000 units	1200.00
15723	QuickRxn HindIII (20U/mcl)	250 units	500.00
	,	1000 units	1500.00
38616	QuickRxn KpnI (20U/mcl)	250 units	950.00
		1000 units	2400.00
54781	QuickRxn Ncol (20U/mcl)	100 units	3000.00
		250 units	5000.00
57426	QuickRxn Ndel (20U/mcl)	250 units	1500.00
	,	1000 units	4200.00
60399	QuickRxn Notl (20U/mcl)	100 units	5100.00
		250 units	11800.00
64479	QuickRxn Pstl (20U/mcl)	250 units	700.00
	,	1000 units	2200.00
37862	QuickRxn Sall	250 units	2200.00
49604	QuickRxn Smal (20U/mcl)	250 units	3200.00
05007			
25887	QuickRxn Xhol (20u/mcl)	250 units	1400.00

code	product name	application/description	unit	price

BioLit® Ligases

This DNA ligase, an ATP-dependent recombinant enzyme, isolated from Escherichia coli, is used for DNA cloning

85315	T4 DNA Ligase VLC (20CEU/μI or 0.1 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked E and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	10000 Units (CEU) 40000 Units (CEU) DNA	2500.00 5000.00
41686	T4 DNA Ligase LC (200CEU/μI or 1 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between adjacent 3'-hydroxyl and 5'- phosphate termini in DNA. The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	200 Units (Weiss) 1000 Units (Weiss) 5000 Units (Weiss)	2400.00 4200.00 12000.00
67428	T4 DNA Ligase RC (1000CEU/μI or 5 Weiss Unit/μI)	T4 DNA ligase is a polypeptide that catalyzes the formation of phosphodiaster bonds between The enzyme is active on double-stranded DNA, nicked DNA and RNA substrates. One Weiss unit is equivalent to approximately 200 cohesive end ligation units (CEU) (Includes Reaction Buffer)	250 Units (Weiss) 1000 Units (Weiss)	4500.00 14000.00
32581	Tth DNA Ligase Swift (5U/ μ I) Thermostable	An enzyme isolated from Escherichia Coli strain containing plasmid carrying the Thermus thermophilus DNA ligase, ligates DNA fragments within 15 minutes. Works on sticky ends only.	100 Units (Weiss) 200 Units (Weiss)	11000.00 22000.00

BioLit® Ready-to-use Unstained Protein Molecular Weight Standards

BioLit protein molecular weight standards cover the useful range of protein sizes that a researcher or student requires for routine experiments. The recommended loading volume is $20 \,\mu$ l, giving approximately $5 \,\mu$ g of each protein sufficient for detection by Coomassie blue staining. The products are unstained markers. The proteins have been dissolved and denatured in the standard SDS-PAGE sample-loading buffer. Prepared under sterile conditions, these markers have appropriate additives to ensure long-term stability when they are stored in a refrigerator or freezer and even with brief exposure to room temperature. Although boiling is not required prior to loading, doing so will not affect results.

58511	Mid-Range Protein Marker: 14-95kDa	This ready-to-use marker covers a slightly higher a range of protein sizes of 14 - 95 kDa and contains Bromophenol Blue as the tracking dye. It has eight bands of varying molecular sizes that a researcher or student requires for routine experiments.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00
59893	Low-Range Protein Marker: 3-40kDa	This protein molecular weight standard includes proteins in the range of 2.5 - 40 kDa and contains Bromophenol Blue as the tracking dye. With the advent of proteomics and identification of many low molecular weight proteins and domains being involved in important functions, there is an emerging interest in polypeptides in this range. This is also a useful range for electrophoresis based peptide mapping, especially using Tricine SDS - PAGE.	0.5 ml 1 ml 2.5 ml	2440.00 4400.00 9260.00



code	product name	application/description	unit	price
99625	High-Range Protein Marker: 14-220kDa	This molecular range marker covers a larger range of molecular sizes - 14 to 220kDa and is helpful to researchers working on higher molecular weight proteins. It contains Bromophenol Blue as the tracking dye.	0.5 ml 1 ml	3000.00 5500.00
Rea	dy-to-use Pres	tained Protein Molecular Weight S	tandar	ds
68894	PreStained Blue Protein Marker: 14 - 66kDa	Blue Prestained Protein Molecular Weight Standard, contains a mix of proteins, coupled with a blue chromophore. This marker has 6 bands in range of 14 to 66kDa.	0.5 ml	2550.00
27839	PreStained High Range 1 Tri-Coloured Protein Ladder: 10-180kDa	This Protein Ladder is a three-color protein standard with 10 bands in the range of 10 to 180 kDa. Proteins are covalently coupled with a blue chromophore except for two reference bands (one green and one red band at 25 kDa and 75 kDa respectively) when separated on SDS-PAGE (Tris-glycine buffer).	0.25 ml 1 ml	7200.00 26000.00
67792	PreStained High Range 2 Tri-Coloured Protein Ladder: 10-245kDa		0.25 ml 1 ml	8000.00 28000.00
49772	PreStained High Range 3 Tri-Coloured Protein Marker: 10-315kDa		0.25 ml	35000.00
BioLit® Sta	ining Dyes for Protei	ns		
25437 Store at 2-8°C Buffers for	BioLit SpryBlue Stain for SDS PAGE	A snappy stain for Polyacrylamide gels that accelerates the staining of proteins and eliminates the need for destains.	250 ml 500 ml	800.00 1300.00
Bullers for	Proteins			
85074	Borate Buffer (20X) (Amine-free)	Ideal buffer solution that is used in protein modification procedures requiring amine-free buffer at alkaline pH.	100 ml 500 ml	2200.00 7500.00
88370	RIPA Protein Extraction Reagent For RIPA assay (Radioimmunoprecipitation	A mild, non-denaturing ready-to-use lysis buffer with optimised pH, designed for quick and effective preparation and isolation of nuclear and cytoplasmic proteins assay)	50 ml 100 ml 500 ml	5000.00 8000.00 21000.00
88480	SDS PAGE Sample Buffer (2X) (Reducing) (Laemmli Buffer 2X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 2X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml d 20 ml	390.00 1500.00
99573	SDS PAGE Sample Buffer (5X) (Reducing) (Laemmli Buffer 5X)	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml d 20 ml	480.00 1800.00
98786	SDS PAGE Sample Buffer (5X) (Reducing) w/ DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml d	2500.00
35974	SDS PAGE Sample Buffer (5X) (Non-Reducing) w/o DTT w/ BPB	It is the most commonly used sample buffer for SDS-PAGE of denatured proteins it is a ready-to-use 5X solution. It can be use for SDS-PAGE protein loading of conventional proteins.	5 ml d	2500.00

code	product name	application/description	unit	price

BioLit® SDS PAGE Accessory Reagents

Ready-to-use Separating gel mix in a various percentage ranges and Stacking gel mix to simplify the process of SDS PAG preparation and eliminate pipetting errors.

91574	Ready-To-Use Stacking Gel mix - 4%	250 ml	2300.00
86325	Ready-To-Use Stacking Gel mix - 4% (Coloured)	100 ml	1100.00
24723	Ready-To-Use Separating Gel mix - 10%	100 ml	2600.00
80306	Ready-To-Use Separating Gel mix - 12%	100 ml	2600.00
88394	Ready-To-Use Separating Gel mix - 15%	100 ml	2600.00

BioLit® Protease for Recombinant Protein Fusion Tag Cleavage

86851	TEV Protease (1U/μI)	A highly sequence-specific cysteine protease from Tobacco Etch Virus (TEV). Removes affinity tags from purified	1000 Units 5000 Units	10800.00 41800.00
		recombinant fusion proteins and its specificity gives controlled		
		cleavage. Effective over a broad range of temperature		

		Antibodies		
41262	(1X, pH 6.4) for	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml 500 ml	2500.00 8000.00
91754	Express Coating Buffer (1X, pH pH 8.5) for Antigens & Antibodies	A special coating buffer for rapid adsorptive immobilization of proteins, enzymes, antigens or antibodies on any plastic surface including ELISA plates. It coats the surface within 10-15mins.	100 ml 500 ml	3500.00 9000.00
37971	Goat anti-Human IgG (affinity purified) (2mg/ml)	Antiserum is produced in Goat using highly purified human IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of antiserum.	1 ml	5100.00
77924	Goat anti-Human IgG-HRP (1mg/ml)	Purified IgG conjugated to Horseradish Peroxidase (HRP). Pooled antisera from goats hyperimmunized with human IgG	1 ml	13500.00
57404	Goat anti-Mouse IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Mouse IgG	1 ml	13500.00
54537	Goat anti-Rabbit IgG (whole serum) (3mg/ml)	Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of ant	1 ml 5 ml iserum.	3400.00 13500.00
88495	Goat anti-Rabbit IgG-HRP (1mg/ml)	Polyclonal Goat antibodies conjugated with HRP. Pooled antisera from goats hyperimmunized with Rabbit IgG.	1 ml	13500.00
68977		Antiserum is produced in Rabbit using highly purified bovine IgG as the immunogen. Whole antiserum is fractionated and then further purified by affinity chromatography to provide the IgG fraction of ant	1 ml iserum.	2700.00
21105	Rabbit anti-Bovine IgG-HRP	Anti-Bovine secondary antibodies conjugated with HRP. Pooled antisera from cows hyperimmunized with rabbit IgG	1 ml	13500.00

(whole serum) (1mg/ml)

code	product name	application/description	unit	price
57919	Rabbit anti-Chicken IgY (whole serum)		1 ml 5 ml	7900.00 24800.00
26249	Rabbit Anti-Human IgG (whole serum)		1 ml 5 ml	4500.00 20300.00
		BioLit® Research Kits		
	pased quick and easy me down-stream processes.	thod for DNA Extraction from bacteria/ tissue/whole	blood yielding pu	re DNA
51826	BioLit Genomic DNA Extraction Mini Kit (Research) Kit contents: • Spin Column	Isolation of high quality genomic DNA using the silica spin columns from various sources - plasma, serum, body fluids, cultured cells, sputum and other body fluids. ons • Buffers • Proteinase K	25 Extractions 50 Extractions	7500.00 14400.00
66865	BioLit Plasmid DNA Extraction Miniprep Kit (Research)	t	50 Preps	7900.00
56860	BioLit Plant DNA Extraction Mini Kit (Research) Kit contents: • Spin Column	Kit works to efficiently extract genomic DNA from various plant and tissue samples rapidly. Mini silica columns deliver high quality genomic DNA without use of expensive reagents and time consuming processes. Buffers	25 Extractions 50 Extractions	5300.00 9500.00
75718	BioLit Tissue DNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	Isolation of high quality tissue DNA using the silica spin columns from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc ns • Buffers • Proteinase K	25 Extractions 50 Extractions	9500.00 16300.00
94733	BioLit Whole Blood DN Extraction Mini Kit (Research) Kit contents: • Spin Colum	A Isolation of high quality DNA using the silica spin columns from human whole blood.	25 Extractions 50 Extractions	9000.00 16800.00
33981	BioLit Tissue RNA Extraction Mini Kit (Research) Kit contents: • Spin Column	Tissue RNA can be purified from soft and hard tissues samples like liver, spleen, thymus, heart, kidney, brain, etc ns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions	10800.00 20500.00
87883	BioLit Viral RNA Extraction Mini Kit (Research) Kit contents: • Spin Column	Viral RNA can be purified from plasma, serum and other cell body fluids. ns ● Collection Tubes ● Buffers ● Carrier RNA -Poly A	25 Extractions 50 Extractions 1000 Extractions	6100.00 10500.00 19100.00
76108	BioLit Whole Blood RNA Extraction Mini Kit (Research) Kit contents: • Spin Colum	A fast, easy method for the preparation of total cellular RNA from human whole blood. Multiple blood samples can be processed simultaneously in less than 1 hour. ns ● Collection Tubes ● Buffers ● β-mercaptoethanol	25 Extractions 50 Extractions	11300.00 21900.00


code	product name	application/description e	no. of experiments	unit	price
91210	BioLit Animal Tissue Direct PCR Kit (Research) Kit contents: • 2X Taq mix •	Amplifies DNA directly from a wide variety of animal tissues including mice, fish, birds and insects. • Buffers • Sterile Water	50	Preps	27300.00
74578	BioLit Gel Extraction Kit (Research) Kit contents: • Silica Spin C	Kit for quick and easy extraction of DNA fragment from L melting agarose. Useful for various downstream process		Preps	11100.00
23512		agment Purification Kit (Research)		Preps Preps	11600.00 22600.00
62606	BioLit Total RNA Extraction Kit from Plant (Research) Kit contents: • Spin Column	Quick Total RNA extraction kit using silica gel columns. Purifies RNA from Plants and Fungi. s Buffers	50	Preps	24200.00
86792	BioLit Total RNA extraction Kit From Various Sources (Research) Kit contents: • Spin Column	Isolates RNA from various sources - whole blood, animal and plant tissue, cultured cells and bacteria.	50	Preps	24200.00
		BioLit® Teaching Kits			
66602	Agarose Gel Electrophoresis Kit (Teaching) Kit contents: • DNA Sample	The overall goal is to view different plasmid DNAs by their movement through a matrix viz agarose gel. s • Loading Dye • Agarose • Ethidium Bromide • Tank Buffer • DNA Siz	15 e Marker	1 Kit	9500.00
64279	Bacterial Transformation Kit - 1 (Teaching) Kit contents: • Host Cells • s	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl₂ treatment and transformation within a day. Overnig incubation will reveal transformed colonies. Competent cells are provided as internal control. Sterile LB Media ● LB agar mix ● Ampicillin ● CaCl₂ ● Plasmid DNA		1 Kit 1 Kit	8400.00 15800.00
28660	Bacterial Transformation Kit – 2 (with blue white screening) (Teaching) Kit contents: • Host Cells •	Transformation is central to recombinant DNA technology. This highly self-contained Transformation Kit provides all the necessary materials including starter culture, sterile media, antibiotic & LB agar mix to perform competent cell preparation by CaCl ₂ treatment and transformation within a day. Overnigi incubation will reveal transformed colonies. Competent cells are provided as internal control. Blue white screening is also seen with the use of the X-Gal Sterile LB Media • LB agar mix • Ampicillin • X-gal • IPTG • CaCl ₂ • I	ht	1 Kit 1 Kit 1 Kit	6300.00 17900.00 31500.00
95043	DNA Ligation Kit (Teaching) Kit contents: ● Lambda DNA E	This DNA ligation Kit contains reagents for ligation of two Lambda digests using T4 DNA ligase These experiments constitute essential learning experiences for a student intere in cloning and recombinant DNA strategies. Digested with Appropriate Restriction Enzymes Agarose ● TAE buffer ● Gel Loading Dye ● Ethidium Bromide ● DNA Mo	10 sted	1 Kit	4700.00

	product name	application/description exp	no. of periments	unit	price
76941	FITC Conjugation Kit (Teaching)	Fluorescein isothiocyanate (FITC)is a fluorescent dye used in labeling antibodies and proteins. FITC is a derivative of fluroscein and reacts with the amines and sulphydryl groups on proteins. This kit provides components for conjugation of fluorescein isothiocyanate with antibodies or other proteins in a quick and easy manner.	5	1 Kit	5800.00
	Kit contents : ● FITC isomer	I ● Buffers			
19317	(Teaching)	PCR or Polymerase Chain Reaction has become a mainstay in modern recombinant DNA technology. BioLit's PCR kit has been specifically designed and standardized to eliminate the initial pitfalls so that even a beginner can be successful in the first try itself. The kit allows students to vary cycle conditions and find their effects on yield of the amplified product, an E.coli gene action Mix: containing dNTP mix, Buffer, primers and MgCl ₂ • TAQ DNA Polymers.		1 Kit 1 Kit	12800.00 18200.00
		garose ● TAE buffer ● Ethidium Bromide ● Marker			
83462	BioLit Genomic DNA Extraction (from bacteria) Kit (Tea	•	15	1 Kit	7900.00
	Kit contents : ● Bacterial Cell P	ellets ■ Lysis Buffer ■ Saturated Phenol ■ Chloroform ■ DNA Precipitation	n Solution ● T	E Buffer	
	■ Ethidium Bromide ■ Agarose	Gel Loading Dye ● Marker			
61498	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation	15 n Solution ● T	1 Kit E Buffer	11000.00
	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: ● Bacterial Cell F ● Ethidium Bromide ● Agarose ●	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets • Lysis Buffer • Saturated Phenol • Chloroform • DNA Precipitation Gel Loading Dye • Marker	n Solution ● T	E Buffer	
	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: Bacterial Cell F	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation	n Solution ● T 10 50		3200.00
61498 87377 27725	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: ● Bacterial Cell F ● Ethidium Bromide ● Agarose ● Onion Root Tip	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets • Lysis Buffer • Saturated Phenol • Chloroform • DNA Precipitation Gel Loading Dye • Marker Demonstrates the different stages of mitosis present in the meristamatic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits	n Solution ● T 10 50 er cells.	E Buffer	3200.00 9500.00
87377	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: Ethidium Bromide Agarose Onion Root Tip Mitosis Kit (Teaching)	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets Lysis Buffer Saturated Phenol Chloroform DNA Precipitation Gel Loading Dye Marker Demonstrates the different stages of mitosis present in the meristamatic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits in two, followed by division of the parent cell into two daughted. This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit	n Solution ● T 10 50 er cells.	E Buffer 1 Kit 1 Kit	3200.00 9500.00 7200.00
87377	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: • Bacterial Cell F • Ethidium Bromide • Agarose • Onion Root Tip Mitosis Kit (Teaching) Plasmid Isolation Kit from Bacterial cells (Teaching) Kit contents: • Bacterial Cell	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets Lysis Buffer Saturated Phenol Chloroform DNA Precipitation Gel Loading Dye Marker Demonstrates the different stages of mitosis present in the meristamatic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits in two, followed by division of the parent cell into two daughted. This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit	10 50 er cells. 15 25	E Buffer 1 Kit 1 Kit 1 Kit	3200.00 9500.00 7200.00 9700.00
87377	BioLit Genomic DNA Extraction (from leaves) Kit (Teacl Kit contents: • Bacterial Cell F • Ethidium Bromide • Agarose • Onion Root Tip Mitosis Kit (Teaching) Plasmid Isolation Kit from Bacterial cells (Teaching) Kit contents: • Bacterial Cell	This genomic DNA extraction kit uses a rapid and simple technique ideal for school and college students. hing) Pellets ● Lysis Buffer ● Saturated Phenol ● Chloroform ● DNA Precipitation Gel Loading Dye ● Marker Demonstrates the different stages of mitosis present in the meristamatic cells located in the onion root tips. Mitosis is the process in which a eukaryotic cell nucleus splits in two, followed by division of the parent cell into two daughted. This plasmid mini-prep kit facilitates the rapid (~ 2 h) isolation of plasmid DNA from bacterial cells already transformed with a plasmid. The detailed instructions which accompanythe kit will allow typical school and college students to use the kit with no additional assistance. Pellets ● Alkaline lysis Reagents ● DNA Precipitation Solution ● Wash So	10 50 er cells. 15 25	E Buffer 1 Kit 1 Kit 1 Kit	3200.00 9500.00 7200.00

code	product name	application/description ex	no. of periments	unit	price
18450	Restriction Digestion Kit (Teaching)	This kit contains materials to teach the use of restriction enzymes HindIII and EcoRI & demonstrate restriction mapping of lambda DNA mapping. These experiments constitute experiences for a student interested in close		1 Kit 1 Kit	4200.00 14700.00
	Kit contents : ● Lambda DN ● Gel Loading Dye ● TAE buffer	essential learning experiences for a student interested in cloni IA ● Agarose ● Restriction Enzymes ● Reaction Buffer ● Ethidium Bromide r ● DNA Molecular Size Marker	ng and gene	elic mapping.	
52046		Quick Restriction Digestion Kit is designed for faster, more efficient, and easier to perform DNA digestions, while maintaining the high quality and specificity as expected from conventional restriction enzymes. QuickRxn enzymes significant shorten digestion times, often requiring only 5-15 minutes to complete the test. DNA ● Agarose ● QuickRxn Restriction Enzymes ● Reaction Buffer Loading Dye ● TAE Buffer ● DNA Molecular Size Marker	•	1 Kit	9000.00
83775	SDS PAGE Kit (Teaching) Kit contents: • Bis Acryla	This kit teaches the technique of separation of proteins based on their size under denaturing conditions using sodium dodecyl sulphate (SDS) and beta mercaptoethanol (BME). SDS cleaves non ionic interactions while BME cleaves disulphide bonds. SDS also imparts a strong negative charge to the polypeptides thereby their charge to mass ratio is rendered uniform. This allows the polypeptides to be separate on the basis of only their size, which is read by comparison with a standard marker mide Solution ● Separating and Stacking Buffer Solutions ● APS ● TEMED	15	1 Kit 1 Kit	5300.00 9000.00
31105	Silver Staining Kit (Teaching)	Silver staining is a rapid, easy and sensitive method used for staining proteins, DNA and RNA after polyacrylamide gel electrophoresis. Silver staining is a far more sensitive method of staining than Coomassie Brilliant blue and can detect prote & even polypeptides as low as 0.05 ng in concentration. Reagents sufficient for 15 reactions are enclosed.	5 15 sin	1 Kit 1 Kit	5300.00 10500.00
46037	Southern Blotting Kit (Teaching) Kit contents: • NC Memb • Agarose • Ethidium Bromide	E. M. Southern invented a technique to transfer separated DNA molecules to a membrane, which is capable of binding the DNA, and immobilizing it for further analysis. The technique named as Southern blotting, after its inventor, involves placing either a nitrocellulose or nylon membrane in contact with the agarose gel and facilitating the transfer process by capillary action. By drawing buffer from the gel to the membrane, the DNA fragments are forced to move with the buffer and deposition on the membrane. (Hydbridization not included)	it	1 Kit	9000.00
52166	SpinCol Plasmid Miniprep kit from Bacterial cells (Teaching)	A new teaching kit for isolation of plasmid DNA from E.coli cultures based on silica - membrane technology on a mini spin columns. This is a fast and efficient method and yields high quality plasmid DNA. In ● Lysis buffer ● precipitating buffer ● wash buffer ● elution buffer	20 50	1 Kit 1 Kit	5300.00 7500.00

Linkers & Cross-Linkers for Protein Chemistry

Cross-linking is the process of chemically joining two or more molecules by a covalent bond. SRL introduced linking and cross-linking reagents are important reagents used in protein chemistry applications. Typically, they are commonly used reagents to modify nucleic acids, drugs and solid surfaces. Areas of research where these products find application are bioconjugation, immobilization, surface modification and bio-molecule labeling. These reagents contain reactive ends to specific functional groups, such as primary amines and sulfhydryls, on proteins or other molecules. The availability of several chemical groups in proteins and peptides make them targets for conjugation and for study using cross-linking methods. Some common applications of cross-linkers is for the identification of near-neighbor protein relationships and for ligandreceptor interactions.



- 3-(Acetamidomethylthio)propanoic Acid (MPA(Acm))
- 3-(Benzylthio)-Propionic Acid
- DABCYL-N-Succinimidyl Ester
- DHP Linker (3,4-Dihydro-2H-Pyran-2-Methanol)
- 5-(Ethylthio)-1H-Tetrazole (ETT)
- HMBA Linker (4-(Hydroxymethyl)benzoic Acid)
- HMPA Linker
- Ramage Linker
- Rink Amide Linker (Knorr Linker)
- Sieber Linker
- Weinreb Linker

Compounds for Peptide Synthesis

Peptide synthesis is characterized as the formation of a peptide bond between two amino acids. While the definition of a peptide is not definitive, it usually refers to chains of up to 30-50 amino acids. Peptide synthesis today is a common approach in even high-throughput biological research and product and drug development, although it is a technique about 100 years old. We offer various types of peptide reagents that can be used for biological production and research work.

Amino Acids and Derivatives

- BOC
- FMOC
- L/D/DL
- Z/CBZ

N,N'-Dicyclohexylcarbodimide DCC

Diisopropylcarbodimide DIPC

1-(3 Dimethylaminopropyl)-3-Carbodimide Hydrochloride (EDC.HCl), EDAC.HCl)

1,4 Dithioerythritol (DTE)

DL-Dithiothreitol (DTT)

EEDQ

1,2 Ethanedithiol (EDT)

9-Fluorenylmethanol

9-Fluorenylmethyl-N-succinimidyl Carbonate

1-Fluoro-2,4 Dinitrobenzene

HABU

HOAT

HOBT

Hydrobromic Acid

2-Hydroxypyridine-N-oxide (1-Hydroxy-2-pyridone) (HOPO)

N-Hydroxysuccinamide

Di-(n-succinimidyl) Carbonate

TBTU

TNTU

Trifluoroacetic Acid

Wang Resin (100-200 mesh)

Z-OSU

For more details, please feel free to mail us at marketing@srlchem.com



code	product name	unit	price
	Buffer caps	sules	
87767	Buffer capsules pH 4	10 caps	260
95323	Buffer capsules pH 6	10 caps	260
18533	Buffer capsules pH 7	10 caps	260
74399	Buffer capsules pH 9.2	10 caps	260
	Indicator P	apers	
74183	Brilliant Yellow Indicator Papers	10 Books	380
11902	Bromothymol Blue Indicator Papers	10 Books	360
84795	Chlorine Test Indicator Papers	10 Books	410
54494	Congo Red Indicator Papers	10 Books	350
72874	Indicator Papers pH 1.0 - 14.0	10 Books	420
12794	Indicator Papers pH 1.0 - 10.0	4 Books	830
17603	Indicator Papers pH 2.0 - 4.5	10 Books	460
27671	Indicator Papers pH 2.0 - 10.5	10 Books	400
84794	Indicator Papers pH 3.5 - 6.0	10 Books	400
82811	Indicator Papers pH 3.8 - 5.3	10 Books	420
98044	Indicator Papers pH 3.8 - 5.4	10 Books	420
36120	Indicator Papers pH 5.0 - 7.5	10 Books	400
61169	Indicator Papers pH 6.5 - 9.0	10 Books	400
94744	Indicator Papers pH 8.0 - 10.5	10 Books	440
76345	Litmus Blue Indicator Papers	10 Books	330
67562	Litmus Red Indicator Papers	10 Books	330
48758	Phenolphthalein Indicator Papers	10 Books	380
27893	Starch Indicator Papers	10 Books	520
75672	Starch Iodide Indicator Papers	10 Books	440
45438	Turmeric Indicator Papers	10 Books	480
	Barrier F	Pen Pen	
93071	PAP Pen Mini (Hydrophobic Barrier Pen, 1mm, Blue)	1 nos	7560
59164	PAP Pen Regular (Hydrophobic Barrier Pen, 3mm, Bl	ue) 1 nos	12600

Petri Plates

High quality disposable Petri Dishes, suitable for all microbiological applications manufactured as per ISO 24998. Dimensional accuracy of 90 mm ensures compatibility with most automated systems. Extremely high optical clarity for easy viewing on a microscope. Petri Dishes have elevated lids (vented) that allows for superior gas exchange and evaporation. Convenient & easy to stack.

90226 Petri Plates (90mm)



100 nos 1420 500 nos 6990

Spin Columns

A purification aid set comprising of Silica membrane spin column and a collection tube. Silica membrane in a column form is used for purifying/extracting nucleic acids (DNA or RNA) of high quality. These columns are compatible with in-house buffers as well as Store-bought ones.

39738	Mini Silica Spin Column Set A (2ml SC w/ CT each)	50 nos	5510
	Binding capacity — 45µg	100 nos	10250
	Supplied with 2ml Collection Tube (CT) Lead in purifying public goids of 65hp to 10kh size from PCP amplifications and aggress.	o gol ovtractions	
	Used in purifying nucleic acids of 65bp to 10kb size from PCR amplifications and agarose	e gerexiractions.	
89887	Mini Silica Spin Column Set B (2ml SC w/ CT each)	50 nos	5510
	Binding capacity — $50\mu g$	100 nos	10250
	Supplied with 2ml Collection Tube (CT)		
	Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.		
69516	Mini Silica Spin Column Set C (2ml SC w/ CT each)	50 nos	5880
	Binding capacity — $55\mu g$	100 nos	11000
	Supplied with 2ml Collection Tube (CT)		
	Used in purifying nucleic acids of less than 10kb size from lysed cell cultures.		
37351	RNA Mini Spin Column Set (2ml SC w/ CT each)	50 nos	7410
	Binding capacity — 40µg	100 nos	12530
	Supplied with 2ml Collection Tube (CT)		
	Used in purifying RNA from agarose gel extractions.		
	osed in punitying hive normagarose genektractions.		

Tubes and Screw Caps

31635	Microcentrifuge Tube and Screw Cap (0.5ml), Self Standing, Conical,	500 Nos	7720
	O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade		
	• Capacity - 0.5 ml • Self Standing Tube With Screw Cap & O-Ring • Sterile - Gamma Irradia	ted.	
	 Operating range: -196 °C to +121 °C. Autoclavable at 121 °C Withstands Maximum RCF No Graduation 	of 20000X G	
60838	Microcentrifuge Tube and Screw Cap (1.5ml), Self Standing, Conical,	500 Nos	8280
	O-Ring, Clear, Non-Hinged, Sterile, Molecular Grade • Capacity - 1.5 ml • Self Standing Tubes With Screw Cap & O-Ring • Sterile - Gamma Irradia	ated.	
	 Operating range: -196°C to +121°C • Autoclavable at 121°C • Withstands maximum of 200 No Graduations)00X G	
41425	Collection Tubes (CT) for DNA, RNA purification (2ml)	50 nos	470
		500 nos	4320
11876	Centrifuge Tube and Screw Cap (15ml)	50 nos	900
		250 nos	4200
		500 nos	7560
11048	Centrifuge Tube and Screw Cap (50ml)	50 nos	1050
		250 nos	5150
		500 nos	10080

Crucible Tall Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

45866	Crucible Porcelain, 5 ml, Tall with Lid	6 Nos	760
14903	Crucible Porcelain, 10 ml, Tall with Lid	6 Nos	790
61275	Crucible Porcelain, 15 ml, Tall with Lid	4 Nos	690
55162	Crucible Porcelain, 30 ml, Tall with Lid	4 Nos	790
94977	Crucible Porcelain, 40 ml, Tall with Lid	1 Nos	240



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
5 ml	24 mm	20 mm	1.7 mm	8 gm	26 mm
10 ml	31 mm	26 mm	1.8 mm	12 gm	34 mm
15 ml	35 mm	29 mm	1.8 mm	13 gm	38 mm
30 ml	45 mm	36 mm	1.8 mm	18.5 gm	47 mm
40 ml	50 mm	40 mm	1.8 mm	23 gm	53 mm

Crucible Wide Form

These crucibles are made of high quality Porcelain for basic laboratory use to heat chemical compounds. Each product is well tested for its strength, thermal performance, and enhanced chemical resistance with low water absorbance. Widely suitable for burning solid matter, evaporation, concentration or crystallization of solutions.

16024	Crucible Porcelain, 2 ml, Wide with Lid	6 Nos	780
97090	Crucible Porcelain, 8 ml, Wide with Lid	6 Nos	870
97897	Crucible Porcelain, 17 ml, Wide with Lid	4 Nos	720
71099	Crucible Porcelain, 30 ml, Wide with Lid	4 Nos	810
13057	Crucible Porcelain, 50 ml, Wide with Lid	1 Nos 4 Nos	270 950



Capacity	Top OD	Height	Wall Thickness	Weight	Lid Dia
2 ml	18 mm	12 mm	1.3 mm	3 gm	26 mm
8 ml	32 mm	20 mm	1.6 mm	10 gm	34 mm
17 ml	41 mm	26 mm	1.6 mm	18 gm	47 mm
30 ml	50 mm	31 mm	1.8 mm	25 gm	53 mm
50 ml	61 mm	37 mm	1.8 mm	35 gm	69 mm

Mortar & Pestle

Mortar & Pestle are made from high quality Porcelain for basic laboratory application such as crushing, grinding, etc. They are designed with a spout which enables easy pouring.

44249	Mortar & Pestle Set, Porcelain, 60 ml	1 Nos	280
41278	Mortar & Pestle Set, Porcelain, 100 ml	1 Nos	320
13968	Mortar & Pestle Set, Porcelain, 150 ml	1 Nos	530
51686	Mortar & Pestle Set, Porcelain, 275 ml	1 Nos	630



Capacity	Top OD	Top ID	Outer Height	Wall Thickness	Weight	Length	Head OD	Weight
60 ml	80 mm	60 mm	44 mm	7.5 mm	200 gm	98 mm	27 mm	50 gm
100 ml	90 mm	75 mm	48 mm	10 mm	280 gm	98 mm	27 mm	50 gm
150 ml	105 mm	85 mm	72 mm	9 mm	490 gm	114 mm	30 mm	90 gm
275 ml	125 mm	100 mm	70 mm	11.5 mm	650 gm	130 mm	36 mm	130-140 gm

Evaporating Dish

These evaporating dishes are made from high quality Porcelain with spout for easy pouring of liquids. These have wide applications in scientific laboratories such as evaporating, drying & crystallizing. They are highly suitable for critical laboratory use.

11443	Dish Evaporating Porcelain, 20 ml	6 Nos	840
42418	Dish Evaporating Porcelain, 40 ml	6 Nos	880
96704	Dish Evaporating Porcelain, 100 ml	6 Nos	1050



Capacity	Top OD	Height	Wall Thickness	Weight
20 ml	50 mm	22 mm	1.3 mm	19 gm
40 ml	60 mm	27 mm	1.3 mm	25 gm
100 ml	75 mm	35 mm	2 mm	51 gm

Buchner Funnel

Each Buchner funnel is autoclavable, made from high quality Porcelain with fixed perforated plate & a thick stem. It is commonly used in chemistry labs for filtration purposes to eliminate unwanted particles.

53092	Funnel Buchner, Porcelain, 6 ml	1 Nos	300
64702	Funnel Buchner, Porcelain, 30 ml	1 Nos	320
38635	Funnel Buchner, Porcelain, 87 ml	1 Nos	340
59425	Funnel Buchner, Porcelain, 186 ml	1 Nos	470



Capacity	Top OD	FP Dia	Height	Perforated Dia	Wall Thickness	Weight
6 ml	35 mm	20 mm	72 mm	23 mm	3 mm	32 gm
30 ml	50 mm	35-40 mm	89 mm	23 mm	3 mm	48 gm
87 ml	60 mm	50-55 mm	110 mm	38 mm	3 mm	110 gm
186 ml	84 mm	70 mm	143 mm	62 mm	3.5 mm	180 gm



Bio-Indenta®

Global searching station for Unlisted Compounds





Our Indenting division, "Bio-Indenta" has completed its third successful year of operation. Headquartered in Mumbai, we have been able to master the art of supply chain and global sourcing for our valued scientific researchers. We have contributed to the scientific community by making available complex niche chemicals and biochemicals to our Institutional and Industrial customers. We have efficient logistics systems in place and offer you the transparency and trust you need to make most well informed decisions for your R&D & production needs.

Bio-Indenta exists to connect you to your Principal product provider. We offer you the option of

- importing the products yourself or
- allowing Bio-Indenta to import them and supply them to you.

Transactions can be conducted in Indian Rupees or in any foreign currency.

Through Bio-Indenta, we have established Partnerships and Distributorships with selected pioneer biotech companies for their complete range of biochemicals, diagnostics and fine chemicals to serve scientific and R&D community.

Our partners in this endeavor are,



1. Carbosynth (UK)



2. Biosynth (Switzerland)



3. Bachem (Switzerland)



4. Elicityl SA (France)



5. ACS Materials(USA)

And Multiple Chinese and European specialty chemical companies who can supply a range of specialty chemicals and intermediates with all required documentations. Now you can choose your most preferred supplier. Take command of your sourcing...



All your inquiries can be mailed to bio-indenta@srlchem.com for immediate quotes and delivery schedules. Our offices are standing by to assist you in your requirements.







Carbosynth

UK

(www.carbosynth.com)

Carbosynth



Carbosynth Limited was established to provide the most comprehensive product range in the fields of carbohydrates and nucleosides for the international Life Science R&D communities. Carbosynth aims to support its clients from discovery to launch by offering cost effective solutions to their carbohydrate and nucleoside requirements.

Carbosynth offers over 2500 carbohydrates and nucleosides. This range includes monosaccharides, enzyme substrates, D- and L-sugars, oligosaccharides, detergents and nucleosides. The Carbosynth catalogue offers quantities for R&D, but many are produced in bulk. For example methyl-a-D-glucopyranoside, n-octyl-b-D-glucopyranoside, 3,4,6-tri-acetyl-D-galactal, gulon's-1000's of kilos.

Carbosynth also offers a range of allied fine chemicals many of which are versatile building blocks or have specialist applications ranging from biochemical reagents to natural antioxidants. Included in their product range are coupling agents, such as EDAC, or activators in peptide and oligonucleotide synthesis.

Custom synthesis is one of Carbosynths' fastest growing business sectors and they are committed to providing in-time development and delivery of quality compounds. Carbosynth is able to draw upon a wide range of chemical reactions and processes especially in the fields of carbohydrates and nucleosides.

The Carbosynth product range broadly includes –

- Carbohydrates and Derivatives of Carbohydrates.
- Unnatural Sugars and Carbohydrate Building Blocks.
- Nucleosides and Nucleotide Building Blocks.
- Oligosaccharides and a range of other Fine Chemicals and Enzyme Substrates.

Carbosynth	Prominent Products
Carbosynth Prod. Code	Product Name
EA06838	O-(2-Acetamido-2-deoxy-D- glucopyranosylidene)amino N-phenyl carbamate
OA08244	N-Acetyl-D-lactosamine
MA00746	N-Acetylneuraminic acid
FA02773	2-Amino-3-chloropyrazine
MA03786	1,6-Anhydro-b-D-galactopyranose
EB06680	5-Bromo-4-chloro-3-indolyl b-D-galactopyranoside
FC06230	6-Chloro-2-cyano-3-nitropyridine
MC02788	1-Chloro-2-deoxy-3,5-di-o-toluoyl-a-Dribofuranose
EC05990	2-Chloro-4-nitrophenyl a-L-fucopyranoside
ND04237	2'-Deoxy-2',2'-difluoro-D-cytidine
MD04977	2-Deoxy-D-ribose
FD06223	4,4'-Dibromo-2,2'-bipyridine
FD04039	R)-2,5-Dihydro-3,6-dimethoxy-2-isopropylpyrazine
FD06273	Diphenylcyclopropenone
FD05800	N-Ethyl-N'-(3-dimethylaminopropyl)carbodiimide HCl
MG05201	D-Galactose
MG05247	L-Glucose
MD05002	1,2:5,6-Di-O-isopropylidene-a-D-allofuranose
MD06795	1,2:5,6-Di-O-isopropylidene-a-D-glucofuranose
EN06363	2-Nitrophenyl b-D-galactopyranoside
DO05161	Octyl b-D-glucopyranoside
MP06689	1,2,3,4,6-Penta-O-acetyl-b-D-galactopyranose
FQ02772	R-(-)-3-Quinuclidinol
FQ06985	S-(+)-3-Quinuclidinol
FT04400	2,2,6,6-Tetramethylpiperidine 1-oxyl, free radical - solid melt
MT04086	2,3,4,6-Tetra-O-benzyl-D-galactopyranose
MT06691	2,3,4,6-Tetra-O-benzyl-D-glucopyranose
MT05853	3,4,6-Tri-O-acetyl-D-galactal
MT00681	3,4,6-Tri-O-acetyl-D-glucal

Please inquire with us for their latest product catalogues & quotations



Authorized Distributors for



(www.bachem.com)



Bachem is an independent, technology-based, public biochemicals company providing full service to the pharma and biotech industry. Bachem is specialized in the process development and the manufacturing of peptides and complex organic molecules as active pharmaceutical ingredients (APIs), as well as innovative biochemicals for research purposes. With headquarters in Bubendorf, Switzerland, and affiliates in Europe and the US, Bachem works on a global scale and holds a leading position in the field of peptides.

Bachem are world leaders in Peptides and in large scale GMP Peptide production. The product range includes,

- Peptides and Bio-chemicals Bioactive peptides and proteins, Enzyme substrates and Inhibitors, Organic compounds.
- Building Blocks Amino acids, Amino acid derivatives, Linkers, Resins and Reagents.
- Immunochemicals Antibodies, Antisera and Assay Kits.

Product Lines	ъ.		4			_
	М	roi	0 1 (+	ΊL	ıne	5

Amyloid B-Protein Fragments and Related Peptides

Adrenomedullins

Amylins and Fragments

Angiotensins and Related Peptides

Bradykinins, Analogs and Sequences

Caspase-1 Inhibitors

Corticotropin-Releasing Factor (CRF) and Analogs

Endothelins and Related Peptides

f,...-Diaminobutyric Acid

Fibronectin Fragments and Analogs

Ghrelins

HIV Proteases

Hydroxyproline

Isoleucine, allo-Isoleucine

Luteinizing Hormone-Releasing Hormone (LHRH) and Analogs

Melanin-Concentrating Hormones (MCH) and Related Peptides

Neuropeptide Y (NPY), Analogs and Fragments

Orexins

Ornithine

p-Alkoxybenzyl Alcohol Resin (-R)-Linked Fmoc-Amino Acids

pTH, Sequences and Analogs

Somatostatin and Analogs

Threonine, allo-Threonine

Vasopressin and Analogs

Authorized Distributors for



ElicityI SA

France

(www.elicityl-oligotech.com)



Based near Grenoble, France, ELICITYL is a biotech company devoted to complex sugar engineering and production. The company mission is to supply oligosaccharides and polysaccharides for biological applications targeting plant health, pharmacy, nutraceutics and cosmetics.

A few highlighted products offered

ABO, Lewis & P Histo-Blood Group Antigens

Human milk oligosaccharides - HMOs

Neutral, Acidic, Minor HMO"s

Oligosaccharides from other Mammalian species (cow, goat, sheep)

Human & Bacterial Lectins

Functionalized Oligosaccharides

Functionalized Blood group & Lewis antigens

Functionalized Ganglio-Series

Functionalized Globo-Series antigens

Functionalized Fucosylated Oligosaccharides

Functionalized Core structure

Tumor-associated carbohydrate antigens - TACAs

Natural polysaccharides and Oligosaccharides extracted from Biomass

Glycobricks® Building Blocks (Biotin,...)

Neoglycoproteins

Aminoglycoside derivatives

Please inquire with us for their latest product catalogues & quotations





Authorized Distributors for



Switzerland

(www.biosynth.com)



Biosynth is leading swiss specialty reagents manufacturer operating out of its plants in Switzerland and China. It began operations in 1966 as one of the few biochemical manufacturers of the world. It manufactures specialty products for the life-science and biotech industry. It's main core business areas include the production of chromogenic & fluorogenic substrates, organic synthesis products, API's, molecular biology, microbiology, biochemistry, cell science and genetic research products. Bio-Indenta is an exclusive channel partner of Biosynth in India.

A few highlighted products offered

API's

Chromogenic & Fluorogenic Substrates

Luminogenic Substrates

Organic Synthesis Products

Biochemistry, Molecular Biology & Genetic Research Products

Microbiology, Cell Science & In-Vitro Diagnostic Reagents

Imagining Probes

Dyes For Forensic Research

Products for Biomedical Research

Veterinary Science Products

Plant Biotechnology Products

Nutrition Research Products

Cosmetic Research Products

Authorized Distributors for



ACS Materials
USA

(www.acsmaterial.com)



ACS Materials is a high-tech enterprise, based in Pasadena, California (USA), involved in advanced nanomaterials development and production. The Company provides high quality nanomaterial products, service or technical products for research and allied applications.

A few highlighted products offered

Graphene (single-layer graphene, graphene oxide, graphene nanoplates, carboxyl graphene, graphite oxide)

Molecular sieves (SBA-15, MCM-41, MCM-48, SBA-3, ZSM-5)

Carbon series (activated carbon, graphite nanopowder, order mesoporous carbon CMK-3, High-order 3-D mesporous carbon (la3d), porous carbon)

Metal nanomaterials (antioxidation dispersible copper nanoparticles, copper colloidals, nickel nanoparticles, silver nanoparticles, silver nanowires)

Battery Materials (Si/C Composite , Silicon Monoxide, Silicon Nanoparticles)

Prices: The Prices offered are net & subject to change without notice. Good shall be delivered subject to the availability of stocks & will be invoiced at prices ruling on the date of dispatch. The prices are unit prices exclusive of GST taxes & any levies.

Taxes: GST taxes & any other levies or charges in lieu of levies as applicable shall be charged extra as and where applicable at the prevailing rates. Customers seeking any exemption must submit the required form along with their orders. All Order must specify your GST registration number.

Delivery: Customers based in cities where SRL Depot's are located, are responsible to collect their ordered/invoiced goods from the respective SRL Depot. For all others customers in India, invoiced goods will be supplied C.P.T. destination by the cheapest mode of transport for invoice value of Rs. 20,000/- net or more. All invoice(s) below Rs. 20,000/- shall be executed on ex-godown basis, all expenses will be charged extra. In case of remote areas, please inform the nearest station of address where goods/correspondence can be sent by courier. We reserve the right to make part supplies unless otherwise specified by the customers.

For invoices of temperature sensitive products below Rs. 5,000/- net, customers shall be charged additionally for dry ice, packing material, freight/courier, etc.

Special License Products: Methanol/Carbinol and all Pharmacopoeial labelled products of all grades required special permissions and are separately dispatched directly from our factory or respective warehouses which hold valid applicable licenses. Orders for Pharmacopoeial Grade Products must be accompanied with drug license no, date & validity. NMR Solvents require special End-Use certificates from customers and shall be supplied only against receipt of the same.

Shortage / Breakage: All products are packed with utmost care & forwarded at customer's risk. No claim for shortage / breakage, delay or damage will not be entertained if not informed to us in writing within seven days from the date of receipt of goods along with relevant evidences. Many of the products are very labile and likely to be damaged on prolonged storage. Manya-times the products may get damaged during transit due to extreme condition of temperature, humidity, etc. Improper handling may also cause degradation of quality. Products should be stored in required conditions & protected from temperature, humidity, light, etc. Any complaint on quality of products should be intimated to us within 30 days from receipt of goods beyond which we shall not entertain complaints. No goods should be returned without our prior written consent. It is understood that buyers are aware of storage and handling condition of the products.

Amendment / Cancellation: Goods once sold will not be taken back. No amendment or cancellation of orders will be accepted once the goods have been packed for dispatch.

Warranty: In case of failure or rejection of any of our products for whatsoever reasons, our liability is expressly limited to the extent of its replacement or its cost and we shall not be responsible for any other damages or losses incurred directly or indirectly. All recommendation, information and description supplied with respect to any product are believed to be accurate and reliable, but do not constitute warranties.

Insurance: If expressly desired, goods can be insured at customer's cost at 1% premium on the invoice value.

Force Majeure Clause: Notwithstanding whatever is specified by the customers or mentioned herein, in the event due to reasons beyond our control such as war, riots, strikes, civil commotion, shortage of raw materials, natural calamities, Govt. restrictions, change in fiscal policies and budgetary changes by the Govt., etc. we or our authorised stockist/s will not be liable for any penalization for delay or non-supply of the products.

Products appearing in this catalogue are meant for laboratory use only.

All disputes are subject to Mumbai Jurisdiction.

Sisco Research Laboratories Pvt.Ltd.

The Electrophoresis Leaders of India

We are India's best company in the field of molecular biology since the last 40 years. Our expertise lies in the manufacture of reagents and buffers used in gel electrophoresis for nucleic acid, DNA/RNA and protein separation. Having the most extensive range of protein and nucleic acid electrophoresis applications, we are 100% sure that our products will be very important for you to conduct most critical molecular biology techniques such as electrophoresis of DNA and RNA, PFGE for large fragment analysis, PCR fragment analysis, cloning and recovery of DNA and RNA and various blotting techniques such as Northern & Southern blotting.

SRL is manufacturing few products in bulk scale to meet the following applications in molecular biology for critical applications:

- Gel Electrophoresis
- SDS Page Electrophoresis
- Pulse Field Gel Electrophoresis
- Immunoelectrophoresis
- Counter Current Electrophoresis
- Tissue Culture & Cell Culture Studies
- Forensic & Diagnostic Analysis
- Antigen Antibody Reaction Studies
- · Molecular Weight Screening



Agarose Low-6 &
Agarose Low-8 have been
specially developed for
molecular screening
applications and improves
resolution of small
DNA fragments &
PCR products



Product code	Agarose	Sulphate %	Gel strength (1.5% gel) gm/cm²	Gelling temperature (1.5% soln)	Melting temperature (1.5% gel)	Electro- endosmosis (EEO)
60645	High EEO for MB	< 0.3	>800	36°C (±1.5)	85 - 90°C	0.25 - 0.30
10423	Medium EEO for MB	<0.2	>1500	$36^{\circ}C~(\pm 1.5)$	85 - 90°C	0.16 - 0.19
91466	Low EEO Regular grade (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
36601	Low EEO for MB (100bp-25kb)	<0.15	>1200	36°C (±1.5)	85 - 90°C	0.09 - 0.13
23287	Low EEO Superior grade for MB (100bp-25kb)	<0.15	>1500	36°C (±1.5)	85 - 90°C	0.09 - 0.13
Product code	Agarose (for Low Base Pairs)	Sulphate %	Gel strength (3% gel) gm/cm²	Gelling temperature (3% soln)	Melting temperature (3% gel)	Electro- endosmosis (EEO)
32417	Low Melting for MB (10-1200bp)	< 0.2	min 300	35°C (±1.5)	~ 65°C	max 0.1
27813	Metaphor (10-1200bp)	_	min 300	<35°C	<75°C	max 0.1
78711	Low-6 (10-1200bp)	< 0.1	min 800	< 35°C	< 75°C	max 0.12
52734	Low-8 (10-1200bp)	< 0.11	min 1500	<35.5°C	<80°C	max 0.12

Product code	Acrylamide	Solubility	Assay (Nitrogen)	pH (5% aq. soln)	A1% aq. 290nm
89314	1× Cryst. extrapure	30% aq. Clear & colourless	99.5%	min. 5.0	_
15657	3×Cryst. extrapure AR	60% aq. Clear & colourless	99.9%	min. 5.0	max. 0.5
61346	3× Cryst. for MB	30% aq. Clear & colourless	99.5%	min. 5.0	max. 0.5

Product code	Acrylamide/ Bis-acrylamide Premix	Solubility	pH (5% aq. soln)	Specific conductance (5% aq. soln)
24263	19:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
10762	29:1	10% aq. Clear & colourless	5 – 8	min. 10μ mho/cm
74379	37.5:1	10% aq. Clear & colourless	5 – 8	min. 10µ mho/cm

Product code	N,N'-Methylene Bis Acrylamide	Solubility	Assay (CG)	pH (2.5% aq. soln)	A1% aq. 290nm
38516	3× Cryst. extrapure AR	2.5% aq.	99.5%	min. 5.0	max. 0.2
67320	3× Cryst. for MB	2.5% aq.	99.5%	min. 5.0	max. 0.1



Website: www.srlchem.com